DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



ALOK

MAZDA Model: GDXR20501 Downlight

Attractive adjustable multiple downlight for prestigious lighting of offices, banks, hotels, restaurants, corridors, foyers, sales, exhibition and conference rooms, as well as residential areas. It is well integrated LED chip and dimmable Phase cut-off or DALI driver

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-GDXR205011 X 07W-2.7K-AC240-WH-ND-A115 X B115 X C100	1 X 07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
2	MAZDA-GDXR205011 X 07W-2.7K-AC240-WH-DA-A115 X B115 X C100	1 X 07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
3	MAZDA-GDXR205011 X 07W-2.7K-AC240-WH-PH-A115 X B115 X C100	1 X 07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
4	MAZDA-GDXR205011 X 07W-2.7K-AC240-WH-10VDIM-A115 X B115 X C100	1 X 07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
5	MAZDA-GDXR205011 X 07W-6K-AC240-WH-ND-A115 X B115 X C100	1 X 07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
6	MAZDA-GDXR205011 X 07W-6K-AC240-WH-DA-A115 X B115 X C100	1 X 07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
7	MAZDA-GDXR205011 X 07W-6K-AC240-WH-PH-A115 X B115 X C100	1 X 07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
8	MAZDA-GDXR205011 X 07W-6K-AC240-WH-10VDIM-A115 X B115 X C100	1 X 07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
9	MAZDA-GDXR205011 X 07W-5K-AC240-WH-ND-A115 X B115 X C100	1 X 07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
10	MAZDA-GDXR205011 X 07W-5K-AC240-WH-DA-A115 X B115 X C100	1 X 07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
11	MAZDA-GDXR205011 X 07W-5K-AC240-WH-PH-A115 X B115 X C100	1 X 07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
12	MAZDA-GDXR205011 X 07W-5K-AC240-WH-10VDIM-A115 X B115 X C100	1 X 07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
13	MAZDA-GDXR205011 X 07W-3K-AC240-WH-ND-A115 X B115 X C100	1 X 07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
14	**MAZDA-GDXR205011 X 07W-3K-AC240-WH-DA-A115 X B115 X C100**	1 X 07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
15	**MAZDA-GDXR205011 X 07W-3K-AC240-WH-PH-A115 X B115 X C100**	1 X 07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
16	**MAZDA-GDXR205011 X 07W-3K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
17	**MAZDA-GDXR205011 X 07W-4K-AC240-WH-ND-A115 X B115 X C100**	1 X 07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
18	**MAZDA-GDXR205011 X 07W-4K-AC240-WH-DA-A115 X B115 X C100**	1 X 07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
19	**MAZDA-GDXR205011 X 07W-4K-AC240-WH-PH-A115 X B115 X C100**	1 X 07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
20	**MAZDA-GDXR205011 X 07W-4K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
21	**MAZDA-GDXR205011 X 07W-6.5K-AC240-WH-ND-A115 X B115 X C100**	1 X 07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
22	**MAZDA-GDXR205011 X 07W-6.5K-AC240-WH-DA-A115 X B115 X C100**	1 X 07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
23	**MAZDA-GDXR205011 X 07W-6.5K-AC240-WH-PH-A115 X B115 X C100**	1 X 07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
24	**MAZDA-GDXR205011 X 07W-6.5K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	840LM	A115 X B115 X C100	
25	**MAZDA-GDXR205011 X 10W-2.7K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
26	**MAZDA-GDXR205011 X 10W-2.7K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
27	**MAZDA-GDXR205011 X 10W-2.7K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
28	**MAZDA-GDXR205011 X 10W-2.7K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
29	**MAZDA-GDXR205011 X 10W-6K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
30	**MAZDA-GDXR205011 X 10W-6K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
31	**MAZDA-GDXR205011 X 10W-6K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
32	**MAZDA-GDXR205011 X 10W-6K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
33	**MAZDA-GDXR205011 X 10W-5K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
34	**MAZDA-GDXR205011 X 10W-5K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
35	**MAZDA-GDXR205011 X 10W-5K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
36	**MAZDA-GDXR205011 X 10W-5K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
37	**MAZDA-GDXR205011 X 10W-3K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
38	**MAZDA-GDXR205011 X 10W-3K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
39	**MAZDA-GDXR205011 X 10W-3K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
40	**MAZDA-GDXR205011 X 10W-3K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
41	**MAZDA-GDXR205011 X 10W-4K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
42	**MAZDA-GDXR205011 X 10W-4K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
43	**MAZDA-GDXR205011 X 10W-4K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
44	**MAZDA-GDXR205011 X 10W-4K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
45	**MAZDA-GDXR205011 X 10W-6.5K-AC240-WH-ND-A115 X B115 X C100**	1 X 10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
46	**MAZDA-GDXR205011 X 10W-6.5K-AC240-WH-DA-A115 X B115 X C100**	1 X 10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
47	**MAZDA-GDXR205011 X 10W-6.5K-AC240-WH-PH-A115 X B115 X C100**	1 X 10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
48	**MAZDA-GDXR205011 X 10W-6.5K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1200LM	A115 X B115 X C100	
49	**MAZDA-GDXR205011 X 15W-2.7K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
50	**MAZDA-GDXR205011 X 15W-2.7K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
51	**MAZDA-GDXR205011 X 15W-2.7K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
52	**MAZDA-GDXR205011 X 15W-2.7K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
53	**MAZDA-GDXR205011 X 15W-6K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
54	**MAZDA-GDXR205011 X 15W-6K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
55	**MAZDA-GDXR205011 X 15W-6K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
56	**MAZDA-GDXR205011 X 15W-6K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
57	**MAZDA-GDXR205011 X 15W-5K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
58	**MAZDA-GDXR205011 X 15W-5K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
59	**MAZDA-GDXR205011 X 15W-5K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
60	**MAZDA-GDXR205011 X 15W-5K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
61	**MAZDA-GDXR205011 X 15W-3K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
62	**MAZDA-GDXR205011 X 15W-3K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
63	**MAZDA-GDXR205011 X 15W-3K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
64	**MAZDA-GDXR205011 X 15W-3K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
65	**MAZDA-GDXR205011 X 15W-4K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
66	**MAZDA-GDXR205011 X 15W-4K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
67	**MAZDA-GDXR205011 X 15W-4K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
68	**MAZDA-GDXR205011 X 15W-4K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
69	**MAZDA-GDXR205011 X 15W-6.5K-AC240-WH-ND-A115 X B115 X C100**	1 X 15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
70	**MAZDA-GDXR205011 X 15W-6.5K-AC240-WH-DA-A115 X B115 X C100**	1 X 15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
71	**MAZDA-GDXR205011 X 15W-6.5K-AC240-WH-PH-A115 X B115 X C100**	1 X 15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
72	**MAZDA-GDXR205011 X 15W-6.5K-AC240-WH-10VDIM-A115 X B115 X C100**	1 X 15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A115 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	1800LM	A115 X B115 X C100	
73	**MAZDA-GDXR205012 X 10W-2.7K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
74	**MAZDA-GDXR205012 X 10W-2.7K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
75	**MAZDA-GDXR205012 X 10W-2.7K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
76	**MAZDA-GDXR205012 X 10W-2.7K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
77	**MAZDA-GDXR205012 X 10W-6K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
78	**MAZDA-GDXR205012 X 10W-6K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
79	**MAZDA-GDXR205012 X 10W-6K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	**MAZDA-GDXR205012 X 10W-6K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
81	**MAZDA-GDXR205012 X 10W-5K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
82	**MAZDA-GDXR205012 X 10W-5K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
83	**MAZDA-GDXR205012 X 10W-5K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
84	**MAZDA-GDXR205012 X 10W-5K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
85	**MAZDA-GDXR205012 X 10W-3K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
86	**MAZDA-GDXR205012 X 10W-3K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
87	**MAZDA-GDXR205012 X 10W-3K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
88	**MAZDA-GDXR205012 X 10W-3K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
89	**MAZDA-GDXR205012 X 10W-4K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
90	**MAZDA-GDXR205012 X 10W-4K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
91	**MAZDA-GDXR205012 X 10W-4K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
92	**MAZDA-GDXR205012 X 10W-4K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
93	**MAZDA-GDXR205012 X 10W-6.5K-AC240-WH-ND-A230 X B115 X C100**	2 X 10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
94	**MAZDA-GDXR205012 X 10W-6.5K-AC240-WH-DA-A230 X B115 X C100**	2 X 10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
95	**MAZDA-GDXR205012 X 10W-6.5K-AC240-WH-PH-A230 X B115 X C100**	2 X 10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
96	**MAZDA-GDXR205012 X 10W-6.5K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	2400LM	A230 X B115 X C100	
97	**MAZDA-GDXR205012 X 15W-2.7K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
98	**MAZDA-GDXR205012 X 15W-2.7K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
99	**MAZDA-GDXR205012 X 15W-2.7K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
100	**MAZDA-GDXR205012 X 15W-2.7K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
101	**MAZDA-GDXR205012 X 15W-6K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
102	**MAZDA-GDXR205012 X 15W-6K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
103	**MAZDA-GDXR205012 X 15W-6K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
104	**MAZDA-GDXR205012 X 15W-6K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
105	**MAZDA-GDXR205012 X 15W-5K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
106	**MAZDA-GDXR205012 X 15W-5K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
107	**MAZDA-GDXR205012 X 15W-5K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
108	**MAZDA-GDXR205012 X 15W-5K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
109	**MAZDA-GDXR205012 X 15W-3K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
110	**MAZDA-GDXR205012 X 15W-3K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
111	**MAZDA-GDXR205012 X 15W-3K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
112	**MAZDA-GDXR205012 X 15W-3K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
113	**MAZDA-GDXR205012 X 15W-4K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
114	**MAZDA-GDXR205012 X 15W-4K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
115	**MAZDA-GDXR205012 X 15W-4K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
116	**MAZDA-GDXR205012 X 15W-4K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
117	**MAZDA-GDXR205012 X 15W-6.5K-AC240-WH-ND-A230 X B115 X C100**	2 X 15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
118	**MAZDA-GDXR205012 X 15W-6.5K-AC240-WH-DA-A230 X B115 X C100**	2 X 15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
119	**MAZDA-GDXR205012 X 15W-6.5K-AC240-WH-PH-A230 X B115 X C100**	2 X 15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
120	**MAZDA-GDXR205012 X 15W-6.5K-AC240-WH-10VDIM-A230 X B115 X C100**	2 X 15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A230 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A230 X B115 X C100	
121	**MAZDA-GDXR205013 X 10W-2.7K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
122	**MAZDA-GDXR205013 X 10W-2.7K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
123	**MAZDA-GDXR205013 X 10W-2.7K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
124	**MAZDA-GDXR205013 X 10W-2.7K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
125	**MAZDA-GDXR205013 X 10W-6K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
126	**MAZDA-GDXR205013 X 10W-6K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
127	**MAZDA-GDXR205013 X 10W-6K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
128	**MAZDA-GDXR205013 X 10W-6K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
129	**MAZDA-GDXR205013 X 10W-5K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
130	**MAZDA-GDXR205013 X 10W-5K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
131	**MAZDA-GDXR205013 X 10W-5K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
132	**MAZDA-GDXR205013 X 10W-5K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
133	**MAZDA-GDXR205013 X 10W-3K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
134	**MAZDA-GDXR205013 X 10W-3K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
135	**MAZDA-GDXR205013 X 10W-3K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
136	**MAZDA-GDXR205013 X 10W-3K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
137	**MAZDA-GDXR205013 X 10W-4K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
138	**MAZDA-GDXR205013 X 10W-4K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
139	**MAZDA-GDXR205013 X 10W-4K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
140	**MAZDA-GDXR205013 X 10W-4K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
141	**MAZDA-GDXR205013 X 10W-6.5K-AC240-WH-ND-A285 X B115 X C100**	3 X 10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
142	**MAZDA-GDXR205013 X 10W-6.5K-AC240-WH-DA-A285 X B115 X C100**	3 X 10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
143	**MAZDA-GDXR205013 X 10W-6.5K-AC240-WH-PH-A285 X B115 X C100**	3 X 10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
144	**MAZDA-GDXR205013 X 10W-6.5K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	3600LM	A285 X B115 X C100	
145	**MAZDA-GDXR205013 X 15W-2.7K-AC240-WH-ND-A285 X B115 X C100**	3 X 15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
146	MAZDA-GDXR205013 X 15W-2.7K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
147	MAZDA-GDXR205013 X 15W-2.7K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
148	MAZDA-GDXR205013 X 15W-2.7K-AC240-WH-10VDIM-A285 X B115 X C100	3 X 15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
149	MAZDA-GDXR205013 X 15W-6K-AC240-WH-ND-A285 X B115 X C100	3 X 15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
150	MAZDA-GDXR205013 X 15W-6K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
151	MAZDA-GDXR205013 X 15W-6K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
152	MAZDA-GDXR205013 X 15W-6K-AC240-WH-10VDIM-A285 X B115 X C100	3 X 15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
153	MAZDA-GDXR205013 X 15W-5K-AC240-WH-ND-A285 X B115 X C100	3 X 15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
154	MAZDA-GDXR205013 X 15W-5K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
155	MAZDA-GDXR205013 X 15W-5K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
156	MAZDA-GDXR205013 X 15W-5K-AC240-WH-10VDIM-A285 X B115 X C100	3 X 15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
157	MAZDA-GDXR205013 X 15W-3K-AC240-WH-ND-A285 X B115 X C100	3 X 15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
158	MAZDA-GDXR205013 X 15W-3K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
159	MAZDA-GDXR205013 X 15W-3K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
160	MAZDA-GDXR205013 X 15W-3K-AC240-WH-10VDIM-A285 X B115 X C100	3 X 15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
161	MAZDA-GDXR205013 X 15W-4K-AC240-WH-ND-A285 X B115 X C100	3 X 15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
162	MAZDA-GDXR205013 X 15W-4K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
163	MAZDA-GDXR205013 X 15W-4K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
164	MAZDA-GDXR205013 X 15W-4K-AC240-WH-10VDIM-A285 X B115 X C100	3 X 15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
165	MAZDA-GDXR205013 X 15W-6.5K-AC240-WH-ND-A285 X B115 X C100	3 X 15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
166	MAZDA-GDXR205013 X 15W-6.5K-AC240-WH-DA-A285 X B115 X C100	3 X 15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	
167	MAZDA-GDXR205013 X 15W-6.5K-AC240-WH-PH-A285 X B115 X C100	3 X 15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
168	**MAZDA-GDXR205013 X 15W-6.5K-AC240-WH-10VDIM-A285 X B115 X C100**	3 X 15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A285 X B115 X C100	LUMINAIRE BODY OF DIE-CAST ALUMINUM	IP54	5400LM	A285 X B115 X C100	