



AROW

MAZDA Model: SXR1866 Spot Light

Arow LED recessed downlight adopts super slim and compact design, perfectly suitable for the narrow ceiling installation. IP54/IP65 rating front cover design, suitable for damp environment. Traditional diamond plaited surface lens design ensures the high light transmittance and uniform lighting output. T-shape heat sink greatly increases the radiation area and improves cooling efficiency

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR186605-3K-AC240-BK-ND-A80 X B80 X C40MM	05	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
2	MAZDA-SXR186605-3K-AC240-BK-ND-EM-A80 X B80 X C40MM	05	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
3	MAZDA-SXR186605-3K-AC240-WH-ND-A80 X B80 X C40MM	05	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
4	MAZDA-SXR186605-3K-AC240-WH-ND-EM-A80 X B80 X C40MM	05	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
5	MAZDA-SXR186605-3K-AC240-GD-ND-A80 X B80 X C40MM	05	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
6	MAZDA-SXR186605-3K-AC240-GD-ND-EM-A80 X B80 X C40MM	05	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
7	MAZDA-SXR186605-3K-AC240-SL-ND-A80 X B80 X C40MM	05	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
8	MAZDA-SXR186605-3K-AC240-SL-ND-EM-A80 X B80 X C40MM	05	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
9	MAZDA-SXR186605-3K-AC240-BK-DA-A80 X B80 X C40MM	05	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
10	MAZDA-SXR186605-3K-AC240-BK-DA-EM-A80 X B80 X C40MM	05	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
11	MAZDA-SXR186605-3K-AC240-WH-DA-A80 X B80 X C40MM	05	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
12	MAZDA-SXR186605-3K-AC240-WH-DA-EM-A80 X B80 X C40MM	05	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
13	MAZDA-SXR186605-3K-AC240-GD-DA-A80 X B80 X C40MM	05	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
14	MAZDA-SXR186605-3K-AC240-GD-DA-EM-A80 X B80 X C40MM	05	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
15	MAZDA-SXR186605-3K-AC240-SL-DA-A80 X B80 X C40MM	05	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
16	MAZDA-SXR186605-3K-AC240-SL-DA-EM-A80 X B80 X C40MM	05	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
17	MAZDA-SXR186605-3K-AC240-BK-PH-A80 X B80 X C40MM	05	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
18	MAZDA-SXR186605-3K-AC240-BK-PH-EM-A80 X B80 X C40MM	05	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
19	MAZDA-SXR186605-3K-AC240-WH-PH-A80 X B80 X C40MM	05	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-SXR186605-3K-AC240-WH-PH-EM-A80 X B80 X C40MM	05	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
21	MAZDA-SXR186605-3K-AC240-GD-PH-A80 X B80 X C40MM	05	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
22	MAZDA-SXR186605-3K-AC240-GD-PH-EM-A80 X B80 X C40MM	05	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
23	MAZDA-SXR186605-3K-AC240-SL-PH-A80 X B80 X C40MM	05	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
24	MAZDA-SXR186605-3K-AC240-SL-PH-EM-A80 X B80 X C40MM	05	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
25	MAZDA-SXR186605-3K-AC240-BK-10VDIM-A80 X B80 X C40MM	05	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
26	MAZDA-SXR186605-3K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	05	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
27	MAZDA-SXR186605-3K-AC240-WH-10VDIM-A80 X B80 X C40MM	05	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
28	MAZDA-SXR186605-3K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	05	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
29	MAZDA-SXR186605-3K-AC240-GD-10VDIM-A80 X B80 X C40MM	05	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
30	MAZDA-SXR186605-3K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	05	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
31	MAZDA-SXR186605-3K-AC240-SL-10VDIM-A80 X B80 X C40MM	05	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
32	MAZDA-SXR186605-3K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	05	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
33	MAZDA-SXR186605-4K-AC240-BK-ND-A80 X B80 X C40MM	05	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
34	MAZDA-SXR186605-4K-AC240-BK-ND-EM-A80 X B80 X C40MM	05	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
35	MAZDA-SXR186605-4K-AC240-WH-ND-A80 X B80 X C40MM	05	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
36	MAZDA-SXR186605-4K-AC240-WH-ND-EM-A80 X B80 X C40MM	05	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
37	MAZDA-SXR186605-4K-AC240-GD-ND-A80 X B80 X C40MM	05	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
38	MAZDA-SXR186605-4K-AC240-GD-ND-EM-A80 X B80 X C40MM	05	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
39	MAZDA-SXR186605-4K-AC240-SL-ND-A80 X B80 X C40MM	05	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
40	MAZDA-SXR186605-4K-AC240-SL-ND-EM-A80 X B80 X C40MM	05	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
41	MAZDA-SXR186605-4K-AC240-BK-DA-A80 X B80 X C40MM	05	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
42	MAZDA-SXR186605-4K-AC240-BK-DA-EM-A80 X B80 X C40MM	05	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
43	MAZDA-SXR186605-4K-AC240-WH-DA-A80 X B80 X C40MM	05	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
44	MAZDA-SXR186605-4K-AC240-WH-DA-EM-A80 X B80 X C40MM	05	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
45	MAZDA-SXR186605-4K-AC240-GD-DA-A80 X B80 X C40MM	05	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
46	MAZDA-SXR186605-4K-AC240-GD-DA-EM-A80 X B80 X C40MM	05	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
47	MAZDA-SXR186605-4K-AC240-SL-DA-A80 X B80 X C40MM	05	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
48	MAZDA-SXR186605-4K-AC240-SL-DA-EM-A80 X B80 X C40MM	05	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
49	MAZDA-SXR186605-4K-AC240-BK-PH-A80 X B80 X C40MM	05	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-SXR186605-4K-AC240-BK-PH-EM-A80 X B80 X C40MM	05	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
51	MAZDA-SXR186605-4K-AC240-WH-PH-A80 X B80 X C40MM	05	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
52	MAZDA-SXR186605-4K-AC240-WH-PH-EM-A80 X B80 X C40MM	05	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
53	MAZDA-SXR186605-4K-AC240-GD-PH-A80 X B80 X C40MM	05	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
54	MAZDA-SXR186605-4K-AC240-GD-PH-EM-A80 X B80 X C40MM	05	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
55	MAZDA-SXR186605-4K-AC240-SL-PH-A80 X B80 X C40MM	05	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
56	MAZDA-SXR186605-4K-AC240-SL-PH-EM-A80 X B80 X C40MM	05	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
57	MAZDA-SXR186605-4K-AC240-BK-10VDIM-A80 X B80 X C40MM	05	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
58	MAZDA-SXR186605-4K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	05	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
59	MAZDA-SXR186605-4K-AC240-WH-10VDIM-A80 X B80 X C40MM	05	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
60	MAZDA-SXR186605-4K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	05	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
61	MAZDA-SXR186605-4K-AC240-GD-10VDIM-A80 X B80 X C40MM	05	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
62	MAZDA-SXR186605-4K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	05	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
63	MAZDA-SXR186605-4K-AC240-SL-10VDIM-A80 X B80 X C40MM	05	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
64	MAZDA-SXR186605-4K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	05	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
65	MAZDA-SXR186605-5K-AC240-BK-ND-A80 X B80 X C40MM	05	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
66	MAZDA-SXR186605-5K-AC240-BK-ND-EM-A80 X B80 X C40MM	05	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
67	MAZDA-SXR186605-5K-AC240-WH-ND-A80 X B80 X C40MM	05	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
68	MAZDA-SXR186605-5K-AC240-WH-ND-EM-A80 X B80 X C40MM	05	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
69	MAZDA-SXR186605-5K-AC240-GD-ND-A80 X B80 X C40MM	05	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
70	MAZDA-SXR186605-5K-AC240-GD-ND-EM-A80 X B80 X C40MM	05	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
71	MAZDA-SXR186605-5K-AC240-SL-ND-A80 X B80 X C40MM	05	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
72	MAZDA-SXR186605-5K-AC240-SL-ND-EM-A80 X B80 X C40MM	05	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
73	MAZDA-SXR186605-5K-AC240-BK-DA-A80 X B80 X C40MM	05	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
74	MAZDA-SXR186605-5K-AC240-BK-DA-EM-A80 X B80 X C40MM	05	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
75	MAZDA-SXR186605-5K-AC240-WH-DA-A80 X B80 X C40MM	05	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
76	MAZDA-SXR186605-5K-AC240-WH-DA-EM-A80 X B80 X C40MM	05	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
77	MAZDA-SXR186605-5K-AC240-GD-DA-A80 X B80 X C40MM	05	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
78	MAZDA-SXR186605-5K-AC240-GD-DA-EM-A80 X B80 X C40MM	05	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
79	MAZDA-SXR186605-5K-AC240-SL-DA-A80 X B80 X C40MM	05	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-SXR186605-5K-AC240-SL-DA-EM-A80 X B80 X C40MM	05	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
81	MAZDA-SXR186605-5K-AC240-BK-PH-A80 X B80 X C40MM	05	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
82	MAZDA-SXR186605-5K-AC240-BK-PH-EM-A80 X B80 X C40MM	05	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
83	MAZDA-SXR186605-5K-AC240-WH-PH-A80 X B80 X C40MM	05	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
84	MAZDA-SXR186605-5K-AC240-WH-PH-EM-A80 X B80 X C40MM	05	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
85	MAZDA-SXR186605-5K-AC240-GD-PH-A80 X B80 X C40MM	05	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
86	MAZDA-SXR186605-5K-AC240-GD-PH-EM-A80 X B80 X C40MM	05	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
87	MAZDA-SXR186605-5K-AC240-SL-PH-A80 X B80 X C40MM	05	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
88	MAZDA-SXR186605-5K-AC240-SL-PH-EM-A80 X B80 X C40MM	05	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
89	MAZDA-SXR186605-5K-AC240-BK-10VDIM-A80 X B80 X C40MM	05	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
90	MAZDA-SXR186605-5K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	05	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
91	MAZDA-SXR186605-5K-AC240-WH-10VDIM-A80 X B80 X C40MM	05	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
92	MAZDA-SXR186605-5K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	05	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
93	MAZDA-SXR186605-5K-AC240-GD-10VDIM-A80 X B80 X C40MM	05	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
94	MAZDA-SXR186605-5K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	05	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
95	MAZDA-SXR186605-5K-AC240-SL-10VDIM-A80 X B80 X C40MM	05	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
96	MAZDA-SXR186605-5K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	05	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
97	MAZDA-SXR186605-6K-AC240-BK-ND-A80 X B80 X C40MM	05	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
98	MAZDA-SXR186605-6K-AC240-BK-ND-EM-A80 X B80 X C40MM	05	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
99	MAZDA-SXR186605-6K-AC240-WH-ND-A80 X B80 X C40MM	05	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
100	MAZDA-SXR186605-6K-AC240-WH-ND-EM-A80 X B80 X C40MM	05	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
101	MAZDA-SXR186605-6K-AC240-GD-ND-A80 X B80 X C40MM	05	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
102	MAZDA-SXR186605-6K-AC240-GD-ND-EM-A80 X B80 X C40MM	05	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
103	MAZDA-SXR186605-6K-AC240-SL-ND-A80 X B80 X C40MM	05	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
104	MAZDA-SXR186605-6K-AC240-SL-ND-EM-A80 X B80 X C40MM	05	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
105	MAZDA-SXR186605-6K-AC240-BK-DA-A80 X B80 X C40MM	05	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
106	MAZDA-SXR186605-6K-AC240-BK-DA-EM-A80 X B80 X C40MM	05	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
107	MAZDA-SXR186605-6K-AC240-WH-DA-A80 X B80 X C40MM	05	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
108	MAZDA-SXR186605-6K-AC240-WH-DA-EM-A80 X B80 X C40MM	05	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
109	MAZDA-SXR186605-6K-AC240-GD-DA-A80 X B80 X C40MM	05	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	MAZDA-SXR186605-6K-AC240-GD-DA-EM-A80 X B80 X C40MM	05	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
111	MAZDA-SXR186605-6K-AC240-SL-DA-A80 X B80 X C40MM	05	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
112	MAZDA-SXR186605-6K-AC240-SL-DA-EM-A80 X B80 X C40MM	05	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
113	MAZDA-SXR186605-6K-AC240-BK-PH-A80 X B80 X C40MM	05	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
114	MAZDA-SXR186605-6K-AC240-BK-PH-EM-A80 X B80 X C40MM	05	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
115	MAZDA-SXR186605-6K-AC240-WH-PH-A80 X B80 X C40MM	05	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
116	MAZDA-SXR186605-6K-AC240-WH-PH-EM-A80 X B80 X C40MM	05	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
117	MAZDA-SXR186605-6K-AC240-GD-PH-A80 X B80 X C40MM	05	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
118	MAZDA-SXR186605-6K-AC240-GD-PH-EM-A80 X B80 X C40MM	05	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
119	MAZDA-SXR186605-6K-AC240-SL-PH-A80 X B80 X C40MM	05	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
120	MAZDA-SXR186605-6K-AC240-SL-PH-EM-A80 X B80 X C40MM	05	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
121	MAZDA-SXR186605-6K-AC240-BK-10VDIM-A80 X B80 X C40MM	05	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
122	MAZDA-SXR186605-6K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	05	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
123	MAZDA-SXR186605-6K-AC240-WH-10VDIM-A80 X B80 X C40MM	05	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
124	MAZDA-SXR186605-6K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	05	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
125	MAZDA-SXR186605-6K-AC240-GD-10VDIM-A80 X B80 X C40MM	05	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
126	MAZDA-SXR186605-6K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	05	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
127	MAZDA-SXR186605-6K-AC240-SL-10VDIM-A80 X B80 X C40MM	05	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
128	MAZDA-SXR186605-6K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	05	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	600LM	A80 X B80 X C40MM	
129	MAZDA-SXR186608W-3K-AC240-BK-ND-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
130	MAZDA-SXR186608W-3K-AC240-BK-ND-EM-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DIE CAST ALUMINUM	ON - OFF 36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
131	MAZDA-SXR186608W-3K-AC240-WH-ND-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
132	MAZDA-SXR186608W-3K-AC240-WH-ND-EM-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
133	MAZDA-SXR186608W-3K-AC240-GD-ND-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
134	MAZDA-SXR186608W-3K-AC240-GD-ND-EM-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
135	MAZDA-SXR186608W-3K-AC240-SL-ND-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
136	MAZDA-SXR186608W-3K-AC240-SL-ND-EM-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
137	MAZDA-SXR186608W-3K-AC240-BK-DA-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
138	MAZDA-SXR186608W-3K-AC240-BK-DA-EM-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
139	MAZDA-SXR186608W-3K-AC240-WH-DA-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
140	MAZDA-SXR186608W-3K-AC240-WH-DA-EM-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
141	MAZDA-SXR186608W-3K-AC240-GD-DA-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
142	MAZDA-SXR186608W-3K-AC240-GD-DA-EM-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
143	MAZDA-SXR186608W-3K-AC240-SL-DA-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
144	MAZDA-SXR186608W-3K-AC240-SL-DA-EM-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
145	MAZDA-SXR186608W-3K-AC240-BK-PH-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
146	MAZDA-SXR186608W-3K-AC240-BK-PH-EM-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
147	MAZDA-SXR186608W-3K-AC240-WH-PH-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
148	MAZDA-SXR186608W-3K-AC240-WH-PH-EM-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
149	MAZDA-SXR186608W-3K-AC240-GD-PH-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
150	MAZDA-SXR186608W-3K-AC240-GD-PH-EM-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
151	MAZDA-SXR186608W-3K-AC240-SL-PH-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
152	MAZDA-SXR186608W-3K-AC240-SL-PH-EM-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
153	MAZDA-SXR186608W-3K-AC240-BK-10VDIM-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
154	MAZDA-SXR186608W-3K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	08W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
155	MAZDA-SXR186608W-3K-AC240-WH-10VDIM-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
156	MAZDA-SXR186608W-3K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
157	MAZDA-SXR186608W-3K-AC240-GD-10VDIM-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
158	MAZDA-SXR186608W-3K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	08W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
159	MAZDA-SXR186608W-3K-AC240-SL-10VDIM-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
160	MAZDA-SXR186608W-3K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	08W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
161	MAZDA-SXR186608W-4K-AC240-BK-ND-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
162	MAZDA-SXR186608W-4K-AC240-BK-ND-EM-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
163	MAZDA-SXR186608W-4K-AC240-WH-ND-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
164	MAZDA-SXR186608W-4K-AC240-WH-ND-EM-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
165	MAZDA-SXR186608W-4K-AC240-GD-ND-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
166	MAZDA-SXR186608W-4K-AC240-GD-ND-EM-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
167	MAZDA-SXR186608W-4K-AC240-SL-ND-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
168	MAZDA-SXR186608W-4K-AC240-SL-ND-EM-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
169	MAZDA-SXR186608W-4K-AC240-BK-DA-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
170	MAZDA-SXR186608W-4K-AC240-BK-DA-EM-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
171	MAZDA-SXR186608W-4K-AC240-WH-DA-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
172	MAZDA-SXR186608W-4K-AC240-WH-DA-EM-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
173	MAZDA-SXR186608W-4K-AC240-GD-DA-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
174	MAZDA-SXR186608W-4K-AC240-GD-DA-EM-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
175	MAZDA-SXR186608W-4K-AC240-SL-DA-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
176	MAZDA-SXR186608W-4K-AC240-SL-DA-EM-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
177	MAZDA-SXR186608W-4K-AC240-BK-PH-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
178	MAZDA-SXR186608W-4K-AC240-BK-PH-EM-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
179	MAZDA-SXR186608W-4K-AC240-WH-PH-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
180	MAZDA-SXR186608W-4K-AC240-WH-PH-EM-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
181	MAZDA-SXR186608W-4K-AC240-GD-PH-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
182	MAZDA-SXR186608W-4K-AC240-GD-PH-EM-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
183	MAZDA-SXR186608W-4K-AC240-SL-PH-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
184	MAZDA-SXR186608W-4K-AC240-SL-PH-EM-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
185	MAZDA-SXR186608W-4K-AC240-BK-10VDIM-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
186	MAZDA-SXR186608W-4K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	08W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
187	MAZDA-SXR186608W-4K-AC240-WH-10VDIM-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
188	MAZDA-SXR186608W-4K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
189	MAZDA-SXR186608W-4K-AC240-GD-10VDIM-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
190	MAZDA-SXR186608W-4K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	08W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
191	MAZDA-SXR186608W-4K-AC240-SL-10VDIM-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
192	MAZDA-SXR186608W-4K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	08W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
193	MAZDA-SXR186608W-5K-AC240-BK-ND-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
194	MAZDA-SXR186608W-5K-AC240-BK-ND-EM-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
195	MAZDA-SXR186608W-5K-AC240-WH-ND-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
196	MAZDA-SXR186608W-5K-AC240-WH-ND-EM-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
197	MAZDA-SXR186608W-5K-AC240-GD-ND-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
198	MAZDA-SXR186608W-5K-AC240-GD-ND-EM-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
199	MAZDA-SXR186608W-5K-AC240-SL-ND-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
200	MAZDA-SXR186608W-5K-AC240-SL-ND-EM-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
201	MAZDA-SXR186608W-5K-AC240-BK-DA-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
202	MAZDA-SXR186608W-5K-AC240-BK-DA-EM-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
203	MAZDA-SXR186608W-5K-AC240-WH-DA-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
204	MAZDA-SXR186608W-5K-AC240-WH-DA-EM-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
205	MAZDA-SXR186608W-5K-AC240-GD-DA-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
206	MAZDA-SXR186608W-5K-AC240-GD-DA-EM-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
207	MAZDA-SXR186608W-5K-AC240-SL-DA-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
208	MAZDA-SXR186608W-5K-AC240-SL-DA-EM-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
209	MAZDA-SXR186608W-5K-AC240-BK-PH-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
210	MAZDA-SXR186608W-5K-AC240-BK-PH-EM-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
211	MAZDA-SXR186608W-5K-AC240-WH-PH-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
212	MAZDA-SXR186608W-5K-AC240-WH-PH-EM-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
213	MAZDA-SXR186608W-5K-AC240-GD-PH-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
214	MAZDA-SXR186608W-5K-AC240-GD-PH-EM-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
215	MAZDA-SXR186608W-5K-AC240-SL-PH-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
216	MAZDA-SXR186608W-5K-AC240-SL-PH-EM-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
217	MAZDA-SXR186608W-5K-AC240-BK-10VDIM-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
218	MAZDA-SXR186608W-5K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	08W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
219	MAZDA-SXR186608W-5K-AC240-WH-10VDIM-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
220	MAZDA-SXR186608W-5K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
221	MAZDA-SXR186608W-5K-AC240-GD-10VDIM-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
222	MAZDA-SXR186608W-5K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	08W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
223	MAZDA-SXR186608W-5K-AC240-SL-10VDIM-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
224	MAZDA-SXR186608W-5K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	08W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
225	MAZDA-SXR186608W-6K-AC240-BK-ND-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
226	MAZDA-SXR186608W-6K-AC240-BK-ND-EM-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
227	MAZDA-SXR186608W-6K-AC240-WH-ND-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
228	MAZDA-SXR186608W-6K-AC240-WH-ND-EM-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
229	MAZDA-SXR186608W-6K-AC240-GD-ND-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
230	MAZDA-SXR186608W-6K-AC240-GD-ND-EM-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
231	MAZDA-SXR186608W-6K-AC240-SL-ND-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
232	MAZDA-SXR186608W-6K-AC240-SL-ND-EM-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
233	MAZDA-SXR186608W-6K-AC240-BK-DA-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
234	MAZDA-SXR186608W-6K-AC240-BK-DA-EM-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
235	MAZDA-SXR186608W-6K-AC240-WH-DA-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
236	MAZDA-SXR186608W-6K-AC240-WH-DA-EM-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
237	MAZDA-SXR186608W-6K-AC240-GD-DA-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
238	MAZDA-SXR186608W-6K-AC240-GD-DA-EM-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
239	MAZDA-SXR186608W-6K-AC240-SL-DA-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
240	MAZDA-SXR186608W-6K-AC240-SL-DA-EM-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
241	MAZDA-SXR186608W-6K-AC240-BK-PH-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
242	MAZDA-SXR186608W-6K-AC240-BK-PH-EM-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
243	MAZDA-SXR186608W-6K-AC240-WH-PH-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
244	MAZDA-SXR186608W-6K-AC240-WH-PH-EM-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
245	MAZDA-SXR186608W-6K-AC240-GD-PH-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
246	MAZDA-SXR186608W-6K-AC240-GD-PH-EM-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
247	MAZDA-SXR186608W-6K-AC240-SL-PH-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
248	MAZDA-SXR186608W-6K-AC240-SL-PH-EM-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
249	MAZDA-SXR186608W-6K-AC240-BK-10VDIM-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
250	MAZDA-SXR186608W-6K-AC240-BK-10VDIM-EM-A80 X B80 X C40MM	08W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
251	MAZDA-SXR186608W-6K-AC240-WH-10VDIM-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
252	MAZDA-SXR186608W-6K-AC240-WH-10VDIM-EM-A80 X B80 X C40MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
253	MAZDA-SXR186608W-6K-AC240-GD-10VDIM-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
254	MAZDA-SXR186608W-6K-AC240-GD-10VDIM-EM-A80 X B80 X C40MM	08W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
255	MAZDA-SXR186608W-6K-AC240-SL-10VDIM-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
256	MAZDA-SXR186608W-6K-AC240-SL-10VDIM-EM-A80 X B80 X C40MM	08W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A80 X B80 X C40MM	DIE CAST ALUMINUM	IP54	960LM	A80 X B80 X C40MM	
257	MAZDA-SXR186610W-3K-AC240-BK-ND-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
258	MAZDA-SXR186610W-3K-AC240-BK-ND-EM-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
259	MAZDA-SXR186610W-3K-AC240-WH-ND-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
260	MAZDA-SXR186610W-3K-AC240-WH-ND-EM-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
261	MAZDA-SXR186610W-3K-AC240-GD-ND-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
262	MAZDA-SXR186610W-3K-AC240-GD-ND-EM-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
263	MAZDA-SXR186610W-3K-AC240-SL-ND-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
264	MAZDA-SXR186610W-3K-AC240-SL-ND-EM-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
265	MAZDA-SXR186610W-3K-AC240-BK-DA-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
266	MAZDA-SXR186610W-3K-AC240-BK-DA-EM-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
267	MAZDA-SXR186610W-3K-AC240-WH-DA-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
268	MAZDA-SXR186610W-3K-AC240-WH-DA-EM-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
269	MAZDA-SXR186610W-3K-AC240-GD-DA-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
270	MAZDA-SXR186610W-3K-AC240-GD-DA-EM-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
271	MAZDA-SXR186610W-3K-AC240-SL-DA-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
272	MAZDA-SXR186610W-3K-AC240-SL-DA-EM-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
273	MAZDA-SXR186610W-3K-AC240-BK-PH-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
274	MAZDA-SXR186610W-3K-AC240-BK-PH-EM-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
275	MAZDA-SXR186610W-3K-AC240-WH-PH-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
276	MAZDA-SXR186610W-3K-AC240-WH-PH-EM-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
277	MAZDA-SXR186610W-3K-AC240-GD-PH-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
278	MAZDA-SXR186610W-3K-AC240-GD-PH-EM-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
279	MAZDA-SXR186610W-3K-AC240-SL-PH-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
280	MAZDA-SXR186610W-3K-AC240-SL-PH-EM-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
281	MAZDA-SXR186610W-3K-AC240-BK-10VDIM-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
282	MAZDA-SXR186610W-3K-AC240-BK-10VDIM-EM-A90 X B90 X C40MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
283	MAZDA-SXR186610W-3K-AC240-WH-10VDIM-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
284	MAZDA-SXR186610W-3K-AC240-WH-10VDIM-EM-A90 X B90 X C40MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
285	MAZDA-SXR186610W-3K-AC240-GD-10VDIM-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
286	MAZDA-SXR186610W-3K-AC240-GD-10VDIM-EM-A90 X B90 X C40MM	10W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
287	MAZDA-SXR186610W-3K-AC240-SL-10VDIM-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
288	MAZDA-SXR186610W-3K-AC240-SL-10VDIM-EM-A90 X B90 X C40MM	10W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
289	MAZDA-SXR186610W-4K-AC240-BK-ND-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
290	MAZDA-SXR186610W-4K-AC240-BK-ND-EM-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
291	MAZDA-SXR186610W-4K-AC240-WH-ND-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
292	MAZDA-SXR186610W-4K-AC240-WH-ND-EM-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
293	MAZDA-SXR186610W-4K-AC240-GD-ND-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
294	MAZDA-SXR186610W-4K-AC240-GD-ND-EM-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
295	MAZDA-SXR186610W-4K-AC240-SL-ND-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
296	MAZDA-SXR186610W-4K-AC240-SL-ND-EM-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
297	MAZDA-SXR186610W-4K-AC240-BK-DA-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
298	MAZDA-SXR186610W-4K-AC240-BK-DA-EM-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
299	MAZDA-SXR186610W-4K-AC240-WH-DA-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
300	MAZDA-SXR186610W-4K-AC240-WH-DA-EM-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
301	MAZDA-SXR186610W-4K-AC240-GD-DA-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
302	MAZDA-SXR186610W-4K-AC240-GD-DA-EM-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
303	MAZDA-SXR186610W-4K-AC240-SL-DA-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
304	MAZDA-SXR186610W-4K-AC240-SL-DA-EM-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
305	MAZDA-SXR186610W-4K-AC240-BK-PH-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
306	MAZDA-SXR186610W-4K-AC240-BK-PH-EM-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
307	MAZDA-SXR186610W-4K-AC240-WH-PH-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
308	MAZDA-SXR186610W-4K-AC240-WH-PH-EM-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
309	MAZDA-SXR186610W-4K-AC240-GD-PH-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
310	MAZDA-SXR186610W-4K-AC240-GD-PH-EM-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
311	MAZDA-SXR186610W-4K-AC240-SL-PH-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
312	MAZDA-SXR186610W-4K-AC240-SL-PH-EM-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
313	MAZDA-SXR186610W-4K-AC240-BK-10VDIM-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
314	MAZDA-SXR186610W-4K-AC240-BK-10VDIM-EM-A90 X B90 X C40MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
315	MAZDA-SXR186610W-4K-AC240-WH-10VDIM-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
316	MAZDA-SXR186610W-4K-AC240-WH-10VDIM-EM-A90 X B90 X C40MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
317	MAZDA-SXR186610W-4K-AC240-GD-10VDIM-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
318	MAZDA-SXR186610W-4K-AC240-GD-10VDIM-EM-A90 X B90 X C40MM	10W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
319	MAZDA-SXR186610W-4K-AC240-SL-10VDIM-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
320	MAZDA-SXR186610W-4K-AC240-SL-10VDIM-EM-A90 X B90 X C40MM	10W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
321	MAZDA-SXR186610W-5K-AC240-BK-ND-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
322	MAZDA-SXR186610W-5K-AC240-BK-ND-EM-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
323	MAZDA-SXR186610W-5K-AC240-WH-ND-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
324	MAZDA-SXR186610W-5K-AC240-WH-ND-EM-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
325	MAZDA-SXR186610W-5K-AC240-GD-ND-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
326	MAZDA-SXR186610W-5K-AC240-GD-ND-EM-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
327	MAZDA-SXR186610W-5K-AC240-SL-ND-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
328	MAZDA-SXR186610W-5K-AC240-SL-ND-EM-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
329	MAZDA-SXR186610W-5K-AC240-BK-DA-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
330	MAZDA-SXR186610W-5K-AC240-BK-DA-EM-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
331	MAZDA-SXR186610W-5K-AC240-WH-DA-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
332	MAZDA-SXR186610W-5K-AC240-WH-DA-EM-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
333	MAZDA-SXR186610W-5K-AC240-GD-DA-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
334	MAZDA-SXR186610W-5K-AC240-GD-DA-EM-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
335	MAZDA-SXR186610W-5K-AC240-SL-DA-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
336	MAZDA-SXR186610W-5K-AC240-SL-DA-EM-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
337	MAZDA-SXR186610W-5K-AC240-BK-PH-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
338	MAZDA-SXR186610W-5K-AC240-BK-PH-EM-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
339	MAZDA-SXR186610W-5K-AC240-WH-PH-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
340	MAZDA-SXR186610W-5K-AC240-WH-PH-EM-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
341	MAZDA-SXR186610W-5K-AC240-GD-PH-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
342	MAZDA-SXR186610W-5K-AC240-GD-PH-EM-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
343	MAZDA-SXR186610W-5K-AC240-SL-PH-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
344	MAZDA-SXR186610W-5K-AC240-SL-PH-EM-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
345	MAZDA-SXR186610W-5K-AC240-BK-10VDIM-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
346	MAZDA-SXR186610W-5K-AC240-BK-10VDIM-EM-A90 X B90 X C40MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
347	MAZDA-SXR186610W-5K-AC240-WH-10VDIM-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
348	MAZDA-SXR186610W-5K-AC240-WH-10VDIM-EM-A90 X B90 X C40MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
349	MAZDA-SXR186610W-5K-AC240-GD-10VDIM-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
350	MAZDA-SXR186610W-5K-AC240-GD-10VDIM-EM-A90 X B90 X C40MM	10W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
351	MAZDA-SXR186610W-5K-AC240-SL-10VDIM-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
352	MAZDA-SXR186610W-5K-AC240-SL-10VDIM-EM-A90 X B90 X C40MM	10W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
353	MAZDA-SXR186610W-6K-AC240-BK-ND-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
354	MAZDA-SXR186610W-6K-AC240-BK-ND-EM-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
355	MAZDA-SXR186610W-6K-AC240-WH-ND-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
356	MAZDA-SXR186610W-6K-AC240-WH-ND-EM-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
357	MAZDA-SXR186610W-6K-AC240-GD-ND-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
358	MAZDA-SXR186610W-6K-AC240-GD-ND-EM-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
359	MAZDA-SXR186610W-6K-AC240-SL-ND-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
360	MAZDA-SXR186610W-6K-AC240-SL-ND-EM-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
361	MAZDA-SXR186610W-6K-AC240-BK-DA-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
362	MAZDA-SXR186610W-6K-AC240-BK-DA-EM-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
363	MAZDA-SXR186610W-6K-AC240-WH-DA-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
364	MAZDA-SXR186610W-6K-AC240-WH-DA-EM-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
365	MAZDA-SXR186610W-6K-AC240-GD-DA-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
366	MAZDA-SXR186610W-6K-AC240-GD-DA-EM-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
367	MAZDA-SXR186610W-6K-AC240-SL-DA-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
368	MAZDA-SXR186610W-6K-AC240-SL-DA-EM-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
369	MAZDA-SXR186610W-6K-AC240-BK-PH-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
370	MAZDA-SXR186610W-6K-AC240-BK-PH-EM-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
371	MAZDA-SXR186610W-6K-AC240-WH-PH-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
372	MAZDA-SXR186610W-6K-AC240-WH-PH-EM-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
373	MAZDA-SXR186610W-6K-AC240-GD-PH-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
374	MAZDA-SXR186610W-6K-AC240-GD-PH-EM-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
375	MAZDA-SXR186610W-6K-AC240-SL-PH-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
376	MAZDA-SXR186610W-6K-AC240-SL-PH-EM-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
377	MAZDA-SXR186610W-6K-AC240-BK-10VDIM-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
378	MAZDA-SXR186610W-6K-AC240-BK-10VDIM-EM-A90 X B90 X C40MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
379	MAZDA-SXR186610W-6K-AC240-WH-10VDIM-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
380	MAZDA-SXR186610W-6K-AC240-WH-10VDIM-EM-A90 X B90 X C40MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
381	MAZDA-SXR186610W-6K-AC240-GD-10VDIM-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
382	MAZDA-SXR186610W-6K-AC240-GD-10VDIM-EM-A90 X B90 X C40MM	10W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
383	MAZDA-SXR186610W-6K-AC240-SL-10VDIM-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
384	MAZDA-SXR186610W-6K-AC240-SL-10VDIM-EM-A90 X B90 X C40MM	10W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A90 X B90 X C40MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B90 X C40MM	
385	MAZDA-SXR186613W-3K-AC240-BK-ND-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
386	MAZDA-SXR186613W-3K-AC240-BK-ND-EM-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
387	MAZDA-SXR186613W-3K-AC240-WH-ND-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
388	MAZDA-SXR186613W-3K-AC240-WH-ND-EM-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
389	MAZDA-SXR186613W-3K-AC240-GD-ND-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
390	MAZDA-SXR186613W-3K-AC240-GD-ND-EM-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
391	MAZDA-SXR186613W-3K-AC240-SL-ND-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
392	MAZDA-SXR186613W-3K-AC240-SL-ND-EM-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
393	MAZDA-SXR186613W-3K-AC240-BK-DA-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
394	MAZDA-SXR186613W-3K-AC240-BK-DA-EM-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
395	MAZDA-SXR186613W-3K-AC240-WH-DA-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
396	MAZDA-SXR186613W-3K-AC240-WH-DA-EM-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
397	MAZDA-SXR186613W-3K-AC240-GD-DA-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
398	MAZDA-SXR186613W-3K-AC240-GD-DA-EM-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
399	MAZDA-SXR186613W-3K-AC240-SL-DA-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
400	MAZDA-SXR186613W-3K-AC240-SL-DA-EM-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
401	MAZDA-SXR186613W-3K-AC240-BK-PH-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
402	MAZDA-SXR186613W-3K-AC240-BK-PH-EM-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
403	MAZDA-SXR186613W-3K-AC240-WH-PH-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
404	MAZDA-SXR186613W-3K-AC240-WH-PH-EM-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
405	MAZDA-SXR186613W-3K-AC240-GD-PH-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
406	MAZDA-SXR186613W-3K-AC240-GD-PH-EM-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
407	MAZDA-SXR186613W-3K-AC240-SL-PH-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
408	MAZDA-SXR186613W-3K-AC240-SL-PH-EM-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
409	MAZDA-SXR186613W-3K-AC240-BK-10VDIM-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
410	MAZDA-SXR186613W-3K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
411	MAZDA-SXR186613W-3K-AC240-WH-10VDIM-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
412	MAZDA-SXR186613W-3K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
413	MAZDA-SXR186613W-3K-AC240-GD-10VDIM-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
414	MAZDA-SXR186613W-3K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	13W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
415	MAZDA-SXR186613W-3K-AC240-SL-10VDIM-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
416	MAZDA-SXR186613W-3K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	13W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
417	MAZDA-SXR186613W-4K-AC240-BK-ND-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
418	MAZDA-SXR186613W-4K-AC240-BK-ND-EM-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
419	MAZDA-SXR186613W-4K-AC240-WH-ND-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
420	MAZDA-SXR186613W-4K-AC240-WH-ND-EM-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
421	MAZDA-SXR186613W-4K-AC240-GD-ND-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
422	MAZDA-SXR186613W-4K-AC240-GD-ND-EM-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
423	MAZDA-SXR186613W-4K-AC240-SL-ND-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
424	MAZDA-SXR186613W-4K-AC240-SL-ND-EM-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
425	MAZDA-SXR186613W-4K-AC240-BK-DA-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
426	MAZDA-SXR186613W-4K-AC240-BK-DA-EM-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
427	MAZDA-SXR186613W-4K-AC240-WH-DA-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
428	MAZDA-SXR186613W-4K-AC240-WH-DA-EM-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
429	MAZDA-SXR186613W-4K-AC240-GD-DA-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
430	MAZDA-SXR186613W-4K-AC240-GD-DA-EM-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
431	MAZDA-SXR186613W-4K-AC240-SL-DA-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
432	MAZDA-SXR186613W-4K-AC240-SL-DA-EM-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
433	MAZDA-SXR186613W-4K-AC240-BK-PH-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
434	MAZDA-SXR186613W-4K-AC240-BK-PH-EM-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
435	MAZDA-SXR186613W-4K-AC240-WH-PH-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
436	MAZDA-SXR186613W-4K-AC240-WH-PH-EM-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
437	MAZDA-SXR186613W-4K-AC240-GD-PH-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
438	MAZDA-SXR186613W-4K-AC240-GD-PH-EM-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
439	MAZDA-SXR186613W-4K-AC240-SL-PH-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
440	MAZDA-SXR186613W-4K-AC240-SL-PH-EM-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
441	MAZDA-SXR186613W-4K-AC240-BK-10VDIM-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
442	MAZDA-SXR186613W-4K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
443	MAZDA-SXR186613W-4K-AC240-WH-10VDIM-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
444	MAZDA-SXR186613W-4K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
445	MAZDA-SXR186613W-4K-AC240-GD-10VDIM-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
446	MAZDA-SXR186613W-4K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	13W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
447	MAZDA-SXR186613W-4K-AC240-SL-10VDIM-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
448	MAZDA-SXR186613W-4K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	13W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
449	MAZDA-SXR186613W-5K-AC240-BK-ND-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
450	MAZDA-SXR186613W-5K-AC240-BK-ND-EM-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
451	MAZDA-SXR186613W-5K-AC240-WH-ND-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
452	MAZDA-SXR186613W-5K-AC240-WH-ND-EM-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
453	MAZDA-SXR186613W-5K-AC240-GD-ND-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
454	MAZDA-SXR186613W-5K-AC240-GD-ND-EM-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
455	MAZDA-SXR186613W-5K-AC240-SL-ND-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
456	MAZDA-SXR186613W-5K-AC240-SL-ND-EM-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
457	MAZDA-SXR186613W-5K-AC240-BK-DA-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
458	MAZDA-SXR186613W-5K-AC240-BK-DA-EM-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
459	MAZDA-SXR186613W-5K-AC240-WH-DA-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
460	MAZDA-SXR186613W-5K-AC240-WH-DA-EM-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
461	MAZDA-SXR186613W-5K-AC240-GD-DA-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
462	MAZDA-SXR186613W-5K-AC240-GD-DA-EM-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
463	MAZDA-SXR186613W-5K-AC240-SL-DA-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
464	MAZDA-SXR186613W-5K-AC240-SL-DA-EM-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
465	MAZDA-SXR186613W-5K-AC240-BK-PH-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
466	MAZDA-SXR186613W-5K-AC240-BK-PH-EM-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
467	MAZDA-SXR186613W-5K-AC240-WH-PH-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
468	MAZDA-SXR186613W-5K-AC240-WH-PH-EM-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
469	MAZDA-SXR186613W-5K-AC240-GD-PH-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
470	MAZDA-SXR186613W-5K-AC240-GD-PH-EM-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
471	MAZDA-SXR186613W-5K-AC240-SL-PH-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
472	MAZDA-SXR186613W-5K-AC240-SL-PH-EM-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
473	MAZDA-SXR186613W-5K-AC240-BK-10VDIM-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
474	MAZDA-SXR186613W-5K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
475	MAZDA-SXR186613W-5K-AC240-WH-10VDIM-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
476	MAZDA-SXR186613W-5K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
477	MAZDA-SXR186613W-5K-AC240-GD-10VDIM-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
478	MAZDA-SXR186613W-5K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	13W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
479	MAZDA-SXR186613W-5K-AC240-SL-10VDIM-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
480	MAZDA-SXR186613W-5K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	13W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
481	MAZDA-SXR186613W-6K-AC240-BK-ND-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
482	MAZDA-SXR186613W-6K-AC240-BK-ND-EM-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
483	MAZDA-SXR186613W-6K-AC240-WH-ND-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
484	MAZDA-SXR186613W-6K-AC240-WH-ND-EM-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
485	MAZDA-SXR186613W-6K-AC240-GD-ND-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
486	MAZDA-SXR186613W-6K-AC240-GD-ND-EM-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
487	MAZDA-SXR186613W-6K-AC240-SL-ND-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
488	MAZDA-SXR186613W-6K-AC240-SL-ND-EM-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
489	MAZDA-SXR186613W-6K-AC240-BK-DA-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
490	MAZDA-SXR186613W-6K-AC240-BK-DA-EM-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
491	MAZDA-SXR186613W-6K-AC240-WH-DA-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
492	MAZDA-SXR186613W-6K-AC240-WH-DA-EM-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
493	MAZDA-SXR186613W-6K-AC240-GD-DA-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
494	MAZDA-SXR186613W-6K-AC240-GD-DA-EM-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
495	MAZDA-SXR186613W-6K-AC240-SL-DA-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
496	MAZDA-SXR186613W-6K-AC240-SL-DA-EM-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
497	MAZDA-SXR186613W-6K-AC240-BK-PH-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
498	MAZDA-SXR186613W-6K-AC240-BK-PH-EM-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
499	MAZDA-SXR186613W-6K-AC240-WH-PH-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
500	MAZDA-SXR186613W-6K-AC240-WH-PH-EM-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
501	MAZDA-SXR186613W-6K-AC240-GD-PH-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
502	MAZDA-SXR186613W-6K-AC240-GD-PH-EM-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
503	MAZDA-SXR186613W-6K-AC240-SL-PH-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
504	MAZDA-SXR186613W-6K-AC240-SL-PH-EM-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
505	MAZDA-SXR186613W-6K-AC240-BK-10VDIM-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
506	MAZDA-SXR186613W-6K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
507	MAZDA-SXR186613W-6K-AC240-WH-10VDIM-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
508	MAZDA-SXR186613W-6K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
509	MAZDA-SXR186613W-6K-AC240-GD-10VDIM-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
510	MAZDA-SXR186613W-6K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	13W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
511	MAZDA-SXR186613W-6K-AC240-SL-10VDIM-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
512	MAZDA-SXR186613W-6K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	13W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B110 X C64MM	
513	MAZDA-SXR186615W-3K-AC240-BK-ND-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
514	MAZDA-SXR186615W-3K-AC240-BK-ND-EM-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
515	MAZDA-SXR186615W-3K-AC240-WH-ND-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
516	MAZDA-SXR186615W-3K-AC240-WH-ND-EM-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
517	MAZDA-SXR186615W-3K-AC240-GD-ND-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
518	MAZDA-SXR186615W-3K-AC240-GD-ND-EM-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
519	MAZDA-SXR186615W-3K-AC240-SL-ND-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
520	MAZDA-SXR186615W-3K-AC240-SL-ND-EM-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
521	MAZDA-SXR186615W-3K-AC240-BK-DA-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
522	MAZDA-SXR186615W-3K-AC240-BK-DA-EM-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
523	MAZDA-SXR186615W-3K-AC240-WH-DA-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
524	MAZDA-SXR186615W-3K-AC240-WH-DA-EM-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
525	MAZDA-SXR186615W-3K-AC240-GD-DA-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
526	MAZDA-SXR186615W-3K-AC240-GD-DA-EM-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
527	MAZDA-SXR186615W-3K-AC240-SL-DA-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
528	MAZDA-SXR186615W-3K-AC240-SL-DA-EM-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
529	MAZDA-SXR186615W-3K-AC240-BK-PH-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
530	MAZDA-SXR186615W-3K-AC240-BK-PH-EM-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
531	MAZDA-SXR186615W-3K-AC240-WH-PH-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
532	MAZDA-SXR186615W-3K-AC240-WH-PH-EM-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
533	MAZDA-SXR186615W-3K-AC240-GD-PH-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
534	MAZDA-SXR186615W-3K-AC240-GD-PH-EM-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
535	MAZDA-SXR186615W-3K-AC240-SL-PH-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
536	MAZDA-SXR186615W-3K-AC240-SL-PH-EM-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
537	MAZDA-SXR186615W-3K-AC240-BK-10VDIM-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
538	MAZDA-SXR186615W-3K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
539	MAZDA-SXR186615W-3K-AC240-WH-10VDIM-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
540	MAZDA-SXR186615W-3K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
541	MAZDA-SXR186615W-3K-AC240-GD-10VDIM-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
542	MAZDA-SXR186615W-3K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	15W	3000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
543	MAZDA-SXR186615W-3K-AC240-SL-10VDIM-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
544	MAZDA-SXR186615W-3K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	15W	3000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
545	MAZDA-SXR186615W-4K-AC240-BK-ND-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
546	MAZDA-SXR186615W-4K-AC240-BK-ND-EM-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
547	MAZDA-SXR186615W-4K-AC240-WH-ND-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
548	MAZDA-SXR186615W-4K-AC240-WH-ND-EM-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
549	MAZDA-SXR186615W-4K-AC240-GD-ND-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
550	MAZDA-SXR186615W-4K-AC240-GD-ND-EM-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
551	MAZDA-SXR186615W-4K-AC240-SL-ND-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
552	MAZDA-SXR186615W-4K-AC240-SL-ND-EM-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
553	MAZDA-SXR186615W-4K-AC240-BK-DA-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
554	MAZDA-SXR186615W-4K-AC240-BK-DA-EM-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
555	MAZDA-SXR186615W-4K-AC240-WH-DA-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
556	MAZDA-SXR186615W-4K-AC240-WH-DA-EM-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
557	MAZDA-SXR186615W-4K-AC240-GD-DA-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
558	MAZDA-SXR186615W-4K-AC240-GD-DA-EM-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
559	MAZDA-SXR186615W-4K-AC240-SL-DA-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
560	MAZDA-SXR186615W-4K-AC240-SL-DA-EM-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
561	MAZDA-SXR186615W-4K-AC240-BK-PH-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
562	MAZDA-SXR186615W-4K-AC240-BK-PH-EM-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
563	MAZDA-SXR186615W-4K-AC240-WH-PH-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
564	MAZDA-SXR186615W-4K-AC240-WH-PH-EM-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
565	MAZDA-SXR186615W-4K-AC240-GD-PH-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
566	MAZDA-SXR186615W-4K-AC240-GD-PH-EM-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
567	MAZDA-SXR186615W-4K-AC240-SL-PH-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
568	MAZDA-SXR186615W-4K-AC240-SL-PH-EM-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
569	MAZDA-SXR186615W-4K-AC240-BK-10VDIM-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
570	MAZDA-SXR186615W-4K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
571	MAZDA-SXR186615W-4K-AC240-WH-10VDIM-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
572	MAZDA-SXR186615W-4K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
573	MAZDA-SXR186615W-4K-AC240-GD-10VDIM-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
574	MAZDA-SXR186615W-4K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	15W	4000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
575	MAZDA-SXR186615W-4K-AC240-SL-10VDIM-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
576	MAZDA-SXR186615W-4K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	15W	4000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
577	MAZDA-SXR186615W-5K-AC240-BK-ND-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
578	MAZDA-SXR186615W-5K-AC240-BK-ND-EM-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
579	MAZDA-SXR186615W-5K-AC240-WH-ND-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
580	MAZDA-SXR186615W-5K-AC240-WH-ND-EM-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
581	MAZDA-SXR186615W-5K-AC240-GD-ND-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
582	MAZDA-SXR186615W-5K-AC240-GD-ND-EM-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	



DATASHEET

GENERATED ON: 30 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
583	MAZDA-SXR186615W-5K-AC240-SL-ND-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
584	MAZDA-SXR186615W-5K-AC240-SL-ND-EM-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
585	MAZDA-SXR186615W-5K-AC240-BK-DA-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
586	MAZDA-SXR186615W-5K-AC240-BK-DA-EM-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
587	MAZDA-SXR186615W-5K-AC240-WH-DA-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
588	MAZDA-SXR186615W-5K-AC240-WH-DA-EM-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
589	MAZDA-SXR186615W-5K-AC240-GD-DA-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
590	MAZDA-SXR186615W-5K-AC240-GD-DA-EM-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
591	MAZDA-SXR186615W-5K-AC240-SL-DA-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
592	MAZDA-SXR186615W-5K-AC240-SL-DA-EM-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
593	MAZDA-SXR186615W-5K-AC240-BK-PH-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
594	MAZDA-SXR186615W-5K-AC240-BK-PH-EM-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
595	MAZDA-SXR186615W-5K-AC240-WH-PH-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
596	MAZDA-SXR186615W-5K-AC240-WH-PH-EM-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
597	MAZDA-SXR186615W-5K-AC240-GD-PH-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
598	MAZDA-SXR186615W-5K-AC240-GD-PH-EM-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
599	MAZDA-SXR186615W-5K-AC240-SL-PH-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
600	MAZDA-SXR186615W-5K-AC240-SL-PH-EM-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
601	MAZDA-SXR186615W-5K-AC240-BK-10VDIM-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
602	MAZDA-SXR186615W-5K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
603	MAZDA-SXR186615W-5K-AC240-WH-10VDIM-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
604	MAZDA-SXR186615W-5K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
605	MAZDA-SXR186615W-5K-AC240-GD-10VDIM-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
606	MAZDA-SXR186615W-5K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	15W	5000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
607	MAZDA-SXR186615W-5K-AC240-SL-10VDIM-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
608	MAZDA-SXR186615W-5K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	15W	5000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
609	MAZDA-SXR186615W-6K-AC240-BK-ND-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
610	MAZDA-SXR186615W-6K-AC240-BK-ND-EM-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
611	MAZDA-SXR186615W-6K-AC240-WH-ND-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
612	MAZDA-SXR186615W-6K-AC240-WH-ND-EM-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
613	MAZDA-SXR186615W-6K-AC240-GD-ND-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
614	MAZDA-SXR186615W-6K-AC240-GD-ND-EM-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
615	MAZDA-SXR186615W-6K-AC240-SL-ND-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
616	MAZDA-SXR186615W-6K-AC240-SL-ND-EM-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
617	MAZDA-SXR186615W-6K-AC240-BK-DA-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
618	MAZDA-SXR186615W-6K-AC240-BK-DA-EM-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
619	MAZDA-SXR186615W-6K-AC240-WH-DA-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
620	MAZDA-SXR186615W-6K-AC240-WH-DA-EM-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
621	MAZDA-SXR186615W-6K-AC240-GD-DA-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
622	MAZDA-SXR186615W-6K-AC240-GD-DA-EM-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
623	MAZDA-SXR186615W-6K-AC240-SL-DA-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
624	MAZDA-SXR186615W-6K-AC240-SL-DA-EM-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
625	MAZDA-SXR186615W-6K-AC240-BK-PH-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
626	MAZDA-SXR186615W-6K-AC240-BK-PH-EM-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
627	MAZDA-SXR186615W-6K-AC240-WH-PH-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
628	MAZDA-SXR186615W-6K-AC240-WH-PH-EM-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
629	MAZDA-SXR186615W-6K-AC240-GD-PH-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
630	MAZDA-SXR186615W-6K-AC240-GD-PH-EM-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
631	MAZDA-SXR186615W-6K-AC240-SL-PH-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
632	MAZDA-SXR186615W-6K-AC240-SL-PH-EM-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
633	MAZDA-SXR186615W-6K-AC240-BK-10VDIM-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
634	MAZDA-SXR186615W-6K-AC240-BK-10VDIM-EM-A110 X B110 X C64MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
635	MAZDA-SXR186615W-6K-AC240-WH-10VDIM-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
636	MAZDA-SXR186615W-6K-AC240-WH-10VDIM-EM-A110 X B110 X C64MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
637	MAZDA-SXR186615W-6K-AC240-GD-10VDIM-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
638	MAZDA-SXR186615W-6K-AC240-GD-10VDIM-EM-A110 X B110 X C64MM	15W	6000	240VAC	GOLD	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
639	MAZDA-SXR186615W-6K-AC240-SL-10VDIM-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	
640	MAZDA-SXR186615W-6K-AC240-SL-10VDIM-EM-A110 X B110 X C64MM	15W	6000	240VAC	SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A110 X B110 X C64MM	DIE CAST ALUMINUM	IP54	1800LM	A110 X B110 X C64MM	