DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



ALEX

MAZDA Model: DXR1795 Downlight

Alex LED Down Light for indoor or outdoor mounting, powerful lumen output via the powerful recessed LED chip. Driver surface-mounted with quick junction box with quick clips for additional looping. Made of die-cast powder-coated aluminium, glass diffuser. Alex downlight is unique designed with reflector and COB high power LED chip. ADC12 aluminum housing provides excellent thermal dissipation. LED Module design could save SKU and offer an easy module replacement.
It supports a great compatibility for non- dim, triac dim, 0-10V, DALI dim with worldwide dimmers

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR179510W-3K-AC240-WH-ND-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
2	MAZDA-DXR179510W-3K-AC240-WH-DA-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
3	MAZDA-DXR179510W-3K-AC240-WH-PH-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
4	MAZDA-DXR179510W-3K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
5	MAZDA-DXR179510W-4K-AC240-WH-ND-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
6	MAZDA-DXR179510W-4K-AC240-WH-DA-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
7	MAZDA-DXR179510W-4K-AC240-WH-PH-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
8	MAZDA-DXR179510W-4K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
9	MAZDA-DXR179510W-6K-AC240-WH-ND-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
10	MAZDA-DXR179510W-6K-AC240-WH-DA-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
11	MAZDA-DXR179510W-6K-AC240-WH-PH-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
12	MAZDA-DXR179510W-6K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
13	MAZDA-DXR179513W-3K-AC240-WH-ND-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
14	MAZDA-DXR179513W-3K-AC240-WH-DA-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
15	MAZDA-DXR179513W-3K-AC240-WH-PH-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
16	MAZDA-DXR179513W-3K-AC240-WH-10VDIM-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
17	MAZDA-DXR179513W-4K-AC240-WH-ND-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
18	MAZDA-DXR179513W-4K-AC240-WH-DA-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
19	MAZDA-DXR179513W-4K-AC240-WH-PH-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
20	MAZDA-DXR179513W-4K-AC240-WH-10VDIM-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	**MAZDA-DXR179513W-6K-AC240-WH-ND-A110 X B53 X C90MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
22	**MAZDA-DXR179513W-6K-AC240-WH-DA-A110 X B53 X C90MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
23	**MAZDA-DXR179513W-6K-AC240-WH-PH-A110 X B53 X C90MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
24	**MAZDA-DXR179513W-6K-AC240-WH-10VDIM-A110 X B53 X C90MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
25	**MAZDA-DXR179518W-3K-AC240-WH-ND-A145 X B65 X C120MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
26	**MAZDA-DXR179518W-3K-AC240-WH-DA-A145 X B65 X C120MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
27	**MAZDA-DXR179518W-3K-AC240-WH-PH-A145 X B65 X C120MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
28	**MAZDA-DXR179518W-3K-AC240-WH-10VDIM-A145 X B65 X C120MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
29	**MAZDA-DXR179518W-4K-AC240-WH-ND-A145 X B65 X C120MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
30	**MAZDA-DXR179518W-4K-AC240-WH-DA-A145 X B65 X C120MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
31	**MAZDA-DXR179518W-4K-AC240-WH-PH-A145 X B65 X C120MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
32	**MAZDA-DXR179518W-4K-AC240-WH-10VDIM-A145 X B65 X C120MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
33	**MAZDA-DXR179518W-6K-AC240-WH-ND-A145 X B65 X C120MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
34	**MAZDA-DXR179518W-6K-AC240-WH-DA-A145 X B65 X C120MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
35	**MAZDA-DXR179518W-6K-AC240-WH-PH-A145 X B65 X C120MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
36	**MAZDA-DXR179518W-6K-AC240-WH-10VDIM-A145 X B65 X C120MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
37	**MAZDA-DXR179525W-3K-AC240-WH-ND-A190 X B75 X C160MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
38	**MAZDA-DXR179525W-3K-AC240-WH-DA-A190 X B75 X C160MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
39	**MAZDA-DXR179525W-3K-AC240-WH-PH-A190 X B75 X C160MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
40	**MAZDA-DXR179525W-3K-AC240-WH-10VDIM-A190 X B75 X C160MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
41	**MAZDA-DXR179525W-4K-AC240-WH-ND-A190 X B75 X C160MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
42	**MAZDA-DXR179525W-4K-AC240-WH-DA-A190 X B75 X C160MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
43	**MAZDA-DXR179525W-4K-AC240-WH-PH-A190 X B75 X C160MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
44	**MAZDA-DXR179525W-4K-AC240-WH-10VDIM-A190 X B75 X C160MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
45	**MAZDA-DXR179525W-6K-AC240-WH-ND-A190 X B75 X C160MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
46	**MAZDA-DXR179525W-6K-AC240-WH-DA-A190 X B75 X C160MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
47	**MAZDA-DXR179525W-6K-AC240-WH-PH-A190 X B75 X C160MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
48	**MAZDA-DXR179525W-6K-AC240-WH-10VDIM-A190 X B75 X C160MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
49	**MAZDA-DXR179535W-3K-AC240-WH-ND-A190 X B75 X C160MM**	35W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
50	**MAZDA-DXR179535W-3K-AC240-WH-DA-A190 X B75 X C160MM**	35W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
51	**MAZDA-DXR179535W-3K-AC240-WH-PH-A190 X B75 X C160MM**	35W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
52	**MAZDA-DXR179535W-3K-AC240-WH-10VDIM-A190 X B75 X C160MM**	35W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
53	**MAZDA-DXR179535W-4K-AC240-WH-ND-A190 X B75 X C160MM**	35W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
54	**MAZDA-DXR179535W-4K-AC240-WH-DA-A190 X B75 X C160MM**	35W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
55	**MAZDA-DXR179535W-4K-AC240-WH-PH-A190 X B75 X C160MM**	35W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
56	**MAZDA-DXR179535W-4K-AC240-WH-10VDIM-A190 X B75 X C160MM**	35W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
57	**MAZDA-DXR179535W-6K-AC240-WH-ND-A190 X B75 X C160MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
58	**MAZDA-DXR179535W-6K-AC240-WH-DA-A190 X B75 X C160MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
59	**MAZDA-DXR179535W-6K-AC240-WH-PH-A190 X B75 X C160MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
60	**MAZDA-DXR179535W-6K-AC240-WH-10VDIM-A190 X B75 X C160MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
61	**MAZDA-DXR179545W-3K-AC240-WH-ND-A225 X B87 X C200MM**	45W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
62	**MAZDA-DXR179545W-3K-AC240-WH-DA-A225 X B87 X C200MM**	45W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
63	**MAZDA-DXR179545W-3K-AC240-WH-PH-A225 X B87 X C200MM**	45W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
64	**MAZDA-DXR179545W-3K-AC240-WH-10VDIM-A225 X B87 X C200MM**	45W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
65	**MAZDA-DXR179545W-4K-AC240-WH-ND-A225 X B87 X C200MM**	45W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
66	**MAZDA-DXR179545W-4K-AC240-WH-DA-A225 X B87 X C200MM**	45W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
67	**MAZDA-DXR179545W-4K-AC240-WH-PH-A225 X B87 X C200MM**	45W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
68	**MAZDA-DXR179545W-4K-AC240-WH-10VDIM-A225 X B87 X C200MM**	45W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
69	**MAZDA-DXR179545W-6K-AC240-WH-ND-A225 X B87 X C200MM**	45W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
70	**MAZDA-DXR179545W-6K-AC240-WH-DA-A225 X B87 X C200MM**	45W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
71	**MAZDA-DXR179545W-6K-AC240-WH-PH-A225 X B87 X C200MM**	45W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
72	**MAZDA-DXR179545W-6K-AC240-WH-10VDIM-A225 X B87 X C200MM**	45W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	