



ALEX

MAZDA Model: DXR1795 Downlight

Alex LED Down Light for indoor or outdoor mounting, powerful lumen output via the powerful recessed LED chip. Driver surface-mounted with quick junction box with quick clips for additional looping. Made of die-cast powder-coated aluminium, glass diffuser. Alex downlight is unique designed with reflector and COB high power LED chip. ADC12 aluminum housing provides excellent thermal dissipation. LED Module design could save SKU and offer an easy module replacement. It supports a great compatibility for non- dim, triac dim, 0-10V, DALI dim with worldwide dimmers

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR179510W-3K-AC240-WH-ND-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
2	MAZDA-DXR179510W-3K-AC240-WH-DA-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
3	MAZDA-DXR179510W-3K-AC240-WH-PH-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
4	MAZDA-DXR179510W-3K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
5	MAZDA-DXR179510W-4K-AC240-WH-ND-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
6	MAZDA-DXR179510W-4K-AC240-WH-DA-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
7	MAZDA-DXR179510W-4K-AC240-WH-PH-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
8	MAZDA-DXR179510W-4K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
9	MAZDA-DXR179510W-6K-AC240-WH-ND-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
10	MAZDA-DXR179510W-6K-AC240-WH-DA-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
11	MAZDA-DXR179510W-6K-AC240-WH-PH-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
12	MAZDA-DXR179510W-6K-AC240-WH-10VDIM-A110 X B53 X C90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1200M	A110 X B53 X C90MM	
13	MAZDA-DXR179513W-3K-AC240-WH-ND-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
14	MAZDA-DXR179513W-3K-AC240-WH-DA-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
15	MAZDA-DXR179513W-3K-AC240-WH-PH-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
16	MAZDA-DXR179513W-3K-AC240-WH-10VDIM-A110 X B53 X C90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
17	MAZDA-DXR179513W-4K-AC240-WH-ND-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
18	MAZDA-DXR179513W-4K-AC240-WH-DA-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
19	MAZDA-DXR179513W-4K-AC240-WH-PH-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
20	MAZDA-DXR179513W-4K-AC240-WH-10VDIM-A110 X B53 X C90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR179513W-6K-AC240-WH-ND-A110 X B53 X C90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
22	MAZDA-DXR179513W-6K-AC240-WH-DA-A110 X B53 X C90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
23	MAZDA-DXR179513W-6K-AC240-WH-PH-A110 X B53 X C90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
24	MAZDA-DXR179513W-6K-AC240-WH-10VDIM-A110 X B53 X C90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B53 X C90MM	DIE CAST ALUMINUM	IP54	1560LM	A110 X B53 X C90MM	
25	MAZDA-DXR179518W-3K-AC240-WH-ND-A145 X B65 X C120MM	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
26	MAZDA-DXR179518W-3K-AC240-WH-DA-A145 X B65 X C120MM	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
27	MAZDA-DXR179518W-3K-AC240-WH-PH-A145 X B65 X C120MM	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
28	MAZDA-DXR179518W-3K-AC240-WH-10VDIM-A145 X B65 X C120MM	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
29	MAZDA-DXR179518W-4K-AC240-WH-ND-A145 X B65 X C120MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
30	MAZDA-DXR179518W-4K-AC240-WH-DA-A145 X B65 X C120MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
31	MAZDA-DXR179518W-4K-AC240-WH-PH-A145 X B65 X C120MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
32	MAZDA-DXR179518W-4K-AC240-WH-10VDIM-A145 X B65 X C120MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
33	MAZDA-DXR179518W-6K-AC240-WH-ND-A145 X B65 X C120MM	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
34	MAZDA-DXR179518W-6K-AC240-WH-DA-A145 X B65 X C120MM	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
35	MAZDA-DXR179518W-6K-AC240-WH-PH-A145 X B65 X C120MM	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
36	MAZDA-DXR179518W-6K-AC240-WH-10VDIM-A145 X B65 X C120MM	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B65 X C120MM	DIE CAST ALUMINUM	IP54	2160LM	A145 X B65 X C120MM	
37	MAZDA-DXR179525W-3K-AC240-WH-ND-A190 X B75 X C160MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
38	MAZDA-DXR179525W-3K-AC240-WH-DA-A190 X B75 X C160MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
39	MAZDA-DXR179525W-3K-AC240-WH-PH-A190 X B75 X C160MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
40	MAZDA-DXR179525W-3K-AC240-WH-10VDIM-A190 X B75 X C160MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
41	MAZDA-DXR179525W-4K-AC240-WH-ND-A190 X B75 X C160MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
42	MAZDA-DXR179525W-4K-AC240-WH-DA-A190 X B75 X C160MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
43	MAZDA-DXR179525W-4K-AC240-WH-PH-A190 X B75 X C160MM	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
44	MAZDA-DXR179525W-4K-AC240-WH-10VDIM-A190 X B75 X C160MM	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
45	MAZDA-DXR179525W-6K-AC240-WH-ND-A190 X B75 X C160MM	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
46	MAZDA-DXR179525W-6K-AC240-WH-DA-A190 X B75 X C160MM	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
47	MAZDA-DXR179525W-6K-AC240-WH-PH-A190 X B75 X C160MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
48	MAZDA-DXR179525W-6K-AC240-WH-10VDIM-A190 X B75 X C160MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B75 X C160MM	
49	MAZDA-DXR179535W-3K-AC240-WH-ND-A190 X B75 X C160MM	35W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
50	MAZDA-DXR179535W-3K-AC240-WH-DA-A190 X B75 X C160MM	35W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
51	MAZDA-DXR179535W-3K-AC240-WH-PH-A190 X B75 X C160MM	35W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
52	MAZDA-DXR179535W-3K-AC240-WH-10VDIM-A190 X B75 X C160MM	35W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
53	MAZDA-DXR179535W-4K-AC240-WH-ND-A190 X B75 X C160MM	35W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
54	MAZDA-DXR179535W-4K-AC240-WH-DA-A190 X B75 X C160MM	35W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
55	MAZDA-DXR179535W-4K-AC240-WH-PH-A190 X B75 X C160MM	35W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
56	MAZDA-DXR179535W-4K-AC240-WH-10VDIM-A190 X B75 X C160MM	35W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
57	MAZDA-DXR179535W-6K-AC240-WH-ND-A190 X B75 X C160MM	35W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
58	MAZDA-DXR179535W-6K-AC240-WH-DA-A190 X B75 X C160MM	35W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
59	MAZDA-DXR179535W-6K-AC240-WH-PH-A190 X B75 X C160MM	35W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
60	MAZDA-DXR179535W-6K-AC240-WH-10VDIM-A190 X B75 X C160MM	35W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B75 X C160MM	DIE CAST ALUMINUM	IP54	4200LM	A190 X B75 X C160MM	
61	MAZDA-DXR179545W-3K-AC240-WH-ND-A225 X B87 X C200MM	45W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
62	MAZDA-DXR179545W-3K-AC240-WH-DA-A225 X B87 X C200MM	45W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
63	MAZDA-DXR179545W-3K-AC240-WH-PH-A225 X B87 X C200MM	45W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
64	MAZDA-DXR179545W-3K-AC240-WH-10VDIM-A225 X B87 X C200MM	45W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
65	MAZDA-DXR179545W-4K-AC240-WH-ND-A225 X B87 X C200MM	45W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
66	MAZDA-DXR179545W-4K-AC240-WH-DA-A225 X B87 X C200MM	45W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
67	MAZDA-DXR179545W-4K-AC240-WH-PH-A225 X B87 X C200MM	45W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
68	MAZDA-DXR179545W-4K-AC240-WH-10VDIM-A225 X B87 X C200MM	45W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
69	MAZDA-DXR179545W-6K-AC240-WH-ND-A225 X B87 X C200MM	45W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
70	MAZDA-DXR179545W-6K-AC240-WH-DA-A225 X B87 X C200MM	45W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
71	MAZDA-DXR179545W-6K-AC240-WH-PH-A225 X B87 X C200MM	45W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	
72	MAZDA-DXR179545W-6K-AC240-WH-10VDIM-A225 X B87 X C200MM	45W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B87 X C200MM	DIE CAST ALUMINUM	IP54	5400LM	A225 X B87 X C200MM	