DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



AVA

MAZDA Model: SXR1835 Spot Light

Ava LED Spot light is recessed ceiling spotlight, with an essential and complementary shape adopts super slim and compact design, perfectly suitable for the narrow ceiling installation suitable for damp environment. T-shape heat sink greatly increases the radiation area and improves cooling efficiency. The fitting could be adjust from 0-30 degree in horizontal direction, which can expand the illumination area

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
1	MAZDA-SXR183505W-2.7K-AC240-WH-DA-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
2	MAZDA-SXR183505W-2.7K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
3	MAZDA-SXR183505W-2.7K-AC240-GO-DA-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
4	MAZDA-SXR183505W-2.7K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
5	MAZDA-SXR183505W-2.7K-AC240-WH-PH-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
6	MAZDA-SXR183505W-2.7K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
7	MAZDA-SXR183505W-2.7K-AC240-GO-PH-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
8	MAZDA-SXR183505W-2.7K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
9	MAZDA-SXR183505W-2.7K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
10	MAZDA-SXR183505W-2.7K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
11	MAZDA-SXR183505W-2.7K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
12	MAZDA-SXR183505W-2.7K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
13	MAZDA-SXR183505W-2.7K-AC240-WH-ND-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
14	MAZDA-SXR183505W-2.7K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
15	MAZDA-SXR183505W-2.7K-AC240-GO-ND-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
16	MAZDA-SXR183505W-2.7K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
17	MAZDA-SXR183505W-3K-AC240-WH-DA-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
18	MAZDA-SXR183505W-3K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM
19	MAZDA-SXR183505W-3K-AC240-GO-DA-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-SXR183505W-3K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
21	MAZDA-SXR183505W-3K-AC240-WH-PH-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
22	MAZDA-SXR183505W-3K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
23	MAZDA-SXR183505W-3K-AC240-GO-PH-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
24	MAZDA-SXR183505W-3K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
25	MAZDA-SXR183505W-3K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
26	MAZDA-SXR183505W-3K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
27	MAZDA-SXR183505W-3K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
28	MAZDA-SXR183505W-3K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
29	MAZDA-SXR183505W-3K-AC240-WH-ND-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
30	MAZDA-SXR183505W-3K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
31	MAZDA-SXR183505W-3K-AC240-GO-ND-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
32	MAZDA-SXR183505W-3K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
33	MAZDA-SXR183505W-4K-AC240-WH-DA-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
34	MAZDA-SXR183505W-4K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
35	MAZDA-SXR183505W-4K-AC240-GO-DA-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
36	MAZDA-SXR183505W-4K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
37	MAZDA-SXR183505W-4K-AC240-WH-PH-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
38	MAZDA-SXR183505W-4K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
39	MAZDA-SXR183505W-4K-AC240-GO-PH-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
40	MAZDA-SXR183505W-4K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
41	MAZDA-SXR183505W-4K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
42	MAZDA-SXR183505W-4K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
43	MAZDA-SXR183505W-4K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
44	MAZDA-SXR183505W-4K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
45	MAZDA-SXR183505W-4K-AC240-WH-ND-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
46	MAZDA-SXR183505W-4K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
47	MAZDA-SXR183505W-4K-AC240-GO-ND-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
48	MAZDA-SXR183505W-4K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
49	MAZDA-SXR183505W-5K-AC240-WH-DA-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-SXR183505W-5K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
51	MAZDA-SXR183505W-5K-AC240-GO-DA-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
52	MAZDA-SXR183505W-5K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
53	MAZDA-SXR183505W-5K-AC240-WH-PH-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
54	MAZDA-SXR183505W-5K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
55	MAZDA-SXR183505W-5K-AC240-GO-PH-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
56	MAZDA-SXR183505W-5K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
57	MAZDA-SXR183505W-5K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
58	MAZDA-SXR183505W-5K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
59	MAZDA-SXR183505W-5K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
60	MAZDA-SXR183505W-5K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
61	MAZDA-SXR183505W-5K-AC240-WH-ND-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
62	MAZDA-SXR183505W-5K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
63	MAZDA-SXR183505W-5K-AC240-GO-ND-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
64	MAZDA-SXR183505W-5K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
65	MAZDA-SXR183505W-6K-AC240-WH-DA-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
66	MAZDA-SXR183505W-6K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
67	MAZDA-SXR183505W-6K-AC240-GO-DA-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
68	MAZDA-SXR183505W-6K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
69	MAZDA-SXR183505W-6K-AC240-WH-PH-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
70	MAZDA-SXR183505W-6K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
71	MAZDA-SXR183505W-6K-AC240-GO-PH-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
72	MAZDA-SXR183505W-6K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
73	MAZDA-SXR183505W-6K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
74	MAZDA-SXR183505W-6K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
75	MAZDA-SXR183505W-6K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
76	MAZDA-SXR183505W-6K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
77	MAZDA-SXR183505W-6K-AC240-WH-ND-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
78	MAZDA-SXR183505W-6K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
79	MAZDA-SXR183505W-6K-AC240-GO-ND-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-SXR183505W-6K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
81	MAZDA-SXR183505W-6.5K-AC240-WH-DA-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
82	MAZDA-SXR183505W-6.5K-AC240-WH-DA-EM-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
83	MAZDA-SXR183505W-6.5K-AC240-GO-DA-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
84	MAZDA-SXR183505W-6.5K-AC240-GO-DA-EM-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
85	MAZDA-SXR183505W-6.5K-AC240-WH-PH-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
86	MAZDA-SXR183505W-6.5K-AC240-WH-PH-EM-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
87	MAZDA-SXR183505W-6.5K-AC240-GO-PH-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
88	MAZDA-SXR183505W-6.5K-AC240-GO-PH-EM-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
89	MAZDA-SXR183505W-6.5K-AC240-WH-10VDIM-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
90	MAZDA-SXR183505W-6.5K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
91	MAZDA-SXR183505W-6.5K-AC240-GO-10VDIM-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
92	MAZDA-SXR183505W-6.5K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
93	MAZDA-SXR183505W-6.5K-AC240-WH-ND-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
94	MAZDA-SXR183505W-6.5K-AC240-WH-ND-EM-A90 X B30 X C72MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
95	MAZDA-SXR183505W-6.5K-AC240-GO-ND-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
96	MAZDA-SXR183505W-6.5K-AC240-GO-ND-EM-A90 X B30 X C72MM	05W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	500LM	A90 X B30 X C72MM	
97	MAZDA-SXR183508W-2.7K-AC240-WH-DA-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
98	MAZDA-SXR183508W-2.7K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
99	MAZDA-SXR183508W-2.7K-AC240-GO-DA-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
100	MAZDA-SXR183508W-2.7K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
101	MAZDA-SXR183508W-2.7K-AC240-WH-PH-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
102	MAZDA-SXR183508W-2.7K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
103	MAZDA-SXR183508W-2.7K-AC240-GO-PH-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
104	MAZDA-SXR183508W-2.7K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
105	MAZDA-SXR183508W-2.7K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
106	MAZDA-SXR183508W-2.7K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
107	MAZDA-SXR183508W-2.7K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
108	MAZDA-SXR183508W-2.7K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
109	MAZDA-SXR183508W-2.7K-AC240-WH-ND-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	MAZDA-SXR183508W-2.7K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
111	MAZDA-SXR183508W-2.7K-AC240-GO-ND-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
112	MAZDA-SXR183508W-2.7K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
113	MAZDA-SXR183508W-3K-AC240-WH-DA-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
114	MAZDA-SXR183508W-3K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
115	MAZDA-SXR183508W-3K-AC240-GO-DA-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
116	MAZDA-SXR183508W-3K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
117	MAZDA-SXR183508W-3K-AC240-WH-PH-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
118	MAZDA-SXR183508W-3K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
119	MAZDA-SXR183508W-3K-AC240-GO-PH-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
120	MAZDA-SXR183508W-3K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
121	MAZDA-SXR183508W-3K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
122	MAZDA-SXR183508W-3K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
123	MAZDA-SXR183508W-3K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
124	MAZDA-SXR183508W-3K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
125	MAZDA-SXR183508W-3K-AC240-WH-ND-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
126	MAZDA-SXR183508W-3K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
127	MAZDA-SXR183508W-3K-AC240-GO-ND-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
128	MAZDA-SXR183508W-3K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
129	MAZDA-SXR183508W-4K-AC240-WH-DA-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
130	MAZDA-SXR183508W-4K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
131	MAZDA-SXR183508W-4K-AC240-GO-DA-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
132	MAZDA-SXR183508W-4K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
133	MAZDA-SXR183508W-4K-AC240-WH-PH-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
134	MAZDA-SXR183508W-4K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
135	MAZDA-SXR183508W-4K-AC240-GO-PH-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
136	MAZDA-SXR183508W-4K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
137	MAZDA-SXR183508W-4K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
138	MAZDA-SXR183508W-4K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
139	MAZDA-SXR183508W-4K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
140	MAZDA-SXR183508W-4K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
141	MAZDA-SXR183508W-4K-AC240-WH-ND-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
142	MAZDA-SXR183508W-4K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
143	MAZDA-SXR183508W-4K-AC240-GO-ND-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
144	MAZDA-SXR183508W-4K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
145	MAZDA-SXR183508W-5K-AC240-WH-DA-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
146	MAZDA-SXR183508W-5K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
147	MAZDA-SXR183508W-5K-AC240-GO-DA-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
148	MAZDA-SXR183508W-5K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
149	MAZDA-SXR183508W-5K-AC240-WH-PH-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
150	MAZDA-SXR183508W-5K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
151	MAZDA-SXR183508W-5K-AC240-GO-PH-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
152	MAZDA-SXR183508W-5K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
153	MAZDA-SXR183508W-5K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
154	MAZDA-SXR183508W-5K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
155	MAZDA-SXR183508W-5K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
156	MAZDA-SXR183508W-5K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
157	MAZDA-SXR183508W-5K-AC240-WH-ND-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
158	MAZDA-SXR183508W-5K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
159	MAZDA-SXR183508W-5K-AC240-GO-ND-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
160	MAZDA-SXR183508W-5K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
161	MAZDA-SXR183508W-6K-AC240-WH-DA-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
162	MAZDA-SXR183508W-6K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
163	MAZDA-SXR183508W-6K-AC240-GO-DA-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
164	MAZDA-SXR183508W-6K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
165	MAZDA-SXR183508W-6K-AC240-WH-PH-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
166	MAZDA-SXR183508W-6K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
167	MAZDA-SXR183508W-6K-AC240-GO-PH-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
168	MAZDA-SXR183508W-6K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
169	MAZDA-SXR183508W-6K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
170	MAZDA-SXR183508W-6K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
171	MAZDA-SXR183508W-6K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
172	MAZDA-SXR183508W-6K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
173	MAZDA-SXR183508W-6K-AC240-WH-ND-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
174	MAZDA-SXR183508W-6K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
175	MAZDA-SXR183508W-6K-AC240-GO-ND-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
176	MAZDA-SXR183508W-6K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
177	MAZDA-SXR183508W-6.5K-AC240-WH-DA-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
178	MAZDA-SXR183508W-6.5K-AC240-WH-DA-EM-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
179	MAZDA-SXR183508W-6.5K-AC240-GO-DA-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
180	MAZDA-SXR183508W-6.5K-AC240-GO-DA-EM-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
181	MAZDA-SXR183508W-6.5K-AC240-WH-PH-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
182	MAZDA-SXR183508W-6.5K-AC240-WH-PH-EM-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
183	MAZDA-SXR183508W-6.5K-AC240-GO-PH-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
184	MAZDA-SXR183508W-6.5K-AC240-GO-PH-EM-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
185	MAZDA-SXR183508W-6.5K-AC240-WH-10VDIM-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
186	MAZDA-SXR183508W-6.5K-AC240-WH-10VDIM-EM-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
187	MAZDA-SXR183508W-6.5K-AC240-GO-10VDIM-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
188	MAZDA-SXR183508W-6.5K-AC240-GO-10VDIM-EM-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
189	MAZDA-SXR183508W-6.5K-AC240-WH-ND-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
190	MAZDA-SXR183508W-6.5K-AC240-WH-ND-EM-A90 X B30 X C72MM	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
191	MAZDA-SXR183508W-6.5K-AC240-GO-ND-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
192	MAZDA-SXR183508W-6.5K-AC240-GO-ND-EM-A90 X B30 X C72MM	08W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B30 X C72MM	DIE CAST ALUMINUM	IP54	800LM	A90 X B30 X C72MM	
193	MAZDA-SXR183510W-2.7K-AC240-WH-DA-A90 X B39.3 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
194	MAZDA-SXR183510W-2.7K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
195	MAZDA-SXR183510W-2.7K-AC240-GO-DA-A90 X B39.3 X C75MM	10W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
196	MAZDA-SXR183510W-2.7K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	10W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
197	MAZDA-SXR183510W-2.7K-AC240-WH-PH-A90 X B39.3 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
198	MAZDA-SXR183510W-2.7K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
199	**MAZDA-SXR183510W-2.7K-AC240-GO-PH-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
200	**MAZDA-SXR183510W-2.7K-AC240-GO-PH-EM-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
201	**MAZDA-SXR183510W-2.7K-AC240-WH-10VDIM-A90 X B39.3 X C75MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
202	**MAZDA-SXR183510W-2.7K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
203	**MAZDA-SXR183510W-2.7K-AC240-GO-10VDIM-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
204	**MAZDA-SXR183510W-2.7K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
205	**MAZDA-SXR183510W-2.7K-AC240-WH-ND-A90 X B39.3 X C75MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
206	**MAZDA-SXR183510W-2.7K-AC240-WH-ND-EM-A90 X B39.3 X C75MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
207	**MAZDA-SXR183510W-2.7K-AC240-GO-ND-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
208	**MAZDA-SXR183510W-2.7K-AC240-GO-ND-EM-A90 X B39.3 X C75MM**	10W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
209	**MAZDA-SXR183510W-3K-AC240-WH-DA-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
210	**MAZDA-SXR183510W-3K-AC240-WH-DA-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
211	**MAZDA-SXR183510W-3K-AC240-GO-DA-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
212	**MAZDA-SXR183510W-3K-AC240-GO-DA-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
213	**MAZDA-SXR183510W-3K-AC240-WH-PH-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
214	**MAZDA-SXR183510W-3K-AC240-WH-PH-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
215	**MAZDA-SXR183510W-3K-AC240-GO-PH-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
216	**MAZDA-SXR183510W-3K-AC240-GO-PH-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
217	**MAZDA-SXR183510W-3K-AC240-WH-10VDIM-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
218	**MAZDA-SXR183510W-3K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
219	**MAZDA-SXR183510W-3K-AC240-GO-10VDIM-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
220	**MAZDA-SXR183510W-3K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
221	**MAZDA-SXR183510W-3K-AC240-WH-ND-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
222	**MAZDA-SXR183510W-3K-AC240-WH-ND-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
223	**MAZDA-SXR183510W-3K-AC240-GO-ND-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
224	**MAZDA-SXR183510W-3K-AC240-GO-ND-EM-A90 X B39.3 X C75MM**	10W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
225	**MAZDA-SXR183510W-4K-AC240-WH-DA-A90 X B39.3 X C75MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
226	**MAZDA-SXR183510W-4K-AC240-WH-DA-EM-A90 X B39.3 X C75MM**	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
227	**MAZDA-SXR183510W-4K-AC240-GO-DA-A90 X B39.3 X C75MM**	10W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
228	MAZDA-SXR183510W-4K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
229	MAZDA-SXR183510W-4K-AC240-WH-PH-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
230	MAZDA-SXR183510W-4K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
231	MAZDA-SXR183510W-4K-AC240-GO-PH-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
232	MAZDA-SXR183510W-4K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
233	MAZDA-SXR183510W-4K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
234	MAZDA-SXR183510W-4K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
235	MAZDA-SXR183510W-4K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
236	MAZDA-SXR183510W-4K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
237	MAZDA-SXR183510W-4K-AC240-WH-ND-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
238	MAZDA-SXR183510W-4K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
239	MAZDA-SXR183510W-4K-AC240-GO-ND-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
240	MAZDA-SXR183510W-4K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	10W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
241	MAZDA-SXR183510W-5K-AC240-WH-DA-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
242	MAZDA-SXR183510W-5K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
243	MAZDA-SXR183510W-5K-AC240-GO-DA-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
244	MAZDA-SXR183510W-5K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
245	MAZDA-SXR183510W-5K-AC240-WH-PH-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
246	MAZDA-SXR183510W-5K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
247	MAZDA-SXR183510W-5K-AC240-GO-PH-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
248	MAZDA-SXR183510W-5K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
249	MAZDA-SXR183510W-5K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
250	MAZDA-SXR183510W-5K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
251	MAZDA-SXR183510W-5K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
252	MAZDA-SXR183510W-5K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
253	MAZDA-SXR183510W-5K-AC240-WH-ND-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
254	MAZDA-SXR183510W-5K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
255	MAZDA-SXR183510W-5K-AC240-GO-ND-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
256	MAZDA-SXR183510W-5K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	10W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
257	MAZDA-SXR183510W-6K-AC240-WH-DA-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
258	MAZDA-SXR183510W-6K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
259	MAZDA-SXR183510W-6K-AC240-GO-DA-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
260	MAZDA-SXR183510W-6K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
261	MAZDA-SXR183510W-6K-AC240-WH-PH-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
262	MAZDA-SXR183510W-6K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
263	MAZDA-SXR183510W-6K-AC240-GO-PH-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
264	MAZDA-SXR183510W-6K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
265	MAZDA-SXR183510W-6K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
266	MAZDA-SXR183510W-6K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
267	MAZDA-SXR183510W-6K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
268	MAZDA-SXR183510W-6K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
269	MAZDA-SXR183510W-6K-AC240-WH-ND-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
270	MAZDA-SXR183510W-6K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
271	MAZDA-SXR183510W-6K-AC240-GO-ND-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
272	MAZDA-SXR183510W-6K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	10W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
273	MAZDA-SXR183510W-6.5K-AC240-WH-DA-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
274	MAZDA-SXR183510W-6.5K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
275	MAZDA-SXR183510W-6.5K-AC240-GO-DA-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
276	MAZDA-SXR183510W-6.5K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
277	MAZDA-SXR183510W-6.5K-AC240-WH-PH-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
278	MAZDA-SXR183510W-6.5K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
279	MAZDA-SXR183510W-6.5K-AC240-GO-PH-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
280	MAZDA-SXR183510W-6.5K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
281	MAZDA-SXR183510W-6.5K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
282	MAZDA-SXR183510W-6.5K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
283	MAZDA-SXR183510W-6.5K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
284	MAZDA-SXR183510W-6.5K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	10W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
285	MAZDA-SXR183510W-6.5K-AC240-WH-ND-A90 X B39.3 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
286	**MAZDA-SXR183510W-6.5K-AC240-WH-ND-EM-A90 X B39.3 X C75MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
287	**MAZDA-SXR183510W-6.5K-AC240-GO-ND-A90 X B39.3 X C75MM**	10W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
288	**MAZDA-SXR183510W-6.5K-AC240-GO-ND-EM-A90 X B39.3 X C75MM**	10W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1000LM	A90 X B39.3 X C75MM	
289	**MAZDA-SXR183513W-2.7K-AC240-WH-DA-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
290	**MAZDA-SXR183513W-2.7K-AC240-WH-DA-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
291	**MAZDA-SXR183513W-2.7K-AC240-GO-DA-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
292	**MAZDA-SXR183513W-2.7K-AC240-GO-DA-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
293	**MAZDA-SXR183513W-2.7K-AC240-WH-PH-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
294	**MAZDA-SXR183513W-2.7K-AC240-WH-PH-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
295	**MAZDA-SXR183513W-2.7K-AC240-GO-PH-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
296	**MAZDA-SXR183513W-2.7K-AC240-GO-PH-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
297	**MAZDA-SXR183513W-2.7K-AC240-WH-10VDIM-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
298	**MAZDA-SXR183513W-2.7K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
299	**MAZDA-SXR183513W-2.7K-AC240-GO-10VDIM-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
300	**MAZDA-SXR183513W-2.7K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
301	**MAZDA-SXR183513W-2.7K-AC240-WH-ND-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
302	**MAZDA-SXR183513W-2.7K-AC240-WH-ND-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
303	**MAZDA-SXR183513W-2.7K-AC240-GO-ND-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
304	**MAZDA-SXR183513W-2.7K-AC240-GO-ND-EM-A90 X B39.3 X C75MM**	13W	2700	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
305	**MAZDA-SXR183513W-3K-AC240-WH-DA-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
306	**MAZDA-SXR183513W-3K-AC240-WH-DA-EM-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
307	**MAZDA-SXR183513W-3K-AC240-GO-DA-A90 X B39.3 X C75MM**	13W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
308	**MAZDA-SXR183513W-3K-AC240-GO-DA-EM-A90 X B39.3 X C75MM**	13W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
309	**MAZDA-SXR183513W-3K-AC240-WH-PH-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
310	**MAZDA-SXR183513W-3K-AC240-WH-PH-EM-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
311	**MAZDA-SXR183513W-3K-AC240-GO-PH-A90 X B39.3 X C75MM**	13W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
312	**MAZDA-SXR183513W-3K-AC240-GO-PH-EM-A90 X B39.3 X C75MM**	13W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
313	**MAZDA-SXR183513W-3K-AC240-WH-10VDIM-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
314	**MAZDA-SXR183513W-3K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
315	MAZDA-SXR183513W-3K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	13W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
316	MAZDA-SXR183513W-3K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	13W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
317	MAZDA-SXR183513W-3K-AC240-WH-ND-A90 X B39.3 X C75MM	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
318	MAZDA-SXR183513W-3K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
319	MAZDA-SXR183513W-3K-AC240-GO-ND-A90 X B39.3 X C75MM	13W	3000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
320	MAZDA-SXR183513W-3K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	13W	3000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
321	MAZDA-SXR183513W-4K-AC240-WH-DA-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
322	MAZDA-SXR183513W-4K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
323	MAZDA-SXR183513W-4K-AC240-GO-DA-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
324	MAZDA-SXR183513W-4K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
325	MAZDA-SXR183513W-4K-AC240-WH-PH-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
326	MAZDA-SXR183513W-4K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
327	MAZDA-SXR183513W-4K-AC240-GO-PH-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
328	MAZDA-SXR183513W-4K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
329	MAZDA-SXR183513W-4K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
330	MAZDA-SXR183513W-4K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
331	MAZDA-SXR183513W-4K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
332	MAZDA-SXR183513W-4K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
333	MAZDA-SXR183513W-4K-AC240-WH-ND-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
334	MAZDA-SXR183513W-4K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
335	MAZDA-SXR183513W-4K-AC240-GO-ND-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
336	MAZDA-SXR183513W-4K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	13W	4000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
337	MAZDA-SXR183513W-5K-AC240-WH-DA-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
338	MAZDA-SXR183513W-5K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
339	MAZDA-SXR183513W-5K-AC240-GO-DA-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
340	MAZDA-SXR183513W-5K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
341	MAZDA-SXR183513W-5K-AC240-WH-PH-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
342	MAZDA-SXR183513W-5K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
343	MAZDA-SXR183513W-5K-AC240-GO-PH-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
344	MAZDA-SXR183513W-5K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
345	MAZDA-SXR183513W-5K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
346	MAZDA-SXR183513W-5K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
347	MAZDA-SXR183513W-5K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
348	MAZDA-SXR183513W-5K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
349	MAZDA-SXR183513W-5K-AC240-WH-ND-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
350	MAZDA-SXR183513W-5K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
351	MAZDA-SXR183513W-5K-AC240-GO-ND-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
352	MAZDA-SXR183513W-5K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	13W	5000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
353	MAZDA-SXR183513W-6K-AC240-WH-DA-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
354	MAZDA-SXR183513W-6K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
355	MAZDA-SXR183513W-6K-AC240-GO-DA-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
356	MAZDA-SXR183513W-6K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
357	MAZDA-SXR183513W-6K-AC240-WH-PH-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
358	MAZDA-SXR183513W-6K-AC240-WH-PH-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
359	MAZDA-SXR183513W-6K-AC240-GO-PH-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
360	MAZDA-SXR183513W-6K-AC240-GO-PH-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
361	MAZDA-SXR183513W-6K-AC240-WH-10VDIM-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
362	MAZDA-SXR183513W-6K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
363	MAZDA-SXR183513W-6K-AC240-GO-10VDIM-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
364	MAZDA-SXR183513W-6K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
365	MAZDA-SXR183513W-6K-AC240-WH-ND-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
366	MAZDA-SXR183513W-6K-AC240-WH-ND-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
367	MAZDA-SXR183513W-6K-AC240-GO-ND-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
368	MAZDA-SXR183513W-6K-AC240-GO-ND-EM-A90 X B39.3 X C75MM	13W	6000	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
369	MAZDA-SXR183513W-6.5K-AC240-WH-DA-A90 X B39.3 X C75MM	13W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
370	MAZDA-SXR183513W-6.5K-AC240-WH-DA-EM-A90 X B39.3 X C75MM	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
371	MAZDA-SXR183513W-6.5K-AC240-GO-DA-A90 X B39.3 X C75MM	13W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
372	MAZDA-SXR183513W-6.5K-AC240-GO-DA-EM-A90 X B39.3 X C75MM	13W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
373	**MAZDA-SXR183513W-6.5K-AC240-WH-PH-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
374	**MAZDA-SXR183513W-6.5K-AC240-WH-PH-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
375	**MAZDA-SXR183513W-6.5K-AC240-GO-PH-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
376	**MAZDA-SXR183513W-6.5K-AC240-GO-PH-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
377	**MAZDA-SXR183513W-6.5K-AC240-WH-10VDIM-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
378	**MAZDA-SXR183513W-6.5K-AC240-WH-10VDIM-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
379	**MAZDA-SXR183513W-6.5K-AC240-GO-10VDIM-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
380	**MAZDA-SXR183513W-6.5K-AC240-GO-10VDIM-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
381	**MAZDA-SXR183513W-6.5K-AC240-WH-ND-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
382	**MAZDA-SXR183513W-6.5K-AC240-WH-ND-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
383	**MAZDA-SXR183513W-6.5K-AC240-GO-ND-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	NON EMERGENCY	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	
384	**MAZDA-SXR183513W-6.5K-AC240-GO-ND-EM-A90 X B39.3 X C75MM**	13W	6500	240VAC	GOLD AND SILVER	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A90 X B39.3 X C75MM	DIE CAST ALUMINUM	IP54	1300LM	A90 X B39.3 X C75MM	