DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



BEN

MAZDA Model: DXR1750 Downlight

Ben LED Down Light is recessed downlight with die-cast aluminium body, die-cast aluminium heat sink, solid springs and chrome reflector. COB high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting and humanization design, made by high quality aluminum profile. The item is very professional and it has all the characteristics to be involved in any kind of architectural or design project, it is designed for general lightling applications in office, supermarket, shop, school, hotel, ect. it is also widely used for public areas, such as stairway, lobby, reception

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR175050W-2.7K-AC240-WH-DA-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
2	MAZDA-DXR175050W-2.7K-AC240-WH-PH-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
3	MAZDA-DXR175050W-2.7K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
4	MAZDA-DXR175050W-2.7K-AC240-WH-ND-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
5	MAZDA-DXR175050W-3K-AC240-WH-DA-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
6	MAZDA-DXR175050W-3K-AC240-WH-PH-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
7	MAZDA-DXR175050W-3K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
8	MAZDA-DXR175050W-3K-AC240-WH-ND-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
9	MAZDA-DXR175050W-4K-AC240-WH-DA-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
10	MAZDA-DXR175050W-4K-AC240-WH-PH-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
11	MAZDA-DXR175050W-4K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
12	MAZDA-DXR175050W-4K-AC240-WH-ND-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
13	MAZDA-DXR175050W-5K-AC240-WH-DA-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
14	MAZDA-DXR175050W-5K-AC240-WH-PH-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
15	MAZDA-DXR175050W-5K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
16	MAZDA-DXR175050W-5K-AC240-WH-ND-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
17	MAZDA-DXR175050W-6K-AC240-WH-DA-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
18	MAZDA-DXR175050W-6K-AC240-WH-PH-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	**MAZDA-DXR175050W-6K-AC240-WH-10VDIM-A230 X B102 X C215 MM**	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
20	**MAZDA-DXR175050W-6K-AC240-WH-ND-A230 X B102 X C215 MM**	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
21	**MAZDA-DXR175050W-6.5K-AC240-WH-DA-A230 X B102 X C215 MM**	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
22	**MAZDA-DXR175050W-6.5K-AC240-WH-PH-A230 X B102 X C215 MM**	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
23	**MAZDA-DXR175050W-6.5K-AC240-WH-10VDIM-A230 X B102 X C215 MM**	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
24	**MAZDA-DXR175050W-6.5K-AC240-WH-ND-A230 X B102 X C215 MM**	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
25	**MAZDA-DXR175040W-2.7K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
26	**MAZDA-DXR175040W-2.7K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
27	**MAZDA-DXR175040W-2.7K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
28	**MAZDA-DXR175040W-2.7K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
29	**MAZDA-DXR175040W-3K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
30	**MAZDA-DXR175040W-3K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
31	**MAZDA-DXR175040W-3K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
32	**MAZDA-DXR175040W-3K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
33	**MAZDA-DXR175040W-4K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
34	**MAZDA-DXR175040W-4K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
35	**MAZDA-DXR175040W-4K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
36	**MAZDA-DXR175040W-4K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
37	**MAZDA-DXR175040W-5K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
38	**MAZDA-DXR175040W-5K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
39	**MAZDA-DXR175040W-5K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
40	**MAZDA-DXR175040W-5K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
41	**MAZDA-DXR175040W-6K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
42	**MAZDA-DXR175040W-6K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
43	**MAZDA-DXR175040W-6K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
44	**MAZDA-DXR175040W-6K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
45	**MAZDA-DXR175040W-6.5K-AC240-WH-DA-A198 X B98 X C180 MM**	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
46	**MAZDA-DXR175040W-6.5K-AC240-WH-PH-A198 X B98 X C180 MM**	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
47	**MAZDA-DXR175040W-6.5K-AC240-WH-10VDIM-A198 X B98 X C180 MM**	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
48	**MAZDA-DXR175040W-6.5K-AC240-WH-ND-A198 X B98 X C180 MM**	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
49	**MAZDA-DXR175030W-2.7K-AC240-WH-DA-A160 X B85 X C145 MM**	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-DXR175030W-2.7K-AC240-WH-PH-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
51	MAZDA-DXR175030W-2.7K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
52	MAZDA-DXR175030W-2.7K-AC240-WH-ND-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
53	MAZDA-DXR175030W-3K-AC240-WH-DA-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
54	MAZDA-DXR175030W-3K-AC240-WH-PH-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
55	MAZDA-DXR175030W-3K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
56	MAZDA-DXR175030W-3K-AC240-WH-ND-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
57	MAZDA-DXR175030W-4K-AC240-WH-DA-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
58	MAZDA-DXR175030W-4K-AC240-WH-PH-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
59	MAZDA-DXR175030W-4K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
60	MAZDA-DXR175030W-4K-AC240-WH-ND-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
61	MAZDA-DXR175030W-5K-AC240-WH-DA-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
62	MAZDA-DXR175030W-5K-AC240-WH-PH-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
63	MAZDA-DXR175030W-5K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
64	MAZDA-DXR175030W-5K-AC240-WH-ND-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
65	MAZDA-DXR175030W-6K-AC240-WH-DA-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
66	MAZDA-DXR175030W-6K-AC240-WH-PH-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
67	MAZDA-DXR175030W-6K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
68	MAZDA-DXR175030W-6K-AC240-WH-ND-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
69	MAZDA-DXR175030W-6.5K-AC240-WH-DA-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
70	MAZDA-DXR175030W-6.5K-AC240-WH-PH-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
71	MAZDA-DXR175030W-6.5K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
72	MAZDA-DXR175030W-6.5K-AC240-WH-ND-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
73	MAZDA-DXR175020W-2.7K-AC240-WH-DA-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
74	MAZDA-DXR175020W-2.7K-AC240-WH-PH-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
75	MAZDA-DXR175020W-2.7K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
76	MAZDA-DXR175020W-2.7K-AC240-WH-ND-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
77	MAZDA-DXR175020W-3K-AC240-WH-DA-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
78	MAZDA-DXR175020W-3K-AC240-WH-PH-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
79	MAZDA-DXR175020W-3K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
80	MAZDA-DXR175020W-3K-AC240-WH-ND-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
81	MAZDA-DXR175020W-4K-AC240-WH-DA-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
82	MAZDA-DXR175020W-4K-AC240-WH-PH-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
83	MAZDA-DXR175020W-4K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
84	MAZDA-DXR175020W-4K-AC240-WH-ND-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
85	MAZDA-DXR175020W-5K-AC240-WH-DA-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
86	MAZDA-DXR175020W-5K-AC240-WH-PH-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
87	MAZDA-DXR175020W-5K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
88	MAZDA-DXR175020W-5K-AC240-WH-ND-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
89	MAZDA-DXR175020W-6K-AC240-WH-DA-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
90	MAZDA-DXR175020W-6K-AC240-WH-PH-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
91	MAZDA-DXR175020W-6K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
92	MAZDA-DXR175020W-6K-AC240-WH-ND-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
93	MAZDA-DXR175020W-6.5K-AC240-WH-DA-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
94	MAZDA-DXR175020W-6.5K-AC240-WH-PH-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
95	MAZDA-DXR175020W-6.5K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
96	MAZDA-DXR175020W-6.5K-AC240-WH-ND-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
97	MAZDA-DXR175010W-2.7K-AC240-WH-DA-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
98	MAZDA-DXR175010W-2.7K-AC240-WH-PH-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
99	MAZDA-DXR175010W-2.7K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
100	MAZDA-DXR175010W-2.7K-AC240-WH-ND-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
101	MAZDA-DXR175010W-3K-AC240-WH-DA-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
102	MAZDA-DXR175010W-3K-AC240-WH-PH-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
103	MAZDA-DXR175010W-3K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
104	MAZDA-DXR175010W-3K-AC240-WH-ND-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
105	MAZDA-DXR175010W-4K-AC240-WH-DA-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
106	MAZDA-DXR175010W-4K-AC240-WH-PH-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
107	MAZDA-DXR175010W-4K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
108	MAZDA-DXR175010W-4K-AC240-WH-ND-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
109	MAZDA-DXR175010W-5K-AC240-WH-DA-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
110	MAZDA-DXR175010W-5K-AC240-WH-PH-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
111	MAZDA-DXR175010W-5K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
112	**MAZDA-DXR175010W-5K-AC240-WH-ND-A115 X B65 X C100 MM**	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
113	**MAZDA-DXR175010W-6K-AC240-WH-DA-A115 X B65 X C100 MM**	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
114	**MAZDA-DXR175010W-6K-AC240-WH-PH-A115 X B65 X C100 MM**	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
115	**MAZDA-DXR175010W-6K-AC240-WH-10VDIM-A115 X B65 X C100 MM**	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
116	**MAZDA-DXR175010W-6K-AC240-WH-ND-A115 X B65 X C100 MM**	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
117	**MAZDA-DXR175010W-6.5K-AC240-WH-DA-A115 X B65 X C100 MM**	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
118	**MAZDA-DXR175010W-6.5K-AC240-WH-PH-A115 X B65 X C100 MM**	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
119	**MAZDA-DXR175010W-6.5K-AC240-WH-10VDIM-A115 X B65 X C100 MM**	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
120	**MAZDA-DXR175010W-6.5K-AC240-WH-ND-A115 X B65 X C100 MM**	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	