



BEN

MAZDA Model: DXR1750 Downlight

Ben LED Down Light is recessed downlight with die-cast aluminium body, die-cast aluminium heat sink, solid springs and chrome reflector. COB high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting and humanization design, made by high quality aluminum profile. The item is very professional and it has all the characteristics to be involved in any kind of architectural or design project, it is designed for general lighting applications in office, supermarket, shop, school, hotel, ect. it is also widely used for public areas, such as stairway, lobby, reception

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR175050W-2.7K-AC240-WH-DA-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
2	MAZDA-DXR175050W-2.7K-AC240-WH-PH-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
3	MAZDA-DXR175050W-2.7K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
4	MAZDA-DXR175050W-2.7K-AC240-WH-ND-A230 X B102 X C215 MM	50W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
5	MAZDA-DXR175050W-3K-AC240-WH-DA-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
6	MAZDA-DXR175050W-3K-AC240-WH-PH-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
7	MAZDA-DXR175050W-3K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
8	MAZDA-DXR175050W-3K-AC240-WH-ND-A230 X B102 X C215 MM	50W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
9	MAZDA-DXR175050W-4K-AC240-WH-DA-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
10	MAZDA-DXR175050W-4K-AC240-WH-PH-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
11	MAZDA-DXR175050W-4K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
12	MAZDA-DXR175050W-4K-AC240-WH-ND-A230 X B102 X C215 MM	50W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
13	MAZDA-DXR175050W-5K-AC240-WH-DA-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
14	MAZDA-DXR175050W-5K-AC240-WH-PH-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
15	MAZDA-DXR175050W-5K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
16	MAZDA-DXR175050W-5K-AC240-WH-ND-A230 X B102 X C215 MM	50W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
17	MAZDA-DXR175050W-6K-AC240-WH-DA-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
18	MAZDA-DXR175050W-6K-AC240-WH-PH-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-DXR175050W-6K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
20	MAZDA-DXR175050W-6K-AC240-WH-ND-A230 X B102 X C215 MM	50W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
21	MAZDA-DXR175050W-6.5K-AC240-WH-DA-A230 X B102 X C215 MM	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
22	MAZDA-DXR175050W-6.5K-AC240-WH-PH-A230 X B102 X C215 MM	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
23	MAZDA-DXR175050W-6.5K-AC240-WH-10VDIM-A230 X B102 X C215 MM	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
24	MAZDA-DXR175050W-6.5K-AC240-WH-ND-A230 X B102 X C215 MM	50W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A230 X B102 X C215 MM	DIE CAST ALUMINUM	IP54	6000LM	A230 X B102 X C215 MM	
25	MAZDA-DXR175040W-2.7K-AC240-WH-DA-A198 X B98 X C180 MM	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
26	MAZDA-DXR175040W-2.7K-AC240-WH-PH-A198 X B98 X C180 MM	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
27	MAZDA-DXR175040W-2.7K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
28	MAZDA-DXR175040W-2.7K-AC240-WH-ND-A198 X B98 X C180 MM	40W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
29	MAZDA-DXR175040W-3K-AC240-WH-DA-A198 X B98 X C180 MM	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
30	MAZDA-DXR175040W-3K-AC240-WH-PH-A198 X B98 X C180 MM	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
31	MAZDA-DXR175040W-3K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
32	MAZDA-DXR175040W-3K-AC240-WH-ND-A198 X B98 X C180 MM	40W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
33	MAZDA-DXR175040W-4K-AC240-WH-DA-A198 X B98 X C180 MM	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
34	MAZDA-DXR175040W-4K-AC240-WH-PH-A198 X B98 X C180 MM	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
35	MAZDA-DXR175040W-4K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
36	MAZDA-DXR175040W-4K-AC240-WH-ND-A198 X B98 X C180 MM	40W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
37	MAZDA-DXR175040W-5K-AC240-WH-DA-A198 X B98 X C180 MM	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
38	MAZDA-DXR175040W-5K-AC240-WH-PH-A198 X B98 X C180 MM	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
39	MAZDA-DXR175040W-5K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
40	MAZDA-DXR175040W-5K-AC240-WH-ND-A198 X B98 X C180 MM	40W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
41	MAZDA-DXR175040W-6K-AC240-WH-DA-A198 X B98 X C180 MM	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
42	MAZDA-DXR175040W-6K-AC240-WH-PH-A198 X B98 X C180 MM	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
43	MAZDA-DXR175040W-6K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
44	MAZDA-DXR175040W-6K-AC240-WH-ND-A198 X B98 X C180 MM	40W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
45	MAZDA-DXR175040W-6.5K-AC240-WH-DA-A198 X B98 X C180 MM	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
46	MAZDA-DXR175040W-6.5K-AC240-WH-PH-A198 X B98 X C180 MM	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
47	MAZDA-DXR175040W-6.5K-AC240-WH-10VDIM-A198 X B98 X C180 MM	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
48	MAZDA-DXR175040W-6.5K-AC240-WH-ND-A198 X B98 X C180 MM	40W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A198 X B98 X C180 MM	DIE CAST ALUMINUM	IP54	4800LM	A198 X B98 X C180 MM	
49	MAZDA-DXR175030W-2.7K-AC240-WH-DA-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-DXR175030W-2.7K-AC240-WH-PH-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
51	MAZDA-DXR175030W-2.7K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
52	MAZDA-DXR175030W-2.7K-AC240-WH-ND-A160 X B85 X C145 MM	30W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
53	MAZDA-DXR175030W-3K-AC240-WH-DA-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
54	MAZDA-DXR175030W-3K-AC240-WH-PH-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
55	MAZDA-DXR175030W-3K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
56	MAZDA-DXR175030W-3K-AC240-WH-ND-A160 X B85 X C145 MM	30W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
57	MAZDA-DXR175030W-4K-AC240-WH-DA-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
58	MAZDA-DXR175030W-4K-AC240-WH-PH-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
59	MAZDA-DXR175030W-4K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
60	MAZDA-DXR175030W-4K-AC240-WH-ND-A160 X B85 X C145 MM	30W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
61	MAZDA-DXR175030W-5K-AC240-WH-DA-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
62	MAZDA-DXR175030W-5K-AC240-WH-PH-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
63	MAZDA-DXR175030W-5K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
64	MAZDA-DXR175030W-5K-AC240-WH-ND-A160 X B85 X C145 MM	30W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
65	MAZDA-DXR175030W-6K-AC240-WH-DA-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
66	MAZDA-DXR175030W-6K-AC240-WH-PH-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
67	MAZDA-DXR175030W-6K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
68	MAZDA-DXR175030W-6K-AC240-WH-ND-A160 X B85 X C145 MM	30W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
69	MAZDA-DXR175030W-6.5K-AC240-WH-DA-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
70	MAZDA-DXR175030W-6.5K-AC240-WH-PH-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
71	MAZDA-DXR175030W-6.5K-AC240-WH-10VDIM-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
72	MAZDA-DXR175030W-6.5K-AC240-WH-ND-A160 X B85 X C145 MM	30W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B85 X C145 MM	DIE CAST ALUMINUM	IP54	3600LM	A160 X B85 X C145 MM	
73	MAZDA-DXR175020W-2.7K-AC240-WH-DA-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
74	MAZDA-DXR175020W-2.7K-AC240-WH-PH-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
75	MAZDA-DXR175020W-2.7K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
76	MAZDA-DXR175020W-2.7K-AC240-WH-ND-A140 X B80 X C125 MM	20W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
77	MAZDA-DXR175020W-3K-AC240-WH-DA-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
78	MAZDA-DXR175020W-3K-AC240-WH-PH-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
79	MAZDA-DXR175020W-3K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
80	MAZDA-DXR175020W-3K-AC240-WH-ND-A140 X B80 X C125 MM	20W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
81	MAZDA-DXR175020W-4K-AC240-WH-DA-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
82	MAZDA-DXR175020W-4K-AC240-WH-PH-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
83	MAZDA-DXR175020W-4K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
84	MAZDA-DXR175020W-4K-AC240-WH-ND-A140 X B80 X C125 MM	20W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
85	MAZDA-DXR175020W-5K-AC240-WH-DA-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
86	MAZDA-DXR175020W-5K-AC240-WH-PH-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
87	MAZDA-DXR175020W-5K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
88	MAZDA-DXR175020W-5K-AC240-WH-ND-A140 X B80 X C125 MM	20W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
89	MAZDA-DXR175020W-6K-AC240-WH-DA-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
90	MAZDA-DXR175020W-6K-AC240-WH-PH-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
91	MAZDA-DXR175020W-6K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
92	MAZDA-DXR175020W-6K-AC240-WH-ND-A140 X B80 X C125 MM	20W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
93	MAZDA-DXR175020W-6.5K-AC240-WH-DA-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
94	MAZDA-DXR175020W-6.5K-AC240-WH-PH-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
95	MAZDA-DXR175020W-6.5K-AC240-WH-10VDIM-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
96	MAZDA-DXR175020W-6.5K-AC240-WH-ND-A140 X B80 X C125 MM	20W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A140 X B80 X C125 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B80 X C125 MM	
97	MAZDA-DXR175010W-2.7K-AC240-WH-DA-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
98	MAZDA-DXR175010W-2.7K-AC240-WH-PH-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
99	MAZDA-DXR175010W-2.7K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
100	MAZDA-DXR175010W-2.7K-AC240-WH-ND-A115 X B65 X C100 MM	10W	2700	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
101	MAZDA-DXR175010W-3K-AC240-WH-DA-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
102	MAZDA-DXR175010W-3K-AC240-WH-PH-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
103	MAZDA-DXR175010W-3K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
104	MAZDA-DXR175010W-3K-AC240-WH-ND-A115 X B65 X C100 MM	10W	3000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
105	MAZDA-DXR175010W-4K-AC240-WH-DA-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
106	MAZDA-DXR175010W-4K-AC240-WH-PH-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
107	MAZDA-DXR175010W-4K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
108	MAZDA-DXR175010W-4K-AC240-WH-ND-A115 X B65 X C100 MM	10W	4000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
109	MAZDA-DXR175010W-5K-AC240-WH-DA-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
110	MAZDA-DXR175010W-5K-AC240-WH-PH-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
111	MAZDA-DXR175010W-5K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
112	MAZDA-DXR175010W-5K-AC240-WH-ND-A115 X B65 X C100 MM	10W	5000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
113	MAZDA-DXR175010W-6K-AC240-WH-DA-A115 X B65 X C100 MM	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
114	MAZDA-DXR175010W-6K-AC240-WH-PH-A115 X B65 X C100 MM	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
115	MAZDA-DXR175010W-6K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
116	MAZDA-DXR175010W-6K-AC240-WH-ND-A115 X B65 X C100 MM	10W	6000	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
117	MAZDA-DXR175010W-6.5K-AC240-WH-DA-A115 X B65 X C100 MM	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
118	MAZDA-DXR175010W-6.5K-AC240-WH-PH-A115 X B65 X C100 MM	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
119	MAZDA-DXR175010W-6.5K-AC240-WH-10VDIM-A115 X B65 X C100 MM	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	
120	MAZDA-DXR175010W-6.5K-AC240-WH-ND-A115 X B65 X C100 MM	10W	6500	240VAC	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A115 X B65 X C100 MM	DIE CAST ALUMINUM	IP54	1200LM	A115 X B65 X C100 MM	