



DOT

MAZDA Model: SXR1815 Spot Light

Dot LED Spot Light is a mini and exquisite lamp with high light transmittance PMMA lens. It offers a very little size in many design styles, without forgetting about the functionality: all the range is characterized by the use high quality LED technology, so the result is a choice of accent light suitable for false ceiling, kitchen cabinet and not only. The possible applications are a multitude. The mini spotlights are all environmental friendly and very useful in a matter of energy and economical saving. The light result is bright, uniform and comfortable. Housing made by die cast aluminium powder coated with choice of RAL colors reflector with pure die cast aluminium diffuser tempered glass.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR181502W-2.7K-AC240-WH-DA-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
2	MAZDA-SXR181502W-2.7K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
3	MAZDA-SXR181502W-2.7K-AC240-WH-PH-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
4	MAZDA-SXR181502W-2.7K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
5	MAZDA-SXR181502W-2.7K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
6	MAZDA-SXR181502W-2.7K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
7	MAZDA-SXR181502W-2.7K-AC240-WH-ND-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
8	MAZDA-SXR181502W-2.7K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
9	MAZDA-SXR181502W-3K-AC240-WH-DA-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
10	MAZDA-SXR181502W-3K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
11	MAZDA-SXR181502W-3K-AC240-WH-PH-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
12	MAZDA-SXR181502W-3K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
13	MAZDA-SXR181502W-3K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
14	MAZDA-SXR181502W-3K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
15	MAZDA-SXR181502W-3K-AC240-WH-ND-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
16	MAZDA-SXR181502W-3K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
17	MAZDA-SXR181502W-4K-AC240-WH-DA-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
18	MAZDA-SXR181502W-4K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE 15 DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
19	MAZDA-SXR181502W-4K-AC240-WH-PH-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-SXR181502W-4K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
21	MAZDA-SXR181502W-4K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
22	MAZDA-SXR181502W-4K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
23	MAZDA-SXR181502W-4K-AC240-WH-ND-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
24	MAZDA-SXR181502W-4K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
25	MAZDA-SXR181502W-5K-AC240-WH-DA-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
26	MAZDA-SXR181502W-5K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
27	MAZDA-SXR181502W-5K-AC240-WH-PH-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
28	MAZDA-SXR181502W-5K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
29	MAZDA-SXR181502W-5K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
30	MAZDA-SXR181502W-5K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
31	MAZDA-SXR181502W-5K-AC240-WH-ND-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
32	MAZDA-SXR181502W-5K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
33	MAZDA-SXR181502W-6K-AC240-WH-DA-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
34	MAZDA-SXR181502W-6K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
35	MAZDA-SXR181502W-6K-AC240-WH-PH-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
36	MAZDA-SXR181502W-6K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
37	MAZDA-SXR181502W-6K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
38	MAZDA-SXR181502W-6K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
39	MAZDA-SXR181502W-6K-AC240-WH-ND-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
40	MAZDA-SXR181502W-6K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
41	MAZDA-SXR181502W-6.5K-AC240-WH-DA-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
42	MAZDA-SXR181502W-6.5K-AC240-WH-DA-EM-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
43	MAZDA-SXR181502W-6.5K-AC240-WH-PH-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
44	MAZDA-SXR181502W-6.5K-AC240-WH-PH-EM-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
45	MAZDA-SXR181502W-6.5K-AC240-WH-10VDIM-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
46	MAZDA-SXR181502W-6.5K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
47	MAZDA-SXR181502W-6.5K-AC240-WH-ND-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
48	MAZDA-SXR181502W-6.5K-AC240-WH-ND-EM-A40 X B36 X C35 MM	02W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	240LM	A40 X B36 X C35 MM	
49	MAZDA-SXR181503W-2.7K-AC240-WH-DA-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-SXR181503W-2.7K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
51	MAZDA-SXR181503W-2.7K-AC240-WH-PH-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
52	MAZDA-SXR181503W-2.7K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
53	MAZDA-SXR181503W-2.7K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
54	MAZDA-SXR181503W-2.7K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
55	MAZDA-SXR181503W-2.7K-AC240-WH-ND-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
56	MAZDA-SXR181503W-2.7K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
57	MAZDA-SXR181503W-3K-AC240-WH-DA-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
58	MAZDA-SXR181503W-3K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
59	MAZDA-SXR181503W-3K-AC240-WH-PH-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
60	MAZDA-SXR181503W-3K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
61	MAZDA-SXR181503W-3K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
62	MAZDA-SXR181503W-3K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
63	MAZDA-SXR181503W-3K-AC240-WH-ND-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
64	MAZDA-SXR181503W-3K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
65	MAZDA-SXR181503W-4K-AC240-WH-DA-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
66	MAZDA-SXR181503W-4K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
67	MAZDA-SXR181503W-4K-AC240-WH-PH-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
68	MAZDA-SXR181503W-4K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
69	MAZDA-SXR181503W-4K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
70	MAZDA-SXR181503W-4K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
71	MAZDA-SXR181503W-4K-AC240-WH-ND-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
72	MAZDA-SXR181503W-4K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
73	MAZDA-SXR181503W-5K-AC240-WH-DA-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
74	MAZDA-SXR181503W-5K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
75	MAZDA-SXR181503W-5K-AC240-WH-PH-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
76	MAZDA-SXR181503W-5K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
77	MAZDA-SXR181503W-5K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
78	MAZDA-SXR181503W-5K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
79	MAZDA-SXR181503W-5K-AC240-WH-ND-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-SXR181503W-5K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
81	MAZDA-SXR181503W-6K-AC240-WH-DA-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
82	MAZDA-SXR181503W-6K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
83	MAZDA-SXR181503W-6K-AC240-WH-PH-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
84	MAZDA-SXR181503W-6K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
85	MAZDA-SXR181503W-6K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
86	MAZDA-SXR181503W-6K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
87	MAZDA-SXR181503W-6K-AC240-WH-ND-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
88	MAZDA-SXR181503W-6K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
89	MAZDA-SXR181503W-6.5K-AC240-WH-DA-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
90	MAZDA-SXR181503W-6.5K-AC240-WH-DA-EM-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
91	MAZDA-SXR181503W-6.5K-AC240-WH-PH-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
92	MAZDA-SXR181503W-6.5K-AC240-WH-PH-EM-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
93	MAZDA-SXR181503W-6.5K-AC240-WH-10VDIM-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
94	MAZDA-SXR181503W-6.5K-AC240-WH-10VDIM-EM-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
95	MAZDA-SXR181503W-6.5K-AC240-WH-ND-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
96	MAZDA-SXR181503W-6.5K-AC240-WH-ND-EM-A40 X B36 X C35 MM	03W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A40 X B36 X C35 MM	DIE CAST ALUMINUM	IP44	360LM	A40 X B36 X C35 MM	
97	MAZDA-SXR181505W-2.7K-AC240-WH-DA-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
98	MAZDA-SXR181505W-2.7K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
99	MAZDA-SXR181505W-2.7K-AC240-WH-PH-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
100	MAZDA-SXR181505W-2.7K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
101	MAZDA-SXR181505W-2.7K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
102	MAZDA-SXR181505W-2.7K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
103	MAZDA-SXR181505W-2.7K-AC240-WH-ND-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
104	MAZDA-SXR181505W-2.7K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
105	MAZDA-SXR181505W-3K-AC240-WH-DA-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
106	MAZDA-SXR181505W-3K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
107	MAZDA-SXR181505W-3K-AC240-WH-PH-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
108	MAZDA-SXR181505W-3K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
109	MAZDA-SXR181505W-3K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
110	MAZDA-SXR181505W-3K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
111	MAZDA-SXR181505W-3K-AC240-WH-ND-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
112	MAZDA-SXR181505W-3K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
113	MAZDA-SXR181505W-4K-AC240-WH-DA-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
114	MAZDA-SXR181505W-4K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
115	MAZDA-SXR181505W-4K-AC240-WH-PH-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
116	MAZDA-SXR181505W-4K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
117	MAZDA-SXR181505W-4K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
118	MAZDA-SXR181505W-4K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
119	MAZDA-SXR181505W-4K-AC240-WH-ND-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
120	MAZDA-SXR181505W-4K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
121	MAZDA-SXR181505W-5K-AC240-WH-DA-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
122	MAZDA-SXR181505W-5K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
123	MAZDA-SXR181505W-5K-AC240-WH-PH-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
124	MAZDA-SXR181505W-5K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
125	MAZDA-SXR181505W-5K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
126	MAZDA-SXR181505W-5K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
127	MAZDA-SXR181505W-5K-AC240-WH-ND-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
128	MAZDA-SXR181505W-5K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
129	MAZDA-SXR181505W-6K-AC240-WH-DA-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
130	MAZDA-SXR181505W-6K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
131	MAZDA-SXR181505W-6K-AC240-WH-PH-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
132	MAZDA-SXR181505W-6K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
133	MAZDA-SXR181505W-6K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
134	MAZDA-SXR181505W-6K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
135	MAZDA-SXR181505W-6K-AC240-WH-ND-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
136	MAZDA-SXR181505W-6K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
137	MAZDA-SXR181505W-6.5K-AC240-WH-DA-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
138	MAZDA-SXR181505W-6.5K-AC240-WH-DA-EM-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
139	MAZDA-SXR181505W-6.5K-AC240-WH-PH-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
140	MAZDA-SXR181505W-6.5K-AC240-WH-PH-EM-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
141	MAZDA-SXR181505W-6.5K-AC240-WH-10VDIM-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
142	MAZDA-SXR181505W-6.5K-AC240-WH-10VDIM-EM-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
143	MAZDA-SXR181505W-6.5K-AC240-WH-ND-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	
144	MAZDA-SXR181505W-6.5K-AC240-WH-ND-EM-A50 X B44 X C45 MM	05W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A50 X B44 X C45 MM	DIE CAST ALUMINUM	IP44	600LM	A50 X B44 X C45 MM	