DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



EDISON DL

MAZDA Model: DXR1720 Downlight

Edison DL LED Down Light Attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. The light efficiency reach up to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR172015-3CCT-AC240-WH-10VDIM-A159 X B60 X C145MM	15	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
2	MAZDA-DXR172015-3CCT-AC240-WH-PH-A159 X B60 X C145MM	15	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
3	MAZDA-DXR172015-3CCT-AC240-WH-DA-A159 X B60 X C145MM	15	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
4	MAZDA-DXR172015-3CCT-AC240-WH-ND-A159 X B60 X C145MM	15	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
5	MAZDA-DXR172015-3K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
6	MAZDA-DXR172015-3K-AC240-WH-PH-A159 X B60 X C145MM	15	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
7	MAZDA-DXR172015-3K-AC240-WH-DA-A159 X B60 X C145MM	15	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
8	MAZDA-DXR172015-3K-AC240-WH-ND-A159 X B60 X C145MM	15	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
9	MAZDA-DXR172015-4K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
10	MAZDA-DXR172015-4K-AC240-WH-PH-A159 X B60 X C145MM	15	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
11	MAZDA-DXR172015-4K-AC240-WH-DA-A159 X B60 X C145MM	15	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
12	MAZDA-DXR172015-4K-AC240-WH-ND-A159 X B60 X C145MM	15	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
13	MAZDA-DXR172015-5K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
14	MAZDA-DXR172015-5K-AC240-WH-PH-A159 X B60 X C145MM	15	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
15	MAZDA-DXR172015-5K-AC240-WH-DA-A159 X B60 X C145MM	15	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
16	MAZDA-DXR172015-5K-AC240-WH-ND-A159 X B60 X C145MM	15	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
17	MAZDA-DXR172015-6K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
18	MAZDA-DXR172015-6K-AC240-WH-PH-A159 X B60 X C145MM	15	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
19	MAZDA-DXR172015-6K-AC240-WH-DA-A159 X B60 X C145MM	15	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-DXR172015-6K-AC240-WH-ND-A159 X B60 X C145MM	15	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
21	MAZDA-DXR172015-2.7K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
22	MAZDA-DXR172015-2.7K-AC240-WH-PH-A159 X B60 X C145MM	15	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
23	MAZDA-DXR172015-2.7K-AC240-WH-DA-A159 X B60 X C145MM	15	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
24	MAZDA-DXR172015-2.7K-AC240-WH-ND-A159 X B60 X C145MM	15	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
25	MAZDA-DXR172015-6.5K-AC240-WH-10VDIM-A159 X B60 X C145MM	15	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
26	MAZDA-DXR172015-6.5K-AC240-WH-PH-A159 X B60 X C145MM	15	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
27	MAZDA-DXR172015-6.5K-AC240-WH-DA-A159 X B60 X C145MM	15	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
28	MAZDA-DXR172015-6.5K-AC240-WH-ND-A159 X B60 X C145MM	15	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A159 X B60 X C145MM	DIE CAST ALUMINUM	65	1800LM	A159 X B60 X C145MM	
29	MAZDA-DXR172020-3CCT-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
30	MAZDA-DXR172020-3CCT-AC240-WH-PH-A190 X B60 X C170 MM	20	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
31	MAZDA-DXR172020-3CCT-AC240-WH-DA-A190 X B60 X C170 MM	20	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
32	MAZDA-DXR172020-3CCT-AC240-WH-ND-A190 X B60 X C170 MM	20	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
33	MAZDA-DXR172020-3K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
34	MAZDA-DXR172020-3K-AC240-WH-PH-A190 X B60 X C170 MM	20	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
35	MAZDA-DXR172020-3K-AC240-WH-DA-A190 X B60 X C170 MM	20	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
36	MAZDA-DXR172020-3K-AC240-WH-ND-A190 X B60 X C170 MM	20	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
37	MAZDA-DXR172020-4K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
38	MAZDA-DXR172020-4K-AC240-WH-PH-A190 X B60 X C170 MM	20	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
39	MAZDA-DXR172020-4K-AC240-WH-DA-A190 X B60 X C170 MM	20	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
40	MAZDA-DXR172020-4K-AC240-WH-ND-A190 X B60 X C170 MM	20	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
41	MAZDA-DXR172020-5K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
42	MAZDA-DXR172020-5K-AC240-WH-PH-A190 X B60 X C170 MM	20	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
43	MAZDA-DXR172020-5K-AC240-WH-DA-A190 X B60 X C170 MM	20	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
44	MAZDA-DXR172020-5K-AC240-WH-ND-A190 X B60 X C170 MM	20	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
45	MAZDA-DXR172020-6K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
46	MAZDA-DXR172020-6K-AC240-WH-PH-A190 X B60 X C170 MM	20	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
47	MAZDA-DXR172020-6K-AC240-WH-DA-A190 X B60 X C170 MM	20	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
48	MAZDA-DXR172020-6K-AC240-WH-ND-A190 X B60 X C170 MM	20	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
49	MAZDA-DXR172020-2.7K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-DXR172020-2.7K-AC240-WH-PH-A190 X B60 X C170 MM	20	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
51	MAZDA-DXR172020-2.7K-AC240-WH-DA-A190 X B60 X C170 MM	20	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
52	MAZDA-DXR172020-2.7K-AC240-WH-ND-A190 X B60 X C170 MM	20	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
53	MAZDA-DXR172020-6.5K-AC240-WH-10VDIM-A190 X B60 X C170 MM	20	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
54	MAZDA-DXR172020-6.5K-AC240-WH-PH-A190 X B60 X C170 MM	20	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
55	MAZDA-DXR172020-6.5K-AC240-WH-DA-A190 X B60 X C170 MM	20	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
56	MAZDA-DXR172020-6.5K-AC240-WH-ND-A190 X B60 X C170 MM	20	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	2400LM	A190 X B60 X C170 MM	
57	MAZDA-DXR172025-3CCT-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
58	MAZDA-DXR172025-3CCT-AC240-WH-PH-A190 X B60 X C170 MM	25	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
59	MAZDA-DXR172025-3CCT-AC240-WH-DA-A190 X B60 X C170 MM	25	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
60	MAZDA-DXR172025-3CCT-AC240-WH-ND-A190 X B60 X C170 MM	25	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
61	MAZDA-DXR172025-3K-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
62	MAZDA-DXR172025-3K-AC240-WH-PH-A190 X B60 X C170 MM	25	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
63	MAZDA-DXR172025-3K-AC240-WH-DA-A190 X B60 X C170 MM	25	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
64	MAZDA-DXR172025-3K-AC240-WH-ND-A190 X B60 X C170 MM	25	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
65	MAZDA-DXR172025-4K-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
66	MAZDA-DXR172025-4K-AC240-WH-PH-A190 X B60 X C170 MM	25	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
67	MAZDA-DXR172025-4K-AC240-WH-DA-A190 X B60 X C170 MM	25	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
68	MAZDA-DXR172025-4K-AC240-WH-ND-A190 X B60 X C170 MM	25	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
69	MAZDA-DXR172025-5K-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
70	MAZDA-DXR172025-5K-AC240-WH-PH-A190 X B60 X C170 MM	25	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
71	MAZDA-DXR172025-5K-AC240-WH-DA-A190 X B60 X C170 MM	25	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
72	MAZDA-DXR172025-5K-AC240-WH-ND-A190 X B60 X C170 MM	25	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
73	MAZDA-DXR172025-6K-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
74	MAZDA-DXR172025-6K-AC240-WH-PH-A190 X B60 X C170 MM	25	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
75	MAZDA-DXR172025-6K-AC240-WH-DA-A190 X B60 X C170 MM	25	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
76	MAZDA-DXR172025-6K-AC240-WH-ND-A190 X B60 X C170 MM	25	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
77	MAZDA-DXR172025-2.7K-AC240-WH-10VDIM-A190 X B60 X C170 MM	25	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
78	MAZDA-DXR172025-2.7K-AC240-WH-PH-A190 X B60 X C170 MM	25	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
79	MAZDA-DXR172025-2.7K-AC240-WH-DA-A190 X B60 X C170 MM	25	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	**MAZDA-DXR172025-2.7K-AC240-WH-ND-A190 X B60 X C170 MM**	25	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
81	**MAZDA-DXR172025-6.5K-AC240-WH-10VDIM-A190 X B60 X C170 MM**	25	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
82	**MAZDA-DXR172025-6.5K-AC240-WH-PH-A190 X B60 X C170 MM**	25	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
83	**MAZDA-DXR172025-6.5K-AC240-WH-DA-A190 X B60 X C170 MM**	25	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
84	**MAZDA-DXR172025-6.5K-AC240-WH-ND-A190 X B60 X C170 MM**	25	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A190 X B60 X C170 MM	DIE CAST ALUMINUM	65	3000LM	A190 X B60 X C170 MM	
85	**MAZDA-DXR172030-3CCT-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
86	**MAZDA-DXR172030-3CCT-AC240-WH-PH-A230 X B72 X C205 MM**	30	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
87	**MAZDA-DXR172030-3CCT-AC240-WH-DA-A230 X B72 X C205 MM**	30	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
88	**MAZDA-DXR172030-3CCT-AC240-WH-ND-A230 X B72 X C205 MM**	30	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
89	**MAZDA-DXR172030-3K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
90	**MAZDA-DXR172030-3K-AC240-WH-PH-A230 X B72 X C205 MM**	30	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
91	**MAZDA-DXR172030-3K-AC240-WH-DA-A230 X B72 X C205 MM**	30	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
92	**MAZDA-DXR172030-3K-AC240-WH-ND-A230 X B72 X C205 MM**	30	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
93	**MAZDA-DXR172030-4K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
94	**MAZDA-DXR172030-4K-AC240-WH-PH-A230 X B72 X C205 MM**	30	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
95	**MAZDA-DXR172030-4K-AC240-WH-DA-A230 X B72 X C205 MM**	30	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
96	**MAZDA-DXR172030-4K-AC240-WH-ND-A230 X B72 X C205 MM**	30	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
97	**MAZDA-DXR172030-5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
98	**MAZDA-DXR172030-5K-AC240-WH-PH-A230 X B72 X C205 MM**	30	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
99	**MAZDA-DXR172030-5K-AC240-WH-DA-A230 X B72 X C205 MM**	30	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
100	**MAZDA-DXR172030-5K-AC240-WH-ND-A230 X B72 X C205 MM**	30	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
101	**MAZDA-DXR172030-6K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
102	**MAZDA-DXR172030-6K-AC240-WH-PH-A230 X B72 X C205 MM**	30	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
103	**MAZDA-DXR172030-6K-AC240-WH-DA-A230 X B72 X C205 MM**	30	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
104	**MAZDA-DXR172030-6K-AC240-WH-ND-A230 X B72 X C205 MM**	30	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
105	**MAZDA-DXR172030-2.7K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
106	**MAZDA-DXR172030-2.7K-AC240-WH-PH-A230 X B72 X C205 MM**	30	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
107	**MAZDA-DXR172030-2.7K-AC240-WH-DA-A230 X B72 X C205 MM**	30	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
108	**MAZDA-DXR172030-2.7K-AC240-WH-ND-A230 X B72 X C205 MM**	30	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
109	**MAZDA-DXR172030-6.5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	30	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	MAZDA-DXR172030-6.5K-AC240-WH-PH-A230 X B72 X C205 MM	30	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
111	MAZDA-DXR172030-6.5K-AC240-WH-DA-A230 X B72 X C205 MM	30	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
112	MAZDA-DXR172030-6.5K-AC240-WH-ND-A230 X B72 X C205 MM	30	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	3600LM	A230 X B72 X C205 MM	
113	MAZDA-DXR172035-3CCT-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
114	MAZDA-DXR172035-3CCT-AC240-WH-PH-A230 X B72 X C205 MM	35	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
115	MAZDA-DXR172035-3CCT-AC240-WH-DA-A230 X B72 X C205 MM	35	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
116	MAZDA-DXR172035-3CCT-AC240-WH-ND-A230 X B72 X C205 MM	35	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
117	MAZDA-DXR172035-3K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
118	MAZDA-DXR172035-3K-AC240-WH-PH-A230 X B72 X C205 MM	35	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
119	MAZDA-DXR172035-3K-AC240-WH-DA-A230 X B72 X C205 MM	35	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
120	MAZDA-DXR172035-3K-AC240-WH-ND-A230 X B72 X C205 MM	35	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
121	MAZDA-DXR172035-4K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
122	MAZDA-DXR172035-4K-AC240-WH-PH-A230 X B72 X C205 MM	35	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
123	MAZDA-DXR172035-4K-AC240-WH-DA-A230 X B72 X C205 MM	35	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
124	MAZDA-DXR172035-4K-AC240-WH-ND-A230 X B72 X C205 MM	35	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
125	MAZDA-DXR172035-5K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
126	MAZDA-DXR172035-5K-AC240-WH-PH-A230 X B72 X C205 MM	35	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
127	MAZDA-DXR172035-5K-AC240-WH-DA-A230 X B72 X C205 MM	35	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
128	MAZDA-DXR172035-5K-AC240-WH-ND-A230 X B72 X C205 MM	35	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
129	MAZDA-DXR172035-6K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
130	MAZDA-DXR172035-6K-AC240-WH-PH-A230 X B72 X C205 MM	35	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
131	MAZDA-DXR172035-6K-AC240-WH-DA-A230 X B72 X C205 MM	35	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
132	MAZDA-DXR172035-6K-AC240-WH-ND-A230 X B72 X C205 MM	35	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
133	MAZDA-DXR172035-2.7K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
134	MAZDA-DXR172035-2.7K-AC240-WH-PH-A230 X B72 X C205 MM	35	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
135	MAZDA-DXR172035-2.7K-AC240-WH-DA-A230 X B72 X C205 MM	35	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
136	MAZDA-DXR172035-2.7K-AC240-WH-ND-A230 X B72 X C205 MM	35	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
137	MAZDA-DXR172035-6.5K-AC240-WH-10VDIM-A230 X B72 X C205 MM	35	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
138	MAZDA-DXR172035-6.5K-AC240-WH-PH-A230 X B72 X C205 MM	35	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
139	MAZDA-DXR172035-6.5K-AC240-WH-DA-A230 X B72 X C205 MM	35	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
140	**MAZDA-DXR172035-6.5K-AC240-WH-ND-A230 X B72 X C205 MM**	35	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4200LM	A230 X B72 X C205 MM	
141	**MAZDA-DXR172040-3CCT-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
142	**MAZDA-DXR172040-3CCT-AC240-WH-PH-A230 X B72 X C205 MM**	40	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
143	**MAZDA-DXR172040-3CCT-AC240-WH-DA-A230 X B72 X C205 MM**	40	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
144	**MAZDA-DXR172040-3CCT-AC240-WH-ND-A230 X B72 X C205 MM**	40	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
145	**MAZDA-DXR172040-3K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
146	**MAZDA-DXR172040-3K-AC240-WH-PH-A230 X B72 X C205 MM**	40	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
147	**MAZDA-DXR172040-3K-AC240-WH-DA-A230 X B72 X C205 MM**	40	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
148	**MAZDA-DXR172040-3K-AC240-WH-ND-A230 X B72 X C205 MM**	40	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
149	**MAZDA-DXR172040-4K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
150	**MAZDA-DXR172040-4K-AC240-WH-PH-A230 X B72 X C205 MM**	40	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
151	**MAZDA-DXR172040-4K-AC240-WH-DA-A230 X B72 X C205 MM**	40	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
152	**MAZDA-DXR172040-4K-AC240-WH-ND-A230 X B72 X C205 MM**	40	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
153	**MAZDA-DXR172040-5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
154	**MAZDA-DXR172040-5K-AC240-WH-PH-A230 X B72 X C205 MM**	40	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
155	**MAZDA-DXR172040-5K-AC240-WH-DA-A230 X B72 X C205 MM**	40	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
156	**MAZDA-DXR172040-5K-AC240-WH-ND-A230 X B72 X C205 MM**	40	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
157	**MAZDA-DXR172040-6K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
158	**MAZDA-DXR172040-6K-AC240-WH-PH-A230 X B72 X C205 MM**	40	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
159	**MAZDA-DXR172040-6K-AC240-WH-DA-A230 X B72 X C205 MM**	40	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
160	**MAZDA-DXR172040-6K-AC240-WH-ND-A230 X B72 X C205 MM**	40	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
161	**MAZDA-DXR172040-2.7K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
162	**MAZDA-DXR172040-2.7K-AC240-WH-PH-A230 X B72 X C205 MM**	40	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
163	**MAZDA-DXR172040-2.7K-AC240-WH-DA-A230 X B72 X C205 MM**	40	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
164	**MAZDA-DXR172040-2.7K-AC240-WH-ND-A230 X B72 X C205 MM**	40	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
165	**MAZDA-DXR172040-6.5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	40	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
166	**MAZDA-DXR172040-6.5K-AC240-WH-PH-A230 X B72 X C205 MM**	40	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
167	**MAZDA-DXR172040-6.5K-AC240-WH-DA-A230 X B72 X C205 MM**	40	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
168	**MAZDA-DXR172040-6.5K-AC240-WH-ND-A230 X B72 X C205 MM**	40	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	4800LM	A230 X B72 X C205 MM	
169	**MAZDA-DXR172045-3CCT-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
170	**MAZDA-DXR172045-3CCT-AC240-WH-PH-A230 X B72 X C205 MM**	45	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
171	**MAZDA-DXR172045-3CCT-AC240-WH-DA-A230 X B72 X C205 MM**	45	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
172	**MAZDA-DXR172045-3CCT-AC240-WH-ND-A230 X B72 X C205 MM**	45	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
173	**MAZDA-DXR172045-3K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
174	**MAZDA-DXR172045-3K-AC240-WH-PH-A230 X B72 X C205 MM**	45	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
175	**MAZDA-DXR172045-3K-AC240-WH-DA-A230 X B72 X C205 MM**	45	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
176	**MAZDA-DXR172045-3K-AC240-WH-ND-A230 X B72 X C205 MM**	45	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
177	**MAZDA-DXR172045-4K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
178	**MAZDA-DXR172045-4K-AC240-WH-PH-A230 X B72 X C205 MM**	45	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
179	**MAZDA-DXR172045-4K-AC240-WH-DA-A230 X B72 X C205 MM**	45	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
180	**MAZDA-DXR172045-4K-AC240-WH-ND-A230 X B72 X C205 MM**	45	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
181	**MAZDA-DXR172045-5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
182	**MAZDA-DXR172045-5K-AC240-WH-PH-A230 X B72 X C205 MM**	45	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
183	**MAZDA-DXR172045-5K-AC240-WH-DA-A230 X B72 X C205 MM**	45	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
184	**MAZDA-DXR172045-5K-AC240-WH-ND-A230 X B72 X C205 MM**	45	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
185	**MAZDA-DXR172045-6K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
186	**MAZDA-DXR172045-6K-AC240-WH-PH-A230 X B72 X C205 MM**	45	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
187	**MAZDA-DXR172045-6K-AC240-WH-DA-A230 X B72 X C205 MM**	45	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
188	**MAZDA-DXR172045-6K-AC240-WH-ND-A230 X B72 X C205 MM**	45	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
189	**MAZDA-DXR172045-2.7K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
190	**MAZDA-DXR172045-2.7K-AC240-WH-PH-A230 X B72 X C205 MM**	45	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
191	**MAZDA-DXR172045-2.7K-AC240-WH-DA-A230 X B72 X C205 MM**	45	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
192	**MAZDA-DXR172045-2.7K-AC240-WH-ND-A230 X B72 X C205 MM**	45	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
193	**MAZDA-DXR172045-6.5K-AC240-WH-10VDIM-A230 X B72 X C205 MM**	45	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
194	**MAZDA-DXR172045-6.5K-AC240-WH-PH-A230 X B72 X C205 MM**	45	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
195	**MAZDA-DXR172045-6.5K-AC240-WH-DA-A230 X B72 X C205 MM**	45	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
196	**MAZDA-DXR172045-6.5K-AC240-WH-ND-A230 X B72 X C205 MM**	45	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	5400LM	A230 X B72 X C205 MM	
197	**MAZDA-DXR172050-3CCT-AC240-WH-10VDIM-A230 X B72 X C205 MM**	50	3CCT	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
198	**MAZDA-DXR172050-3CCT-AC240-WH-PH-A230 X B72 X C205 MM**	50	3CCT	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
199	**MAZDA-DXR172050-3CCT-AC240-WH-DA-A230 X B72 X C205 MM**	50	3CCT	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
200	MAZDA-DXR172050-3CCT-AC240-WH-ND-A230 X B72 X C205 MM	50	3CCT	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
201	MAZDA-DXR172050-3K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
202	MAZDA-DXR172050-3K-AC240-WH-PH-A230 X B72 X C205 MM	50	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
203	MAZDA-DXR172050-3K-AC240-WH-DA-A230 X B72 X C205 MM	50	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
204	MAZDA-DXR172050-3K-AC240-WH-ND-A230 X B72 X C205 MM	50	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
205	MAZDA-DXR172050-4K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
206	MAZDA-DXR172050-4K-AC240-WH-PH-A230 X B72 X C205 MM	50	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
207	MAZDA-DXR172050-4K-AC240-WH-DA-A230 X B72 X C205 MM	50	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
208	MAZDA-DXR172050-4K-AC240-WH-ND-A230 X B72 X C205 MM	50	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
209	MAZDA-DXR172050-5K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
210	MAZDA-DXR172050-5K-AC240-WH-PH-A230 X B72 X C205 MM	50	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
211	MAZDA-DXR172050-5K-AC240-WH-DA-A230 X B72 X C205 MM	50	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
212	MAZDA-DXR172050-5K-AC240-WH-ND-A230 X B72 X C205 MM	50	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
213	MAZDA-DXR172050-6K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
214	MAZDA-DXR172050-6K-AC240-WH-PH-A230 X B72 X C205 MM	50	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
215	MAZDA-DXR172050-6K-AC240-WH-DA-A230 X B72 X C205 MM	50	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
216	MAZDA-DXR172050-6K-AC240-WH-ND-A230 X B72 X C205 MM	50	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
217	MAZDA-DXR172050-2.7K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
218	MAZDA-DXR172050-2.7K-AC240-WH-PH-A230 X B72 X C205 MM	50	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
219	MAZDA-DXR172050-2.7K-AC240-WH-DA-A230 X B72 X C205 MM	50	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
220	MAZDA-DXR172050-2.7K-AC240-WH-ND-A230 X B72 X C205 MM	50	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
221	MAZDA-DXR172050-6.5K-AC240-WH-10VDIM-A230 X B72 X C205 MM	50	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
222	MAZDA-DXR172050-6.5K-AC240-WH-PH-A230 X B72 X C205 MM	50	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
223	MAZDA-DXR172050-6.5K-AC240-WH-DA-A230 X B72 X C205 MM	50	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	
224	MAZDA-DXR172050-6.5K-AC240-WH-ND-A230 X B72 X C205 MM	50	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A230 X B72 X C205 MM	DIE CAST ALUMINUM	65	6000LM	A230 X B72 X C205 MM	