DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



EDISON SS

MAZDA Model: SXR1810 Spot Light

Edison SS LED Spot Light is a spotlight for indoor use with a three different beam angle tilt to direct the light to where you need it. Well-suited for ceilings and as shop lighting. Made of die-cast powder-coated aluminium. Dimmable with phase control dimmer or DALI. Tool-free installation and possibility for looping.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR181007W-2.7K-AC240-WH-DA-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
2	MAZDA-SXR181007W-2.7K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
3	MAZDA-SXR181007W-2.7K-AC240-WH-PH-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
4	MAZDA-SXR181007W-2.7K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
5	MAZDA-SXR181007W-2.7K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
6	MAZDA-SXR181007W-2.7K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
7	MAZDA-SXR181007W-2.7K-AC240-WH-ND-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
8	MAZDA-SXR181007W-2.7K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
9	MAZDA-SXR181007W-3K-AC240-WH-DA-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
10	MAZDA-SXR181007W-3K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
11	MAZDA-SXR181007W-3K-AC240-WH-PH-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
12	MAZDA-SXR181007W-3K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
13	MAZDA-SXR181007W-3K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
14	MAZDA-SXR181007W-3K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
15	MAZDA-SXR181007W-3K-AC240-WH-ND-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
16	MAZDA-SXR181007W-3K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
17	MAZDA-SXR181007W-4K-AC240-WH-DA-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
18	MAZDA-SXR181007W-4K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-SXR181007W-4K-AC240-WH-PH-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
20	MAZDA-SXR181007W-4K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
21	MAZDA-SXR181007W-4K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
22	MAZDA-SXR181007W-4K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
23	MAZDA-SXR181007W-4K-AC240-WH-ND-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
24	MAZDA-SXR181007W-4K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
25	MAZDA-SXR181007W-5K-AC240-WH-DA-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
26	MAZDA-SXR181007W-5K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
27	MAZDA-SXR181007W-5K-AC240-WH-PH-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
28	MAZDA-SXR181007W-5K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
29	MAZDA-SXR181007W-5K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
30	MAZDA-SXR181007W-5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
31	MAZDA-SXR181007W-5K-AC240-WH-ND-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
32	MAZDA-SXR181007W-5K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
33	MAZDA-SXR181007W-6K-AC240-WH-DA-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
34	MAZDA-SXR181007W-6K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
35	MAZDA-SXR181007W-6K-AC240-WH-PH-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
36	MAZDA-SXR181007W-6K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
37	MAZDA-SXR181007W-6K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
38	MAZDA-SXR181007W-6K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
39	MAZDA-SXR181007W-6K-AC240-WH-ND-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
40	MAZDA-SXR181007W-6K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
41	MAZDA-SXR181007W-6.5K-AC240-WH-DA-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
42	MAZDA-SXR181007W-6.5K-AC240-WH-DA-EM-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
43	MAZDA-SXR181007W-6.5K-AC240-WH-PH-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
44	MAZDA-SXR181007W-6.5K-AC240-WH-PH-EM-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
45	MAZDA-SXR181007W-6.5K-AC240-WH-10VDIM-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
46	MAZDA-SXR181007W-6.5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
47	MAZDA-SXR181007W-6.5K-AC240-WH-ND-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	
48	MAZDA-SXR181007W-6.5K-AC240-WH-ND-EM-A95 X B55 X C75MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B55 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
49	MAZDA-SXR181010W-2.7K-AC240-WH-DA-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
50	MAZDA-SXR181010W-2.7K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
51	MAZDA-SXR181010W-2.7K-AC240-WH-PH-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
52	MAZDA-SXR181010W-2.7K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
53	MAZDA-SXR181010W-2.7K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
54	MAZDA-SXR181010W-2.7K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
55	MAZDA-SXR181010W-2.7K-AC240-WH-ND-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
56	MAZDA-SXR181010W-2.7K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
57	MAZDA-SXR181010W-3K-AC240-WH-DA-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
58	MAZDA-SXR181010W-3K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
59	MAZDA-SXR181010W-3K-AC240-WH-PH-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
60	MAZDA-SXR181010W-3K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
61	MAZDA-SXR181010W-3K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
62	MAZDA-SXR181010W-3K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
63	MAZDA-SXR181010W-3K-AC240-WH-ND-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
64	MAZDA-SXR181010W-3K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
65	MAZDA-SXR181010W-4K-AC240-WH-DA-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
66	MAZDA-SXR181010W-4K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
67	MAZDA-SXR181010W-4K-AC240-WH-PH-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
68	MAZDA-SXR181010W-4K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
69	MAZDA-SXR181010W-4K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
70	MAZDA-SXR181010W-4K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
71	MAZDA-SXR181010W-4K-AC240-WH-ND-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
72	MAZDA-SXR181010W-4K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
73	MAZDA-SXR181010W-5K-AC240-WH-DA-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
74	MAZDA-SXR181010W-5K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
75	MAZDA-SXR181010W-5K-AC240-WH-PH-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
76	MAZDA-SXR181010W-5K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
77	MAZDA-SXR181010W-5K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
78	MAZDA-SXR181010W-5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
79	MAZDA-SXR181010W-5K-AC240-WH-ND-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
80	MAZDA-SXR181010W-5K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
81	MAZDA-SXR181010W-6K-AC240-WH-DA-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
82	MAZDA-SXR181010W-6K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
83	MAZDA-SXR181010W-6K-AC240-WH-PH-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
84	MAZDA-SXR181010W-6K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
85	MAZDA-SXR181010W-6K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
86	MAZDA-SXR181010W-6K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
87	MAZDA-SXR181010W-6K-AC240-WH-ND-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
88	MAZDA-SXR181010W-6K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
89	MAZDA-SXR181010W-6.5K-AC240-WH-DA-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
90	MAZDA-SXR181010W-6.5K-AC240-WH-DA-EM-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
91	MAZDA-SXR181010W-6.5K-AC240-WH-PH-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
92	MAZDA-SXR181010W-6.5K-AC240-WH-PH-EM-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
93	MAZDA-SXR181010W-6.5K-AC240-WH-10VDIM-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
94	MAZDA-SXR181010W-6.5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
95	MAZDA-SXR181010W-6.5K-AC240-WH-ND-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
96	MAZDA-SXR181010W-6.5K-AC240-WH-ND-EM-A95 X B55 X C75MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B55 X C75MM	
97	MAZDA-SXR181012W-2.7K-AC240-WH-DA-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
98	MAZDA-SXR181012W-2.7K-AC240-WH-DA-EM-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
99	MAZDA-SXR181012W-2.7K-AC240-WH-PH-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
100	MAZDA-SXR181012W-2.7K-AC240-WH-PH-EM-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
101	MAZDA-SXR181012W-2.7K-AC240-WH-10VDIM-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
102	MAZDA-SXR181012W-2.7K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
103	MAZDA-SXR181012W-2.7K-AC240-WH-ND-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
104	MAZDA-SXR181012W-2.7K-AC240-WH-ND-EM-A95 X B55 X C75MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
105	MAZDA-SXR181012W-3K-AC240-WH-DA-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
106	MAZDA-SXR181012W-3K-AC240-WH-DA-EM-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
107	MAZDA-SXR181012W-3K-AC240-WH-PH-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
108	MAZDA-SXR181012W-3K-AC240-WH-PH-EM-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
109	MAZDA-SXR181012W-3K-AC240-WH-10VDIM-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
110	MAZDA-SXR181012W-3K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
111	MAZDA-SXR181012W-3K-AC240-WH-ND-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
112	MAZDA-SXR181012W-3K-AC240-WH-ND-EM-A95 X B55 X C75MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
113	MAZDA-SXR181012W-4K-AC240-WH-DA-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
114	MAZDA-SXR181012W-4K-AC240-WH-DA-EM-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
115	MAZDA-SXR181012W-4K-AC240-WH-PH-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
116	MAZDA-SXR181012W-4K-AC240-WH-PH-EM-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
117	MAZDA-SXR181012W-4K-AC240-WH-10VDIM-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
118	MAZDA-SXR181012W-4K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
119	MAZDA-SXR181012W-4K-AC240-WH-ND-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
120	MAZDA-SXR181012W-4K-AC240-WH-ND-EM-A95 X B55 X C75MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
121	MAZDA-SXR181012W-5K-AC240-WH-DA-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
122	MAZDA-SXR181012W-5K-AC240-WH-DA-EM-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
123	MAZDA-SXR181012W-5K-AC240-WH-PH-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
124	MAZDA-SXR181012W-5K-AC240-WH-PH-EM-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
125	MAZDA-SXR181012W-5K-AC240-WH-10VDIM-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
126	MAZDA-SXR181012W-5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
127	MAZDA-SXR181012W-5K-AC240-WH-ND-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
128	MAZDA-SXR181012W-5K-AC240-WH-ND-EM-A95 X B55 X C75MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
129	MAZDA-SXR181012W-6K-AC240-WH-DA-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
130	MAZDA-SXR181012W-6K-AC240-WH-DA-EM-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
131	MAZDA-SXR181012W-6K-AC240-WH-PH-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
132	MAZDA-SXR181012W-6K-AC240-WH-PH-EM-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
133	MAZDA-SXR181012W-6K-AC240-WH-10VDIM-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
134	MAZDA-SXR181012W-6K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
135	MAZDA-SXR181012W-6K-AC240-WH-ND-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
136	MAZDA-SXR181012W-6K-AC240-WH-ND-EM-A95 X B55 X C75MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
137	MAZDA-SXR181012W-6.5K-AC240-WH-DA-A95 X B55 X C75MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
138	**MAZDA-SXR181012W-6.5K-AC240-WH-DA-EM-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
139	**MAZDA-SXR181012W-6.5K-AC240-WH-PH-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
140	**MAZDA-SXR181012W-6.5K-AC240-WH-PH-EM-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
141	**MAZDA-SXR181012W-6.5K-AC240-WH-10VDIM-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
142	**MAZDA-SXR181012W-6.5K-AC240-WH-10VDIM-EM-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
143	**MAZDA-SXR181012W-6.5K-AC240-WH-ND-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	
144	**MAZDA-SXR181012W-6.5K-AC240-WH-ND-EM-A95 X B55 X C75MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A95 X B55 X C75MM	DIE CAST ALUMINUM	IP54	1440LM	A95 X B55 X C75MM	