DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



ELLI

MAZDA Model: SXR1823 Spot Light

Elli LED Spot Light is a spotlight for indoor use with a different beam angle tilt to direct the light to where you need it.
Well-suited for ceilings and as shop lighting. Made of die-cast powder-coated aluminium. Dimmable with phase control
dimmer or DALI. Tool-free installation and possibility for looping

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
1	MAZDA-SXR182308W-2.7K-AC240-WH-DA-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
2	MAZDA-SXR182308W-2.7K-AC240-WH-DA-EM-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
3	MAZDA-SXR182308W-2.7K-AC240-WH-PH-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
4	MAZDA-SXR182308W-2.7K-AC240-WH-PH-EM-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
5	MAZDA-SXR182308W-2.7K-AC240-WH-10VDIM-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
6	MAZDA-SXR182308W-2.7K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
7	MAZDA-SXR182308W-2.7K-AC240-WH-ND-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
8	MAZDA-SXR182308W-2.7K-AC240-WH-ND-EM-A88 X B54 X C60MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
9	MAZDA-SXR182308W-3K-AC240-WH-DA-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
10	MAZDA-SXR182308W-3K-AC240-WH-DA-EM-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
11	MAZDA-SXR182308W-3K-AC240-WH-PH-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
12	MAZDA-SXR182308W-3K-AC240-WH-PH-EM-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
13	MAZDA-SXR182308W-3K-AC240-WH-10VDIM-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
14	MAZDA-SXR182308W-3K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
15	MAZDA-SXR182308W-3K-AC240-WH-ND-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
16	MAZDA-SXR182308W-3K-AC240-WH-ND-EM-A88 X B54 X C60MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
17	MAZDA-SXR182308W-4K-AC240-WH-DA-A88 X B54 X C60MM	08W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
18	MAZDA-SXR182308W-4K-AC240-WH-DA-EM-A88 X B54 X C60MM	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM
19	MAZDA-SXR182308W-4K-AC240-WH-PH-A88 X B54 X C60MM	08W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	**MAZDA-SXR182308W-4K-AC240-WH-PH-EM-A88 X B54 X C60MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
21	**MAZDA-SXR182308W-4K-AC240-WH-10VDIM-A88 X B54 X C60MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
22	**MAZDA-SXR182308W-4K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
23	**MAZDA-SXR182308W-4K-AC240-WH-ND-A88 X B54 X C60MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
24	**MAZDA-SXR182308W-4K-AC240-WH-ND-EM-A88 X B54 X C60MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
25	**MAZDA-SXR182308W-5K-AC240-WH-DA-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
26	**MAZDA-SXR182308W-5K-AC240-WH-DA-EM-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
27	**MAZDA-SXR182308W-5K-AC240-WH-PH-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
28	**MAZDA-SXR182308W-5K-AC240-WH-PH-EM-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
29	**MAZDA-SXR182308W-5K-AC240-WH-10VDIM-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
30	**MAZDA-SXR182308W-5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
31	**MAZDA-SXR182308W-5K-AC240-WH-ND-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
32	**MAZDA-SXR182308W-5K-AC240-WH-ND-EM-A88 X B54 X C60MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
33	**MAZDA-SXR182308W-6K-AC240-WH-DA-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
34	**MAZDA-SXR182308W-6K-AC240-WH-DA-EM-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
35	**MAZDA-SXR182308W-6K-AC240-WH-PH-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
36	**MAZDA-SXR182308W-6K-AC240-WH-PH-EM-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
37	**MAZDA-SXR182308W-6K-AC240-WH-10VDIM-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
38	**MAZDA-SXR182308W-6K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
39	**MAZDA-SXR182308W-6K-AC240-WH-ND-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
40	**MAZDA-SXR182308W-6K-AC240-WH-ND-EM-A88 X B54 X C60MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
41	**MAZDA-SXR182308W-6.5K-AC240-WH-DA-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
42	**MAZDA-SXR182308W-6.5K-AC240-WH-DA-EM-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
43	**MAZDA-SXR182308W-6.5K-AC240-WH-PH-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
44	**MAZDA-SXR182308W-6.5K-AC240-WH-PH-EM-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
45	**MAZDA-SXR182308W-6.5K-AC240-WH-10VDIM-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
46	**MAZDA-SXR182308W-6.5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
47	**MAZDA-SXR182308W-6.5K-AC240-WH-ND-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
48	**MAZDA-SXR182308W-6.5K-AC240-WH-ND-EM-A88 X B54 X C60MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	960LM	A88 X B54 X C60MM	
49	**MAZDA-SXR182310W-2.7K-AC240-WH-DA-A88 X B54 X C60MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-SXR182310W-2.7K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
51	MAZDA-SXR182310W-2.7K-AC240-WH-PH-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
52	MAZDA-SXR182310W-2.7K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
53	MAZDA-SXR182310W-2.7K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
54	MAZDA-SXR182310W-2.7K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
55	MAZDA-SXR182310W-2.7K-AC240-WH-ND-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
56	MAZDA-SXR182310W-2.7K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
57	MAZDA-SXR182310W-3K-AC240-WH-DA-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
58	MAZDA-SXR182310W-3K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
59	MAZDA-SXR182310W-3K-AC240-WH-PH-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
60	MAZDA-SXR182310W-3K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
61	MAZDA-SXR182310W-3K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
62	MAZDA-SXR182310W-3K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
63	MAZDA-SXR182310W-3K-AC240-WH-ND-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
64	MAZDA-SXR182310W-3K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
65	MAZDA-SXR182310W-4K-AC240-WH-DA-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
66	MAZDA-SXR182310W-4K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
67	MAZDA-SXR182310W-4K-AC240-WH-PH-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
68	MAZDA-SXR182310W-4K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
69	MAZDA-SXR182310W-4K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
70	MAZDA-SXR182310W-4K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
71	MAZDA-SXR182310W-4K-AC240-WH-ND-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
72	MAZDA-SXR182310W-4K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
73	MAZDA-SXR182310W-5K-AC240-WH-DA-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
74	MAZDA-SXR182310W-5K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
75	MAZDA-SXR182310W-5K-AC240-WH-PH-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
76	MAZDA-SXR182310W-5K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
77	MAZDA-SXR182310W-5K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
78	MAZDA-SXR182310W-5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
79	MAZDA-SXR182310W-5K-AC240-WH-ND-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-SXR182310W-5K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
81	MAZDA-SXR182310W-6K-AC240-WH-DA-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
82	MAZDA-SXR182310W-6K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
83	MAZDA-SXR182310W-6K-AC240-WH-PH-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
84	MAZDA-SXR182310W-6K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
85	MAZDA-SXR182310W-6K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
86	MAZDA-SXR182310W-6K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
87	MAZDA-SXR182310W-6K-AC240-WH-ND-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
88	MAZDA-SXR182310W-6K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
89	MAZDA-SXR182310W-6.5K-AC240-WH-DA-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
90	MAZDA-SXR182310W-6.5K-AC240-WH-DA-EM-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
91	MAZDA-SXR182310W-6.5K-AC240-WH-PH-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
92	MAZDA-SXR182310W-6.5K-AC240-WH-PH-EM-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
93	MAZDA-SXR182310W-6.5K-AC240-WH-10VDIM-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
94	MAZDA-SXR182310W-6.5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
95	MAZDA-SXR182310W-6.5K-AC240-WH-ND-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
96	MAZDA-SXR182310W-6.5K-AC240-WH-ND-EM-A88 X B54 X C60MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1200LM	A88 X B54 X C60MM	
97	MAZDA-SXR182313W-2.7K-AC240-WH-DA-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
98	MAZDA-SXR182313W-2.7K-AC240-WH-DA-EM-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
99	MAZDA-SXR182313W-2.7K-AC240-WH-PH-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
100	MAZDA-SXR182313W-2.7K-AC240-WH-PH-EM-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
101	MAZDA-SXR182313W-2.7K-AC240-WH-10VDIM-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
102	MAZDA-SXR182313W-2.7K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
103	MAZDA-SXR182313W-2.7K-AC240-WH-ND-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
104	MAZDA-SXR182313W-2.7K-AC240-WH-ND-EM-A88 X B54 X C60MM	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
105	MAZDA-SXR182313W-3K-AC240-WH-DA-A88 X B54 X C60MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
106	MAZDA-SXR182313W-3K-AC240-WH-DA-EM-A88 X B54 X C60MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
107	MAZDA-SXR182313W-3K-AC240-WH-PH-A88 X B54 X C60MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
108	MAZDA-SXR182313W-3K-AC240-WH-PH-EM-A88 X B54 X C60MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
109	MAZDA-SXR182313W-3K-AC240-WH-10VDIM-A88 X B54 X C60MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	**MAZDA-SXR182313W-3K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
111	**MAZDA-SXR182313W-3K-AC240-WH-ND-A88 X B54 X C60MM**	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
112	**MAZDA-SXR182313W-3K-AC240-WH-ND-EM-A88 X B54 X C60MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
113	**MAZDA-SXR182313W-4K-AC240-WH-DA-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
114	**MAZDA-SXR182313W-4K-AC240-WH-DA-EM-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
115	**MAZDA-SXR182313W-4K-AC240-WH-PH-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
116	**MAZDA-SXR182313W-4K-AC240-WH-PH-EM-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
117	**MAZDA-SXR182313W-4K-AC240-WH-10VDIM-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
118	**MAZDA-SXR182313W-4K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
119	**MAZDA-SXR182313W-4K-AC240-WH-ND-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
120	**MAZDA-SXR182313W-4K-AC240-WH-ND-EM-A88 X B54 X C60MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
121	**MAZDA-SXR182313W-5K-AC240-WH-DA-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
122	**MAZDA-SXR182313W-5K-AC240-WH-DA-EM-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
123	**MAZDA-SXR182313W-5K-AC240-WH-PH-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
124	**MAZDA-SXR182313W-5K-AC240-WH-PH-EM-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
125	**MAZDA-SXR182313W-5K-AC240-WH-10VDIM-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
126	**MAZDA-SXR182313W-5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
127	**MAZDA-SXR182313W-5K-AC240-WH-ND-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
128	**MAZDA-SXR182313W-5K-AC240-WH-ND-EM-A88 X B54 X C60MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
129	**MAZDA-SXR182313W-6K-AC240-WH-DA-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
130	**MAZDA-SXR182313W-6K-AC240-WH-DA-EM-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
131	**MAZDA-SXR182313W-6K-AC240-WH-PH-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
132	**MAZDA-SXR182313W-6K-AC240-WH-PH-EM-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
133	**MAZDA-SXR182313W-6K-AC240-WH-10VDIM-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
134	**MAZDA-SXR182313W-6K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
135	**MAZDA-SXR182313W-6K-AC240-WH-ND-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
136	**MAZDA-SXR182313W-6K-AC240-WH-ND-EM-A88 X B54 X C60MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
137	**MAZDA-SXR182313W-6.5K-AC240-WH-DA-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
138	**MAZDA-SXR182313W-6.5K-AC240-WH-DA-EM-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
139	**MAZDA-SXR182313W-6.5K-AC240-WH-PH-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
140	**MAZDA-SXR182313W-6.5K-AC240-WH-PH-EM-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
141	**MAZDA-SXR182313W-6.5K-AC240-WH-10VDIM-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
142	**MAZDA-SXR182313W-6.5K-AC240-WH-10VDIM-EM-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
143	**MAZDA-SXR182313W-6.5K-AC240-WH-ND-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	
144	**MAZDA-SXR182313W-6.5K-AC240-WH-ND-EM-A88 X B54 X C60MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A88 X B54 X C60MM	ALUMINIUM	IP65	1560LM	A88 X B54 X C60MM	