



GRANGER

MAZDA Model: DXR1775 Downlight

Granger downlight with traditional deep reflector which provides a perfect combination of high lighting efficiency, comfortable lighting and low glare design, without compromising on lighting performance (color rendering and color uniformity). Two kinds of light source COB and SMD for option. ADC12 aluminum housing provides a great thermal management, IP65 waterproof with high protection level, which offers a wider application area.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR177510W-2.7K-AC240-WH-DA-A110XB51 XC90MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
2	MAZDA-DXR177510W-2.7K-AC240-WH-PH-A110XB51 XC90MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
3	MAZDA-DXR177510W-2.7K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
4	MAZDA-DXR177510W-2.7K-AC240-WH-ND-A110XB51 XC90MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
5	MAZDA-DXR177510W-3K-AC240-WH-DA-A110XB51 XC90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
6	MAZDA-DXR177510W-3K-AC240-WH-PH-A110XB51 XC90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
7	MAZDA-DXR177510W-3K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
8	MAZDA-DXR177510W-3K-AC240-WH-ND-A110XB51 XC90MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
9	MAZDA-DXR177510W-4K-AC240-WH-DA-A110XB51 XC90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
10	MAZDA-DXR177510W-4K-AC240-WH-PH-A110XB51 XC90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
11	MAZDA-DXR177510W-4K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
12	MAZDA-DXR177510W-4K-AC240-WH-ND-A110XB51 XC90MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
13	MAZDA-DXR177510W-5K-AC240-WH-DA-A110XB51 XC90MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
14	MAZDA-DXR177510W-5K-AC240-WH-PH-A110XB51 XC90MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
15	MAZDA-DXR177510W-5K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
16	MAZDA-DXR177510W-5K-AC240-WH-ND-A110XB51 XC90MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
17	MAZDA-DXR177510W-6K-AC240-WH-DA-A110XB51 XC90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
18	MAZDA-DXR177510W-6K-AC240-WH-PH-A110XB51 XC90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
19	MAZDA-DXR177510W-6K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
20	MAZDA-DXR177510W-6K-AC240-WH-ND-A110XB51 XC90MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR177510W-6.5K-AC240-WH-DA-A110XB51 XC90MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
22	MAZDA-DXR177510W-6.5K-AC240-WH-PH-A110XB51 XC90MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
23	MAZDA-DXR177510W-6.5K-AC240-WH-10VDIM-A110XB51 XC90MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
24	MAZDA-DXR177510W-6.5K-AC240-WH-ND-A110XB51 XC90MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1200LM	A110XB51 XC90MM	
25	MAZDA-DXR177513W-2.7K-AC240-WH-DA-A110XB51 XC90MM	13W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
26	MAZDA-DXR177513W-2.7K-AC240-WH-PH-A110XB51 XC90MM	13W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
27	MAZDA-DXR177513W-2.7K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
28	MAZDA-DXR177513W-2.7K-AC240-WH-ND-A110XB51 XC90MM	13W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
29	MAZDA-DXR177513W-3K-AC240-WH-DA-A110XB51 XC90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
30	MAZDA-DXR177513W-3K-AC240-WH-PH-A110XB51 XC90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
31	MAZDA-DXR177513W-3K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
32	MAZDA-DXR177513W-3K-AC240-WH-ND-A110XB51 XC90MM	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
33	MAZDA-DXR177513W-4K-AC240-WH-DA-A110XB51 XC90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
34	MAZDA-DXR177513W-4K-AC240-WH-PH-A110XB51 XC90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
35	MAZDA-DXR177513W-4K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
36	MAZDA-DXR177513W-4K-AC240-WH-ND-A110XB51 XC90MM	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
37	MAZDA-DXR177513W-5K-AC240-WH-DA-A110XB51 XC90MM	13W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
38	MAZDA-DXR177513W-5K-AC240-WH-PH-A110XB51 XC90MM	13W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
39	MAZDA-DXR177513W-5K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
40	MAZDA-DXR177513W-5K-AC240-WH-ND-A110XB51 XC90MM	13W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
41	MAZDA-DXR177513W-6K-AC240-WH-DA-A110XB51 XC90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
42	MAZDA-DXR177513W-6K-AC240-WH-PH-A110XB51 XC90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
43	MAZDA-DXR177513W-6K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
44	MAZDA-DXR177513W-6K-AC240-WH-ND-A110XB51 XC90MM	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
45	MAZDA-DXR177513W-6.5K-AC240-WH-DA-A110XB51 XC90MM	13W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
46	MAZDA-DXR177513W-6.5K-AC240-WH-PH-A110XB51 XC90MM	13W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
47	MAZDA-DXR177513W-6.5K-AC240-WH-10VDIM-A110XB51 XC90MM	13W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
48	MAZDA-DXR177513W-6.5K-AC240-WH-ND-A110XB51 XC90MM	13W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110XB51 XC90MM	DIE CAST ALUMINUM	IP65	1560LM	A110XB51 XC90MM	
49	MAZDA-DXR177518W-2.7K-AC240-WH-DA-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
50	MAZDA-DXR177518W-2.7K-AC240-WH-PH-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE 0/1-10 V DIMMABLE 24 DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
51	MAZDA-DXR177518W-2.7K-AC240-WH-10VDIM-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
52	MAZDA-DXR177518W-2.7K-AC240-WH-ND-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
53	MAZDA-DXR177518W-3K-AC240-WH-DA-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
54	MAZDA-DXR177518W-3K-AC240-WH-PH-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
55	MAZDA-DXR177518W-3K-AC240-WH-10VDIM-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
56	MAZDA-DXR177518W-3K-AC240-WH-ND-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
57	MAZDA-DXR177518W-4K-AC240-WH-DA-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
58	MAZDA-DXR177518W-4K-AC240-WH-PH-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
59	MAZDA-DXR177518W-4K-AC240-WH-10VDIM-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
60	MAZDA-DXR177518W-4K-AC240-WH-ND-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
61	MAZDA-DXR177518W-5K-AC240-WH-DA-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
62	MAZDA-DXR177518W-5K-AC240-WH-PH-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
63	MAZDA-DXR177518W-5K-AC240-WH-10VDIM-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
64	MAZDA-DXR177518W-5K-AC240-WH-ND-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
65	MAZDA-DXR177518W-6K-AC240-WH-DA-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
66	MAZDA-DXR177518W-6K-AC240-WH-PH-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
67	MAZDA-DXR177518W-6K-AC240-WH-10VDIM-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
68	MAZDA-DXR177518W-6K-AC240-WH-ND-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
69	MAZDA-DXR177518W-6.5K-AC240-WH-DA-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
70	MAZDA-DXR177518W-6.5K-AC240-WH-PH-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
71	MAZDA-DXR177518W-6.5K-AC240-WH-10VDIM-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
72	MAZDA-DXR177518W-6.5K-AC240-WH-ND-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
73	MAZDA-DXR177518W-2.7K-AC240-WH-DA-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
74	MAZDA-DXR177518W-2.7K-AC240-WH-PH-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
75	MAZDA-DXR177518W-2.7K-AC240-WH-10VDIM-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
76	MAZDA-DXR177518W-2.7K-AC240-WH-ND-A150XB64XC125MM	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
77	MAZDA-DXR177518W-3K-AC240-WH-DA-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
78	MAZDA-DXR177518W-3K-AC240-WH-PH-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
79	MAZDA-DXR177518W-3K-AC240-WH-10VDIM-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
80	MAZDA-DXR177518W-3K-AC240-WH-ND-A150XB64XC125MM	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
81	MAZDA-DXR177518W-4K-AC240-WH-DA-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
82	MAZDA-DXR177518W-4K-AC240-WH-PH-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
83	MAZDA-DXR177518W-4K-AC240-WH-10VDIM-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
84	MAZDA-DXR177518W-4K-AC240-WH-ND-A150XB64XC125MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
85	MAZDA-DXR177518W-5K-AC240-WH-DA-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
86	MAZDA-DXR177518W-5K-AC240-WH-PH-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
87	MAZDA-DXR177518W-5K-AC240-WH-10VDIM-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
88	MAZDA-DXR177518W-5K-AC240-WH-ND-A150XB64XC125MM	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
89	MAZDA-DXR177518W-6K-AC240-WH-DA-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
90	MAZDA-DXR177518W-6K-AC240-WH-PH-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
91	MAZDA-DXR177518W-6K-AC240-WH-10VDIM-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
92	MAZDA-DXR177518W-6K-AC240-WH-ND-A150XB64XC125MM	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
93	MAZDA-DXR177518W-6.5K-AC240-WH-DA-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
94	MAZDA-DXR177518W-6.5K-AC240-WH-PH-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
95	MAZDA-DXR177518W-6.5K-AC240-WH-10VDIM-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
96	MAZDA-DXR177518W-6.5K-AC240-WH-ND-A150XB64XC125MM	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A150XB64XC125MM	DIE CAST ALUMINUM	IP65	2160LM	A150XB64XC125MM	
97	MAZDA-DXR177525W-2.7K-AC240-WH-DA-A172XB69XC125MM	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
98	MAZDA-DXR177525W-2.7K-AC240-WH-PH-A172XB69XC125MM	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
99	MAZDA-DXR177525W-2.7K-AC240-WH-10VDIM-A172XB69XC125MM	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
100	MAZDA-DXR177525W-2.7K-AC240-WH-ND-A172XB69XC125MM	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
101	MAZDA-DXR177525W-3K-AC240-WH-DA-A172XB69XC125MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
102	MAZDA-DXR177525W-3K-AC240-WH-PH-A172XB69XC125MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
103	MAZDA-DXR177525W-3K-AC240-WH-10VDIM-A172XB69XC125MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
104	MAZDA-DXR177525W-3K-AC240-WH-ND-A172XB69XC125MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
105	MAZDA-DXR177525W-4K-AC240-WH-DA-A172XB69XC125MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
106	MAZDA-DXR177525W-4K-AC240-WH-PH-A172XB69XC125MM	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
107	MAZDA-DXR177525W-4K-AC240-WH-10VDIM-A172XB69XC125MM	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
108	MAZDA-DXR177525W-4K-AC240-WH-ND-A172XB69XC125MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
109	MAZDA-DXR177525W-5K-AC240-WH-DA-A172XB69XC125MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
110	MAZDA-DXR177525W-5K-AC240-WH-PH-A172XB69XC125MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
111	MAZDA-DXR177525W-5K-AC240-WH-10VDIM-A172XB69XC125MM	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
112	MAZDA-DXR177525W-5K-AC240-WH-ND-A172XB69XC125MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
113	MAZDA-DXR177525W-6K-AC240-WH-DA-A172XB69XC125MM	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
114	MAZDA-DXR177525W-6K-AC240-WH-PH-A172XB69XC125MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
115	MAZDA-DXR177525W-6K-AC240-WH-10VDIM-A172XB69XC125MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
116	MAZDA-DXR177525W-6K-AC240-WH-ND-A172XB69XC125MM	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
117	MAZDA-DXR177525W-6.5K-AC240-WH-DA-A172XB69XC125MM	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
118	MAZDA-DXR177525W-6.5K-AC240-WH-PH-A172XB69XC125MM	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
119	MAZDA-DXR177525W-6.5K-AC240-WH-10VDIM-A172XB69XC125MM	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
120	MAZDA-DXR177525W-6.5K-AC240-WH-ND-A172XB69XC125MM	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3000LM	A172XB69XC125MM	
121	MAZDA-DXR177530W-2.7K-AC240-WH-DA-A172XB69XC125MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
122	MAZDA-DXR177530W-2.7K-AC240-WH-PH-A172XB69XC125MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
123	MAZDA-DXR177530W-2.7K-AC240-WH-10VDIM-A172XB69XC125MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
124	MAZDA-DXR177530W-2.7K-AC240-WH-ND-A172XB69XC125MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
125	MAZDA-DXR177530W-3K-AC240-WH-DA-A172XB69XC125MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
126	MAZDA-DXR177530W-3K-AC240-WH-PH-A172XB69XC125MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
127	MAZDA-DXR177530W-3K-AC240-WH-10VDIM-A172XB69XC125MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
128	MAZDA-DXR177530W-3K-AC240-WH-ND-A172XB69XC125MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
129	MAZDA-DXR177530W-4K-AC240-WH-DA-A172XB69XC125MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
130	MAZDA-DXR177530W-4K-AC240-WH-PH-A172XB69XC125MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
131	MAZDA-DXR177530W-4K-AC240-WH-10VDIM-A172XB69XC125MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
132	MAZDA-DXR177530W-4K-AC240-WH-ND-A172XB69XC125MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
133	MAZDA-DXR177530W-5K-AC240-WH-DA-A172XB69XC125MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
134	MAZDA-DXR177530W-5K-AC240-WH-PH-A172XB69XC125MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
135	MAZDA-DXR177530W-5K-AC240-WH-10VDIM-A172XB69XC125MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
136	MAZDA-DXR177530W-5K-AC240-WH-ND-A172XB69XC125MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
137	MAZDA-DXR177530W-6K-AC240-WH-DA-A172XB69XC125MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
138	MAZDA-DXR177530W-6K-AC240-WH-PH-A172XB69XC125MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
139	MAZDA-DXR177530W-6K-AC240-WH-10VDIM-A172XB69XC125MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
140	MAZDA-DXR177530W-6K-AC240-WH-ND-A172XB69XC125MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
141	MAZDA-DXR177530W-6.5K-AC240-WH-DA-A172XB69XC125MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
142	MAZDA-DXR177530W-6.5K-AC240-WH-PH-A172XB69XC125MM	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
143	MAZDA-DXR177530W-6.5K-AC240-WH-10VDIM-A172XB69XC125MM	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
144	MAZDA-DXR177530W-6.5K-AC240-WH-ND-A172XB69XC125MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172XB69XC125MM	DIE CAST ALUMINUM	IP65	3600LM	A172XB69XC125MM	
145	MAZDA-DXR177540W-2.7K-AC240-WH-PH-A235XB81XC200 MM	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
146	MAZDA-DXR177540W-2.7K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
147	MAZDA-DXR177540W-2.7K-AC240-WH-DA-A235XB81XC200 MM	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
148	MAZDA-DXR177540W-2.7K-AC240-WH-ND-A235XB81XC200 MM	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
149	MAZDA-DXR177540W-3K-AC240-WH-PH-A235XB81XC200 MM	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
150	MAZDA-DXR177540W-3K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
151	MAZDA-DXR177540W-3K-AC240-WH-DA-A235XB81XC200 MM	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
152	MAZDA-DXR177540W-3K-AC240-WH-ND-A235XB81XC200 MM	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
153	MAZDA-DXR177540W-4K-AC240-WH-PH-A235XB81XC200 MM	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
154	MAZDA-DXR177540W-4K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
155	MAZDA-DXR177540W-4K-AC240-WH-DA-A235XB81XC200 MM	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
156	MAZDA-DXR177540W-4K-AC240-WH-ND-A235XB81XC200 MM	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
157	MAZDA-DXR177540W-5K-AC240-WH-PH-A235XB81XC200 MM	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
158	MAZDA-DXR177540W-5K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
159	MAZDA-DXR177540W-5K-AC240-WH-DA-A235XB81XC200 MM	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
160	MAZDA-DXR177540W-5K-AC240-WH-ND-A235XB81XC200 MM	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
161	MAZDA-DXR177540W-6K-AC240-WH-PH-A235XB81XC200 MM	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
162	MAZDA-DXR177540W-6K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
163	MAZDA-DXR177540W-6K-AC240-WH-DA-A235XB81XC200 MM	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
164	MAZDA-DXR177540W-6K-AC240-WH-ND-A235XB81XC200 MM	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
165	MAZDA-DXR177540W-6.5K-AC240-WH-PH-A235XB81XC200 MM	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
166	MAZDA-DXR177540W-6.5K-AC240-WH-10VDIM-A235XB81XC200 MM	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
167	MAZDA-DXR177540W-6.5K-AC240-WH-DA-A235XB81XC200 MM	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
168	MAZDA-DXR177540W-6.5K-AC240-WH-ND-A235XB81XC200 MM	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4800LM	A235XB81XC200 MM	
169	MAZDA-DXR177535W-2.7K-AC240-WH-PH-A235XB81XC200 MM	35W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
170	MAZDA-DXR177535W-2.7K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
171	MAZDA-DXR177535W-2.7K-AC240-WH-DA-A235XB81XC200 MM	35W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
172	MAZDA-DXR177535W-2.7K-AC240-WH-ND-A235XB81XC200 MM	35W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
173	MAZDA-DXR177535W-3K-AC240-WH-PH-A235XB81XC200 MM	35W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
174	MAZDA-DXR177535W-3K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
175	MAZDA-DXR177535W-3K-AC240-WH-DA-A235XB81XC200 MM	35W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
176	MAZDA-DXR177535W-3K-AC240-WH-ND-A235XB81XC200 MM	35W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
177	MAZDA-DXR177535W-4K-AC240-WH-PH-A235XB81XC200 MM	35W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
178	MAZDA-DXR177535W-4K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
179	MAZDA-DXR177535W-4K-AC240-WH-DA-A235XB81XC200 MM	35W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
180	MAZDA-DXR177535W-4K-AC240-WH-ND-A235XB81XC200 MM	35W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
181	MAZDA-DXR177535W-5K-AC240-WH-PH-A235XB81XC200 MM	35W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
182	MAZDA-DXR177535W-5K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
183	MAZDA-DXR177535W-5K-AC240-WH-DA-A235XB81XC200 MM	35W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
184	MAZDA-DXR177535W-5K-AC240-WH-ND-A235XB81XC200 MM	35W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
185	MAZDA-DXR177535W-6K-AC240-WH-PH-A235XB81XC200 MM	35W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
186	MAZDA-DXR177535W-6K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
187	MAZDA-DXR177535W-6K-AC240-WH-DA-A235XB81XC200 MM	35W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
188	MAZDA-DXR177535W-6K-AC240-WH-ND-A235XB81XC200 MM	35W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
189	MAZDA-DXR177535W-6.5K-AC240-WH-PH-A235XB81XC200 MM	35W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
190	MAZDA-DXR177535W-6.5K-AC240-WH-10VDIM-A235XB81XC200 MM	35W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
191	MAZDA-DXR177535W-6.5K-AC240-WH-DA-A235XB81XC200 MM	35W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	
192	MAZDA-DXR177535W-6.5K-AC240-WH-ND-A235XB81XC200 MM	35W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A235XB81XC200 MM	DIE CAST ALUMINUM	IP65	4200LM	A235XB81XC200 MM	