DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



HOLLOW

MAZDA Model: SXR1821 Spot Light

Hollow is a ceiling spotlight, with an essential and complementary shape, plus LED source. Optical unit with convex extra clear glass lens, this for smoothing the light beam. Aluminum lacquered case with high resistance varnish, colors are available in extra matte finish, perfect for all contemporary living spaces.
Hollow is extremely minimal if used on its own, but it can become extremely spectacular if combined in a multiple composition, playing with the various available shapes. Fastening is not limited to a pre-set point, but it can change according to the installer's needs. Available in round and wall washer versions

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	**MAZDA-SXR182112W-3K-AC240-WH-PH-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
2	**MAZDA-SXR182112W-3K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
3	**MAZDA-SXR182112W-3K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
4	**MAZDA-SXR182112W-3K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
5	**MAZDA-SXR182112W-3K-AC240-WH-DA-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
6	**MAZDA-SXR182112W-3K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
7	**MAZDA-SXR182112W-3K-AC240-WH-ND-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
8	**MAZDA-SXR182112W-3K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
9	**MAZDA-SXR182112W-4K-AC240-WH-PH-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
10	**MAZDA-SXR182112W-4K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
11	**MAZDA-SXR182112W-4K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
12	**MAZDA-SXR182112W-4K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
13	**MAZDA-SXR182112W-4K-AC240-WH-DA-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
14	**MAZDA-SXR182112W-4K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
15	**MAZDA-SXR182112W-4K-AC240-WH-ND-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
16	**MAZDA-SXR182112W-4K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
17	**MAZDA-SXR182112W-5K-AC240-WH-PH-A100 X B87 X C80 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
18	**MAZDA-SXR182112W-5K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
19	**MAZDA-SXR182112W-5K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-SXR182112W-5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
21	MAZDA-SXR182112W-5K-AC240-WH-DA-A100 X B87 X C80 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
22	MAZDA-SXR182112W-5K-AC240-WH-DA-EM-A100 X B87 X C80 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
23	MAZDA-SXR182112W-5K-AC240-WH-ND-A100 X B87 X C80 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
24	MAZDA-SXR182112W-5K-AC240-WH-ND-EM-A100 X B87 X C80 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
25	MAZDA-SXR182112W-6K-AC240-WH-PH-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
26	MAZDA-SXR182112W-6K-AC240-WH-PH-EM-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
27	MAZDA-SXR182112W-6K-AC240-WH-10VDIM-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
28	MAZDA-SXR182112W-6K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
29	MAZDA-SXR182112W-6K-AC240-WH-DA-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
30	MAZDA-SXR182112W-6K-AC240-WH-DA-EM-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
31	MAZDA-SXR182112W-6K-AC240-WH-ND-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
32	MAZDA-SXR182112W-6K-AC240-WH-ND-EM-A100 X B87 X C80 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
33	MAZDA-SXR182112W-2.7K-AC240-WH-PH-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
34	MAZDA-SXR182112W-2.7K-AC240-WH-PH-EM-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
35	MAZDA-SXR182112W-2.7K-AC240-WH-10VDIM-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
36	MAZDA-SXR182112W-2.7K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
37	MAZDA-SXR182112W-2.7K-AC240-WH-DA-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
38	MAZDA-SXR182112W-2.7K-AC240-WH-DA-EM-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
39	MAZDA-SXR182112W-2.7K-AC240-WH-ND-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
40	MAZDA-SXR182112W-2.7K-AC240-WH-ND-EM-A100 X B87 X C80 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
41	MAZDA-SXR182112W-6.5K-AC240-WH-PH-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
42	MAZDA-SXR182112W-6.5K-AC240-WH-PH-EM-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
43	MAZDA-SXR182112W-6.5K-AC240-WH-10VDIM-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
44	MAZDA-SXR182112W-6.5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
45	MAZDA-SXR182112W-6.5K-AC240-WH-DA-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
46	MAZDA-SXR182112W-6.5K-AC240-WH-DA-EM-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
47	MAZDA-SXR182112W-6.5K-AC240-WH-ND-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
48	MAZDA-SXR182112W-6.5K-AC240-WH-ND-EM-A100 X B87 X C80 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1440LM	A100 X B87 X C80 MM	
49	MAZDA-SXR182110W-3K-AC240-WH-PH-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-SXR182110W-3K-AC240-WH-PH-EM-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
51	MAZDA-SXR182110W-3K-AC240-WH-10VDIM-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
52	MAZDA-SXR182110W-3K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
53	MAZDA-SXR182110W-3K-AC240-WH-DA-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
54	MAZDA-SXR182110W-3K-AC240-WH-DA-EM-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
55	MAZDA-SXR182110W-3K-AC240-WH-ND-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
56	MAZDA-SXR182110W-3K-AC240-WH-ND-EM-A100 X B87 X C80 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
57	MAZDA-SXR182110W-3K-DC12-WH-PH-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
58	MAZDA-SXR182110W-3K-DC12-WH-PH-EM-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
59	MAZDA-SXR182110W-3K-DC12-WH-10VDIM-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
60	MAZDA-SXR182110W-3K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
61	MAZDA-SXR182110W-3K-DC12-WH-DA-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
62	MAZDA-SXR182110W-3K-DC12-WH-DA-EM-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
63	MAZDA-SXR182110W-3K-DC12-WH-ND-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
64	MAZDA-SXR182110W-3K-DC12-WH-ND-EM-A100 X B87 X C80 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
65	MAZDA-SXR182110W-3K-DC24-WH-PH-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
66	MAZDA-SXR182110W-3K-DC24-WH-PH-EM-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
67	MAZDA-SXR182110W-3K-DC24-WH-10VDIM-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
68	MAZDA-SXR182110W-3K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
69	MAZDA-SXR182110W-3K-DC24-WH-DA-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
70	MAZDA-SXR182110W-3K-DC24-WH-DA-EM-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
71	MAZDA-SXR182110W-3K-DC24-WH-ND-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
72	MAZDA-SXR182110W-3K-DC24-WH-ND-EM-A100 X B87 X C80 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
73	MAZDA-SXR182110W-3K-DC48-WH-PH-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
74	MAZDA-SXR182110W-3K-DC48-WH-PH-EM-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
75	MAZDA-SXR182110W-3K-DC48-WH-10VDIM-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
76	MAZDA-SXR182110W-3K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
77	MAZDA-SXR182110W-3K-DC48-WH-DA-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
78	MAZDA-SXR182110W-3K-DC48-WH-DA-EM-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
79	MAZDA-SXR182110W-3K-DC48-WH-ND-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-SXR182110W-3K-DC48-WH-ND-EM-A100 X B87 X C80 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
81	MAZDA-SXR182110W-4K-AC240-WH-PH-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
82	MAZDA-SXR182110W-4K-AC240-WH-PH-EM-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
83	MAZDA-SXR182110W-4K-AC240-WH-10VDIM-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
84	MAZDA-SXR182110W-4K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
85	MAZDA-SXR182110W-4K-AC240-WH-DA-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
86	MAZDA-SXR182110W-4K-AC240-WH-DA-EM-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
87	MAZDA-SXR182110W-4K-AC240-WH-ND-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
88	MAZDA-SXR182110W-4K-AC240-WH-ND-EM-A100 X B87 X C80 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
89	MAZDA-SXR182110W-4K-DC12-WH-PH-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
90	MAZDA-SXR182110W-4K-DC12-WH-PH-EM-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
91	MAZDA-SXR182110W-4K-DC12-WH-10VDIM-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
92	MAZDA-SXR182110W-4K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
93	MAZDA-SXR182110W-4K-DC12-WH-DA-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
94	MAZDA-SXR182110W-4K-DC12-WH-DA-EM-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
95	MAZDA-SXR182110W-4K-DC12-WH-ND-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
96	MAZDA-SXR182110W-4K-DC12-WH-ND-EM-A100 X B87 X C80 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
97	MAZDA-SXR182110W-4K-DC24-WH-PH-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
98	MAZDA-SXR182110W-4K-DC24-WH-PH-EM-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
99	MAZDA-SXR182110W-4K-DC24-WH-10VDIM-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
100	MAZDA-SXR182110W-4K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
101	MAZDA-SXR182110W-4K-DC24-WH-DA-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
102	MAZDA-SXR182110W-4K-DC24-WH-DA-EM-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
103	MAZDA-SXR182110W-4K-DC24-WH-ND-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
104	MAZDA-SXR182110W-4K-DC24-WH-ND-EM-A100 X B87 X C80 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
105	MAZDA-SXR182110W-4K-DC48-WH-PH-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
106	MAZDA-SXR182110W-4K-DC48-WH-PH-EM-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
107	MAZDA-SXR182110W-4K-DC48-WH-10VDIM-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
108	MAZDA-SXR182110W-4K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
109	MAZDA-SXR182110W-4K-DC48-WH-DA-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	MAZDA-SXR182110W-4K-DC48-WH-DA-EM-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
111	MAZDA-SXR182110W-4K-DC48-WH-ND-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
112	MAZDA-SXR182110W-4K-DC48-WH-ND-EM-A100 X B87 X C80 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
113	MAZDA-SXR182110W-5K-AC240-WH-PH-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
114	MAZDA-SXR182110W-5K-AC240-WH-PH-EM-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
115	MAZDA-SXR182110W-5K-AC240-WH-10VDIM-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
116	MAZDA-SXR182110W-5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
117	MAZDA-SXR182110W-5K-AC240-WH-DA-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
118	MAZDA-SXR182110W-5K-AC240-WH-DA-EM-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
119	MAZDA-SXR182110W-5K-AC240-WH-ND-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
120	MAZDA-SXR182110W-5K-AC240-WH-ND-EM-A100 X B87 X C80 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
121	MAZDA-SXR182110W-5K-DC12-WH-PH-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
122	MAZDA-SXR182110W-5K-DC12-WH-PH-EM-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
123	MAZDA-SXR182110W-5K-DC12-WH-10VDIM-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
124	MAZDA-SXR182110W-5K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
125	MAZDA-SXR182110W-5K-DC12-WH-DA-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
126	MAZDA-SXR182110W-5K-DC12-WH-DA-EM-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
127	MAZDA-SXR182110W-5K-DC12-WH-ND-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
128	MAZDA-SXR182110W-5K-DC12-WH-ND-EM-A100 X B87 X C80 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
129	MAZDA-SXR182110W-5K-DC24-WH-PH-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
130	MAZDA-SXR182110W-5K-DC24-WH-PH-EM-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
131	MAZDA-SXR182110W-5K-DC24-WH-10VDIM-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
132	MAZDA-SXR182110W-5K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
133	MAZDA-SXR182110W-5K-DC24-WH-DA-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
134	MAZDA-SXR182110W-5K-DC24-WH-DA-EM-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
135	MAZDA-SXR182110W-5K-DC24-WH-ND-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
136	MAZDA-SXR182110W-5K-DC24-WH-ND-EM-A100 X B87 X C80 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
137	MAZDA-SXR182110W-5K-DC48-WH-PH-A100 X B87 X C80 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
138	MAZDA-SXR182110W-5K-DC48-WH-PH-EM-A100 X B87 X C80 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
139	MAZDA-SXR182110W-5K-DC48-WH-10VDIM-A100 X B87 X C80 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
140	**MAZDA-SXR182110W-5K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
141	**MAZDA-SXR182110W-5K-DC48-WH-DA-A100 X B87 X C80 MM**	10W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
142	**MAZDA-SXR182110W-5K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
143	**MAZDA-SXR182110W-5K-DC48-WH-ND-A100 X B87 X C80 MM**	10W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
144	**MAZDA-SXR182110W-5K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
145	**MAZDA-SXR182110W-6K-AC240-WH-PH-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
146	**MAZDA-SXR182110W-6K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
147	**MAZDA-SXR182110W-6K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
148	**MAZDA-SXR182110W-6K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
149	**MAZDA-SXR182110W-6K-AC240-WH-DA-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
150	**MAZDA-SXR182110W-6K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
151	**MAZDA-SXR182110W-6K-AC240-WH-ND-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
152	**MAZDA-SXR182110W-6K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
153	**MAZDA-SXR182110W-6K-DC12-WH-PH-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
154	**MAZDA-SXR182110W-6K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
155	**MAZDA-SXR182110W-6K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
156	**MAZDA-SXR182110W-6K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
157	**MAZDA-SXR182110W-6K-DC12-WH-DA-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
158	**MAZDA-SXR182110W-6K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
159	**MAZDA-SXR182110W-6K-DC12-WH-ND-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
160	**MAZDA-SXR182110W-6K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
161	**MAZDA-SXR182110W-6K-DC24-WH-PH-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
162	**MAZDA-SXR182110W-6K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
163	**MAZDA-SXR182110W-6K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
164	**MAZDA-SXR182110W-6K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
165	**MAZDA-SXR182110W-6K-DC24-WH-DA-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
166	**MAZDA-SXR182110W-6K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
167	**MAZDA-SXR182110W-6K-DC24-WH-ND-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
168	**MAZDA-SXR182110W-6K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
169	**MAZDA-SXR182110W-6K-DC48-WH-PH-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
170	**MAZDA-SXR182110W-6K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
171	**MAZDA-SXR182110W-6K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
172	**MAZDA-SXR182110W-6K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
173	**MAZDA-SXR182110W-6K-DC48-WH-DA-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
174	**MAZDA-SXR182110W-6K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
175	**MAZDA-SXR182110W-6K-DC48-WH-ND-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
176	**MAZDA-SXR182110W-6K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
177	**MAZDA-SXR182110W-2.7K-AC240-WH-PH-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
178	**MAZDA-SXR182110W-2.7K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
179	**MAZDA-SXR182110W-2.7K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
180	**MAZDA-SXR182110W-2.7K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
181	**MAZDA-SXR182110W-2.7K-AC240-WH-DA-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
182	**MAZDA-SXR182110W-2.7K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
183	**MAZDA-SXR182110W-2.7K-AC240-WH-ND-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
184	**MAZDA-SXR182110W-2.7K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
185	**MAZDA-SXR182110W-2.7K-DC12-WH-PH-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
186	**MAZDA-SXR182110W-2.7K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
187	**MAZDA-SXR182110W-2.7K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
188	**MAZDA-SXR182110W-2.7K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
189	**MAZDA-SXR182110W-2.7K-DC12-WH-DA-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
190	**MAZDA-SXR182110W-2.7K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
191	**MAZDA-SXR182110W-2.7K-DC12-WH-ND-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
192	**MAZDA-SXR182110W-2.7K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
193	**MAZDA-SXR182110W-2.7K-DC24-WH-PH-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
194	**MAZDA-SXR182110W-2.7K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
195	**MAZDA-SXR182110W-2.7K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
196	**MAZDA-SXR182110W-2.7K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
197	**MAZDA-SXR182110W-2.7K-DC24-WH-DA-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
198	**MAZDA-SXR182110W-2.7K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
199	**MAZDA-SXR182110W-2.7K-DC24-WH-ND-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
200	**MAZDA-SXR182110W-2.7K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
201	**MAZDA-SXR182110W-2.7K-DC48-WH-PH-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
202	**MAZDA-SXR182110W-2.7K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
203	**MAZDA-SXR182110W-2.7K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
204	**MAZDA-SXR182110W-2.7K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
205	**MAZDA-SXR182110W-2.7K-DC48-WH-DA-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
206	**MAZDA-SXR182110W-2.7K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
207	**MAZDA-SXR182110W-2.7K-DC48-WH-ND-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
208	**MAZDA-SXR182110W-2.7K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
209	**MAZDA-SXR182110W-6.5K-AC240-WH-PH-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
210	**MAZDA-SXR182110W-6.5K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
211	**MAZDA-SXR182110W-6.5K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
212	**MAZDA-SXR182110W-6.5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
213	**MAZDA-SXR182110W-6.5K-AC240-WH-DA-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
214	**MAZDA-SXR182110W-6.5K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
215	**MAZDA-SXR182110W-6.5K-AC240-WH-ND-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
216	**MAZDA-SXR182110W-6.5K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
217	**MAZDA-SXR182110W-6.5K-DC12-WH-PH-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
218	**MAZDA-SXR182110W-6.5K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
219	**MAZDA-SXR182110W-6.5K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
220	**MAZDA-SXR182110W-6.5K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
221	**MAZDA-SXR182110W-6.5K-DC12-WH-DA-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
222	**MAZDA-SXR182110W-6.5K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
223	**MAZDA-SXR182110W-6.5K-DC12-WH-ND-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
224	**MAZDA-SXR182110W-6.5K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
225	**MAZDA-SXR182110W-6.5K-DC24-WH-PH-A100 X B87 X C80 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
226	**MAZDA-SXR182110W-6.5K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
227	**MAZDA-SXR182110W-6.5K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
228	**MAZDA-SXR182110W-6.5K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
229	**MAZDA-SXR182110W-6.5K-DC24-WH-DA-A100 X B87 X C80 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
230	MAZDA-SXR182110W-6.5K-DC24-WH-DA-EM-A100 X B87 X C80 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
231	MAZDA-SXR182110W-6.5K-DC24-WH-ND-A100 X B87 X C80 MM	10W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
232	MAZDA-SXR182110W-6.5K-DC24-WH-ND-EM-A100 X B87 X C80 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
233	MAZDA-SXR182110W-6.5K-DC48-WH-PH-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
234	MAZDA-SXR182110W-6.5K-DC48-WH-PH-EM-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
235	MAZDA-SXR182110W-6.5K-DC48-WH-10VDIM-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
236	MAZDA-SXR182110W-6.5K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
237	MAZDA-SXR182110W-6.5K-DC48-WH-DA-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
238	MAZDA-SXR182110W-6.5K-DC48-WH-DA-EM-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
239	MAZDA-SXR182110W-6.5K-DC48-WH-ND-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
240	MAZDA-SXR182110W-6.5K-DC48-WH-ND-EM-A100 X B87 X C80 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	1200LM	A100 X B87 X C80 MM	
241	MAZDA-SXR182108W-3K-AC240-WH-PH-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
242	MAZDA-SXR182108W-3K-AC240-WH-PH-EM-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
243	MAZDA-SXR182108W-3K-AC240-WH-10VDIM-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
244	MAZDA-SXR182108W-3K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
245	MAZDA-SXR182108W-3K-AC240-WH-DA-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
246	MAZDA-SXR182108W-3K-AC240-WH-DA-EM-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
247	MAZDA-SXR182108W-3K-AC240-WH-ND-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
248	MAZDA-SXR182108W-3K-AC240-WH-ND-EM-A100 X B87 X C80 MM	08W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
249	MAZDA-SXR182108W-3K-DC12-WH-PH-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
250	MAZDA-SXR182108W-3K-DC12-WH-PH-EM-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
251	MAZDA-SXR182108W-3K-DC12-WH-10VDIM-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
252	MAZDA-SXR182108W-3K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
253	MAZDA-SXR182108W-3K-DC12-WH-DA-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
254	MAZDA-SXR182108W-3K-DC12-WH-DA-EM-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
255	MAZDA-SXR182108W-3K-DC12-WH-ND-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
256	MAZDA-SXR182108W-3K-DC12-WH-ND-EM-A100 X B87 X C80 MM	08W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
257	MAZDA-SXR182108W-3K-DC24-WH-PH-A100 X B87 X C80 MM	08W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
258	MAZDA-SXR182108W-3K-DC24-WH-PH-EM-A100 X B87 X C80 MM	08W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
259	MAZDA-SXR182108W-3K-DC24-WH-10VDIM-A100 X B87 X C80 MM	08W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
260	**MAZDA-SXR182108W-3K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
261	**MAZDA-SXR182108W-3K-DC24-WH-DA-A100 X B87 X C80 MM**	08W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
262	**MAZDA-SXR182108W-3K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	08W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
263	**MAZDA-SXR182108W-3K-DC24-WH-ND-A100 X B87 X C80 MM**	08W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
264	**MAZDA-SXR182108W-3K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	08W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
265	**MAZDA-SXR182108W-3K-DC48-WH-PH-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
266	**MAZDA-SXR182108W-3K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
267	**MAZDA-SXR182108W-3K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
268	**MAZDA-SXR182108W-3K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
269	**MAZDA-SXR182108W-3K-DC48-WH-DA-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
270	**MAZDA-SXR182108W-3K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
271	**MAZDA-SXR182108W-3K-DC48-WH-ND-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
272	**MAZDA-SXR182108W-3K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	08W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
273	**MAZDA-SXR182108W-4K-AC240-WH-PH-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
274	**MAZDA-SXR182108W-4K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
275	**MAZDA-SXR182108W-4K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
276	**MAZDA-SXR182108W-4K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
277	**MAZDA-SXR182108W-4K-AC240-WH-DA-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
278	**MAZDA-SXR182108W-4K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
279	**MAZDA-SXR182108W-4K-AC240-WH-ND-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
280	**MAZDA-SXR182108W-4K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	08W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
281	**MAZDA-SXR182108W-4K-DC12-WH-PH-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
282	**MAZDA-SXR182108W-4K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
283	**MAZDA-SXR182108W-4K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
284	**MAZDA-SXR182108W-4K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
285	**MAZDA-SXR182108W-4K-DC12-WH-DA-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
286	**MAZDA-SXR182108W-4K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
287	**MAZDA-SXR182108W-4K-DC12-WH-ND-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
288	**MAZDA-SXR182108W-4K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	08W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
289	**MAZDA-SXR182108W-4K-DC24-WH-PH-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
290	**MAZDA-SXR182108W-4K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
291	**MAZDA-SXR182108W-4K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
292	**MAZDA-SXR182108W-4K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
293	**MAZDA-SXR182108W-4K-DC24-WH-DA-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
294	**MAZDA-SXR182108W-4K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
295	**MAZDA-SXR182108W-4K-DC24-WH-ND-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
296	**MAZDA-SXR182108W-4K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	08W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
297	**MAZDA-SXR182108W-4K-DC48-WH-PH-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
298	**MAZDA-SXR182108W-4K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
299	**MAZDA-SXR182108W-4K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
300	**MAZDA-SXR182108W-4K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
301	**MAZDA-SXR182108W-4K-DC48-WH-DA-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
302	**MAZDA-SXR182108W-4K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
303	**MAZDA-SXR182108W-4K-DC48-WH-ND-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
304	**MAZDA-SXR182108W-4K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	08W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
305	**MAZDA-SXR182108W-5K-AC240-WH-PH-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
306	**MAZDA-SXR182108W-5K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
307	**MAZDA-SXR182108W-5K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
308	**MAZDA-SXR182108W-5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
309	**MAZDA-SXR182108W-5K-AC240-WH-DA-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
310	**MAZDA-SXR182108W-5K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
311	**MAZDA-SXR182108W-5K-AC240-WH-ND-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
312	**MAZDA-SXR182108W-5K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	08W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
313	**MAZDA-SXR182108W-5K-DC12-WH-PH-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
314	**MAZDA-SXR182108W-5K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
315	**MAZDA-SXR182108W-5K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
316	**MAZDA-SXR182108W-5K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
317	**MAZDA-SXR182108W-5K-DC12-WH-DA-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
318	**MAZDA-SXR182108W-5K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
319	**MAZDA-SXR182108W-5K-DC12-WH-ND-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
320	**MAZDA-SXR182108W-5K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	08W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
321	**MAZDA-SXR182108W-5K-DC24-WH-PH-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
322	**MAZDA-SXR182108W-5K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
323	**MAZDA-SXR182108W-5K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
324	**MAZDA-SXR182108W-5K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
325	**MAZDA-SXR182108W-5K-DC24-WH-DA-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
326	**MAZDA-SXR182108W-5K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
327	**MAZDA-SXR182108W-5K-DC24-WH-ND-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
328	**MAZDA-SXR182108W-5K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	08W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
329	**MAZDA-SXR182108W-5K-DC48-WH-PH-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
330	**MAZDA-SXR182108W-5K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
331	**MAZDA-SXR182108W-5K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
332	**MAZDA-SXR182108W-5K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
333	**MAZDA-SXR182108W-5K-DC48-WH-DA-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
334	**MAZDA-SXR182108W-5K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
335	**MAZDA-SXR182108W-5K-DC48-WH-ND-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
336	**MAZDA-SXR182108W-5K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	08W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
337	**MAZDA-SXR182108W-6K-AC240-WH-PH-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
338	**MAZDA-SXR182108W-6K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
339	**MAZDA-SXR182108W-6K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
340	**MAZDA-SXR182108W-6K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
341	**MAZDA-SXR182108W-6K-AC240-WH-DA-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
342	**MAZDA-SXR182108W-6K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
343	**MAZDA-SXR182108W-6K-AC240-WH-ND-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
344	**MAZDA-SXR182108W-6K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	08W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
345	**MAZDA-SXR182108W-6K-DC12-WH-PH-A100 X B87 X C80 MM**	08W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
346	**MAZDA-SXR182108W-6K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	08W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
347	**MAZDA-SXR182108W-6K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	08W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
348	**MAZDA-SXR182108W-6K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
349	**MAZDA-SXR182108W-6K-DC12-WH-DA-A100 X B87 X C80 MM**	08W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
350	MAZDA-SXR182108W-6K-DC12-WH-DA-EM-A100 X B87 X C80 MM	08W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
351	MAZDA-SXR182108W-6K-DC12-WH-ND-A100 X B87 X C80 MM	08W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
352	MAZDA-SXR182108W-6K-DC12-WH-ND-EM-A100 X B87 X C80 MM	08W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
353	MAZDA-SXR182108W-6K-DC24-WH-PH-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
354	MAZDA-SXR182108W-6K-DC24-WH-PH-EM-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
355	MAZDA-SXR182108W-6K-DC24-WH-10VDIM-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
356	MAZDA-SXR182108W-6K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
357	MAZDA-SXR182108W-6K-DC24-WH-DA-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
358	MAZDA-SXR182108W-6K-DC24-WH-DA-EM-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
359	MAZDA-SXR182108W-6K-DC24-WH-ND-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
360	MAZDA-SXR182108W-6K-DC24-WH-ND-EM-A100 X B87 X C80 MM	08W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
361	MAZDA-SXR182108W-6K-DC48-WH-PH-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
362	MAZDA-SXR182108W-6K-DC48-WH-PH-EM-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
363	MAZDA-SXR182108W-6K-DC48-WH-10VDIM-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
364	MAZDA-SXR182108W-6K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
365	MAZDA-SXR182108W-6K-DC48-WH-DA-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
366	MAZDA-SXR182108W-6K-DC48-WH-DA-EM-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
367	MAZDA-SXR182108W-6K-DC48-WH-ND-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
368	MAZDA-SXR182108W-6K-DC48-WH-ND-EM-A100 X B87 X C80 MM	08W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
369	MAZDA-SXR182108W-2.7K-AC240-WH-PH-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
370	MAZDA-SXR182108W-2.7K-AC240-WH-PH-EM-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
371	MAZDA-SXR182108W-2.7K-AC240-WH-10VDIM-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
372	MAZDA-SXR182108W-2.7K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
373	MAZDA-SXR182108W-2.7K-AC240-WH-DA-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
374	MAZDA-SXR182108W-2.7K-AC240-WH-DA-EM-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
375	MAZDA-SXR182108W-2.7K-AC240-WH-ND-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
376	MAZDA-SXR182108W-2.7K-AC240-WH-ND-EM-A100 X B87 X C80 MM	08W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
377	MAZDA-SXR182108W-2.7K-DC12-WH-PH-A100 X B87 X C80 MM	08W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
378	MAZDA-SXR182108W-2.7K-DC12-WH-PH-EM-A100 X B87 X C80 MM	08W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM
379	MAZDA-SXR182108W-2.7K-DC12-WH-10VDIM-A100 X B87 X C80 MM	08W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
380	**MAZDA-SXR182108W-2.7K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
381	**MAZDA-SXR182108W-2.7K-DC12-WH-DA-A100 X B87 X C80 MM**	08W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
382	**MAZDA-SXR182108W-2.7K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	08W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
383	**MAZDA-SXR182108W-2.7K-DC12-WH-ND-A100 X B87 X C80 MM**	08W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
384	**MAZDA-SXR182108W-2.7K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	08W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
385	**MAZDA-SXR182108W-2.7K-DC24-WH-PH-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
386	**MAZDA-SXR182108W-2.7K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
387	**MAZDA-SXR182108W-2.7K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
388	**MAZDA-SXR182108W-2.7K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
389	**MAZDA-SXR182108W-2.7K-DC24-WH-DA-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
390	**MAZDA-SXR182108W-2.7K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
391	**MAZDA-SXR182108W-2.7K-DC24-WH-ND-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
392	**MAZDA-SXR182108W-2.7K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	08W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
393	**MAZDA-SXR182108W-2.7K-DC48-WH-PH-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
394	**MAZDA-SXR182108W-2.7K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
395	**MAZDA-SXR182108W-2.7K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
396	**MAZDA-SXR182108W-2.7K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
397	**MAZDA-SXR182108W-2.7K-DC48-WH-DA-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
398	**MAZDA-SXR182108W-2.7K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
399	**MAZDA-SXR182108W-2.7K-DC48-WH-ND-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
400	**MAZDA-SXR182108W-2.7K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	08W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
401	**MAZDA-SXR182108W-6.5K-AC240-WH-PH-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
402	**MAZDA-SXR182108W-6.5K-AC240-WH-PH-EM-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
403	**MAZDA-SXR182108W-6.5K-AC240-WH-10VDIM-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
404	**MAZDA-SXR182108W-6.5K-AC240-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
405	**MAZDA-SXR182108W-6.5K-AC240-WH-DA-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
406	**MAZDA-SXR182108W-6.5K-AC240-WH-DA-EM-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
407	**MAZDA-SXR182108W-6.5K-AC240-WH-ND-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
408	**MAZDA-SXR182108W-6.5K-AC240-WH-ND-EM-A100 X B87 X C80 MM**	08W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
409	**MAZDA-SXR182108W-6.5K-DC12-WH-PH-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
410	**MAZDA-SXR182108W-6.5K-DC12-WH-PH-EM-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
411	**MAZDA-SXR182108W-6.5K-DC12-WH-10VDIM-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
412	**MAZDA-SXR182108W-6.5K-DC12-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
413	**MAZDA-SXR182108W-6.5K-DC12-WH-DA-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
414	**MAZDA-SXR182108W-6.5K-DC12-WH-DA-EM-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
415	**MAZDA-SXR182108W-6.5K-DC12-WH-ND-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
416	**MAZDA-SXR182108W-6.5K-DC12-WH-ND-EM-A100 X B87 X C80 MM**	08W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
417	**MAZDA-SXR182108W-6.5K-DC24-WH-PH-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
418	**MAZDA-SXR182108W-6.5K-DC24-WH-PH-EM-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
419	**MAZDA-SXR182108W-6.5K-DC24-WH-10VDIM-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
420	**MAZDA-SXR182108W-6.5K-DC24-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
421	**MAZDA-SXR182108W-6.5K-DC24-WH-DA-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
422	**MAZDA-SXR182108W-6.5K-DC24-WH-DA-EM-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
423	**MAZDA-SXR182108W-6.5K-DC24-WH-ND-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
424	**MAZDA-SXR182108W-6.5K-DC24-WH-ND-EM-A100 X B87 X C80 MM**	08W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
425	**MAZDA-SXR182108W-6.5K-DC48-WH-PH-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
426	**MAZDA-SXR182108W-6.5K-DC48-WH-PH-EM-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
427	**MAZDA-SXR182108W-6.5K-DC48-WH-10VDIM-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
428	**MAZDA-SXR182108W-6.5K-DC48-WH-10VDIM-EM-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
429	**MAZDA-SXR182108W-6.5K-DC48-WH-DA-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
430	**MAZDA-SXR182108W-6.5K-DC48-WH-DA-EM-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
431	**MAZDA-SXR182108W-6.5K-DC48-WH-ND-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	
432	**MAZDA-SXR182108W-6.5K-DC48-WH-ND-EM-A100 X B87 X C80 MM**	08W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A100 X B87 X C80 MM	DIE CAST ALUMINUM	IP44	960LM	A100 X B87 X C80 MM	