DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



JAZZ

MAZDA Model: SXR1795 Spot Light

Jazz led spotlight is designed for durability and reflector with deep anti-glare performance. It's a unique COB high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting excellent thermal dissipation with and humanization design, made by high quality aluminum profile provides great heatsink designed for any ceiling installations. Commonly used in office corridor, bedroom and living rooms.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR179507W-2.7K-270V-BK-PH-A80 X B95 X C70MM	07W	2700	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
2	MAZDA-SXR179507W-2.7K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
3	MAZDA-SXR179507W-2.7K-270V-WH-PH-A80 X B95 X C70MM	07W	2700	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
4	MAZDA-SXR179507W-2.7K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
5	MAZDA-SXR179507W-2.7K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	2700	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
6	MAZDA-SXR179507W-2.7K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
7	MAZDA-SXR179507W-2.7K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	2700	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
8	MAZDA-SXR179507W-2.7K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
9	MAZDA-SXR179507W-2.7K-270V-BK-DA-A80 X B95 X C70MM	07W	2700	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
10	MAZDA-SXR179507W-2.7K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
11	MAZDA-SXR179507W-2.7K-270V-WH-DA-A80 X B95 X C70MM	07W	2700	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
12	MAZDA-SXR179507W-2.7K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
13	MAZDA-SXR179507W-2.7K-270V-BK-ND-A80 X B95 X C70MM	07W	2700	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
14	MAZDA-SXR179507W-2.7K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
15	MAZDA-SXR179507W-2.7K-270V-WH-ND-A80 X B95 X C70MM	07W	2700	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
16	MAZDA-SXR179507W-2.7K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
17	MAZDA-SXR179507W-3K-270V-BK-PH-A80 X B95 X C70MM	07W	3000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
18	MAZDA-SXR179507W-3K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-SXR179507W-3K-270V-WH-PH-A80 X B95 X C70MM	07W	3000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
20	MAZDA-SXR179507W-3K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
21	MAZDA-SXR179507W-3K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	3000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
22	MAZDA-SXR179507W-3K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
23	MAZDA-SXR179507W-3K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	3000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
24	MAZDA-SXR179507W-3K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
25	MAZDA-SXR179507W-3K-270V-BK-DA-A80 X B95 X C70MM	07W	3000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
26	MAZDA-SXR179507W-3K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
27	MAZDA-SXR179507W-3K-270V-WH-DA-A80 X B95 X C70MM	07W	3000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
28	MAZDA-SXR179507W-3K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
29	MAZDA-SXR179507W-3K-270V-BK-ND-A80 X B95 X C70MM	07W	3000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
30	MAZDA-SXR179507W-3K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
31	MAZDA-SXR179507W-3K-270V-WH-ND-A80 X B95 X C70MM	07W	3000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
32	MAZDA-SXR179507W-3K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
33	MAZDA-SXR179507W-4K-270V-BK-PH-A80 X B95 X C70MM	07W	4000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
34	MAZDA-SXR179507W-4K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
35	MAZDA-SXR179507W-4K-270V-WH-PH-A80 X B95 X C70MM	07W	4000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
36	MAZDA-SXR179507W-4K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
37	MAZDA-SXR179507W-4K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	4000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
38	MAZDA-SXR179507W-4K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
39	MAZDA-SXR179507W-4K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	4000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
40	MAZDA-SXR179507W-4K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
41	MAZDA-SXR179507W-4K-270V-BK-DA-A80 X B95 X C70MM	07W	4000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
42	MAZDA-SXR179507W-4K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
43	MAZDA-SXR179507W-4K-270V-WH-DA-A80 X B95 X C70MM	07W	4000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
44	MAZDA-SXR179507W-4K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
45	MAZDA-SXR179507W-4K-270V-BK-ND-A80 X B95 X C70MM	07W	4000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
46	MAZDA-SXR179507W-4K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
47	MAZDA-SXR179507W-4K-270V-WH-ND-A80 X B95 X C70MM	07W	4000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
48	MAZDA-SXR179507W-4K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
49	MAZDA-SXR179507W-5K-270V-BK-PH-A80 X B95 X C70MM	07W	5000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
50	MAZDA-SXR179507W-5K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
51	MAZDA-SXR179507W-5K-270V-WH-PH-A80 X B95 X C70MM	07W	5000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
52	MAZDA-SXR179507W-5K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
53	MAZDA-SXR179507W-5K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	5000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
54	MAZDA-SXR179507W-5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
55	MAZDA-SXR179507W-5K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	5000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
56	MAZDA-SXR179507W-5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
57	MAZDA-SXR179507W-5K-270V-BK-DA-A80 X B95 X C70MM	07W	5000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
58	MAZDA-SXR179507W-5K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
59	MAZDA-SXR179507W-5K-270V-WH-DA-A80 X B95 X C70MM	07W	5000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
60	MAZDA-SXR179507W-5K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
61	MAZDA-SXR179507W-5K-270V-BK-ND-A80 X B95 X C70MM	07W	5000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
62	MAZDA-SXR179507W-5K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
63	MAZDA-SXR179507W-5K-270V-WH-ND-A80 X B95 X C70MM	07W	5000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
64	MAZDA-SXR179507W-5K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
65	MAZDA-SXR179507W-6K-270V-BK-PH-A80 X B95 X C70MM	07W	6000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
66	MAZDA-SXR179507W-6K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
67	MAZDA-SXR179507W-6K-270V-WH-PH-A80 X B95 X C70MM	07W	6000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
68	MAZDA-SXR179507W-6K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
69	MAZDA-SXR179507W-6K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	6000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
70	MAZDA-SXR179507W-6K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
71	MAZDA-SXR179507W-6K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	6000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
72	MAZDA-SXR179507W-6K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
73	MAZDA-SXR179507W-6K-270V-BK-DA-A80 X B95 X C70MM	07W	6000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
74	MAZDA-SXR179507W-6K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
75	MAZDA-SXR179507W-6K-270V-WH-DA-A80 X B95 X C70MM	07W	6000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
76	MAZDA-SXR179507W-6K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
77	MAZDA-SXR179507W-6K-270V-BK-ND-A80 X B95 X C70MM	07W	6000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
78	MAZDA-SXR179507W-6K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
79	MAZDA-SXR179507W-6K-270V-WH-ND-A80 X B95 X C70MM	07W	6000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
80	MAZDA-SXR179507W-6K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
81	MAZDA-SXR179507W-6.5K-270V-BK-PH-A80 X B95 X C70MM	07W	6500	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
82	MAZDA-SXR179507W-6.5K-270V-BK-PH-EM-A80 X B95 X C70MM	07W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
83	MAZDA-SXR179507W-6.5K-270V-WH-PH-A80 X B95 X C70MM	07W	6500	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
84	MAZDA-SXR179507W-6.5K-270V-WH-PH-EM-A80 X B95 X C70MM	07W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
85	MAZDA-SXR179507W-6.5K-270V-BK-10VDIM-A80 X B95 X C70MM	07W	6500	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
86	MAZDA-SXR179507W-6.5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	07W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
87	MAZDA-SXR179507W-6.5K-270V-WH-10VDIM-A80 X B95 X C70MM	07W	6500	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
88	MAZDA-SXR179507W-6.5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	07W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
89	MAZDA-SXR179507W-6.5K-270V-BK-DA-A80 X B95 X C70MM	07W	6500	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
90	MAZDA-SXR179507W-6.5K-270V-BK-DA-EM-A80 X B95 X C70MM	07W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
91	MAZDA-SXR179507W-6.5K-270V-WH-DA-A80 X B95 X C70MM	07W	6500	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
92	MAZDA-SXR179507W-6.5K-270V-WH-DA-EM-A80 X B95 X C70MM	07W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
93	MAZDA-SXR179507W-6.5K-270V-BK-ND-A80 X B95 X C70MM	07W	6500	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
94	MAZDA-SXR179507W-6.5K-270V-BK-ND-EM-A80 X B95 X C70MM	07W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
95	MAZDA-SXR179507W-6.5K-270V-WH-ND-A80 X B95 X C70MM	07W	6500	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
96	MAZDA-SXR179507W-6.5K-270V-WH-ND-EM-A80 X B95 X C70MM	07W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	700LM	A80 X B95 X C70MM	
97	MAZDA-SXR179510W-2.7K-270V-BK-PH-A80 X B95 X C70MM	10W	2700	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
98	MAZDA-SXR179510W-2.7K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
99	MAZDA-SXR179510W-2.7K-270V-WH-PH-A80 X B95 X C70MM	10W	2700	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
100	MAZDA-SXR179510W-2.7K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
101	MAZDA-SXR179510W-2.7K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	2700	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
102	MAZDA-SXR179510W-2.7K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
103	MAZDA-SXR179510W-2.7K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	2700	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
104	MAZDA-SXR179510W-2.7K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
105	MAZDA-SXR179510W-2.7K-270V-BK-DA-A80 X B95 X C70MM	10W	2700	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
106	MAZDA-SXR179510W-2.7K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
107	MAZDA-SXR179510W-2.7K-270V-WH-DA-A80 X B95 X C70MM	10W	2700	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
108	MAZDA-SXR179510W-2.7K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
109	MAZDA-SXR179510W-2.7K-270V-BK-ND-A80 X B95 X C70MM	10W	2700	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
110	MAZDA-SXR179510W-2.7K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
111	MAZDA-SXR179510W-2.7K-270V-WH-ND-A80 X B95 X C70MM	10W	2700	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
112	MAZDA-SXR179510W-2.7K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
113	MAZDA-SXR179510W-3K-270V-BK-PH-A80 X B95 X C70MM	10W	3000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
114	MAZDA-SXR179510W-3K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
115	MAZDA-SXR179510W-3K-270V-WH-PH-A80 X B95 X C70MM	10W	3000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
116	MAZDA-SXR179510W-3K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
117	MAZDA-SXR179510W-3K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	3000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
118	MAZDA-SXR179510W-3K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
119	MAZDA-SXR179510W-3K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	3000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
120	MAZDA-SXR179510W-3K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
121	MAZDA-SXR179510W-3K-270V-BK-DA-A80 X B95 X C70MM	10W	3000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
122	MAZDA-SXR179510W-3K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
123	MAZDA-SXR179510W-3K-270V-WH-DA-A80 X B95 X C70MM	10W	3000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
124	MAZDA-SXR179510W-3K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
125	MAZDA-SXR179510W-3K-270V-BK-ND-A80 X B95 X C70MM	10W	3000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
126	MAZDA-SXR179510W-3K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
127	MAZDA-SXR179510W-3K-270V-WH-ND-A80 X B95 X C70MM	10W	3000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
128	MAZDA-SXR179510W-3K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
129	MAZDA-SXR179510W-4K-270V-BK-PH-A80 X B95 X C70MM	10W	4000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
130	MAZDA-SXR179510W-4K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
131	MAZDA-SXR179510W-4K-270V-WH-PH-A80 X B95 X C70MM	10W	4000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
132	MAZDA-SXR179510W-4K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
133	MAZDA-SXR179510W-4K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	4000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
134	MAZDA-SXR179510W-4K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
135	MAZDA-SXR179510W-4K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	4000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
136	MAZDA-SXR179510W-4K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
137	MAZDA-SXR179510W-4K-270V-BK-DA-A80 X B95 X C70MM	10W	4000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
138	MAZDA-SXR179510W-4K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
139	MAZDA-SXR179510W-4K-270V-WH-DA-A80 X B95 X C70MM	10W	4000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
140	MAZDA-SXR179510W-4K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
141	MAZDA-SXR179510W-4K-270V-BK-ND-A80 X B95 X C70MM	10W	4000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
142	MAZDA-SXR179510W-4K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
143	MAZDA-SXR179510W-4K-270V-WH-ND-A80 X B95 X C70MM	10W	4000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
144	MAZDA-SXR179510W-4K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
145	MAZDA-SXR179510W-5K-270V-BK-PH-A80 X B95 X C70MM	10W	5000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
146	MAZDA-SXR179510W-5K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
147	MAZDA-SXR179510W-5K-270V-WH-PH-A80 X B95 X C70MM	10W	5000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
148	MAZDA-SXR179510W-5K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
149	MAZDA-SXR179510W-5K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	5000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
150	MAZDA-SXR179510W-5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
151	MAZDA-SXR179510W-5K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	5000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
152	MAZDA-SXR179510W-5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
153	MAZDA-SXR179510W-5K-270V-BK-DA-A80 X B95 X C70MM	10W	5000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
154	MAZDA-SXR179510W-5K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
155	MAZDA-SXR179510W-5K-270V-WH-DA-A80 X B95 X C70MM	10W	5000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
156	MAZDA-SXR179510W-5K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
157	MAZDA-SXR179510W-5K-270V-BK-ND-A80 X B95 X C70MM	10W	5000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
158	MAZDA-SXR179510W-5K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
159	MAZDA-SXR179510W-5K-270V-WH-ND-A80 X B95 X C70MM	10W	5000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
160	MAZDA-SXR179510W-5K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
161	MAZDA-SXR179510W-6K-270V-BK-PH-A80 X B95 X C70MM	10W	6000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
162	MAZDA-SXR179510W-6K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
163	MAZDA-SXR179510W-6K-270V-WH-PH-A80 X B95 X C70MM	10W	6000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
164	MAZDA-SXR179510W-6K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
165	MAZDA-SXR179510W-6K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	6000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
166	MAZDA-SXR179510W-6K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
167	MAZDA-SXR179510W-6K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	6000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
168	MAZDA-SXR179510W-6K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
169	MAZDA-SXR179510W-6K-270V-BK-DA-A80 X B95 X C70MM	10W	6000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
170	MAZDA-SXR179510W-6K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
171	MAZDA-SXR179510W-6K-270V-WH-DA-A80 X B95 X C70MM	10W	6000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
172	MAZDA-SXR179510W-6K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
173	MAZDA-SXR179510W-6K-270V-BK-ND-A80 X B95 X C70MM	10W	6000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
174	MAZDA-SXR179510W-6K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
175	MAZDA-SXR179510W-6K-270V-WH-ND-A80 X B95 X C70MM	10W	6000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
176	MAZDA-SXR179510W-6K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
177	MAZDA-SXR179510W-6.5K-270V-BK-PH-A80 X B95 X C70MM	10W	6500	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
178	MAZDA-SXR179510W-6.5K-270V-BK-PH-EM-A80 X B95 X C70MM	10W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
179	MAZDA-SXR179510W-6.5K-270V-WH-PH-A80 X B95 X C70MM	10W	6500	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
180	MAZDA-SXR179510W-6.5K-270V-WH-PH-EM-A80 X B95 X C70MM	10W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
181	MAZDA-SXR179510W-6.5K-270V-BK-10VDIM-A80 X B95 X C70MM	10W	6500	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
182	MAZDA-SXR179510W-6.5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	10W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
183	MAZDA-SXR179510W-6.5K-270V-WH-10VDIM-A80 X B95 X C70MM	10W	6500	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
184	MAZDA-SXR179510W-6.5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	10W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
185	MAZDA-SXR179510W-6.5K-270V-BK-DA-A80 X B95 X C70MM	10W	6500	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
186	MAZDA-SXR179510W-6.5K-270V-BK-DA-EM-A80 X B95 X C70MM	10W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
187	MAZDA-SXR179510W-6.5K-270V-WH-DA-A80 X B95 X C70MM	10W	6500	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
188	MAZDA-SXR179510W-6.5K-270V-WH-DA-EM-A80 X B95 X C70MM	10W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
189	MAZDA-SXR179510W-6.5K-270V-BK-ND-A80 X B95 X C70MM	10W	6500	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
190	MAZDA-SXR179510W-6.5K-270V-BK-ND-EM-A80 X B95 X C70MM	10W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
191	MAZDA-SXR179510W-6.5K-270V-WH-ND-A80 X B95 X C70MM	10W	6500	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
192	MAZDA-SXR179510W-6.5K-270V-WH-ND-EM-A80 X B95 X C70MM	10W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1000LM	A80 X B95 X C70MM	
193	MAZDA-SXR179512W-2.7K-270V-BK-PH-A80 X B95 X C70MM	12W	2700	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
194	MAZDA-SXR179512W-2.7K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
195	MAZDA-SXR179512W-2.7K-270V-WH-PH-A80 X B95 X C70MM	12W	2700	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
196	MAZDA-SXR179512W-2.7K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
197	MAZDA-SXR179512W-2.7K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	2700	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
198	MAZDA-SXR179512W-2.7K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
199	MAZDA-SXR179512W-2.7K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	2700	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
200	MAZDA-SXR179512W-2.7K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
201	MAZDA-SXR179512W-2.7K-270V-BK-DA-A80 X B95 X C70MM	12W	2700	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
202	MAZDA-SXR179512W-2.7K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
203	MAZDA-SXR179512W-2.7K-270V-WH-DA-A80 X B95 X C70MM	12W	2700	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
204	MAZDA-SXR179512W-2.7K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
205	MAZDA-SXR179512W-2.7K-270V-BK-ND-A80 X B95 X C70MM	12W	2700	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
206	MAZDA-SXR179512W-2.7K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
207	MAZDA-SXR179512W-2.7K-270V-WH-ND-A80 X B95 X C70MM	12W	2700	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
208	MAZDA-SXR179512W-2.7K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
209	MAZDA-SXR179512W-3K-270V-BK-PH-A80 X B95 X C70MM	12W	3000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
210	MAZDA-SXR179512W-3K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
211	MAZDA-SXR179512W-3K-270V-WH-PH-A80 X B95 X C70MM	12W	3000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
212	MAZDA-SXR179512W-3K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
213	MAZDA-SXR179512W-3K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	3000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
214	MAZDA-SXR179512W-3K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
215	MAZDA-SXR179512W-3K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	3000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
216	MAZDA-SXR179512W-3K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
217	MAZDA-SXR179512W-3K-270V-BK-DA-A80 X B95 X C70MM	12W	3000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
218	MAZDA-SXR179512W-3K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
219	MAZDA-SXR179512W-3K-270V-WH-DA-A80 X B95 X C70MM	12W	3000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
220	MAZDA-SXR179512W-3K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
221	MAZDA-SXR179512W-3K-270V-BK-ND-A80 X B95 X C70MM	12W	3000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
222	MAZDA-SXR179512W-3K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
223	MAZDA-SXR179512W-3K-270V-WH-ND-A80 X B95 X C70MM	12W	3000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
224	MAZDA-SXR179512W-3K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
225	MAZDA-SXR179512W-4K-270V-BK-PH-A80 X B95 X C70MM	12W	4000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
226	MAZDA-SXR179512W-4K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
227	MAZDA-SXR179512W-4K-270V-WH-PH-A80 X B95 X C70MM	12W	4000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
228	MAZDA-SXR179512W-4K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
229	MAZDA-SXR179512W-4K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	4000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
230	MAZDA-SXR179512W-4K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
231	MAZDA-SXR179512W-4K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	4000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
232	MAZDA-SXR179512W-4K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
233	MAZDA-SXR179512W-4K-270V-BK-DA-A80 X B95 X C70MM	12W	4000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
234	MAZDA-SXR179512W-4K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
235	MAZDA-SXR179512W-4K-270V-WH-DA-A80 X B95 X C70MM	12W	4000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
236	MAZDA-SXR179512W-4K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
237	MAZDA-SXR179512W-4K-270V-BK-ND-A80 X B95 X C70MM	12W	4000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
238	MAZDA-SXR179512W-4K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
239	MAZDA-SXR179512W-4K-270V-WH-ND-A80 X B95 X C70MM	12W	4000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
240	MAZDA-SXR179512W-4K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
241	MAZDA-SXR179512W-5K-270V-BK-PH-A80 X B95 X C70MM	12W	5000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
242	MAZDA-SXR179512W-5K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
243	MAZDA-SXR179512W-5K-270V-WH-PH-A80 X B95 X C70MM	12W	5000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
244	MAZDA-SXR179512W-5K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
245	MAZDA-SXR179512W-5K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	5000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
246	MAZDA-SXR179512W-5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
247	MAZDA-SXR179512W-5K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	5000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
248	MAZDA-SXR179512W-5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
249	MAZDA-SXR179512W-5K-270V-BK-DA-A80 X B95 X C70MM	12W	5000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
250	MAZDA-SXR179512W-5K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
251	MAZDA-SXR179512W-5K-270V-WH-DA-A80 X B95 X C70MM	12W	5000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
252	MAZDA-SXR179512W-5K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
253	MAZDA-SXR179512W-5K-270V-BK-ND-A80 X B95 X C70MM	12W	5000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
254	MAZDA-SXR179512W-5K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
255	MAZDA-SXR179512W-5K-270V-WH-ND-A80 X B95 X C70MM	12W	5000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
256	MAZDA-SXR179512W-5K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
257	MAZDA-SXR179512W-6K-270V-BK-PH-A80 X B95 X C70MM	12W	6000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
258	MAZDA-SXR179512W-6K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
259	MAZDA-SXR179512W-6K-270V-WH-PH-A80 X B95 X C70MM	12W	6000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
260	MAZDA-SXR179512W-6K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
261	MAZDA-SXR179512W-6K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	6000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
262	MAZDA-SXR179512W-6K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
263	MAZDA-SXR179512W-6K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	6000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
264	MAZDA-SXR179512W-6K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
265	MAZDA-SXR179512W-6K-270V-BK-DA-A80 X B95 X C70MM	12W	6000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
266	MAZDA-SXR179512W-6K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
267	MAZDA-SXR179512W-6K-270V-WH-DA-A80 X B95 X C70MM	12W	6000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
268	MAZDA-SXR179512W-6K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
269	MAZDA-SXR179512W-6K-270V-BK-ND-A80 X B95 X C70MM	12W	6000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
270	MAZDA-SXR179512W-6K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
271	MAZDA-SXR179512W-6K-270V-WH-ND-A80 X B95 X C70MM	12W	6000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
272	MAZDA-SXR179512W-6K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
273	MAZDA-SXR179512W-6.5K-270V-BK-PH-A80 X B95 X C70MM	12W	6500	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
274	MAZDA-SXR179512W-6.5K-270V-BK-PH-EM-A80 X B95 X C70MM	12W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
275	MAZDA-SXR179512W-6.5K-270V-WH-PH-A80 X B95 X C70MM	12W	6500	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
276	MAZDA-SXR179512W-6.5K-270V-WH-PH-EM-A80 X B95 X C70MM	12W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
277	MAZDA-SXR179512W-6.5K-270V-BK-10VDIM-A80 X B95 X C70MM	12W	6500	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
278	MAZDA-SXR179512W-6.5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	12W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
279	MAZDA-SXR179512W-6.5K-270V-WH-10VDIM-A80 X B95 X C70MM	12W	6500	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
280	MAZDA-SXR179512W-6.5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	12W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
281	MAZDA-SXR179512W-6.5K-270V-BK-DA-A80 X B95 X C70MM	12W	6500	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
282	MAZDA-SXR179512W-6.5K-270V-BK-DA-EM-A80 X B95 X C70MM	12W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
283	MAZDA-SXR179512W-6.5K-270V-WH-DA-A80 X B95 X C70MM	12W	6500	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
284	MAZDA-SXR179512W-6.5K-270V-WH-DA-EM-A80 X B95 X C70MM	12W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
285	MAZDA-SXR179512W-6.5K-270V-BK-ND-A80 X B95 X C70MM	12W	6500	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
286	MAZDA-SXR179512W-6.5K-270V-BK-ND-EM-A80 X B95 X C70MM	12W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
287	MAZDA-SXR179512W-6.5K-270V-WH-ND-A80 X B95 X C70MM	12W	6500	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
288	MAZDA-SXR179512W-6.5K-270V-WH-ND-EM-A80 X B95 X C70MM	12W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A80 X B95 X C70MM	
289	MAZDA-SXR179515W-2.7K-270V-BK-PH-A80 X B95 X C70MM	15W	2700	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
290	MAZDA-SXR179515W-2.7K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
291	MAZDA-SXR179515W-2.7K-270V-WH-PH-A80 X B95 X C70MM	15W	2700	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
292	MAZDA-SXR179515W-2.7K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
293	MAZDA-SXR179515W-2.7K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	2700	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
294	MAZDA-SXR179515W-2.7K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
295	MAZDA-SXR179515W-2.7K-270V-WH-10VDIM-A80 X B95 X C70MM	15W	2700	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
296	MAZDA-SXR179515W-2.7K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	15W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
297	MAZDA-SXR179515W-2.7K-270V-BK-DA-A80 X B95 X C70MM	15W	2700	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
298	MAZDA-SXR179515W-2.7K-270V-BK-DA-EM-A80 X B95 X C70MM	15W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
299	MAZDA-SXR179515W-2.7K-270V-WH-DA-A80 X B95 X C70MM	15W	2700	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
300	MAZDA-SXR179515W-2.7K-270V-WH-DA-EM-A80 X B95 X C70MM	15W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
301	MAZDA-SXR179515W-2.7K-270V-BK-ND-A80 X B95 X C70MM	15W	2700	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
302	MAZDA-SXR179515W-2.7K-270V-BK-ND-EM-A80 X B95 X C70MM	15W	2700	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
303	MAZDA-SXR179515W-2.7K-270V-WH-ND-A80 X B95 X C70MM	15W	2700	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
304	MAZDA-SXR179515W-2.7K-270V-WH-ND-EM-A80 X B95 X C70MM	15W	2700	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
305	MAZDA-SXR179515W-3K-270V-BK-PH-A80 X B95 X C70MM	15W	3000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
306	MAZDA-SXR179515W-3K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
307	MAZDA-SXR179515W-3K-270V-WH-PH-A80 X B95 X C70MM	15W	3000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
308	MAZDA-SXR179515W-3K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
309	MAZDA-SXR179515W-3K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	3000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
310	MAZDA-SXR179515W-3K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
311	MAZDA-SXR179515W-3K-270V-WH-10VDIM-A80 X B95 X C70MM	15W	3000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
312	MAZDA-SXR179515W-3K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	15W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
313	MAZDA-SXR179515W-3K-270V-BK-DA-A80 X B95 X C70MM	15W	3000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
314	MAZDA-SXR179515W-3K-270V-BK-DA-EM-A80 X B95 X C70MM	15W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
315	MAZDA-SXR179515W-3K-270V-WH-DA-A80 X B95 X C70MM	15W	3000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
316	MAZDA-SXR179515W-3K-270V-WH-DA-EM-A80 X B95 X C70MM	15W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
317	MAZDA-SXR179515W-3K-270V-BK-ND-A80 X B95 X C70MM	15W	3000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
318	MAZDA-SXR179515W-3K-270V-BK-ND-EM-A80 X B95 X C70MM	15W	3000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
319	MAZDA-SXR179515W-3K-270V-WH-ND-A80 X B95 X C70MM	15W	3000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
320	MAZDA-SXR179515W-3K-270V-WH-ND-EM-A80 X B95 X C70MM	15W	3000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
321	MAZDA-SXR179515W-4K-270V-BK-PH-A80 X B95 X C70MM	15W	4000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
322	MAZDA-SXR179515W-4K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
323	MAZDA-SXR179515W-4K-270V-WH-PH-A80 X B95 X C70MM	15W	4000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
324	MAZDA-SXR179515W-4K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
325	MAZDA-SXR179515W-4K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	4000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
326	MAZDA-SXR179515W-4K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
327	MAZDA-SXR179515W-4K-270V-WH-10VDIM-A80 X B95 X C70MM	15W	4000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
328	MAZDA-SXR179515W-4K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	15W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
329	MAZDA-SXR179515W-4K-270V-BK-DA-A80 X B95 X C70MM	15W	4000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
330	MAZDA-SXR179515W-4K-270V-BK-DA-EM-A80 X B95 X C70MM	15W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
331	MAZDA-SXR179515W-4K-270V-WH-DA-A80 X B95 X C70MM	15W	4000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
332	MAZDA-SXR179515W-4K-270V-WH-DA-EM-A80 X B95 X C70MM	15W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
333	MAZDA-SXR179515W-4K-270V-BK-ND-A80 X B95 X C70MM	15W	4000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
334	MAZDA-SXR179515W-4K-270V-BK-ND-EM-A80 X B95 X C70MM	15W	4000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
335	MAZDA-SXR179515W-4K-270V-WH-ND-A80 X B95 X C70MM	15W	4000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
336	MAZDA-SXR179515W-4K-270V-WH-ND-EM-A80 X B95 X C70MM	15W	4000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
337	MAZDA-SXR179515W-5K-270V-BK-PH-A80 X B95 X C70MM	15W	5000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
338	MAZDA-SXR179515W-5K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
339	MAZDA-SXR179515W-5K-270V-WH-PH-A80 X B95 X C70MM	15W	5000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
340	MAZDA-SXR179515W-5K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
341	MAZDA-SXR179515W-5K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	5000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
342	MAZDA-SXR179515W-5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
343	MAZDA-SXR179515W-5K-270V-WH-10VDIM-A80 X B95 X C70MM	15W	5000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
344	MAZDA-SXR179515W-5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	15W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
345	MAZDA-SXR179515W-5K-270V-BK-DA-A80 X B95 X C70MM	15W	5000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
346	MAZDA-SXR179515W-5K-270V-BK-DA-EM-A80 X B95 X C70MM	15W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
347	MAZDA-SXR179515W-5K-270V-WH-DA-A80 X B95 X C70MM	15W	5000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
348	MAZDA-SXR179515W-5K-270V-WH-DA-EM-A80 X B95 X C70MM	15W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
349	MAZDA-SXR179515W-5K-270V-BK-ND-A80 X B95 X C70MM	15W	5000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
350	MAZDA-SXR179515W-5K-270V-BK-ND-EM-A80 X B95 X C70MM	15W	5000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
351	MAZDA-SXR179515W-5K-270V-WH-ND-A80 X B95 X C70MM	15W	5000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
352	MAZDA-SXR179515W-5K-270V-WH-ND-EM-A80 X B95 X C70MM	15W	5000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
353	MAZDA-SXR179515W-6K-270V-BK-PH-A80 X B95 X C70MM	15W	6000	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
354	MAZDA-SXR179515W-6K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
355	MAZDA-SXR179515W-6K-270V-WH-PH-A80 X B95 X C70MM	15W	6000	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
356	MAZDA-SXR179515W-6K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
357	MAZDA-SXR179515W-6K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	6000	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
358	MAZDA-SXR179515W-6K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
359	MAZDA-SXR179515W-6K-270V-WH-10VDIM-A80 X B95 X C70MM	15W	6000	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
360	MAZDA-SXR179515W-6K-270V-WH-10VDIM-EM-A80 X B95 X C70MM	15W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
361	MAZDA-SXR179515W-6K-270V-BK-DA-A80 X B95 X C70MM	15W	6000	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
362	MAZDA-SXR179515W-6K-270V-BK-DA-EM-A80 X B95 X C70MM	15W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
363	MAZDA-SXR179515W-6K-270V-WH-DA-A80 X B95 X C70MM	15W	6000	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
364	MAZDA-SXR179515W-6K-270V-WH-DA-EM-A80 X B95 X C70MM	15W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
365	MAZDA-SXR179515W-6K-270V-BK-ND-A80 X B95 X C70MM	15W	6000	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
366	MAZDA-SXR179515W-6K-270V-BK-ND-EM-A80 X B95 X C70MM	15W	6000	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
367	MAZDA-SXR179515W-6K-270V-WH-ND-A80 X B95 X C70MM	15W	6000	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
368	MAZDA-SXR179515W-6K-270V-WH-ND-EM-A80 X B95 X C70MM	15W	6000	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
369	MAZDA-SXR179515W-6.5K-270V-BK-PH-A80 X B95 X C70MM	15W	6500	270V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
370	MAZDA-SXR179515W-6.5K-270V-BK-PH-EM-A80 X B95 X C70MM	15W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
371	MAZDA-SXR179515W-6.5K-270V-WH-PH-A80 X B95 X C70MM	15W	6500	270V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
372	MAZDA-SXR179515W-6.5K-270V-WH-PH-EM-A80 X B95 X C70MM	15W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
373	MAZDA-SXR179515W-6.5K-270V-BK-10VDIM-A80 X B95 X C70MM	15W	6500	270V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
374	MAZDA-SXR179515W-6.5K-270V-BK-10VDIM-EM-A80 X B95 X C70MM	15W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
375	**MAZDA-SXR179515W-6.5K-270V-WH-10VDIM-A80 X B95 X C70MM**	15W	6500	270V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
376	**MAZDA-SXR179515W-6.5K-270V-WH-10VDIM-EM-A80 X B95 X C70MM**	15W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
377	**MAZDA-SXR179515W-6.5K-270V-BK-DA-A80 X B95 X C70MM**	15W	6500	270V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
378	**MAZDA-SXR179515W-6.5K-270V-BK-DA-EM-A80 X B95 X C70MM**	15W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
379	**MAZDA-SXR179515W-6.5K-270V-WH-DA-A80 X B95 X C70MM**	15W	6500	270V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
380	**MAZDA-SXR179515W-6.5K-270V-WH-DA-EM-A80 X B95 X C70MM**	15W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
381	**MAZDA-SXR179515W-6.5K-270V-BK-ND-A80 X B95 X C70MM**	15W	6500	270V	BLACK	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
382	**MAZDA-SXR179515W-6.5K-270V-BK-ND-EM-A80 X B95 X C70MM**	15W	6500	270V	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
383	**MAZDA-SXR179515W-6.5K-270V-WH-ND-A80 X B95 X C70MM**	15W	6500	270V	WHITE	NON EMERGENCY	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	
384	**MAZDA-SXR179515W-6.5K-270V-WH-ND-EM-A80 X B95 X C70MM**	15W	6500	270V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A80 X B95 X C70MM	DIE CAST ALUMINUM	IP54	1500LM	A80 X B95 X C70MM	