DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



KAI

MAZDA Model: DXR1710 Spot Light

Kai LED Spot Light is recessed aluminium spotlight come as IP66 spotlight available in white. This spotlight design has been finished with a special paint treatment to ensure an extra-long lifespan and making it suitable for use under eaves and in water areas such as showers. It features semi anti-glare with a deep positioning, and can be installed under insulation using an ICD driver, great thermal management, IP66 waterproof with high protection level, which offers a wider application area

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR171007W-2.7K-AC240-WH-PH-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
2	MAZDA-DXR171007W-2.7K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
3	MAZDA-DXR171007W-2.7K-AC240-BK-PH-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
4	MAZDA-DXR171007W-2.7K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
5	MAZDA-DXR171007W-2.7K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
6	MAZDA-DXR171007W-2.7K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
7	MAZDA-DXR171007W-2.7K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
8	MAZDA-DXR171007W-2.7K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
9	MAZDA-DXR171007W-2.7K-AC240-WH-DA-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
10	MAZDA-DXR171007W-2.7K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
11	MAZDA-DXR171007W-2.7K-AC240-BK-DA-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
12	MAZDA-DXR171007W-2.7K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
13	MAZDA-DXR171007W-2.7K-AC240-WH-ND-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
14	MAZDA-DXR171007W-2.7K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
15	MAZDA-DXR171007W-2.7K-AC240-BK-ND-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
16	MAZDA-DXR171007W-2.7K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
17	MAZDA-DXR171007W-3K-AC240-WH-PH-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
18	MAZDA-DXR171007W-3K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-DXR171007W-3K-AC240-BK-PH-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
20	MAZDA-DXR171007W-3K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
21	MAZDA-DXR171007W-3K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
22	MAZDA-DXR171007W-3K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
23	MAZDA-DXR171007W-3K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
24	MAZDA-DXR171007W-3K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
25	MAZDA-DXR171007W-3K-AC240-WH-DA-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
26	MAZDA-DXR171007W-3K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
27	MAZDA-DXR171007W-3K-AC240-BK-DA-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
28	MAZDA-DXR171007W-3K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
29	MAZDA-DXR171007W-3K-AC240-WH-ND-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
30	MAZDA-DXR171007W-3K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
31	MAZDA-DXR171007W-3K-AC240-BK-ND-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
32	MAZDA-DXR171007W-3K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
33	MAZDA-DXR171007W-4K-AC240-WH-PH-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
34	MAZDA-DXR171007W-4K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
35	MAZDA-DXR171007W-4K-AC240-BK-PH-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
36	MAZDA-DXR171007W-4K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
37	MAZDA-DXR171007W-4K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
38	MAZDA-DXR171007W-4K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
39	MAZDA-DXR171007W-4K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
40	MAZDA-DXR171007W-4K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
41	MAZDA-DXR171007W-4K-AC240-WH-DA-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
42	MAZDA-DXR171007W-4K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
43	MAZDA-DXR171007W-4K-AC240-BK-DA-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
44	MAZDA-DXR171007W-4K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
45	MAZDA-DXR171007W-4K-AC240-WH-ND-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
46	MAZDA-DXR171007W-4K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
47	MAZDA-DXR171007W-4K-AC240-BK-ND-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
48	MAZDA-DXR171007W-4K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
49	MAZDA-DXR171007W-5K-AC240-WH-PH-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
50	MAZDA-DXR171007W-5K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
51	MAZDA-DXR171007W-5K-AC240-BK-PH-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
52	MAZDA-DXR171007W-5K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
53	MAZDA-DXR171007W-5K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
54	MAZDA-DXR171007W-5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
55	MAZDA-DXR171007W-5K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
56	MAZDA-DXR171007W-5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
57	MAZDA-DXR171007W-5K-AC240-WH-DA-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
58	MAZDA-DXR171007W-5K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
59	MAZDA-DXR171007W-5K-AC240-BK-DA-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
60	MAZDA-DXR171007W-5K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
61	MAZDA-DXR171007W-5K-AC240-WH-ND-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
62	MAZDA-DXR171007W-5K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
63	MAZDA-DXR171007W-5K-AC240-BK-ND-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
64	MAZDA-DXR171007W-5K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
65	MAZDA-DXR171007W-6K-AC240-WH-PH-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
66	MAZDA-DXR171007W-6K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
67	MAZDA-DXR171007W-6K-AC240-BK-PH-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
68	MAZDA-DXR171007W-6K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
69	MAZDA-DXR171007W-6K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
70	MAZDA-DXR171007W-6K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
71	MAZDA-DXR171007W-6K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
72	MAZDA-DXR171007W-6K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
73	MAZDA-DXR171007W-6K-AC240-WH-DA-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
74	MAZDA-DXR171007W-6K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
75	MAZDA-DXR171007W-6K-AC240-BK-DA-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
76	MAZDA-DXR171007W-6K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
77	MAZDA-DXR171007W-6K-AC240-WH-ND-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
78	MAZDA-DXR171007W-6K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
79	MAZDA-DXR171007W-6K-AC240-BK-ND-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
80	MAZDA-DXR171007W-6K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
81	MAZDA-DXR171007W-6.5K-AC240-WH-PH-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
82	MAZDA-DXR171007W-6.5K-AC240-WH-PH-EM-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
83	MAZDA-DXR171007W-6.5K-AC240-BK-PH-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
84	MAZDA-DXR171007W-6.5K-AC240-BK-PH-EM-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
85	MAZDA-DXR171007W-6.5K-AC240-WH-10VDIM-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
86	MAZDA-DXR171007W-6.5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
87	MAZDA-DXR171007W-6.5K-AC240-BK-10VDIM-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
88	MAZDA-DXR171007W-6.5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
89	MAZDA-DXR171007W-6.5K-AC240-WH-DA-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
90	MAZDA-DXR171007W-6.5K-AC240-WH-DA-EM-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
91	MAZDA-DXR171007W-6.5K-AC240-BK-DA-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
92	MAZDA-DXR171007W-6.5K-AC240-BK-DA-EM-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
93	MAZDA-DXR171007W-6.5K-AC240-WH-ND-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
94	MAZDA-DXR171007W-6.5K-AC240-WH-ND-EM-A92 X B78 X C80MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
95	MAZDA-DXR171007W-6.5K-AC240-BK-ND-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
96	MAZDA-DXR171007W-6.5K-AC240-BK-ND-EM-A92 X B78 X C80MM	07W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	840LM	A92 X B78 X C80MM	
97	MAZDA-DXR171012W-2.7K-AC240-WH-PH-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
98	MAZDA-DXR171012W-2.7K-AC240-WH-PH-EM-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
99	MAZDA-DXR171012W-2.7K-AC240-BK-PH-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
100	MAZDA-DXR171012W-2.7K-AC240-BK-PH-EM-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
101	MAZDA-DXR171012W-2.7K-AC240-WH-10VDIM-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
102	MAZDA-DXR171012W-2.7K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
103	MAZDA-DXR171012W-2.7K-AC240-BK-10VDIM-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
104	MAZDA-DXR171012W-2.7K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
105	MAZDA-DXR171012W-2.7K-AC240-WH-DA-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
106	MAZDA-DXR171012W-2.7K-AC240-WH-DA-EM-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
107	MAZDA-DXR171012W-2.7K-AC240-BK-DA-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
108	MAZDA-DXR171012W-2.7K-AC240-BK-DA-EM-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
109	MAZDA-DXR171012W-2.7K-AC240-WH-ND-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
110	MAZDA-DXR171012W-2.7K-AC240-WH-ND-EM-A92 X B78 X C80MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
111	MAZDA-DXR171012W-2.7K-AC240-BK-ND-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
112	MAZDA-DXR171012W-2.7K-AC240-BK-ND-EM-A92 X B78 X C80MM	12W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
113	MAZDA-DXR171012W-3K-AC240-WH-PH-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
114	MAZDA-DXR171012W-3K-AC240-WH-PH-EM-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
115	MAZDA-DXR171012W-3K-AC240-BK-PH-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
116	MAZDA-DXR171012W-3K-AC240-BK-PH-EM-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
117	MAZDA-DXR171012W-3K-AC240-WH-10VDIM-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
118	MAZDA-DXR171012W-3K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
119	MAZDA-DXR171012W-3K-AC240-BK-10VDIM-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
120	MAZDA-DXR171012W-3K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
121	MAZDA-DXR171012W-3K-AC240-WH-DA-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
122	MAZDA-DXR171012W-3K-AC240-WH-DA-EM-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
123	MAZDA-DXR171012W-3K-AC240-BK-DA-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
124	MAZDA-DXR171012W-3K-AC240-BK-DA-EM-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
125	MAZDA-DXR171012W-3K-AC240-WH-ND-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
126	MAZDA-DXR171012W-3K-AC240-WH-ND-EM-A92 X B78 X C80MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
127	MAZDA-DXR171012W-3K-AC240-BK-ND-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
128	MAZDA-DXR171012W-3K-AC240-BK-ND-EM-A92 X B78 X C80MM	12W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
129	MAZDA-DXR171012W-4K-AC240-WH-PH-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
130	MAZDA-DXR171012W-4K-AC240-WH-PH-EM-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
131	MAZDA-DXR171012W-4K-AC240-BK-PH-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
132	MAZDA-DXR171012W-4K-AC240-BK-PH-EM-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
133	MAZDA-DXR171012W-4K-AC240-WH-10VDIM-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
134	MAZDA-DXR171012W-4K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
135	MAZDA-DXR171012W-4K-AC240-BK-10VDIM-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
136	MAZDA-DXR171012W-4K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
137	MAZDA-DXR171012W-4K-AC240-WH-DA-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
138	MAZDA-DXR171012W-4K-AC240-WH-DA-EM-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
139	MAZDA-DXR171012W-4K-AC240-BK-DA-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
140	MAZDA-DXR171012W-4K-AC240-BK-DA-EM-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
141	MAZDA-DXR171012W-4K-AC240-WH-ND-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
142	MAZDA-DXR171012W-4K-AC240-WH-ND-EM-A92 X B78 X C80MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
143	MAZDA-DXR171012W-4K-AC240-BK-ND-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
144	MAZDA-DXR171012W-4K-AC240-BK-ND-EM-A92 X B78 X C80MM	12W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
145	MAZDA-DXR171012W-5K-AC240-WH-PH-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
146	MAZDA-DXR171012W-5K-AC240-WH-PH-EM-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
147	MAZDA-DXR171012W-5K-AC240-BK-PH-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
148	MAZDA-DXR171012W-5K-AC240-BK-PH-EM-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
149	MAZDA-DXR171012W-5K-AC240-WH-10VDIM-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
150	MAZDA-DXR171012W-5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
151	MAZDA-DXR171012W-5K-AC240-BK-10VDIM-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
152	MAZDA-DXR171012W-5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
153	MAZDA-DXR171012W-5K-AC240-WH-DA-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
154	MAZDA-DXR171012W-5K-AC240-WH-DA-EM-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
155	MAZDA-DXR171012W-5K-AC240-BK-DA-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
156	MAZDA-DXR171012W-5K-AC240-BK-DA-EM-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
157	MAZDA-DXR171012W-5K-AC240-WH-ND-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
158	MAZDA-DXR171012W-5K-AC240-WH-ND-EM-A92 X B78 X C80MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
159	MAZDA-DXR171012W-5K-AC240-BK-ND-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
160	MAZDA-DXR171012W-5K-AC240-BK-ND-EM-A92 X B78 X C80MM	12W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
161	MAZDA-DXR171012W-6K-AC240-WH-PH-A92 X B78 X C80MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
162	MAZDA-DXR171012W-6K-AC240-WH-PH-EM-A92 X B78 X C80MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
163	MAZDA-DXR171012W-6K-AC240-BK-PH-A92 X B78 X C80MM	12W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
164	MAZDA-DXR171012W-6K-AC240-BK-PH-EM-A92 X B78 X C80MM	12W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
165	MAZDA-DXR171012W-6K-AC240-WH-10VDIM-A92 X B78 X C80MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
166	MAZDA-DXR171012W-6K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
167	MAZDA-DXR171012W-6K-AC240-BK-10VDIM-A92 X B78 X C80MM	12W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
168	MAZDA-DXR171012W-6K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	12W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
169	**MAZDA-DXR171012W-6K-AC240-WH-DA-A92 X B78 X C80MM**	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
170	**MAZDA-DXR171012W-6K-AC240-WH-DA-EM-A92 X B78 X C80MM**	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
171	**MAZDA-DXR171012W-6K-AC240-BK-DA-A92 X B78 X C80MM**	12W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
172	**MAZDA-DXR171012W-6K-AC240-BK-DA-EM-A92 X B78 X C80MM**	12W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
173	**MAZDA-DXR171012W-6K-AC240-WH-ND-A92 X B78 X C80MM**	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
174	**MAZDA-DXR171012W-6K-AC240-WH-ND-EM-A92 X B78 X C80MM**	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
175	**MAZDA-DXR171012W-6K-AC240-BK-ND-A92 X B78 X C80MM**	12W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
176	**MAZDA-DXR171012W-6K-AC240-BK-ND-EM-A92 X B78 X C80MM**	12W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
177	**MAZDA-DXR171012W-6.5K-AC240-WH-PH-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
178	**MAZDA-DXR171012W-6.5K-AC240-WH-PH-EM-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
179	**MAZDA-DXR171012W-6.5K-AC240-BK-PH-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
180	**MAZDA-DXR171012W-6.5K-AC240-BK-PH-EM-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
181	**MAZDA-DXR171012W-6.5K-AC240-WH-10VDIM-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
182	**MAZDA-DXR171012W-6.5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
183	**MAZDA-DXR171012W-6.5K-AC240-BK-10VDIM-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
184	**MAZDA-DXR171012W-6.5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
185	**MAZDA-DXR171012W-6.5K-AC240-WH-DA-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
186	**MAZDA-DXR171012W-6.5K-AC240-WH-DA-EM-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
187	**MAZDA-DXR171012W-6.5K-AC240-BK-DA-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
188	**MAZDA-DXR171012W-6.5K-AC240-BK-DA-EM-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
189	**MAZDA-DXR171012W-6.5K-AC240-WH-ND-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
190	**MAZDA-DXR171012W-6.5K-AC240-WH-ND-EM-A92 X B78 X C80MM**	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
191	**MAZDA-DXR171012W-6.5K-AC240-BK-ND-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
192	**MAZDA-DXR171012W-6.5K-AC240-BK-ND-EM-A92 X B78 X C80MM**	12W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1440LM	A92 X B78 X C80MM	
193	**MAZDA-DXR171015W-2.7K-AC240-WH-PH-A92 X B78 X C80MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
194	**MAZDA-DXR171015W-2.7K-AC240-WH-PH-EM-A92 X B78 X C80MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
195	**MAZDA-DXR171015W-2.7K-AC240-BK-PH-A92 X B78 X C80MM**	15W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
196	**MAZDA-DXR171015W-2.7K-AC240-BK-PH-EM-A92 X B78 X C80MM**	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
197	**MAZDA-DXR171015W-2.7K-AC240-WH-10VDIM-A92 X B78 X C80MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
198	**MAZDA-DXR171015W-2.7K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
199	MAZDA-DXR171015W-2.7K-AC240-BK-10VDIM-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
200	MAZDA-DXR171015W-2.7K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
201	MAZDA-DXR171015W-2.7K-AC240-WH-DA-A92 X B78 X C80MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
202	MAZDA-DXR171015W-2.7K-AC240-WH-DA-EM-A92 X B78 X C80MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
203	MAZDA-DXR171015W-2.7K-AC240-BK-DA-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
204	MAZDA-DXR171015W-2.7K-AC240-BK-DA-EM-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
205	MAZDA-DXR171015W-2.7K-AC240-WH-ND-A92 X B78 X C80MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
206	MAZDA-DXR171015W-2.7K-AC240-WH-ND-EM-A92 X B78 X C80MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
207	MAZDA-DXR171015W-2.7K-AC240-BK-ND-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
208	MAZDA-DXR171015W-2.7K-AC240-BK-ND-EM-A92 X B78 X C80MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
209	MAZDA-DXR171015W-3K-AC240-WH-PH-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
210	MAZDA-DXR171015W-3K-AC240-WH-PH-EM-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
211	MAZDA-DXR171015W-3K-AC240-BK-PH-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
212	MAZDA-DXR171015W-3K-AC240-BK-PH-EM-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
213	MAZDA-DXR171015W-3K-AC240-WH-10VDIM-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
214	MAZDA-DXR171015W-3K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
215	MAZDA-DXR171015W-3K-AC240-BK-10VDIM-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
216	MAZDA-DXR171015W-3K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
217	MAZDA-DXR171015W-3K-AC240-WH-DA-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
218	MAZDA-DXR171015W-3K-AC240-WH-DA-EM-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
219	MAZDA-DXR171015W-3K-AC240-BK-DA-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
220	MAZDA-DXR171015W-3K-AC240-BK-DA-EM-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
221	MAZDA-DXR171015W-3K-AC240-WH-ND-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
222	MAZDA-DXR171015W-3K-AC240-WH-ND-EM-A92 X B78 X C80MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
223	MAZDA-DXR171015W-3K-AC240-BK-ND-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
224	MAZDA-DXR171015W-3K-AC240-BK-ND-EM-A92 X B78 X C80MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
225	MAZDA-DXR171015W-4K-AC240-WH-PH-A92 X B78 X C80MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
226	MAZDA-DXR171015W-4K-AC240-WH-PH-EM-A92 X B78 X C80MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
227	MAZDA-DXR171015W-4K-AC240-BK-PH-A92 X B78 X C80MM	15W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
228	MAZDA-DXR171015W-4K-AC240-BK-PH-EM-A92 X B78 X C80MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
229	**MAZDA-DXR171015W-4K-AC240-WH-10VDIM-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
230	**MAZDA-DXR171015W-4K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
231	**MAZDA-DXR171015W-4K-AC240-BK-10VDIM-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
232	**MAZDA-DXR171015W-4K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
233	**MAZDA-DXR171015W-4K-AC240-WH-DA-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
234	**MAZDA-DXR171015W-4K-AC240-WH-DA-EM-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
235	**MAZDA-DXR171015W-4K-AC240-BK-DA-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
236	**MAZDA-DXR171015W-4K-AC240-BK-DA-EM-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
237	**MAZDA-DXR171015W-4K-AC240-WH-ND-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
238	**MAZDA-DXR171015W-4K-AC240-WH-ND-EM-A92 X B78 X C80MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
239	**MAZDA-DXR171015W-4K-AC240-BK-ND-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
240	**MAZDA-DXR171015W-4K-AC240-BK-ND-EM-A92 X B78 X C80MM**	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
241	**MAZDA-DXR171015W-5K-AC240-WH-PH-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
242	**MAZDA-DXR171015W-5K-AC240-WH-PH-EM-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
243	**MAZDA-DXR171015W-5K-AC240-BK-PH-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
244	**MAZDA-DXR171015W-5K-AC240-BK-PH-EM-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
245	**MAZDA-DXR171015W-5K-AC240-WH-10VDIM-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
246	**MAZDA-DXR171015W-5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
247	**MAZDA-DXR171015W-5K-AC240-BK-10VDIM-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
248	**MAZDA-DXR171015W-5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
249	**MAZDA-DXR171015W-5K-AC240-WH-DA-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
250	**MAZDA-DXR171015W-5K-AC240-WH-DA-EM-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
251	**MAZDA-DXR171015W-5K-AC240-BK-DA-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
252	**MAZDA-DXR171015W-5K-AC240-BK-DA-EM-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
253	**MAZDA-DXR171015W-5K-AC240-WH-ND-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
254	**MAZDA-DXR171015W-5K-AC240-WH-ND-EM-A92 X B78 X C80MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
255	**MAZDA-DXR171015W-5K-AC240-BK-ND-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
256	**MAZDA-DXR171015W-5K-AC240-BK-ND-EM-A92 X B78 X C80MM**	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
257	**MAZDA-DXR171015W-6K-AC240-WH-PH-A92 X B78 X C80MM**	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
258	**MAZDA-DXR171015W-6K-AC240-WH-PH-EM-A92 X B78 X C80MM**	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
259	MAZDA-DXR171015W-6K-AC240-BK-PH-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
260	MAZDA-DXR171015W-6K-AC240-BK-PH-EM-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
261	MAZDA-DXR171015W-6K-AC240-WH-10VDIM-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
262	MAZDA-DXR171015W-6K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
263	MAZDA-DXR171015W-6K-AC240-BK-10VDIM-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
264	MAZDA-DXR171015W-6K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
265	MAZDA-DXR171015W-6K-AC240-WH-DA-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
266	MAZDA-DXR171015W-6K-AC240-WH-DA-EM-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
267	MAZDA-DXR171015W-6K-AC240-BK-DA-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
268	MAZDA-DXR171015W-6K-AC240-BK-DA-EM-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
269	MAZDA-DXR171015W-6K-AC240-WH-ND-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
270	MAZDA-DXR171015W-6K-AC240-WH-ND-EM-A92 X B78 X C80MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
271	MAZDA-DXR171015W-6K-AC240-BK-ND-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
272	MAZDA-DXR171015W-6K-AC240-BK-ND-EM-A92 X B78 X C80MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
273	MAZDA-DXR171015W-6.5K-AC240-WH-PH-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
274	MAZDA-DXR171015W-6.5K-AC240-WH-PH-EM-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
275	MAZDA-DXR171015W-6.5K-AC240-BK-PH-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
276	MAZDA-DXR171015W-6.5K-AC240-BK-PH-EM-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
277	MAZDA-DXR171015W-6.5K-AC240-WH-10VDIM-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
278	MAZDA-DXR171015W-6.5K-AC240-WH-10VDIM-EM-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
279	MAZDA-DXR171015W-6.5K-AC240-BK-10VDIM-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
280	MAZDA-DXR171015W-6.5K-AC240-BK-10VDIM-EM-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
281	MAZDA-DXR171015W-6.5K-AC240-WH-DA-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
282	MAZDA-DXR171015W-6.5K-AC240-WH-DA-EM-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
283	MAZDA-DXR171015W-6.5K-AC240-BK-DA-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
284	MAZDA-DXR171015W-6.5K-AC240-BK-DA-EM-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
285	MAZDA-DXR171015W-6.5K-AC240-WH-ND-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
286	MAZDA-DXR171015W-6.5K-AC240-WH-ND-EM-A92 X B78 X C80MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
287	MAZDA-DXR171015W-6.5K-AC240-BK-ND-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	
288	MAZDA-DXR171015W-6.5K-AC240-BK-ND-EM-A92 X B78 X C80MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A92 X B78 X C80MM	DIE CAST ALUMINUM	IP66	1800LM	A92 X B78 X C80MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
289	**MAZDA-DXR171018W-2.7K-AC240-WH-PH-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
290	**MAZDA-DXR171018W-2.7K-AC240-WH-PH-EM-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
291	**MAZDA-DXR171018W-2.7K-AC240-BK-PH-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
292	**MAZDA-DXR171018W-2.7K-AC240-BK-PH-EM-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
293	**MAZDA-DXR171018W-2.7K-AC240-WH-10VDIM-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
294	**MAZDA-DXR171018W-2.7K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
295	**MAZDA-DXR171018W-2.7K-AC240-BK-10VDIM-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
296	**MAZDA-DXR171018W-2.7K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
297	**MAZDA-DXR171018W-2.7K-AC240-WH-DA-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
298	**MAZDA-DXR171018W-2.7K-AC240-WH-DA-EM-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
299	**MAZDA-DXR171018W-2.7K-AC240-BK-DA-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
300	**MAZDA-DXR171018W-2.7K-AC240-BK-DA-EM-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
301	**MAZDA-DXR171018W-2.7K-AC240-WH-ND-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
302	**MAZDA-DXR171018W-2.7K-AC240-WH-ND-EM-A123 X B93 X C110MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
303	**MAZDA-DXR171018W-2.7K-AC240-BK-ND-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
304	**MAZDA-DXR171018W-2.7K-AC240-BK-ND-EM-A123 X B93 X C110MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
305	**MAZDA-DXR171018W-3K-AC240-WH-PH-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
306	**MAZDA-DXR171018W-3K-AC240-WH-PH-EM-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
307	**MAZDA-DXR171018W-3K-AC240-BK-PH-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
308	**MAZDA-DXR171018W-3K-AC240-BK-PH-EM-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
309	**MAZDA-DXR171018W-3K-AC240-WH-10VDIM-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
310	**MAZDA-DXR171018W-3K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
311	**MAZDA-DXR171018W-3K-AC240-BK-10VDIM-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
312	**MAZDA-DXR171018W-3K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
313	**MAZDA-DXR171018W-3K-AC240-WH-DA-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
314	**MAZDA-DXR171018W-3K-AC240-WH-DA-EM-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
315	**MAZDA-DXR171018W-3K-AC240-BK-DA-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
316	**MAZDA-DXR171018W-3K-AC240-BK-DA-EM-A123 X B93 X C110MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
317	**MAZDA-DXR171018W-3K-AC240-WH-ND-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
318	**MAZDA-DXR171018W-3K-AC240-WH-ND-EM-A123 X B93 X C110MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
319	MAZDA-DXR171018W-3K-AC240-BK-ND-A123 X B93 X C110MM	18W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
320	MAZDA-DXR171018W-3K-AC240-BK-ND-EM-A123 X B93 X C110MM	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
321	MAZDA-DXR171018W-4K-AC240-WH-PH-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
322	MAZDA-DXR171018W-4K-AC240-WH-PH-EM-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
323	MAZDA-DXR171018W-4K-AC240-BK-PH-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
324	MAZDA-DXR171018W-4K-AC240-BK-PH-EM-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
325	MAZDA-DXR171018W-4K-AC240-WH-10VDIM-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
326	MAZDA-DXR171018W-4K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
327	MAZDA-DXR171018W-4K-AC240-BK-10VDIM-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
328	MAZDA-DXR171018W-4K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
329	MAZDA-DXR171018W-4K-AC240-WH-DA-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
330	MAZDA-DXR171018W-4K-AC240-WH-DA-EM-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
331	MAZDA-DXR171018W-4K-AC240-BK-DA-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
332	MAZDA-DXR171018W-4K-AC240-BK-DA-EM-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
333	MAZDA-DXR171018W-4K-AC240-WH-ND-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
334	MAZDA-DXR171018W-4K-AC240-WH-ND-EM-A123 X B93 X C110MM	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
335	MAZDA-DXR171018W-4K-AC240-BK-ND-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
336	MAZDA-DXR171018W-4K-AC240-BK-ND-EM-A123 X B93 X C110MM	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
337	MAZDA-DXR171018W-5K-AC240-WH-PH-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
338	MAZDA-DXR171018W-5K-AC240-WH-PH-EM-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
339	MAZDA-DXR171018W-5K-AC240-BK-PH-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
340	MAZDA-DXR171018W-5K-AC240-BK-PH-EM-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
341	MAZDA-DXR171018W-5K-AC240-WH-10VDIM-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
342	MAZDA-DXR171018W-5K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
343	MAZDA-DXR171018W-5K-AC240-BK-10VDIM-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
344	MAZDA-DXR171018W-5K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
345	MAZDA-DXR171018W-5K-AC240-WH-DA-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
346	MAZDA-DXR171018W-5K-AC240-WH-DA-EM-A123 X B93 X C110MM	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
347	MAZDA-DXR171018W-5K-AC240-BK-DA-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
348	MAZDA-DXR171018W-5K-AC240-BK-DA-EM-A123 X B93 X C110MM	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
349	**MAZDA-DXR171018W-5K-AC240-WH-ND-A123 X B93 X C110MM**	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
350	**MAZDA-DXR171018W-5K-AC240-WH-ND-EM-A123 X B93 X C110MM**	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
351	**MAZDA-DXR171018W-5K-AC240-BK-ND-A123 X B93 X C110MM**	18W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
352	**MAZDA-DXR171018W-5K-AC240-BK-ND-EM-A123 X B93 X C110MM**	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
353	**MAZDA-DXR171018W-6K-AC240-WH-PH-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
354	**MAZDA-DXR171018W-6K-AC240-WH-PH-EM-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
355	**MAZDA-DXR171018W-6K-AC240-BK-PH-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
356	**MAZDA-DXR171018W-6K-AC240-BK-PH-EM-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
357	**MAZDA-DXR171018W-6K-AC240-WH-10VDIM-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
358	**MAZDA-DXR171018W-6K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
359	**MAZDA-DXR171018W-6K-AC240-BK-10VDIM-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
360	**MAZDA-DXR171018W-6K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
361	**MAZDA-DXR171018W-6K-AC240-WH-DA-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
362	**MAZDA-DXR171018W-6K-AC240-WH-DA-EM-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
363	**MAZDA-DXR171018W-6K-AC240-BK-DA-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
364	**MAZDA-DXR171018W-6K-AC240-BK-DA-EM-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
365	**MAZDA-DXR171018W-6K-AC240-WH-ND-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
366	**MAZDA-DXR171018W-6K-AC240-WH-ND-EM-A123 X B93 X C110MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
367	**MAZDA-DXR171018W-6K-AC240-BK-ND-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
368	**MAZDA-DXR171018W-6K-AC240-BK-ND-EM-A123 X B93 X C110MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
369	**MAZDA-DXR171018W-6.5K-AC240-WH-PH-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
370	**MAZDA-DXR171018W-6.5K-AC240-WH-PH-EM-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
371	**MAZDA-DXR171018W-6.5K-AC240-BK-PH-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
372	**MAZDA-DXR171018W-6.5K-AC240-BK-PH-EM-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
373	**MAZDA-DXR171018W-6.5K-AC240-WH-10VDIM-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
374	**MAZDA-DXR171018W-6.5K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
375	**MAZDA-DXR171018W-6.5K-AC240-BK-10VDIM-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
376	**MAZDA-DXR171018W-6.5K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
377	**MAZDA-DXR171018W-6.5K-AC240-WH-DA-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
378	**MAZDA-DXR171018W-6.5K-AC240-WH-DA-EM-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
379	**MAZDA-DXR171018W-6.5K-AC240-BK-DA-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
380	**MAZDA-DXR171018W-6.5K-AC240-BK-DA-EM-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
381	**MAZDA-DXR171018W-6.5K-AC240-WH-ND-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
382	**MAZDA-DXR171018W-6.5K-AC240-WH-ND-EM-A123 X B93 X C110MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
383	**MAZDA-DXR171018W-6.5K-AC240-BK-ND-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
384	**MAZDA-DXR171018W-6.5K-AC240-BK-ND-EM-A123 X B93 X C110MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2160LM	A123 X B93 X C110MM	
385	**MAZDA-DXR171020W-2.7K-AC240-WH-PH-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
386	**MAZDA-DXR171020W-2.7K-AC240-WH-PH-EM-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
387	**MAZDA-DXR171020W-2.7K-AC240-BK-PH-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
388	**MAZDA-DXR171020W-2.7K-AC240-BK-PH-EM-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
389	**MAZDA-DXR171020W-2.7K-AC240-WH-10VDIM-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
390	**MAZDA-DXR171020W-2.7K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
391	**MAZDA-DXR171020W-2.7K-AC240-BK-10VDIM-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
392	**MAZDA-DXR171020W-2.7K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
393	**MAZDA-DXR171020W-2.7K-AC240-WH-DA-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
394	**MAZDA-DXR171020W-2.7K-AC240-WH-DA-EM-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
395	**MAZDA-DXR171020W-2.7K-AC240-BK-DA-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
396	**MAZDA-DXR171020W-2.7K-AC240-BK-DA-EM-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
397	**MAZDA-DXR171020W-2.7K-AC240-WH-ND-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
398	**MAZDA-DXR171020W-2.7K-AC240-WH-ND-EM-A123 X B93 X C110MM**	20W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
399	**MAZDA-DXR171020W-2.7K-AC240-BK-ND-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
400	**MAZDA-DXR171020W-2.7K-AC240-BK-ND-EM-A123 X B93 X C110MM**	20W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
401	**MAZDA-DXR171020W-3K-AC240-WH-PH-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
402	**MAZDA-DXR171020W-3K-AC240-WH-PH-EM-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
403	**MAZDA-DXR171020W-3K-AC240-BK-PH-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
404	**MAZDA-DXR171020W-3K-AC240-BK-PH-EM-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
405	**MAZDA-DXR171020W-3K-AC240-WH-10VDIM-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
406	**MAZDA-DXR171020W-3K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
407	**MAZDA-DXR171020W-3K-AC240-BK-10VDIM-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
408	**MAZDA-DXR171020W-3K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
409	**MAZDA-DXR171020W-3K-AC240-WH-DA-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
410	**MAZDA-DXR171020W-3K-AC240-WH-DA-EM-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
411	**MAZDA-DXR171020W-3K-AC240-BK-DA-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
412	**MAZDA-DXR171020W-3K-AC240-BK-DA-EM-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
413	**MAZDA-DXR171020W-3K-AC240-WH-ND-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
414	**MAZDA-DXR171020W-3K-AC240-WH-ND-EM-A123 X B93 X C110MM**	20W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
415	**MAZDA-DXR171020W-3K-AC240-BK-ND-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
416	**MAZDA-DXR171020W-3K-AC240-BK-ND-EM-A123 X B93 X C110MM**	20W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
417	**MAZDA-DXR171020W-4K-AC240-WH-PH-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
418	**MAZDA-DXR171020W-4K-AC240-WH-PH-EM-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
419	**MAZDA-DXR171020W-4K-AC240-BK-PH-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
420	**MAZDA-DXR171020W-4K-AC240-BK-PH-EM-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
421	**MAZDA-DXR171020W-4K-AC240-WH-10VDIM-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
422	**MAZDA-DXR171020W-4K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
423	**MAZDA-DXR171020W-4K-AC240-BK-10VDIM-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
424	**MAZDA-DXR171020W-4K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
425	**MAZDA-DXR171020W-4K-AC240-WH-DA-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
426	**MAZDA-DXR171020W-4K-AC240-WH-DA-EM-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
427	**MAZDA-DXR171020W-4K-AC240-BK-DA-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
428	**MAZDA-DXR171020W-4K-AC240-BK-DA-EM-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
429	**MAZDA-DXR171020W-4K-AC240-WH-ND-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
430	**MAZDA-DXR171020W-4K-AC240-WH-ND-EM-A123 X B93 X C110MM**	20W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
431	**MAZDA-DXR171020W-4K-AC240-BK-ND-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
432	**MAZDA-DXR171020W-4K-AC240-BK-ND-EM-A123 X B93 X C110MM**	20W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
433	**MAZDA-DXR171020W-5K-AC240-WH-PH-A123 X B93 X C110MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
434	**MAZDA-DXR171020W-5K-AC240-WH-PH-EM-A123 X B93 X C110MM**	20W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
435	**MAZDA-DXR171020W-5K-AC240-BK-PH-A123 X B93 X C110MM**	20W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
436	**MAZDA-DXR171020W-5K-AC240-BK-PH-EM-A123 X B93 X C110MM**	20W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
437	**MAZDA-DXR171020W-5K-AC240-WH-10VDIM-A123 X B93 X C110MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
438	**MAZDA-DXR171020W-5K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM**	20W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
439	MAZDA-DXR171020W-5K-AC240-BK-10VDIM-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
440	MAZDA-DXR171020W-5K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
441	MAZDA-DXR171020W-5K-AC240-WH-DA-A123 X B93 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
442	MAZDA-DXR171020W-5K-AC240-WH-DA-EM-A123 X B93 X C110MM	20W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
443	MAZDA-DXR171020W-5K-AC240-BK-DA-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
444	MAZDA-DXR171020W-5K-AC240-BK-DA-EM-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
445	MAZDA-DXR171020W-5K-AC240-WH-ND-A123 X B93 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
446	MAZDA-DXR171020W-5K-AC240-WH-ND-EM-A123 X B93 X C110MM	20W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
447	MAZDA-DXR171020W-5K-AC240-BK-ND-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
448	MAZDA-DXR171020W-5K-AC240-BK-ND-EM-A123 X B93 X C110MM	20W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
449	MAZDA-DXR171020W-6K-AC240-WH-PH-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
450	MAZDA-DXR171020W-6K-AC240-WH-PH-EM-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
451	MAZDA-DXR171020W-6K-AC240-BK-PH-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
452	MAZDA-DXR171020W-6K-AC240-BK-PH-EM-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
453	MAZDA-DXR171020W-6K-AC240-WH-10VDIM-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
454	MAZDA-DXR171020W-6K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
455	MAZDA-DXR171020W-6K-AC240-BK-10VDIM-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
456	MAZDA-DXR171020W-6K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
457	MAZDA-DXR171020W-6K-AC240-WH-DA-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
458	MAZDA-DXR171020W-6K-AC240-WH-DA-EM-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
459	MAZDA-DXR171020W-6K-AC240-BK-DA-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
460	MAZDA-DXR171020W-6K-AC240-BK-DA-EM-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
461	MAZDA-DXR171020W-6K-AC240-WH-ND-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
462	MAZDA-DXR171020W-6K-AC240-WH-ND-EM-A123 X B93 X C110MM	20W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
463	MAZDA-DXR171020W-6K-AC240-BK-ND-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
464	MAZDA-DXR171020W-6K-AC240-BK-ND-EM-A123 X B93 X C110MM	20W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
465	MAZDA-DXR171020W-6.5K-AC240-WH-PH-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
466	MAZDA-DXR171020W-6.5K-AC240-WH-PH-EM-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
467	MAZDA-DXR171020W-6.5K-AC240-BK-PH-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
468	MAZDA-DXR171020W-6.5K-AC240-BK-PH-EM-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
469	MAZDA-DXR171020W-6.5K-AC240-WH-10VDIM-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
470	MAZDA-DXR171020W-6.5K-AC240-WH-10VDIM-EM-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
471	MAZDA-DXR171020W-6.5K-AC240-BK-10VDIM-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
472	MAZDA-DXR171020W-6.5K-AC240-BK-10VDIM-EM-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
473	MAZDA-DXR171020W-6.5K-AC240-WH-DA-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
474	MAZDA-DXR171020W-6.5K-AC240-WH-DA-EM-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
475	MAZDA-DXR171020W-6.5K-AC240-BK-DA-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
476	MAZDA-DXR171020W-6.5K-AC240-BK-DA-EM-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
477	MAZDA-DXR171020W-6.5K-AC240-WH-ND-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
478	MAZDA-DXR171020W-6.5K-AC240-WH-ND-EM-A123 X B93 X C110MM	20W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
479	MAZDA-DXR171020W-6.5K-AC240-BK-ND-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
480	MAZDA-DXR171020W-6.5K-AC240-BK-ND-EM-A123 X B93 X C110MM	20W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A123 X B93 X C110MM	DIE CAST ALUMINUM	IP66	2400LM	A123 X B93 X C110MM	
481	MAZDA-DXR171035W-2.7K-AC240-WH-PH-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
482	MAZDA-DXR171035W-2.7K-AC240-WH-PH-EM-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
483	MAZDA-DXR171035W-2.7K-AC240-BK-PH-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
484	MAZDA-DXR171035W-2.7K-AC240-BK-PH-EM-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
485	MAZDA-DXR171035W-2.7K-AC240-WH-10VDIM-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
486	MAZDA-DXR171035W-2.7K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
487	MAZDA-DXR171035W-2.7K-AC240-BK-10VDIM-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
488	MAZDA-DXR171035W-2.7K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
489	MAZDA-DXR171035W-2.7K-AC240-WH-DA-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
490	MAZDA-DXR171035W-2.7K-AC240-WH-DA-EM-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
491	MAZDA-DXR171035W-2.7K-AC240-BK-DA-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
492	MAZDA-DXR171035W-2.7K-AC240-BK-DA-EM-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
493	MAZDA-DXR171035W-2.7K-AC240-WH-ND-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
494	MAZDA-DXR171035W-2.7K-AC240-WH-ND-EM-A145 X B106 X C130MM	35W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
495	MAZDA-DXR171035W-2.7K-AC240-BK-ND-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
496	MAZDA-DXR171035W-2.7K-AC240-BK-ND-EM-A145 X B106 X C130MM	35W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
497	MAZDA-DXR171035W-3K-AC240-WH-PH-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
498	MAZDA-DXR171035W-3K-AC240-WH-PH-EM-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
499	MAZDA-DXR171035W-3K-AC240-BK-PH-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
500	MAZDA-DXR171035W-3K-AC240-BK-PH-EM-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
501	MAZDA-DXR171035W-3K-AC240-WH-10VDIM-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
502	MAZDA-DXR171035W-3K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
503	MAZDA-DXR171035W-3K-AC240-BK-10VDIM-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
504	MAZDA-DXR171035W-3K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
505	MAZDA-DXR171035W-3K-AC240-WH-DA-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
506	MAZDA-DXR171035W-3K-AC240-WH-DA-EM-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
507	MAZDA-DXR171035W-3K-AC240-BK-DA-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
508	MAZDA-DXR171035W-3K-AC240-BK-DA-EM-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
509	MAZDA-DXR171035W-3K-AC240-WH-ND-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
510	MAZDA-DXR171035W-3K-AC240-WH-ND-EM-A145 X B106 X C130MM	35W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
511	MAZDA-DXR171035W-3K-AC240-BK-ND-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
512	MAZDA-DXR171035W-3K-AC240-BK-ND-EM-A145 X B106 X C130MM	35W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
513	MAZDA-DXR171035W-4K-AC240-WH-PH-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
514	MAZDA-DXR171035W-4K-AC240-WH-PH-EM-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
515	MAZDA-DXR171035W-4K-AC240-BK-PH-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
516	MAZDA-DXR171035W-4K-AC240-BK-PH-EM-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
517	MAZDA-DXR171035W-4K-AC240-WH-10VDIM-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
518	MAZDA-DXR171035W-4K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
519	MAZDA-DXR171035W-4K-AC240-BK-10VDIM-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
520	MAZDA-DXR171035W-4K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
521	MAZDA-DXR171035W-4K-AC240-WH-DA-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
522	MAZDA-DXR171035W-4K-AC240-WH-DA-EM-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
523	MAZDA-DXR171035W-4K-AC240-BK-DA-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
524	MAZDA-DXR171035W-4K-AC240-BK-DA-EM-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
525	MAZDA-DXR171035W-4K-AC240-WH-ND-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
526	MAZDA-DXR171035W-4K-AC240-WH-ND-EM-A145 X B106 X C130MM	35W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
527	MAZDA-DXR171035W-4K-AC240-BK-ND-A145 X B106 X C130MM	35W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
528	**MAZDA-DXR171035W-4K-AC240-BK-ND-EM-A145 X B106 X C130MM**	35W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
529	**MAZDA-DXR171035W-5K-AC240-WH-PH-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
530	**MAZDA-DXR171035W-5K-AC240-WH-PH-EM-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
531	**MAZDA-DXR171035W-5K-AC240-BK-PH-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
532	**MAZDA-DXR171035W-5K-AC240-BK-PH-EM-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
533	**MAZDA-DXR171035W-5K-AC240-WH-10VDIM-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
534	**MAZDA-DXR171035W-5K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
535	**MAZDA-DXR171035W-5K-AC240-BK-10VDIM-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
536	**MAZDA-DXR171035W-5K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
537	**MAZDA-DXR171035W-5K-AC240-WH-DA-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
538	**MAZDA-DXR171035W-5K-AC240-WH-DA-EM-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
539	**MAZDA-DXR171035W-5K-AC240-BK-DA-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
540	**MAZDA-DXR171035W-5K-AC240-BK-DA-EM-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
541	**MAZDA-DXR171035W-5K-AC240-WH-ND-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
542	**MAZDA-DXR171035W-5K-AC240-WH-ND-EM-A145 X B106 X C130MM**	35W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
543	**MAZDA-DXR171035W-5K-AC240-BK-ND-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
544	**MAZDA-DXR171035W-5K-AC240-BK-ND-EM-A145 X B106 X C130MM**	35W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
545	**MAZDA-DXR171035W-6K-AC240-WH-PH-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
546	**MAZDA-DXR171035W-6K-AC240-WH-PH-EM-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
547	**MAZDA-DXR171035W-6K-AC240-BK-PH-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
548	**MAZDA-DXR171035W-6K-AC240-BK-PH-EM-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
549	**MAZDA-DXR171035W-6K-AC240-WH-10VDIM-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
550	**MAZDA-DXR171035W-6K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
551	**MAZDA-DXR171035W-6K-AC240-BK-10VDIM-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
552	**MAZDA-DXR171035W-6K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
553	**MAZDA-DXR171035W-6K-AC240-WH-DA-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
554	**MAZDA-DXR171035W-6K-AC240-WH-DA-EM-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
555	**MAZDA-DXR171035W-6K-AC240-BK-DA-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
556	**MAZDA-DXR171035W-6K-AC240-BK-DA-EM-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
557	**MAZDA-DXR171035W-6K-AC240-WH-ND-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
558	**MAZDA-DXR171035W-6K-AC240-WH-ND-EM-A145 X B106 X C130MM**	35W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
559	**MAZDA-DXR171035W-6K-AC240-BK-ND-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
560	**MAZDA-DXR171035W-6K-AC240-BK-ND-EM-A145 X B106 X C130MM**	35W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
561	**MAZDA-DXR171035W-6.5K-AC240-WH-PH-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
562	**MAZDA-DXR171035W-6.5K-AC240-WH-PH-EM-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
563	**MAZDA-DXR171035W-6.5K-AC240-BK-PH-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
564	**MAZDA-DXR171035W-6.5K-AC240-BK-PH-EM-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
565	**MAZDA-DXR171035W-6.5K-AC240-WH-10VDIM-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
566	**MAZDA-DXR171035W-6.5K-AC240-WH-10VDIM-EM-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
567	**MAZDA-DXR171035W-6.5K-AC240-BK-10VDIM-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
568	**MAZDA-DXR171035W-6.5K-AC240-BK-10VDIM-EM-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
569	**MAZDA-DXR171035W-6.5K-AC240-WH-DA-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
570	**MAZDA-DXR171035W-6.5K-AC240-WH-DA-EM-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
571	**MAZDA-DXR171035W-6.5K-AC240-BK-DA-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
572	**MAZDA-DXR171035W-6.5K-AC240-BK-DA-EM-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
573	**MAZDA-DXR171035W-6.5K-AC240-WH-ND-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
574	**MAZDA-DXR171035W-6.5K-AC240-WH-ND-EM-A145 X B106 X C130MM**	35W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
575	**MAZDA-DXR171035W-6.5K-AC240-BK-ND-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	
576	**MAZDA-DXR171035W-6.5K-AC240-BK-ND-EM-A145 X B106 X C130MM**	35W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B106 X C130MM	DIE CAST ALUMINUM	IP66	4200LM	A145 X B106 X C130MM	