DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



LOMI

MAZDA Model: DXR1717 Downlight

Lomi LED Down Light attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. The light efficiency reach up to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR171715W-2.7K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
2	MAZDA-DXR171715W-2.7K-AC240-WH-PH-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
3	MAZDA-DXR171715W-2.7K-AC240-WH-DA-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
4	MAZDA-DXR171715W-2.7K-AC240-WH-ND-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
5	MAZDA-DXR171715W-3K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
6	MAZDA-DXR171715W-3K-AC240-WH-PH-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
7	MAZDA-DXR171715W-3K-AC240-WH-DA-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
8	MAZDA-DXR171715W-3K-AC240-WH-ND-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
9	MAZDA-DXR171715W-4K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
10	MAZDA-DXR171715W-4K-AC240-WH-PH-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
11	MAZDA-DXR171715W-4K-AC240-WH-DA-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
12	MAZDA-DXR171715W-4K-AC240-WH-ND-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
13	MAZDA-DXR171715W-5K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
14	MAZDA-DXR171715W-5K-AC240-WH-PH-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
15	MAZDA-DXR171715W-5K-AC240-WH-DA-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
16	MAZDA-DXR171715W-5K-AC240-WH-ND-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
17	MAZDA-DXR171715W-6K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
18	MAZDA-DXR171715W-6K-AC240-WH-PH-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
19	MAZDA-DXR171715W-6K-AC240-WH-DA-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
20	MAZDA-DXR171715W-6K-AC240-WH-ND-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR171715W-6.5K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
22	MAZDA-DXR171715W-6.5K-AC240-WH-PH-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
23	MAZDA-DXR171715W-6.5K-AC240-WH-DA-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
24	MAZDA-DXR171715W-6.5K-AC240-WH-ND-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
25	MAZDA-DXR171720W-2.7K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
26	MAZDA-DXR171720W-2.7K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
27	MAZDA-DXR171720W-2.7K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
28	MAZDA-DXR171720W-2.7K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
29	MAZDA-DXR171720W-2.7K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
30	MAZDA-DXR171720W-2.7K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
31	MAZDA-DXR171720W-2.7K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
32	MAZDA-DXR171720W-2.7K-AC240-WH-PH-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
33	MAZDA-DXR171720W-2.7K-AC240-GRY-PH-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
34	MAZDA-DXR171720W-2.7K-AC240-Cs-PH-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
35	MAZDA-DXR171720W-2.7K-AC240-BK-PH-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
36	MAZDA-DXR171720W-2.7K-AC240-SL-PH-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
37	MAZDA-DXR171720W-2.7K-AC240-GD-PH-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
38	MAZDA-DXR171720W-2.7K-AC240-CH-PH-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
39	MAZDA-DXR171720W-2.7K-AC240-WH-DA-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
40	MAZDA-DXR171720W-2.7K-AC240-GRY-DA-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
41	MAZDA-DXR171720W-2.7K-AC240-Cs-DA-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
42	MAZDA-DXR171720W-2.7K-AC240-BK-DA-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
43	MAZDA-DXR171720W-2.7K-AC240-SL-DA-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
44	MAZDA-DXR171720W-2.7K-AC240-GD-DA-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
45	MAZDA-DXR171720W-2.7K-AC240-CH-DA-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
46	MAZDA-DXR171720W-2.7K-AC240-WH-ND-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
47	MAZDA-DXR171720W-2.7K-AC240-GRY-ND-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
48	MAZDA-DXR171720W-2.7K-AC240-Cs-ND-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
49	MAZDA-DXR171720W-2.7K-AC240-BK-ND-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
50	MAZDA-DXR171720W-2.7K-AC240-SL-ND-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
51	MAZDA-DXR171720W-2.7K-AC240-GD-ND-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
52	**MAZDA-DXR171720W-2.7K-AC240-CH-ND-A135 X B72 X C110MM**	20W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
53	**MAZDA-DXR171720W-3K-AC240-WH-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
54	**MAZDA-DXR171720W-3K-AC240-GRY-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
55	**MAZDA-DXR171720W-3K-AC240-Cs-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
56	**MAZDA-DXR171720W-3K-AC240-BK-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
57	**MAZDA-DXR171720W-3K-AC240-SL-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
58	**MAZDA-DXR171720W-3K-AC240-GD-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
59	**MAZDA-DXR171720W-3K-AC240-CH-10VDIM-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
60	**MAZDA-DXR171720W-3K-AC240-WH-PH-A135 X B72 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
61	**MAZDA-DXR171720W-3K-AC240-GRY-PH-A135 X B72 X C110MM**	20W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
62	**MAZDA-DXR171720W-3K-AC240-Cs-PH-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
63	**MAZDA-DXR171720W-3K-AC240-BK-PH-A135 X B72 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
64	**MAZDA-DXR171720W-3K-AC240-SL-PH-A135 X B72 X C110MM**	20W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
65	**MAZDA-DXR171720W-3K-AC240-GD-PH-A135 X B72 X C110MM**	20W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
66	**MAZDA-DXR171720W-3K-AC240-CH-PH-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
67	**MAZDA-DXR171720W-3K-AC240-WH-DA-A135 X B72 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
68	**MAZDA-DXR171720W-3K-AC240-GRY-DA-A135 X B72 X C110MM**	20W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
69	**MAZDA-DXR171720W-3K-AC240-Cs-DA-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
70	**MAZDA-DXR171720W-3K-AC240-BK-DA-A135 X B72 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
71	**MAZDA-DXR171720W-3K-AC240-SL-DA-A135 X B72 X C110MM**	20W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
72	**MAZDA-DXR171720W-3K-AC240-GD-DA-A135 X B72 X C110MM**	20W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
73	**MAZDA-DXR171720W-3K-AC240-CH-DA-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
74	**MAZDA-DXR171720W-3K-AC240-WH-ND-A135 X B72 X C110MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
75	**MAZDA-DXR171720W-3K-AC240-GRY-ND-A135 X B72 X C110MM**	20W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
76	**MAZDA-DXR171720W-3K-AC240-Cs-ND-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
77	**MAZDA-DXR171720W-3K-AC240-BK-ND-A135 X B72 X C110MM**	20W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
78	**MAZDA-DXR171720W-3K-AC240-SL-ND-A135 X B72 X C110MM**	20W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
79	**MAZDA-DXR171720W-3K-AC240-GD-ND-A135 X B72 X C110MM**	20W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
80	**MAZDA-DXR171720W-3K-AC240-CH-ND-A135 X B72 X C110MM**	20W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
81	**MAZDA-DXR171720W-4K-AC240-WH-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
82	**MAZDA-DXR171720W-4K-AC240-GRY-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
83	**MAZDA-DXR171720W-4K-AC240-Cs-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
84	**MAZDA-DXR171720W-4K-AC240-BK-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
85	**MAZDA-DXR171720W-4K-AC240-SL-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
86	**MAZDA-DXR171720W-4K-AC240-GD-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
87	**MAZDA-DXR171720W-4K-AC240-CH-10VDIM-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
88	**MAZDA-DXR171720W-4K-AC240-WH-PH-A135 X B72 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
89	**MAZDA-DXR171720W-4K-AC240-GRY-PH-A135 X B72 X C110MM**	20W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
90	**MAZDA-DXR171720W-4K-AC240-Cs-PH-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
91	**MAZDA-DXR171720W-4K-AC240-BK-PH-A135 X B72 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
92	**MAZDA-DXR171720W-4K-AC240-SL-PH-A135 X B72 X C110MM**	20W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
93	**MAZDA-DXR171720W-4K-AC240-GD-PH-A135 X B72 X C110MM**	20W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
94	**MAZDA-DXR171720W-4K-AC240-CH-PH-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
95	**MAZDA-DXR171720W-4K-AC240-WH-DA-A135 X B72 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
96	**MAZDA-DXR171720W-4K-AC240-GRY-DA-A135 X B72 X C110MM**	20W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
97	**MAZDA-DXR171720W-4K-AC240-Cs-DA-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
98	**MAZDA-DXR171720W-4K-AC240-BK-DA-A135 X B72 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
99	**MAZDA-DXR171720W-4K-AC240-SL-DA-A135 X B72 X C110MM**	20W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
100	**MAZDA-DXR171720W-4K-AC240-GD-DA-A135 X B72 X C110MM**	20W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
101	**MAZDA-DXR171720W-4K-AC240-CH-DA-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
102	**MAZDA-DXR171720W-4K-AC240-WH-ND-A135 X B72 X C110MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
103	**MAZDA-DXR171720W-4K-AC240-GRY-ND-A135 X B72 X C110MM**	20W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
104	**MAZDA-DXR171720W-4K-AC240-Cs-ND-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
105	**MAZDA-DXR171720W-4K-AC240-BK-ND-A135 X B72 X C110MM**	20W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
106	**MAZDA-DXR171720W-4K-AC240-SL-ND-A135 X B72 X C110MM**	20W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
107	**MAZDA-DXR171720W-4K-AC240-GD-ND-A135 X B72 X C110MM**	20W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
108	**MAZDA-DXR171720W-4K-AC240-CH-ND-A135 X B72 X C110MM**	20W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
109	**MAZDA-DXR171720W-5K-AC240-WH-10VDIM-A135 X B72 X C110MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
110	**MAZDA-DXR171720W-5K-AC240-GRY-10VDIM-A135 X B72 X C110MM**	20W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
111	**MAZDA-DXR171720W-5K-AC240-Cs-10VDIM-A135 X B72 X C110MM**	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
112	**MAZDA-DXR171720W-5K-AC240-BK-10VDIM-A135 X B72 X C110MM**	20W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
113	**MAZDA-DXR171720W-5K-AC240-SL-10VDIM-A135 X B72 X C110MM**	20W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
114	MAZDA-DXR171720W-5K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
115	MAZDA-DXR171720W-5K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
116	MAZDA-DXR171720W-5K-AC240-WH-PH-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
117	MAZDA-DXR171720W-5K-AC240-GRY-PH-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
118	MAZDA-DXR171720W-5K-AC240-Cs-PH-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
119	MAZDA-DXR171720W-5K-AC240-BK-PH-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
120	MAZDA-DXR171720W-5K-AC240-SL-PH-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
121	MAZDA-DXR171720W-5K-AC240-GD-PH-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
122	MAZDA-DXR171720W-5K-AC240-CH-PH-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
123	MAZDA-DXR171720W-5K-AC240-WH-DA-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
124	MAZDA-DXR171720W-5K-AC240-GRY-DA-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
125	MAZDA-DXR171720W-5K-AC240-Cs-DA-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
126	MAZDA-DXR171720W-5K-AC240-BK-DA-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
127	MAZDA-DXR171720W-5K-AC240-SL-DA-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
128	MAZDA-DXR171720W-5K-AC240-GD-DA-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
129	MAZDA-DXR171720W-5K-AC240-CH-DA-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
130	MAZDA-DXR171720W-5K-AC240-WH-ND-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
131	MAZDA-DXR171720W-5K-AC240-GRY-ND-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
132	MAZDA-DXR171720W-5K-AC240-Cs-ND-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
133	MAZDA-DXR171720W-5K-AC240-BK-ND-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
134	MAZDA-DXR171720W-5K-AC240-SL-ND-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
135	MAZDA-DXR171720W-5K-AC240-GD-ND-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
136	MAZDA-DXR171720W-5K-AC240-CH-ND-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
137	MAZDA-DXR171720W-6K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
138	MAZDA-DXR171720W-6K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
139	MAZDA-DXR171720W-6K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
140	MAZDA-DXR171720W-6K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
141	MAZDA-DXR171720W-6K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
142	MAZDA-DXR171720W-6K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
143	MAZDA-DXR171720W-6K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
144	MAZDA-DXR171720W-6K-AC240-WH-PH-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
145	**MAZDA-DXR171720W-6K-AC240-GRY-PH-A135 X B72 X C110MM**	20W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
146	**MAZDA-DXR171720W-6K-AC240-Cs-PH-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
147	**MAZDA-DXR171720W-6K-AC240-BK-PH-A135 X B72 X C110MM**	20W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
148	**MAZDA-DXR171720W-6K-AC240-SL-PH-A135 X B72 X C110MM**	20W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
149	**MAZDA-DXR171720W-6K-AC240-GD-PH-A135 X B72 X C110MM**	20W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
150	**MAZDA-DXR171720W-6K-AC240-CH-PH-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
151	**MAZDA-DXR171720W-6K-AC240-WH-DA-A135 X B72 X C110MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
152	**MAZDA-DXR171720W-6K-AC240-GRY-DA-A135 X B72 X C110MM**	20W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
153	**MAZDA-DXR171720W-6K-AC240-Cs-DA-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
154	**MAZDA-DXR171720W-6K-AC240-BK-DA-A135 X B72 X C110MM**	20W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
155	**MAZDA-DXR171720W-6K-AC240-SL-DA-A135 X B72 X C110MM**	20W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
156	**MAZDA-DXR171720W-6K-AC240-GD-DA-A135 X B72 X C110MM**	20W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
157	**MAZDA-DXR171720W-6K-AC240-CH-DA-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
158	**MAZDA-DXR171720W-6K-AC240-WH-ND-A135 X B72 X C110MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
159	**MAZDA-DXR171720W-6K-AC240-GRY-ND-A135 X B72 X C110MM**	20W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
160	**MAZDA-DXR171720W-6K-AC240-Cs-ND-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
161	**MAZDA-DXR171720W-6K-AC240-BK-ND-A135 X B72 X C110MM**	20W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
162	**MAZDA-DXR171720W-6K-AC240-SL-ND-A135 X B72 X C110MM**	20W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
163	**MAZDA-DXR171720W-6K-AC240-GD-ND-A135 X B72 X C110MM**	20W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
164	**MAZDA-DXR171720W-6K-AC240-CH-ND-A135 X B72 X C110MM**	20W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
165	**MAZDA-DXR171720W-6.5K-AC240-WH-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
166	**MAZDA-DXR171720W-6.5K-AC240-GRY-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
167	**MAZDA-DXR171720W-6.5K-AC240-Cs-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
168	**MAZDA-DXR171720W-6.5K-AC240-BK-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
169	**MAZDA-DXR171720W-6.5K-AC240-SL-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
170	**MAZDA-DXR171720W-6.5K-AC240-GD-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
171	**MAZDA-DXR171720W-6.5K-AC240-CH-10VDIM-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
172	**MAZDA-DXR171720W-6.5K-AC240-WH-PH-A135 X B72 X C110MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
173	**MAZDA-DXR171720W-6.5K-AC240-GRY-PH-A135 X B72 X C110MM**	20W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
174	**MAZDA-DXR171720W-6.5K-AC240-Cs-PH-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
175	**MAZDA-DXR171720W-6.5K-AC240-BK-PH-A135 X B72 X C110MM**	20W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
176	**MAZDA-DXR171720W-6.5K-AC240-SL-PH-A135 X B72 X C110MM**	20W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
177	**MAZDA-DXR171720W-6.5K-AC240-GD-PH-A135 X B72 X C110MM**	20W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
178	**MAZDA-DXR171720W-6.5K-AC240-CH-PH-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
179	**MAZDA-DXR171720W-6.5K-AC240-WH-DA-A135 X B72 X C110MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
180	**MAZDA-DXR171720W-6.5K-AC240-GRY-DA-A135 X B72 X C110MM**	20W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
181	**MAZDA-DXR171720W-6.5K-AC240-Cs-DA-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
182	**MAZDA-DXR171720W-6.5K-AC240-BK-DA-A135 X B72 X C110MM**	20W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
183	**MAZDA-DXR171720W-6.5K-AC240-SL-DA-A135 X B72 X C110MM**	20W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
184	**MAZDA-DXR171720W-6.5K-AC240-GD-DA-A135 X B72 X C110MM**	20W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
185	**MAZDA-DXR171720W-6.5K-AC240-CH-DA-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
186	**MAZDA-DXR171720W-6.5K-AC240-WH-ND-A135 X B72 X C110MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
187	**MAZDA-DXR171720W-6.5K-AC240-GRY-ND-A135 X B72 X C110MM**	20W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
188	**MAZDA-DXR171720W-6.5K-AC240-Cs-ND-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
189	**MAZDA-DXR171720W-6.5K-AC240-BK-ND-A135 X B72 X C110MM**	20W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
190	**MAZDA-DXR171720W-6.5K-AC240-SL-ND-A135 X B72 X C110MM**	20W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
191	**MAZDA-DXR171720W-6.5K-AC240-GD-ND-A135 X B72 X C110MM**	20W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
192	**MAZDA-DXR171720W-6.5K-AC240-CH-ND-A135 X B72 X C110MM**	20W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
193	**MAZDA-DXR171725W-2.7K-AC240-WH-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
194	**MAZDA-DXR171725W-2.7K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
195	**MAZDA-DXR171725W-2.7K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
196	**MAZDA-DXR171725W-2.7K-AC240-BK-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
197	**MAZDA-DXR171725W-2.7K-AC240-SL-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
198	**MAZDA-DXR171725W-2.7K-AC240-GD-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
199	**MAZDA-DXR171725W-2.7K-AC240-CH-10VDIM-A158 X B78 X C130MM**	25W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
200	**MAZDA-DXR171725W-2.7K-AC240-WH-PH-A158 X B78 X C130MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
201	**MAZDA-DXR171725W-2.7K-AC240-GRY-PH-A158 X B78 X C130MM**	25W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
202	**MAZDA-DXR171725W-2.7K-AC240-Cs-PH-A158 X B78 X C130MM**	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
203	**MAZDA-DXR171725W-2.7K-AC240-BK-PH-A158 X B78 X C130MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
204	**MAZDA-DXR171725W-2.7K-AC240-SL-PH-A158 X B78 X C130MM**	25W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
205	**MAZDA-DXR171725W-2.7K-AC240-GD-PH-A158 X B78 X C130MM**	25W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
206	**MAZDA-DXR171725W-2.7K-AC240-CH-PH-A158 X B78 X C130MM**	25W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
207	MAZDA-DXR171725W-2.7K-AC240-WH-DA-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
208	MAZDA-DXR171725W-2.7K-AC240-GRY-DA-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
209	MAZDA-DXR171725W-2.7K-AC240-Cs-DA-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
210	MAZDA-DXR171725W-2.7K-AC240-BK-DA-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
211	MAZDA-DXR171725W-2.7K-AC240-SL-DA-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
212	MAZDA-DXR171725W-2.7K-AC240-GD-DA-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
213	MAZDA-DXR171725W-2.7K-AC240-CH-DA-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
214	MAZDA-DXR171725W-2.7K-AC240-WH-ND-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
215	MAZDA-DXR171725W-2.7K-AC240-GRY-ND-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
216	MAZDA-DXR171725W-2.7K-AC240-Cs-ND-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
217	MAZDA-DXR171725W-2.7K-AC240-BK-ND-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
218	MAZDA-DXR171725W-2.7K-AC240-SL-ND-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
219	MAZDA-DXR171725W-2.7K-AC240-GD-ND-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
220	MAZDA-DXR171725W-2.7K-AC240-CH-ND-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
221	MAZDA-DXR171725W-3K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
222	MAZDA-DXR171725W-3K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
223	MAZDA-DXR171725W-3K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
224	MAZDA-DXR171725W-3K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
225	MAZDA-DXR171725W-3K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
226	MAZDA-DXR171725W-3K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
227	MAZDA-DXR171725W-3K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
228	MAZDA-DXR171725W-3K-AC240-WH-PH-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
229	MAZDA-DXR171725W-3K-AC240-GRY-PH-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
230	MAZDA-DXR171725W-3K-AC240-Cs-PH-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
231	MAZDA-DXR171725W-3K-AC240-BK-PH-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
232	MAZDA-DXR171725W-3K-AC240-SL-PH-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
233	MAZDA-DXR171725W-3K-AC240-GD-PH-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
234	MAZDA-DXR171725W-3K-AC240-CH-PH-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
235	MAZDA-DXR171725W-3K-AC240-WH-DA-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
236	MAZDA-DXR171725W-3K-AC240-GRY-DA-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
237	MAZDA-DXR171725W-3K-AC240-Cs-DA-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
238	**MAZDA-DXR171725W-3K-AC240-BK-DA-A158 X B78 X C130MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
239	**MAZDA-DXR171725W-3K-AC240-SL-DA-A158 X B78 X C130MM**	25W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
240	**MAZDA-DXR171725W-3K-AC240-GD-DA-A158 X B78 X C130MM**	25W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
241	**MAZDA-DXR171725W-3K-AC240-CH-DA-A158 X B78 X C130MM**	25W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
242	**MAZDA-DXR171725W-3K-AC240-WH-ND-A158 X B78 X C130MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
243	**MAZDA-DXR171725W-3K-AC240-GRY-ND-A158 X B78 X C130MM**	25W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
244	**MAZDA-DXR171725W-3K-AC240-Cs-ND-A158 X B78 X C130MM**	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
245	**MAZDA-DXR171725W-3K-AC240-BK-ND-A158 X B78 X C130MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
246	**MAZDA-DXR171725W-3K-AC240-SL-ND-A158 X B78 X C130MM**	25W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
247	**MAZDA-DXR171725W-3K-AC240-GD-ND-A158 X B78 X C130MM**	25W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
248	**MAZDA-DXR171725W-3K-AC240-CH-ND-A158 X B78 X C130MM**	25W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
249	**MAZDA-DXR171725W-4K-AC240-WH-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
250	**MAZDA-DXR171725W-4K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
251	**MAZDA-DXR171725W-4K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
252	**MAZDA-DXR171725W-4K-AC240-BK-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
253	**MAZDA-DXR171725W-4K-AC240-SL-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
254	**MAZDA-DXR171725W-4K-AC240-GD-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
255	**MAZDA-DXR171725W-4K-AC240-CH-10VDIM-A158 X B78 X C130MM**	25W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
256	**MAZDA-DXR171725W-4K-AC240-WH-PH-A158 X B78 X C130MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
257	**MAZDA-DXR171725W-4K-AC240-GRY-PH-A158 X B78 X C130MM**	25W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
258	**MAZDA-DXR171725W-4K-AC240-Cs-PH-A158 X B78 X C130MM**	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
259	**MAZDA-DXR171725W-4K-AC240-BK-PH-A158 X B78 X C130MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
260	**MAZDA-DXR171725W-4K-AC240-SL-PH-A158 X B78 X C130MM**	25W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
261	**MAZDA-DXR171725W-4K-AC240-GD-PH-A158 X B78 X C130MM**	25W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
262	**MAZDA-DXR171725W-4K-AC240-CH-PH-A158 X B78 X C130MM**	25W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
263	**MAZDA-DXR171725W-4K-AC240-WH-DA-A158 X B78 X C130MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
264	**MAZDA-DXR171725W-4K-AC240-GRY-DA-A158 X B78 X C130MM**	25W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
265	**MAZDA-DXR171725W-4K-AC240-Cs-DA-A158 X B78 X C130MM**	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
266	**MAZDA-DXR171725W-4K-AC240-BK-DA-A158 X B78 X C130MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
267	**MAZDA-DXR171725W-4K-AC240-SL-DA-A158 X B78 X C130MM**	25W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
268	**MAZDA-DXR171725W-4K-AC240-GD-DA-A158 X B78 X C130MM**	25W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
269	MAZDA-DXR171725W-4K-AC240-CH-DA-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
270	MAZDA-DXR171725W-4K-AC240-WH-ND-A158 X B78 X C130MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
271	MAZDA-DXR171725W-4K-AC240-GRY-ND-A158 X B78 X C130MM	25W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
272	MAZDA-DXR171725W-4K-AC240-Cs-ND-A158 X B78 X C130MM	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
273	MAZDA-DXR171725W-4K-AC240-BK-ND-A158 X B78 X C130MM	25W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
274	MAZDA-DXR171725W-4K-AC240-SL-ND-A158 X B78 X C130MM	25W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
275	MAZDA-DXR171725W-4K-AC240-GD-ND-A158 X B78 X C130MM	25W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
276	MAZDA-DXR171725W-4K-AC240-CH-ND-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
277	MAZDA-DXR171725W-5K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
278	MAZDA-DXR171725W-5K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
279	MAZDA-DXR171725W-5K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
280	MAZDA-DXR171725W-5K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
281	MAZDA-DXR171725W-5K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
282	MAZDA-DXR171725W-5K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
283	MAZDA-DXR171725W-5K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
284	MAZDA-DXR171725W-5K-AC240-WH-PH-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
285	MAZDA-DXR171725W-5K-AC240-GRY-PH-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
286	MAZDA-DXR171725W-5K-AC240-Cs-PH-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
287	MAZDA-DXR171725W-5K-AC240-BK-PH-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
288	MAZDA-DXR171725W-5K-AC240-SL-PH-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
289	MAZDA-DXR171725W-5K-AC240-GD-PH-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
290	MAZDA-DXR171725W-5K-AC240-CH-PH-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
291	MAZDA-DXR171725W-5K-AC240-WH-DA-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
292	MAZDA-DXR171725W-5K-AC240-GRY-DA-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
293	MAZDA-DXR171725W-5K-AC240-Cs-DA-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
294	MAZDA-DXR171725W-5K-AC240-BK-DA-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
295	MAZDA-DXR171725W-5K-AC240-SL-DA-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
296	MAZDA-DXR171725W-5K-AC240-GD-DA-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
297	MAZDA-DXR171725W-5K-AC240-CH-DA-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
298	MAZDA-DXR171725W-5K-AC240-WH-ND-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
299	MAZDA-DXR171725W-5K-AC240-GRY-ND-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
300	MAZDA-DXR171725W-5K-AC240-Cs-ND-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
301	MAZDA-DXR171725W-5K-AC240-BK-ND-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
302	MAZDA-DXR171725W-5K-AC240-SL-ND-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
303	MAZDA-DXR171725W-5K-AC240-GD-ND-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
304	MAZDA-DXR171725W-5K-AC240-CH-ND-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
305	MAZDA-DXR171725W-6K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
306	MAZDA-DXR171725W-6K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
307	MAZDA-DXR171725W-6K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
308	MAZDA-DXR171725W-6K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
309	MAZDA-DXR171725W-6K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
310	MAZDA-DXR171725W-6K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
311	MAZDA-DXR171725W-6K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
312	MAZDA-DXR171725W-6K-AC240-WH-PH-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
313	MAZDA-DXR171725W-6K-AC240-GRY-PH-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
314	MAZDA-DXR171725W-6K-AC240-Cs-PH-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
315	MAZDA-DXR171725W-6K-AC240-BK-PH-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
316	MAZDA-DXR171725W-6K-AC240-SL-PH-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
317	MAZDA-DXR171725W-6K-AC240-GD-PH-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
318	MAZDA-DXR171725W-6K-AC240-CH-PH-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
319	MAZDA-DXR171725W-6K-AC240-WH-DA-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
320	MAZDA-DXR171725W-6K-AC240-GRY-DA-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
321	MAZDA-DXR171725W-6K-AC240-Cs-DA-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
322	MAZDA-DXR171725W-6K-AC240-BK-DA-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
323	MAZDA-DXR171725W-6K-AC240-SL-DA-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
324	MAZDA-DXR171725W-6K-AC240-GD-DA-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
325	MAZDA-DXR171725W-6K-AC240-CH-DA-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
326	MAZDA-DXR171725W-6K-AC240-WH-ND-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
327	MAZDA-DXR171725W-6K-AC240-GRY-ND-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
328	MAZDA-DXR171725W-6K-AC240-Cs-ND-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
329	MAZDA-DXR171725W-6K-AC240-BK-ND-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
330	MAZDA-DXR171725W-6K-AC240-SL-ND-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
331	MAZDA-DXR171725W-6K-AC240-GD-ND-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
332	MAZDA-DXR171725W-6K-AC240-CH-ND-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
333	**MAZDA-DXR171725W-6.5K-AC240-WH-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
334	**MAZDA-DXR171725W-6.5K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
335	**MAZDA-DXR171725W-6.5K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
336	**MAZDA-DXR171725W-6.5K-AC240-BK-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
337	**MAZDA-DXR171725W-6.5K-AC240-SL-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
338	**MAZDA-DXR171725W-6.5K-AC240-GD-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
339	**MAZDA-DXR171725W-6.5K-AC240-CH-10VDIM-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
340	**MAZDA-DXR171725W-6.5K-AC240-WH-PH-A158 X B78 X C130MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
341	**MAZDA-DXR171725W-6.5K-AC240-GRY-PH-A158 X B78 X C130MM**	25W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
342	**MAZDA-DXR171725W-6.5K-AC240-Cs-PH-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
343	**MAZDA-DXR171725W-6.5K-AC240-BK-PH-A158 X B78 X C130MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
344	**MAZDA-DXR171725W-6.5K-AC240-SL-PH-A158 X B78 X C130MM**	25W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
345	**MAZDA-DXR171725W-6.5K-AC240-GD-PH-A158 X B78 X C130MM**	25W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
346	**MAZDA-DXR171725W-6.5K-AC240-CH-PH-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
347	**MAZDA-DXR171725W-6.5K-AC240-WH-DA-A158 X B78 X C130MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
348	**MAZDA-DXR171725W-6.5K-AC240-GRY-DA-A158 X B78 X C130MM**	25W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
349	**MAZDA-DXR171725W-6.5K-AC240-Cs-DA-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
350	**MAZDA-DXR171725W-6.5K-AC240-BK-DA-A158 X B78 X C130MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
351	**MAZDA-DXR171725W-6.5K-AC240-SL-DA-A158 X B78 X C130MM**	25W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
352	**MAZDA-DXR171725W-6.5K-AC240-GD-DA-A158 X B78 X C130MM**	25W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
353	**MAZDA-DXR171725W-6.5K-AC240-CH-DA-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
354	**MAZDA-DXR171725W-6.5K-AC240-WH-ND-A158 X B78 X C130MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
355	**MAZDA-DXR171725W-6.5K-AC240-GRY-ND-A158 X B78 X C130MM**	25W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
356	**MAZDA-DXR171725W-6.5K-AC240-Cs-ND-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
357	**MAZDA-DXR171725W-6.5K-AC240-BK-ND-A158 X B78 X C130MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
358	**MAZDA-DXR171725W-6.5K-AC240-SL-ND-A158 X B78 X C130MM**	25W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
359	**MAZDA-DXR171725W-6.5K-AC240-GD-ND-A158 X B78 X C130MM**	25W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
360	**MAZDA-DXR171725W-6.5K-AC240-CH-ND-A158 X B78 X C130MM**	25W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
361	**MAZDA-DXR171730W-2.7K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
362	**MAZDA-DXR171730W-2.7K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
363	**MAZDA-DXR171730W-2.7K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
364	**MAZDA-DXR171730W-2.7K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
365	**MAZDA-DXR171730W-2.7K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
366	**MAZDA-DXR171730W-2.7K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
367	**MAZDA-DXR171730W-2.7K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
368	**MAZDA-DXR171730W-2.7K-AC240-WH-PH-A158 X B78 X C130MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
369	**MAZDA-DXR171730W-2.7K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
370	**MAZDA-DXR171730W-2.7K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
371	**MAZDA-DXR171730W-2.7K-AC240-BK-PH-A158 X B78 X C130MM**	30W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
372	**MAZDA-DXR171730W-2.7K-AC240-SL-PH-A158 X B78 X C130MM**	30W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
373	**MAZDA-DXR171730W-2.7K-AC240-GD-PH-A158 X B78 X C130MM**	30W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
374	**MAZDA-DXR171730W-2.7K-AC240-CH-PH-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
375	**MAZDA-DXR171730W-2.7K-AC240-WH-DA-A158 X B78 X C130MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
376	**MAZDA-DXR171730W-2.7K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
377	**MAZDA-DXR171730W-2.7K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
378	**MAZDA-DXR171730W-2.7K-AC240-BK-DA-A158 X B78 X C130MM**	30W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
379	**MAZDA-DXR171730W-2.7K-AC240-SL-DA-A158 X B78 X C130MM**	30W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
380	**MAZDA-DXR171730W-2.7K-AC240-GD-DA-A158 X B78 X C130MM**	30W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
381	**MAZDA-DXR171730W-2.7K-AC240-CH-DA-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
382	**MAZDA-DXR171730W-2.7K-AC240-WH-ND-A158 X B78 X C130MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
383	**MAZDA-DXR171730W-2.7K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
384	**MAZDA-DXR171730W-2.7K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
385	**MAZDA-DXR171730W-2.7K-AC240-BK-ND-A158 X B78 X C130MM**	30W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
386	**MAZDA-DXR171730W-2.7K-AC240-SL-ND-A158 X B78 X C130MM**	30W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
387	**MAZDA-DXR171730W-2.7K-AC240-GD-ND-A158 X B78 X C130MM**	30W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
388	**MAZDA-DXR171730W-2.7K-AC240-CH-ND-A158 X B78 X C130MM**	30W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
389	**MAZDA-DXR171730W-3K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
390	**MAZDA-DXR171730W-3K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
391	**MAZDA-DXR171730W-3K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
392	**MAZDA-DXR171730W-3K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
393	**MAZDA-DXR171730W-3K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
394	**MAZDA-DXR171730W-3K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
395	**MAZDA-DXR171730W-3K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
396	**MAZDA-DXR171730W-3K-AC240-WH-PH-A158 X B78 X C130MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
397	**MAZDA-DXR171730W-3K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
398	**MAZDA-DXR171730W-3K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
399	**MAZDA-DXR171730W-3K-AC240-BK-PH-A158 X B78 X C130MM**	30W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
400	**MAZDA-DXR171730W-3K-AC240-SL-PH-A158 X B78 X C130MM**	30W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
401	**MAZDA-DXR171730W-3K-AC240-GD-PH-A158 X B78 X C130MM**	30W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
402	**MAZDA-DXR171730W-3K-AC240-CH-PH-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
403	**MAZDA-DXR171730W-3K-AC240-WH-DA-A158 X B78 X C130MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
404	**MAZDA-DXR171730W-3K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
405	**MAZDA-DXR171730W-3K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
406	**MAZDA-DXR171730W-3K-AC240-BK-DA-A158 X B78 X C130MM**	30W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
407	**MAZDA-DXR171730W-3K-AC240-SL-DA-A158 X B78 X C130MM**	30W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
408	**MAZDA-DXR171730W-3K-AC240-GD-DA-A158 X B78 X C130MM**	30W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
409	**MAZDA-DXR171730W-3K-AC240-CH-DA-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
410	**MAZDA-DXR171730W-3K-AC240-WH-ND-A158 X B78 X C130MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
411	**MAZDA-DXR171730W-3K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
412	**MAZDA-DXR171730W-3K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
413	**MAZDA-DXR171730W-3K-AC240-BK-ND-A158 X B78 X C130MM**	30W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
414	**MAZDA-DXR171730W-3K-AC240-SL-ND-A158 X B78 X C130MM**	30W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
415	**MAZDA-DXR171730W-3K-AC240-GD-ND-A158 X B78 X C130MM**	30W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
416	**MAZDA-DXR171730W-3K-AC240-CH-ND-A158 X B78 X C130MM**	30W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
417	**MAZDA-DXR171730W-4K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
418	**MAZDA-DXR171730W-4K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
419	**MAZDA-DXR171730W-4K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
420	**MAZDA-DXR171730W-4K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
421	**MAZDA-DXR171730W-4K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
422	**MAZDA-DXR171730W-4K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
423	**MAZDA-DXR171730W-4K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
424	**MAZDA-DXR171730W-4K-AC240-WH-PH-A158 X B78 X C130MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
425	**MAZDA-DXR171730W-4K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
426	**MAZDA-DXR171730W-4K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
427	**MAZDA-DXR171730W-4K-AC240-BK-PH-A158 X B78 X C130MM**	30W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
428	**MAZDA-DXR171730W-4K-AC240-SL-PH-A158 X B78 X C130MM**	30W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
429	**MAZDA-DXR171730W-4K-AC240-GD-PH-A158 X B78 X C130MM**	30W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
430	**MAZDA-DXR171730W-4K-AC240-CH-PH-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
431	**MAZDA-DXR171730W-4K-AC240-WH-DA-A158 X B78 X C130MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
432	**MAZDA-DXR171730W-4K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
433	**MAZDA-DXR171730W-4K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
434	**MAZDA-DXR171730W-4K-AC240-BK-DA-A158 X B78 X C130MM**	30W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
435	**MAZDA-DXR171730W-4K-AC240-SL-DA-A158 X B78 X C130MM**	30W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
436	**MAZDA-DXR171730W-4K-AC240-GD-DA-A158 X B78 X C130MM**	30W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
437	**MAZDA-DXR171730W-4K-AC240-CH-DA-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
438	**MAZDA-DXR171730W-4K-AC240-WH-ND-A158 X B78 X C130MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
439	**MAZDA-DXR171730W-4K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
440	**MAZDA-DXR171730W-4K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
441	**MAZDA-DXR171730W-4K-AC240-BK-ND-A158 X B78 X C130MM**	30W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
442	**MAZDA-DXR171730W-4K-AC240-SL-ND-A158 X B78 X C130MM**	30W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
443	**MAZDA-DXR171730W-4K-AC240-GD-ND-A158 X B78 X C130MM**	30W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
444	**MAZDA-DXR171730W-4K-AC240-CH-ND-A158 X B78 X C130MM**	30W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
445	**MAZDA-DXR171730W-5K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
446	**MAZDA-DXR171730W-5K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
447	**MAZDA-DXR171730W-5K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
448	**MAZDA-DXR171730W-5K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
449	**MAZDA-DXR171730W-5K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
450	**MAZDA-DXR171730W-5K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
451	**MAZDA-DXR171730W-5K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
452	**MAZDA-DXR171730W-5K-AC240-WH-PH-A158 X B78 X C130MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
453	**MAZDA-DXR171730W-5K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
454	**MAZDA-DXR171730W-5K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
455	**MAZDA-DXR171730W-5K-AC240-BK-PH-A158 X B78 X C130MM**	30W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
456	**MAZDA-DXR171730W-5K-AC240-SL-PH-A158 X B78 X C130MM**	30W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
457	**MAZDA-DXR171730W-5K-AC240-GD-PH-A158 X B78 X C130MM**	30W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
458	**MAZDA-DXR171730W-5K-AC240-CH-PH-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
459	**MAZDA-DXR171730W-5K-AC240-WH-DA-A158 X B78 X C130MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
460	**MAZDA-DXR171730W-5K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
461	**MAZDA-DXR171730W-5K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
462	**MAZDA-DXR171730W-5K-AC240-BK-DA-A158 X B78 X C130MM**	30W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
463	**MAZDA-DXR171730W-5K-AC240-SL-DA-A158 X B78 X C130MM**	30W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
464	**MAZDA-DXR171730W-5K-AC240-GD-DA-A158 X B78 X C130MM**	30W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
465	**MAZDA-DXR171730W-5K-AC240-CH-DA-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
466	**MAZDA-DXR171730W-5K-AC240-WH-ND-A158 X B78 X C130MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
467	**MAZDA-DXR171730W-5K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
468	**MAZDA-DXR171730W-5K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
469	**MAZDA-DXR171730W-5K-AC240-BK-ND-A158 X B78 X C130MM**	30W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
470	**MAZDA-DXR171730W-5K-AC240-SL-ND-A158 X B78 X C130MM**	30W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
471	**MAZDA-DXR171730W-5K-AC240-GD-ND-A158 X B78 X C130MM**	30W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
472	**MAZDA-DXR171730W-5K-AC240-CH-ND-A158 X B78 X C130MM**	30W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
473	**MAZDA-DXR171730W-6K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
474	**MAZDA-DXR171730W-6K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
475	**MAZDA-DXR171730W-6K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
476	**MAZDA-DXR171730W-6K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
477	**MAZDA-DXR171730W-6K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
478	**MAZDA-DXR171730W-6K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
479	**MAZDA-DXR171730W-6K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
480	**MAZDA-DXR171730W-6K-AC240-WH-PH-A158 X B78 X C130MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
481	**MAZDA-DXR171730W-6K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
482	**MAZDA-DXR171730W-6K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
483	**MAZDA-DXR171730W-6K-AC240-BK-PH-A158 X B78 X C130MM**	30W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
484	**MAZDA-DXR171730W-6K-AC240-SL-PH-A158 X B78 X C130MM**	30W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
485	**MAZDA-DXR171730W-6K-AC240-GD-PH-A158 X B78 X C130MM**	30W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
486	**MAZDA-DXR171730W-6K-AC240-CH-PH-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
487	**MAZDA-DXR171730W-6K-AC240-WH-DA-A158 X B78 X C130MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
488	**MAZDA-DXR171730W-6K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
489	**MAZDA-DXR171730W-6K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
490	**MAZDA-DXR171730W-6K-AC240-BK-DA-A158 X B78 X C130MM**	30W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
491	**MAZDA-DXR171730W-6K-AC240-SL-DA-A158 X B78 X C130MM**	30W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
492	**MAZDA-DXR171730W-6K-AC240-GD-DA-A158 X B78 X C130MM**	30W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
493	**MAZDA-DXR171730W-6K-AC240-CH-DA-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
494	**MAZDA-DXR171730W-6K-AC240-WH-ND-A158 X B78 X C130MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
495	**MAZDA-DXR171730W-6K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
496	**MAZDA-DXR171730W-6K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
497	**MAZDA-DXR171730W-6K-AC240-BK-ND-A158 X B78 X C130MM**	30W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
498	**MAZDA-DXR171730W-6K-AC240-SL-ND-A158 X B78 X C130MM**	30W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
499	**MAZDA-DXR171730W-6K-AC240-GD-ND-A158 X B78 X C130MM**	30W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
500	**MAZDA-DXR171730W-6K-AC240-CH-ND-A158 X B78 X C130MM**	30W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
501	**MAZDA-DXR171730W-6.5K-AC240-WH-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
502	**MAZDA-DXR171730W-6.5K-AC240-GRY-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
503	**MAZDA-DXR171730W-6.5K-AC240-Cs-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
504	**MAZDA-DXR171730W-6.5K-AC240-BK-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
505	**MAZDA-DXR171730W-6.5K-AC240-SL-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
506	**MAZDA-DXR171730W-6.5K-AC240-GD-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
507	**MAZDA-DXR171730W-6.5K-AC240-CH-10VDIM-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
508	**MAZDA-DXR171730W-6.5K-AC240-WH-PH-A158 X B78 X C130MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
509	**MAZDA-DXR171730W-6.5K-AC240-GRY-PH-A158 X B78 X C130MM**	30W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
510	**MAZDA-DXR171730W-6.5K-AC240-Cs-PH-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
511	**MAZDA-DXR171730W-6.5K-AC240-BK-PH-A158 X B78 X C130MM**	30W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
512	**MAZDA-DXR171730W-6.5K-AC240-SL-PH-A158 X B78 X C130MM**	30W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
513	**MAZDA-DXR171730W-6.5K-AC240-GD-PH-A158 X B78 X C130MM**	30W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
514	**MAZDA-DXR171730W-6.5K-AC240-CH-PH-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
515	**MAZDA-DXR171730W-6.5K-AC240-WH-DA-A158 X B78 X C130MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
516	**MAZDA-DXR171730W-6.5K-AC240-GRY-DA-A158 X B78 X C130MM**	30W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
517	**MAZDA-DXR171730W-6.5K-AC240-Cs-DA-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
518	**MAZDA-DXR171730W-6.5K-AC240-BK-DA-A158 X B78 X C130MM**	30W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
519	**MAZDA-DXR171730W-6.5K-AC240-SL-DA-A158 X B78 X C130MM**	30W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
520	**MAZDA-DXR171730W-6.5K-AC240-GD-DA-A158 X B78 X C130MM**	30W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
521	**MAZDA-DXR171730W-6.5K-AC240-CH-DA-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
522	**MAZDA-DXR171730W-6.5K-AC240-WH-ND-A158 X B78 X C130MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
523	**MAZDA-DXR171730W-6.5K-AC240-GRY-ND-A158 X B78 X C130MM**	30W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
524	**MAZDA-DXR171730W-6.5K-AC240-Cs-ND-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
525	**MAZDA-DXR171730W-6.5K-AC240-BK-ND-A158 X B78 X C130MM**	30W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
526	**MAZDA-DXR171730W-6.5K-AC240-SL-ND-A158 X B78 X C130MM**	30W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
527	**MAZDA-DXR171730W-6.5K-AC240-GD-ND-A158 X B78 X C130MM**	30W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
528	**MAZDA-DXR171730W-6.5K-AC240-CH-ND-A158 X B78 X C130MM**	30W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
529	**MAZDA-DXR171740W-2.7K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
530	**MAZDA-DXR171740W-2.7K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
531	**MAZDA-DXR171740W-2.7K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
532	**MAZDA-DXR171740W-2.7K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
533	**MAZDA-DXR171740W-2.7K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
534	**MAZDA-DXR171740W-2.7K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
535	**MAZDA-DXR171740W-2.7K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
536	**MAZDA-DXR171740W-2.7K-AC240-WH-PH-A186 X B102 X C170MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
537	**MAZDA-DXR171740W-2.7K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
538	**MAZDA-DXR171740W-2.7K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
539	**MAZDA-DXR171740W-2.7K-AC240-BK-PH-A186 X B102 X C170MM**	40W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
540	**MAZDA-DXR171740W-2.7K-AC240-SL-PH-A186 X B102 X C170MM**	40W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
541	**MAZDA-DXR171740W-2.7K-AC240-GD-PH-A186 X B102 X C170MM**	40W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
542	**MAZDA-DXR171740W-2.7K-AC240-CH-PH-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
543	**MAZDA-DXR171740W-2.7K-AC240-WH-DA-A186 X B102 X C170MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
544	**MAZDA-DXR171740W-2.7K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
545	**MAZDA-DXR171740W-2.7K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
546	**MAZDA-DXR171740W-2.7K-AC240-BK-DA-A186 X B102 X C170MM**	40W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
547	**MAZDA-DXR171740W-2.7K-AC240-SL-DA-A186 X B102 X C170MM**	40W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
548	**MAZDA-DXR171740W-2.7K-AC240-GD-DA-A186 X B102 X C170MM**	40W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
549	**MAZDA-DXR171740W-2.7K-AC240-CH-DA-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
550	**MAZDA-DXR171740W-2.7K-AC240-WH-ND-A186 X B102 X C170MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
551	**MAZDA-DXR171740W-2.7K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
552	**MAZDA-DXR171740W-2.7K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
553	**MAZDA-DXR171740W-2.7K-AC240-BK-ND-A186 X B102 X C170MM**	40W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
554	**MAZDA-DXR171740W-2.7K-AC240-SL-ND-A186 X B102 X C170MM**	40W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
555	**MAZDA-DXR171740W-2.7K-AC240-GD-ND-A186 X B102 X C170MM**	40W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
556	**MAZDA-DXR171740W-2.7K-AC240-CH-ND-A186 X B102 X C170MM**	40W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
557	**MAZDA-DXR171740W-3K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
558	**MAZDA-DXR171740W-3K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
559	**MAZDA-DXR171740W-3K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
560	**MAZDA-DXR171740W-3K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
561	**MAZDA-DXR171740W-3K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
562	**MAZDA-DXR171740W-3K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
563	**MAZDA-DXR171740W-3K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
564	**MAZDA-DXR171740W-3K-AC240-WH-PH-A186 X B102 X C170MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
565	**MAZDA-DXR171740W-3K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
566	**MAZDA-DXR171740W-3K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
567	**MAZDA-DXR171740W-3K-AC240-BK-PH-A186 X B102 X C170MM**	40W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
568	**MAZDA-DXR171740W-3K-AC240-SL-PH-A186 X B102 X C170MM**	40W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
569	**MAZDA-DXR171740W-3K-AC240-GD-PH-A186 X B102 X C170MM**	40W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
570	**MAZDA-DXR171740W-3K-AC240-CH-PH-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
571	**MAZDA-DXR171740W-3K-AC240-WH-DA-A186 X B102 X C170MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
572	**MAZDA-DXR171740W-3K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
573	**MAZDA-DXR171740W-3K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
574	**MAZDA-DXR171740W-3K-AC240-BK-DA-A186 X B102 X C170MM**	40W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
575	**MAZDA-DXR171740W-3K-AC240-SL-DA-A186 X B102 X C170MM**	40W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
576	**MAZDA-DXR171740W-3K-AC240-GD-DA-A186 X B102 X C170MM**	40W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
577	**MAZDA-DXR171740W-3K-AC240-CH-DA-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
578	**MAZDA-DXR171740W-3K-AC240-WH-ND-A186 X B102 X C170MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
579	**MAZDA-DXR171740W-3K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
580	**MAZDA-DXR171740W-3K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
581	**MAZDA-DXR171740W-3K-AC240-BK-ND-A186 X B102 X C170MM**	40W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
582	**MAZDA-DXR171740W-3K-AC240-SL-ND-A186 X B102 X C170MM**	40W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
583	**MAZDA-DXR171740W-3K-AC240-GD-ND-A186 X B102 X C170MM**	40W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
584	**MAZDA-DXR171740W-3K-AC240-CH-ND-A186 X B102 X C170MM**	40W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
585	**MAZDA-DXR171740W-4K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
586	**MAZDA-DXR171740W-4K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
587	**MAZDA-DXR171740W-4K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
588	**MAZDA-DXR171740W-4K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
589	**MAZDA-DXR171740W-4K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
590	**MAZDA-DXR171740W-4K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
591	**MAZDA-DXR171740W-4K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
592	**MAZDA-DXR171740W-4K-AC240-WH-PH-A186 X B102 X C170MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
593	**MAZDA-DXR171740W-4K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
594	**MAZDA-DXR171740W-4K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
595	**MAZDA-DXR171740W-4K-AC240-BK-PH-A186 X B102 X C170MM**	40W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
596	**MAZDA-DXR171740W-4K-AC240-SL-PH-A186 X B102 X C170MM**	40W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
597	**MAZDA-DXR171740W-4K-AC240-GD-PH-A186 X B102 X C170MM**	40W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
598	**MAZDA-DXR171740W-4K-AC240-CH-PH-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
599	**MAZDA-DXR171740W-4K-AC240-WH-DA-A186 X B102 X C170MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
600	**MAZDA-DXR171740W-4K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
601	**MAZDA-DXR171740W-4K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
602	**MAZDA-DXR171740W-4K-AC240-BK-DA-A186 X B102 X C170MM**	40W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
603	**MAZDA-DXR171740W-4K-AC240-SL-DA-A186 X B102 X C170MM**	40W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
604	**MAZDA-DXR171740W-4K-AC240-GD-DA-A186 X B102 X C170MM**	40W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
605	**MAZDA-DXR171740W-4K-AC240-CH-DA-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
606	**MAZDA-DXR171740W-4K-AC240-WH-ND-A186 X B102 X C170MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
607	**MAZDA-DXR171740W-4K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
608	**MAZDA-DXR171740W-4K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
609	**MAZDA-DXR171740W-4K-AC240-BK-ND-A186 X B102 X C170MM**	40W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
610	**MAZDA-DXR171740W-4K-AC240-SL-ND-A186 X B102 X C170MM**	40W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
611	**MAZDA-DXR171740W-4K-AC240-GD-ND-A186 X B102 X C170MM**	40W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
612	**MAZDA-DXR171740W-4K-AC240-CH-ND-A186 X B102 X C170MM**	40W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
613	**MAZDA-DXR171740W-5K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
614	**MAZDA-DXR171740W-5K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
615	**MAZDA-DXR171740W-5K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
616	**MAZDA-DXR171740W-5K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
617	**MAZDA-DXR171740W-5K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
618	**MAZDA-DXR171740W-5K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
619	**MAZDA-DXR171740W-5K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
620	**MAZDA-DXR171740W-5K-AC240-WH-PH-A186 X B102 X C170MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
621	**MAZDA-DXR171740W-5K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
622	**MAZDA-DXR171740W-5K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
623	**MAZDA-DXR171740W-5K-AC240-BK-PH-A186 X B102 X C170MM**	40W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
624	**MAZDA-DXR171740W-5K-AC240-SL-PH-A186 X B102 X C170MM**	40W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
625	**MAZDA-DXR171740W-5K-AC240-GD-PH-A186 X B102 X C170MM**	40W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
626	**MAZDA-DXR171740W-5K-AC240-CH-PH-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
627	**MAZDA-DXR171740W-5K-AC240-WH-DA-A186 X B102 X C170MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
628	**MAZDA-DXR171740W-5K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
629	**MAZDA-DXR171740W-5K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
630	**MAZDA-DXR171740W-5K-AC240-BK-DA-A186 X B102 X C170MM**	40W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
631	**MAZDA-DXR171740W-5K-AC240-SL-DA-A186 X B102 X C170MM**	40W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
632	**MAZDA-DXR171740W-5K-AC240-GD-DA-A186 X B102 X C170MM**	40W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
633	**MAZDA-DXR171740W-5K-AC240-CH-DA-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
634	**MAZDA-DXR171740W-5K-AC240-WH-ND-A186 X B102 X C170MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
635	**MAZDA-DXR171740W-5K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
636	**MAZDA-DXR171740W-5K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
637	**MAZDA-DXR171740W-5K-AC240-BK-ND-A186 X B102 X C170MM**	40W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
638	**MAZDA-DXR171740W-5K-AC240-SL-ND-A186 X B102 X C170MM**	40W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
639	**MAZDA-DXR171740W-5K-AC240-GD-ND-A186 X B102 X C170MM**	40W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
640	**MAZDA-DXR171740W-5K-AC240-CH-ND-A186 X B102 X C170MM**	40W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
641	**MAZDA-DXR171740W-6K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
642	**MAZDA-DXR171740W-6K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
643	**MAZDA-DXR171740W-6K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
644	**MAZDA-DXR171740W-6K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
645	**MAZDA-DXR171740W-6K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
646	**MAZDA-DXR171740W-6K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
647	**MAZDA-DXR171740W-6K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
648	**MAZDA-DXR171740W-6K-AC240-WH-PH-A186 X B102 X C170MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
649	**MAZDA-DXR171740W-6K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
650	**MAZDA-DXR171740W-6K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
651	**MAZDA-DXR171740W-6K-AC240-BK-PH-A186 X B102 X C170MM**	40W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
652	**MAZDA-DXR171740W-6K-AC240-SL-PH-A186 X B102 X C170MM**	40W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
653	**MAZDA-DXR171740W-6K-AC240-GD-PH-A186 X B102 X C170MM**	40W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
654	**MAZDA-DXR171740W-6K-AC240-CH-PH-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
655	**MAZDA-DXR171740W-6K-AC240-WH-DA-A186 X B102 X C170MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
656	**MAZDA-DXR171740W-6K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
657	**MAZDA-DXR171740W-6K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
658	**MAZDA-DXR171740W-6K-AC240-BK-DA-A186 X B102 X C170MM**	40W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
659	**MAZDA-DXR171740W-6K-AC240-SL-DA-A186 X B102 X C170MM**	40W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
660	**MAZDA-DXR171740W-6K-AC240-GD-DA-A186 X B102 X C170MM**	40W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
661	**MAZDA-DXR171740W-6K-AC240-CH-DA-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
662	**MAZDA-DXR171740W-6K-AC240-WH-ND-A186 X B102 X C170MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
663	**MAZDA-DXR171740W-6K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
664	**MAZDA-DXR171740W-6K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
665	**MAZDA-DXR171740W-6K-AC240-BK-ND-A186 X B102 X C170MM**	40W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
666	**MAZDA-DXR171740W-6K-AC240-SL-ND-A186 X B102 X C170MM**	40W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
667	**MAZDA-DXR171740W-6K-AC240-GD-ND-A186 X B102 X C170MM**	40W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
668	**MAZDA-DXR171740W-6K-AC240-CH-ND-A186 X B102 X C170MM**	40W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
669	**MAZDA-DXR171740W-6.5K-AC240-WH-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
670	**MAZDA-DXR171740W-6.5K-AC240-GRY-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
671	**MAZDA-DXR171740W-6.5K-AC240-Cs-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
672	**MAZDA-DXR171740W-6.5K-AC240-BK-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
673	**MAZDA-DXR171740W-6.5K-AC240-SL-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
674	**MAZDA-DXR171740W-6.5K-AC240-GD-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
675	**MAZDA-DXR171740W-6.5K-AC240-CH-10VDIM-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
676	**MAZDA-DXR171740W-6.5K-AC240-WH-PH-A186 X B102 X C170MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
677	**MAZDA-DXR171740W-6.5K-AC240-GRY-PH-A186 X B102 X C170MM**	40W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
678	**MAZDA-DXR171740W-6.5K-AC240-Cs-PH-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
679	**MAZDA-DXR171740W-6.5K-AC240-BK-PH-A186 X B102 X C170MM**	40W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
680	**MAZDA-DXR171740W-6.5K-AC240-SL-PH-A186 X B102 X C170MM**	40W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
681	**MAZDA-DXR171740W-6.5K-AC240-GD-PH-A186 X B102 X C170MM**	40W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
682	**MAZDA-DXR171740W-6.5K-AC240-CH-PH-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
683	**MAZDA-DXR171740W-6.5K-AC240-WH-DA-A186 X B102 X C170MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
684	**MAZDA-DXR171740W-6.5K-AC240-GRY-DA-A186 X B102 X C170MM**	40W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
685	**MAZDA-DXR171740W-6.5K-AC240-Cs-DA-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
686	**MAZDA-DXR171740W-6.5K-AC240-BK-DA-A186 X B102 X C170MM**	40W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
687	**MAZDA-DXR171740W-6.5K-AC240-SL-DA-A186 X B102 X C170MM**	40W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
688	**MAZDA-DXR171740W-6.5K-AC240-GD-DA-A186 X B102 X C170MM**	40W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
689	**MAZDA-DXR171740W-6.5K-AC240-CH-DA-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
690	**MAZDA-DXR171740W-6.5K-AC240-WH-ND-A186 X B102 X C170MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
691	**MAZDA-DXR171740W-6.5K-AC240-GRY-ND-A186 X B102 X C170MM**	40W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
692	**MAZDA-DXR171740W-6.5K-AC240-Cs-ND-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
693	**MAZDA-DXR171740W-6.5K-AC240-BK-ND-A186 X B102 X C170MM**	40W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
694	**MAZDA-DXR171740W-6.5K-AC240-SL-ND-A186 X B102 X C170MM**	40W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
695	**MAZDA-DXR171740W-6.5K-AC240-GD-ND-A186 X B102 X C170MM**	40W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
696	**MAZDA-DXR171740W-6.5K-AC240-CH-ND-A186 X B102 X C170MM**	40W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	