



LOMI

MAZDA Model: DXR1717 Downlight

Lomi LED Down Light attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. The light efficiency reach up to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR171715W-2.7K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
2	MAZDA-DXR171715W-2.7K-AC240-WH-PH-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
3	MAZDA-DXR171715W-2.7K-AC240-WH-DA-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
4	MAZDA-DXR171715W-2.7K-AC240-WH-ND-A135 X B72 X C110MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
5	MAZDA-DXR171715W-3K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
6	MAZDA-DXR171715W-3K-AC240-WH-PH-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
7	MAZDA-DXR171715W-3K-AC240-WH-DA-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
8	MAZDA-DXR171715W-3K-AC240-WH-ND-A135 X B72 X C110MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
9	MAZDA-DXR171715W-4K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
10	MAZDA-DXR171715W-4K-AC240-WH-PH-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
11	MAZDA-DXR171715W-4K-AC240-WH-DA-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
12	MAZDA-DXR171715W-4K-AC240-WH-ND-A135 X B72 X C110MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
13	MAZDA-DXR171715W-5K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
14	MAZDA-DXR171715W-5K-AC240-WH-PH-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
15	MAZDA-DXR171715W-5K-AC240-WH-DA-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
16	MAZDA-DXR171715W-5K-AC240-WH-ND-A135 X B72 X C110MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
17	MAZDA-DXR171715W-6K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
18	MAZDA-DXR171715W-6K-AC240-WH-PH-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
19	MAZDA-DXR171715W-6K-AC240-WH-DA-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
20	MAZDA-DXR171715W-6K-AC240-WH-ND-A135 X B72 X C110MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR171715W-6.5K-AC240-WH-10VDIM-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
22	MAZDA-DXR171715W-6.5K-AC240-WH-PH-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
23	MAZDA-DXR171715W-6.5K-AC240-WH-DA-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
24	MAZDA-DXR171715W-6.5K-AC240-WH-ND-A135 X B72 X C110MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B72 X C110MM	
25	MAZDA-DXR171720W-2.7K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
26	MAZDA-DXR171720W-2.7K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
27	MAZDA-DXR171720W-2.7K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
28	MAZDA-DXR171720W-2.7K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
29	MAZDA-DXR171720W-2.7K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
30	MAZDA-DXR171720W-2.7K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
31	MAZDA-DXR171720W-2.7K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
32	MAZDA-DXR171720W-2.7K-AC240-WH-PH-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
33	MAZDA-DXR171720W-2.7K-AC240-GRY-PH-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
34	MAZDA-DXR171720W-2.7K-AC240-Cs-PH-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
35	MAZDA-DXR171720W-2.7K-AC240-BK-PH-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
36	MAZDA-DXR171720W-2.7K-AC240-SL-PH-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
37	MAZDA-DXR171720W-2.7K-AC240-GD-PH-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
38	MAZDA-DXR171720W-2.7K-AC240-CH-PH-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
39	MAZDA-DXR171720W-2.7K-AC240-WH-DA-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
40	MAZDA-DXR171720W-2.7K-AC240-GRY-DA-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
41	MAZDA-DXR171720W-2.7K-AC240-Cs-DA-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
42	MAZDA-DXR171720W-2.7K-AC240-BK-DA-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
43	MAZDA-DXR171720W-2.7K-AC240-SL-DA-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
44	MAZDA-DXR171720W-2.7K-AC240-GD-DA-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
45	MAZDA-DXR171720W-2.7K-AC240-CH-DA-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
46	MAZDA-DXR171720W-2.7K-AC240-WH-ND-A135 X B72 X C110MM	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
47	MAZDA-DXR171720W-2.7K-AC240-GRY-ND-A135 X B72 X C110MM	20W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
48	MAZDA-DXR171720W-2.7K-AC240-Cs-ND-A135 X B72 X C110MM	20W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
49	MAZDA-DXR171720W-2.7K-AC240-BK-ND-A135 X B72 X C110MM	20W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
50	MAZDA-DXR171720W-2.7K-AC240-SL-ND-A135 X B72 X C110MM	20W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
51	MAZDA-DXR171720W-2.7K-AC240-GD-ND-A135 X B72 X C110MM	20W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
52	MAZDA-DXR171720W-2.7K-AC240-CH-ND-A135 X B72 X C110MM	20W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
53	MAZDA-DXR171720W-3K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
54	MAZDA-DXR171720W-3K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
55	MAZDA-DXR171720W-3K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
56	MAZDA-DXR171720W-3K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
57	MAZDA-DXR171720W-3K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
58	MAZDA-DXR171720W-3K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
59	MAZDA-DXR171720W-3K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
60	MAZDA-DXR171720W-3K-AC240-WH-PH-A135 X B72 X C110MM	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
61	MAZDA-DXR171720W-3K-AC240-GRY-PH-A135 X B72 X C110MM	20W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
62	MAZDA-DXR171720W-3K-AC240-Cs-PH-A135 X B72 X C110MM	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
63	MAZDA-DXR171720W-3K-AC240-BK-PH-A135 X B72 X C110MM	20W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
64	MAZDA-DXR171720W-3K-AC240-SL-PH-A135 X B72 X C110MM	20W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
65	MAZDA-DXR171720W-3K-AC240-GD-PH-A135 X B72 X C110MM	20W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
66	MAZDA-DXR171720W-3K-AC240-CH-PH-A135 X B72 X C110MM	20W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
67	MAZDA-DXR171720W-3K-AC240-WH-DA-A135 X B72 X C110MM	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
68	MAZDA-DXR171720W-3K-AC240-GRY-DA-A135 X B72 X C110MM	20W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
69	MAZDA-DXR171720W-3K-AC240-Cs-DA-A135 X B72 X C110MM	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
70	MAZDA-DXR171720W-3K-AC240-BK-DA-A135 X B72 X C110MM	20W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
71	MAZDA-DXR171720W-3K-AC240-SL-DA-A135 X B72 X C110MM	20W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
72	MAZDA-DXR171720W-3K-AC240-GD-DA-A135 X B72 X C110MM	20W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
73	MAZDA-DXR171720W-3K-AC240-CH-DA-A135 X B72 X C110MM	20W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
74	MAZDA-DXR171720W-3K-AC240-WH-ND-A135 X B72 X C110MM	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
75	MAZDA-DXR171720W-3K-AC240-GRY-ND-A135 X B72 X C110MM	20W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
76	MAZDA-DXR171720W-3K-AC240-Cs-ND-A135 X B72 X C110MM	20W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
77	MAZDA-DXR171720W-3K-AC240-BK-ND-A135 X B72 X C110MM	20W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
78	MAZDA-DXR171720W-3K-AC240-SL-ND-A135 X B72 X C110MM	20W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
79	MAZDA-DXR171720W-3K-AC240-GD-ND-A135 X B72 X C110MM	20W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
80	MAZDA-DXR171720W-3K-AC240-CH-ND-A135 X B72 X C110MM	20W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
81	MAZDA-DXR171720W-4K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
82	MAZDA-DXR171720W-4K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
83	MAZDA-DXR171720W-4K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
84	MAZDA-DXR171720W-4K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
85	MAZDA-DXR171720W-4K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
86	MAZDA-DXR171720W-4K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
87	MAZDA-DXR171720W-4K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
88	MAZDA-DXR171720W-4K-AC240-WH-PH-A135 X B72 X C110MM	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
89	MAZDA-DXR171720W-4K-AC240-GRY-PH-A135 X B72 X C110MM	20W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
90	MAZDA-DXR171720W-4K-AC240-Cs-PH-A135 X B72 X C110MM	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
91	MAZDA-DXR171720W-4K-AC240-BK-PH-A135 X B72 X C110MM	20W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
92	MAZDA-DXR171720W-4K-AC240-SL-PH-A135 X B72 X C110MM	20W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
93	MAZDA-DXR171720W-4K-AC240-GD-PH-A135 X B72 X C110MM	20W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
94	MAZDA-DXR171720W-4K-AC240-CH-PH-A135 X B72 X C110MM	20W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
95	MAZDA-DXR171720W-4K-AC240-WH-DA-A135 X B72 X C110MM	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
96	MAZDA-DXR171720W-4K-AC240-GRY-DA-A135 X B72 X C110MM	20W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
97	MAZDA-DXR171720W-4K-AC240-Cs-DA-A135 X B72 X C110MM	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
98	MAZDA-DXR171720W-4K-AC240-BK-DA-A135 X B72 X C110MM	20W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
99	MAZDA-DXR171720W-4K-AC240-SL-DA-A135 X B72 X C110MM	20W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
100	MAZDA-DXR171720W-4K-AC240-GD-DA-A135 X B72 X C110MM	20W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
101	MAZDA-DXR171720W-4K-AC240-CH-DA-A135 X B72 X C110MM	20W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
102	MAZDA-DXR171720W-4K-AC240-WH-ND-A135 X B72 X C110MM	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
103	MAZDA-DXR171720W-4K-AC240-GRY-ND-A135 X B72 X C110MM	20W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
104	MAZDA-DXR171720W-4K-AC240-Cs-ND-A135 X B72 X C110MM	20W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
105	MAZDA-DXR171720W-4K-AC240-BK-ND-A135 X B72 X C110MM	20W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
106	MAZDA-DXR171720W-4K-AC240-SL-ND-A135 X B72 X C110MM	20W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
107	MAZDA-DXR171720W-4K-AC240-GD-ND-A135 X B72 X C110MM	20W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
108	MAZDA-DXR171720W-4K-AC240-CH-ND-A135 X B72 X C110MM	20W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
109	MAZDA-DXR171720W-5K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
110	MAZDA-DXR171720W-5K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
111	MAZDA-DXR171720W-5K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
112	MAZDA-DXR171720W-5K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
113	MAZDA-DXR171720W-5K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
114	MAZDA-DXR171720W-5K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
115	MAZDA-DXR171720W-5K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
116	MAZDA-DXR171720W-5K-AC240-WH-PH-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
117	MAZDA-DXR171720W-5K-AC240-GRY-PH-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
118	MAZDA-DXR171720W-5K-AC240-Cs-PH-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
119	MAZDA-DXR171720W-5K-AC240-BK-PH-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
120	MAZDA-DXR171720W-5K-AC240-SL-PH-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
121	MAZDA-DXR171720W-5K-AC240-GD-PH-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
122	MAZDA-DXR171720W-5K-AC240-CH-PH-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
123	MAZDA-DXR171720W-5K-AC240-WH-DA-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
124	MAZDA-DXR171720W-5K-AC240-GRY-DA-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
125	MAZDA-DXR171720W-5K-AC240-Cs-DA-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
126	MAZDA-DXR171720W-5K-AC240-BK-DA-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
127	MAZDA-DXR171720W-5K-AC240-SL-DA-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
128	MAZDA-DXR171720W-5K-AC240-GD-DA-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
129	MAZDA-DXR171720W-5K-AC240-CH-DA-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
130	MAZDA-DXR171720W-5K-AC240-WH-ND-A135 X B72 X C110MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
131	MAZDA-DXR171720W-5K-AC240-GRY-ND-A135 X B72 X C110MM	20W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
132	MAZDA-DXR171720W-5K-AC240-Cs-ND-A135 X B72 X C110MM	20W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
133	MAZDA-DXR171720W-5K-AC240-BK-ND-A135 X B72 X C110MM	20W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
134	MAZDA-DXR171720W-5K-AC240-SL-ND-A135 X B72 X C110MM	20W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
135	MAZDA-DXR171720W-5K-AC240-GD-ND-A135 X B72 X C110MM	20W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
136	MAZDA-DXR171720W-5K-AC240-CH-ND-A135 X B72 X C110MM	20W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
137	MAZDA-DXR171720W-6K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
138	MAZDA-DXR171720W-6K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
139	MAZDA-DXR171720W-6K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
140	MAZDA-DXR171720W-6K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
141	MAZDA-DXR171720W-6K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
142	MAZDA-DXR171720W-6K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
143	MAZDA-DXR171720W-6K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
144	MAZDA-DXR171720W-6K-AC240-WH-PH-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
145	MAZDA-DXR171720W-6K-AC240-GRY-PH-A135 X B72 X C110MM	20W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
146	MAZDA-DXR171720W-6K-AC240-Cs-PH-A135 X B72 X C110MM	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
147	MAZDA-DXR171720W-6K-AC240-BK-PH-A135 X B72 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
148	MAZDA-DXR171720W-6K-AC240-SL-PH-A135 X B72 X C110MM	20W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
149	MAZDA-DXR171720W-6K-AC240-GD-PH-A135 X B72 X C110MM	20W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
150	MAZDA-DXR171720W-6K-AC240-CH-PH-A135 X B72 X C110MM	20W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
151	MAZDA-DXR171720W-6K-AC240-WH-DA-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
152	MAZDA-DXR171720W-6K-AC240-GRY-DA-A135 X B72 X C110MM	20W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
153	MAZDA-DXR171720W-6K-AC240-Cs-DA-A135 X B72 X C110MM	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
154	MAZDA-DXR171720W-6K-AC240-BK-DA-A135 X B72 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
155	MAZDA-DXR171720W-6K-AC240-SL-DA-A135 X B72 X C110MM	20W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
156	MAZDA-DXR171720W-6K-AC240-GD-DA-A135 X B72 X C110MM	20W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
157	MAZDA-DXR171720W-6K-AC240-CH-DA-A135 X B72 X C110MM	20W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
158	MAZDA-DXR171720W-6K-AC240-WH-ND-A135 X B72 X C110MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
159	MAZDA-DXR171720W-6K-AC240-GRY-ND-A135 X B72 X C110MM	20W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
160	MAZDA-DXR171720W-6K-AC240-Cs-ND-A135 X B72 X C110MM	20W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
161	MAZDA-DXR171720W-6K-AC240-BK-ND-A135 X B72 X C110MM	20W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
162	MAZDA-DXR171720W-6K-AC240-SL-ND-A135 X B72 X C110MM	20W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
163	MAZDA-DXR171720W-6K-AC240-GD-ND-A135 X B72 X C110MM	20W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
164	MAZDA-DXR171720W-6K-AC240-CH-ND-A135 X B72 X C110MM	20W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
165	MAZDA-DXR171720W-6.5K-AC240-WH-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
166	MAZDA-DXR171720W-6.5K-AC240-GRY-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
167	MAZDA-DXR171720W-6.5K-AC240-Cs-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
168	MAZDA-DXR171720W-6.5K-AC240-BK-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
169	MAZDA-DXR171720W-6.5K-AC240-SL-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
170	MAZDA-DXR171720W-6.5K-AC240-GD-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
171	MAZDA-DXR171720W-6.5K-AC240-CH-10VDIM-A135 X B72 X C110MM	20W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
172	MAZDA-DXR171720W-6.5K-AC240-WH-PH-A135 X B72 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
173	MAZDA-DXR171720W-6.5K-AC240-GRY-PH-A135 X B72 X C110MM	20W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
174	MAZDA-DXR171720W-6.5K-AC240-Cs-PH-A135 X B72 X C110MM	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
175	MAZDA-DXR171720W-6.5K-AC240-BK-PH-A135 X B72 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
176	MAZDA-DXR171720W-6.5K-AC240-SL-PH-A135 X B72 X C110MM	20W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
177	MAZDA-DXR171720W-6.5K-AC240-GD-PH-A135 X B72 X C110MM	20W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
178	MAZDA-DXR171720W-6.5K-AC240-CH-PH-A135 X B72 X C110MM	20W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
179	MAZDA-DXR171720W-6.5K-AC240-WH-DA-A135 X B72 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
180	MAZDA-DXR171720W-6.5K-AC240-GRY-DA-A135 X B72 X C110MM	20W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
181	MAZDA-DXR171720W-6.5K-AC240-Cs-DA-A135 X B72 X C110MM	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
182	MAZDA-DXR171720W-6.5K-AC240-BK-DA-A135 X B72 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
183	MAZDA-DXR171720W-6.5K-AC240-SL-DA-A135 X B72 X C110MM	20W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
184	MAZDA-DXR171720W-6.5K-AC240-GD-DA-A135 X B72 X C110MM	20W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
185	MAZDA-DXR171720W-6.5K-AC240-CH-DA-A135 X B72 X C110MM	20W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
186	MAZDA-DXR171720W-6.5K-AC240-WH-ND-A135 X B72 X C110MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
187	MAZDA-DXR171720W-6.5K-AC240-GRY-ND-A135 X B72 X C110MM	20W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
188	MAZDA-DXR171720W-6.5K-AC240-Cs-ND-A135 X B72 X C110MM	20W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
189	MAZDA-DXR171720W-6.5K-AC240-BK-ND-A135 X B72 X C110MM	20W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
190	MAZDA-DXR171720W-6.5K-AC240-SL-ND-A135 X B72 X C110MM	20W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
191	MAZDA-DXR171720W-6.5K-AC240-GD-ND-A135 X B72 X C110MM	20W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
192	MAZDA-DXR171720W-6.5K-AC240-CH-ND-A135 X B72 X C110MM	20W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A135 X B72 X C110MM	DIE CAST ALUMINUM	IP65	2400LM	A135 X B72 X C110MM	
193	MAZDA-DXR171725W-2.7K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
194	MAZDA-DXR171725W-2.7K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
195	MAZDA-DXR171725W-2.7K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
196	MAZDA-DXR171725W-2.7K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
197	MAZDA-DXR171725W-2.7K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
198	MAZDA-DXR171725W-2.7K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
199	MAZDA-DXR171725W-2.7K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
200	MAZDA-DXR171725W-2.7K-AC240-WH-PH-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
201	MAZDA-DXR171725W-2.7K-AC240-GRY-PH-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
202	MAZDA-DXR171725W-2.7K-AC240-Cs-PH-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
203	MAZDA-DXR171725W-2.7K-AC240-BK-PH-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
204	MAZDA-DXR171725W-2.7K-AC240-SL-PH-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
205	MAZDA-DXR171725W-2.7K-AC240-GD-PH-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
206	MAZDA-DXR171725W-2.7K-AC240-CH-PH-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
207	MAZDA-DXR171725W-2.7K-AC240-WH-DA-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
208	MAZDA-DXR171725W-2.7K-AC240-GRY-DA-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
209	MAZDA-DXR171725W-2.7K-AC240-Cs-DA-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
210	MAZDA-DXR171725W-2.7K-AC240-BK-DA-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
211	MAZDA-DXR171725W-2.7K-AC240-SL-DA-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
212	MAZDA-DXR171725W-2.7K-AC240-GD-DA-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
213	MAZDA-DXR171725W-2.7K-AC240-CH-DA-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
214	MAZDA-DXR171725W-2.7K-AC240-WH-ND-A158 X B78 X C130MM	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
215	MAZDA-DXR171725W-2.7K-AC240-GRY-ND-A158 X B78 X C130MM	25W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
216	MAZDA-DXR171725W-2.7K-AC240-Cs-ND-A158 X B78 X C130MM	25W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
217	MAZDA-DXR171725W-2.7K-AC240-BK-ND-A158 X B78 X C130MM	25W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
218	MAZDA-DXR171725W-2.7K-AC240-SL-ND-A158 X B78 X C130MM	25W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
219	MAZDA-DXR171725W-2.7K-AC240-GD-ND-A158 X B78 X C130MM	25W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
220	MAZDA-DXR171725W-2.7K-AC240-CH-ND-A158 X B78 X C130MM	25W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
221	MAZDA-DXR171725W-3K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
222	MAZDA-DXR171725W-3K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
223	MAZDA-DXR171725W-3K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
224	MAZDA-DXR171725W-3K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
225	MAZDA-DXR171725W-3K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
226	MAZDA-DXR171725W-3K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
227	MAZDA-DXR171725W-3K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
228	MAZDA-DXR171725W-3K-AC240-WH-PH-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
229	MAZDA-DXR171725W-3K-AC240-GRY-PH-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
230	MAZDA-DXR171725W-3K-AC240-Cs-PH-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
231	MAZDA-DXR171725W-3K-AC240-BK-PH-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
232	MAZDA-DXR171725W-3K-AC240-SL-PH-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
233	MAZDA-DXR171725W-3K-AC240-GD-PH-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
234	MAZDA-DXR171725W-3K-AC240-CH-PH-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
235	MAZDA-DXR171725W-3K-AC240-WH-DA-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
236	MAZDA-DXR171725W-3K-AC240-GRY-DA-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
237	MAZDA-DXR171725W-3K-AC240-Cs-DA-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
238	MAZDA-DXR171725W-3K-AC240-BK-DA-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
239	MAZDA-DXR171725W-3K-AC240-SL-DA-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
240	MAZDA-DXR171725W-3K-AC240-GD-DA-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
241	MAZDA-DXR171725W-3K-AC240-CH-DA-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
242	MAZDA-DXR171725W-3K-AC240-WH-ND-A158 X B78 X C130MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
243	MAZDA-DXR171725W-3K-AC240-GRY-ND-A158 X B78 X C130MM	25W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
244	MAZDA-DXR171725W-3K-AC240-Cs-ND-A158 X B78 X C130MM	25W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
245	MAZDA-DXR171725W-3K-AC240-BK-ND-A158 X B78 X C130MM	25W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
246	MAZDA-DXR171725W-3K-AC240-SL-ND-A158 X B78 X C130MM	25W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
247	MAZDA-DXR171725W-3K-AC240-GD-ND-A158 X B78 X C130MM	25W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
248	MAZDA-DXR171725W-3K-AC240-CH-ND-A158 X B78 X C130MM	25W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
249	MAZDA-DXR171725W-4K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
250	MAZDA-DXR171725W-4K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
251	MAZDA-DXR171725W-4K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
252	MAZDA-DXR171725W-4K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
253	MAZDA-DXR171725W-4K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
254	MAZDA-DXR171725W-4K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
255	MAZDA-DXR171725W-4K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
256	MAZDA-DXR171725W-4K-AC240-WH-PH-A158 X B78 X C130MM	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
257	MAZDA-DXR171725W-4K-AC240-GRY-PH-A158 X B78 X C130MM	25W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
258	MAZDA-DXR171725W-4K-AC240-Cs-PH-A158 X B78 X C130MM	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
259	MAZDA-DXR171725W-4K-AC240-BK-PH-A158 X B78 X C130MM	25W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
260	MAZDA-DXR171725W-4K-AC240-SL-PH-A158 X B78 X C130MM	25W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
261	MAZDA-DXR171725W-4K-AC240-GD-PH-A158 X B78 X C130MM	25W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
262	MAZDA-DXR171725W-4K-AC240-CH-PH-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
263	MAZDA-DXR171725W-4K-AC240-WH-DA-A158 X B78 X C130MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
264	MAZDA-DXR171725W-4K-AC240-GRY-DA-A158 X B78 X C130MM	25W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
265	MAZDA-DXR171725W-4K-AC240-Cs-DA-A158 X B78 X C130MM	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
266	MAZDA-DXR171725W-4K-AC240-BK-DA-A158 X B78 X C130MM	25W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
267	MAZDA-DXR171725W-4K-AC240-SL-DA-A158 X B78 X C130MM	25W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
268	MAZDA-DXR171725W-4K-AC240-GD-DA-A158 X B78 X C130MM	25W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
269	MAZDA-DXR171725W-4K-AC240-CH-DA-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
270	MAZDA-DXR171725W-4K-AC240-WH-ND-A158 X B78 X C130MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
271	MAZDA-DXR171725W-4K-AC240-GRY-ND-A158 X B78 X C130MM	25W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
272	MAZDA-DXR171725W-4K-AC240-Cs-ND-A158 X B78 X C130MM	25W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
273	MAZDA-DXR171725W-4K-AC240-BK-ND-A158 X B78 X C130MM	25W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
274	MAZDA-DXR171725W-4K-AC240-SL-ND-A158 X B78 X C130MM	25W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
275	MAZDA-DXR171725W-4K-AC240-GD-ND-A158 X B78 X C130MM	25W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
276	MAZDA-DXR171725W-4K-AC240-CH-ND-A158 X B78 X C130MM	25W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
277	MAZDA-DXR171725W-5K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
278	MAZDA-DXR171725W-5K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
279	MAZDA-DXR171725W-5K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
280	MAZDA-DXR171725W-5K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
281	MAZDA-DXR171725W-5K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
282	MAZDA-DXR171725W-5K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
283	MAZDA-DXR171725W-5K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
284	MAZDA-DXR171725W-5K-AC240-WH-PH-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
285	MAZDA-DXR171725W-5K-AC240-GRY-PH-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
286	MAZDA-DXR171725W-5K-AC240-Cs-PH-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
287	MAZDA-DXR171725W-5K-AC240-BK-PH-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
288	MAZDA-DXR171725W-5K-AC240-SL-PH-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
289	MAZDA-DXR171725W-5K-AC240-GD-PH-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
290	MAZDA-DXR171725W-5K-AC240-CH-PH-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
291	MAZDA-DXR171725W-5K-AC240-WH-DA-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
292	MAZDA-DXR171725W-5K-AC240-GRY-DA-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
293	MAZDA-DXR171725W-5K-AC240-Cs-DA-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
294	MAZDA-DXR171725W-5K-AC240-BK-DA-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
295	MAZDA-DXR171725W-5K-AC240-SL-DA-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
296	MAZDA-DXR171725W-5K-AC240-GD-DA-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
297	MAZDA-DXR171725W-5K-AC240-CH-DA-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
298	MAZDA-DXR171725W-5K-AC240-WH-ND-A158 X B78 X C130MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
299	MAZDA-DXR171725W-5K-AC240-GRY-ND-A158 X B78 X C130MM	25W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
300	MAZDA-DXR171725W-5K-AC240-Cs-ND-A158 X B78 X C130MM	25W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
301	MAZDA-DXR171725W-5K-AC240-BK-ND-A158 X B78 X C130MM	25W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
302	MAZDA-DXR171725W-5K-AC240-SL-ND-A158 X B78 X C130MM	25W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
303	MAZDA-DXR171725W-5K-AC240-GD-ND-A158 X B78 X C130MM	25W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
304	MAZDA-DXR171725W-5K-AC240-CH-ND-A158 X B78 X C130MM	25W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
305	MAZDA-DXR171725W-6K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
306	MAZDA-DXR171725W-6K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
307	MAZDA-DXR171725W-6K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
308	MAZDA-DXR171725W-6K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
309	MAZDA-DXR171725W-6K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
310	MAZDA-DXR171725W-6K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
311	MAZDA-DXR171725W-6K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
312	MAZDA-DXR171725W-6K-AC240-WH-PH-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
313	MAZDA-DXR171725W-6K-AC240-GRY-PH-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
314	MAZDA-DXR171725W-6K-AC240-Cs-PH-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
315	MAZDA-DXR171725W-6K-AC240-BK-PH-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
316	MAZDA-DXR171725W-6K-AC240-SL-PH-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
317	MAZDA-DXR171725W-6K-AC240-GD-PH-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
318	MAZDA-DXR171725W-6K-AC240-CH-PH-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
319	MAZDA-DXR171725W-6K-AC240-WH-DA-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
320	MAZDA-DXR171725W-6K-AC240-GRY-DA-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
321	MAZDA-DXR171725W-6K-AC240-Cs-DA-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
322	MAZDA-DXR171725W-6K-AC240-BK-DA-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
323	MAZDA-DXR171725W-6K-AC240-SL-DA-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
324	MAZDA-DXR171725W-6K-AC240-GD-DA-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
325	MAZDA-DXR171725W-6K-AC240-CH-DA-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
326	MAZDA-DXR171725W-6K-AC240-WH-ND-A158 X B78 X C130MM	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
327	MAZDA-DXR171725W-6K-AC240-GRY-ND-A158 X B78 X C130MM	25W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
328	MAZDA-DXR171725W-6K-AC240-Cs-ND-A158 X B78 X C130MM	25W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
329	MAZDA-DXR171725W-6K-AC240-BK-ND-A158 X B78 X C130MM	25W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
330	MAZDA-DXR171725W-6K-AC240-SL-ND-A158 X B78 X C130MM	25W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
331	MAZDA-DXR171725W-6K-AC240-GD-ND-A158 X B78 X C130MM	25W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
332	MAZDA-DXR171725W-6K-AC240-CH-ND-A158 X B78 X C130MM	25W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
333	MAZDA-DXR171725W-6.5K-AC240-WH-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
334	MAZDA-DXR171725W-6.5K-AC240-GRY-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
335	MAZDA-DXR171725W-6.5K-AC240-Cs-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
336	MAZDA-DXR171725W-6.5K-AC240-BK-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
337	MAZDA-DXR171725W-6.5K-AC240-SL-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
338	MAZDA-DXR171725W-6.5K-AC240-GD-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
339	MAZDA-DXR171725W-6.5K-AC240-CH-10VDIM-A158 X B78 X C130MM	25W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
340	MAZDA-DXR171725W-6.5K-AC240-WH-PH-A158 X B78 X C130MM	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
341	MAZDA-DXR171725W-6.5K-AC240-GRY-PH-A158 X B78 X C130MM	25W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
342	MAZDA-DXR171725W-6.5K-AC240-Cs-PH-A158 X B78 X C130MM	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
343	MAZDA-DXR171725W-6.5K-AC240-BK-PH-A158 X B78 X C130MM	25W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
344	MAZDA-DXR171725W-6.5K-AC240-SL-PH-A158 X B78 X C130MM	25W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
345	MAZDA-DXR171725W-6.5K-AC240-GD-PH-A158 X B78 X C130MM	25W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
346	MAZDA-DXR171725W-6.5K-AC240-CH-PH-A158 X B78 X C130MM	25W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
347	MAZDA-DXR171725W-6.5K-AC240-WH-DA-A158 X B78 X C130MM	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
348	MAZDA-DXR171725W-6.5K-AC240-GRY-DA-A158 X B78 X C130MM	25W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
349	MAZDA-DXR171725W-6.5K-AC240-Cs-DA-A158 X B78 X C130MM	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
350	MAZDA-DXR171725W-6.5K-AC240-BK-DA-A158 X B78 X C130MM	25W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
351	MAZDA-DXR171725W-6.5K-AC240-SL-DA-A158 X B78 X C130MM	25W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
352	MAZDA-DXR171725W-6.5K-AC240-GD-DA-A158 X B78 X C130MM	25W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
353	MAZDA-DXR171725W-6.5K-AC240-CH-DA-A158 X B78 X C130MM	25W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
354	MAZDA-DXR171725W-6.5K-AC240-WH-ND-A158 X B78 X C130MM	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
355	MAZDA-DXR171725W-6.5K-AC240-GRY-ND-A158 X B78 X C130MM	25W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
356	MAZDA-DXR171725W-6.5K-AC240-Cs-ND-A158 X B78 X C130MM	25W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
357	MAZDA-DXR171725W-6.5K-AC240-BK-ND-A158 X B78 X C130MM	25W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
358	MAZDA-DXR171725W-6.5K-AC240-SL-ND-A158 X B78 X C130MM	25W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
359	MAZDA-DXR171725W-6.5K-AC240-GD-ND-A158 X B78 X C130MM	25W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
360	MAZDA-DXR171725W-6.5K-AC240-CH-ND-A158 X B78 X C130MM	25W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3000LM	A158 X B78 X C130MM	
361	MAZDA-DXR171730W-2.7K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
362	MAZDA-DXR171730W-2.7K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
363	MAZDA-DXR171730W-2.7K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
364	MAZDA-DXR171730W-2.7K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
365	MAZDA-DXR171730W-2.7K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
366	MAZDA-DXR171730W-2.7K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
367	MAZDA-DXR171730W-2.7K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
368	MAZDA-DXR171730W-2.7K-AC240-WH-PH-A158 X B78 X C130MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
369	MAZDA-DXR171730W-2.7K-AC240-GRY-PH-A158 X B78 X C130MM	30W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
370	MAZDA-DXR171730W-2.7K-AC240-Cs-PH-A158 X B78 X C130MM	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
371	MAZDA-DXR171730W-2.7K-AC240-BK-PH-A158 X B78 X C130MM	30W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
372	MAZDA-DXR171730W-2.7K-AC240-SL-PH-A158 X B78 X C130MM	30W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
373	MAZDA-DXR171730W-2.7K-AC240-GD-PH-A158 X B78 X C130MM	30W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
374	MAZDA-DXR171730W-2.7K-AC240-CH-PH-A158 X B78 X C130MM	30W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
375	MAZDA-DXR171730W-2.7K-AC240-WH-DA-A158 X B78 X C130MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
376	MAZDA-DXR171730W-2.7K-AC240-GRY-DA-A158 X B78 X C130MM	30W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
377	MAZDA-DXR171730W-2.7K-AC240-Cs-DA-A158 X B78 X C130MM	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
378	MAZDA-DXR171730W-2.7K-AC240-BK-DA-A158 X B78 X C130MM	30W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
379	MAZDA-DXR171730W-2.7K-AC240-SL-DA-A158 X B78 X C130MM	30W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
380	MAZDA-DXR171730W-2.7K-AC240-GD-DA-A158 X B78 X C130MM	30W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
381	MAZDA-DXR171730W-2.7K-AC240-CH-DA-A158 X B78 X C130MM	30W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
382	MAZDA-DXR171730W-2.7K-AC240-WH-ND-A158 X B78 X C130MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
383	MAZDA-DXR171730W-2.7K-AC240-GRY-ND-A158 X B78 X C130MM	30W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
384	MAZDA-DXR171730W-2.7K-AC240-Cs-ND-A158 X B78 X C130MM	30W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
385	MAZDA-DXR171730W-2.7K-AC240-BK-ND-A158 X B78 X C130MM	30W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
386	MAZDA-DXR171730W-2.7K-AC240-SL-ND-A158 X B78 X C130MM	30W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
387	MAZDA-DXR171730W-2.7K-AC240-GD-ND-A158 X B78 X C130MM	30W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
388	MAZDA-DXR171730W-2.7K-AC240-CH-ND-A158 X B78 X C130MM	30W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
389	MAZDA-DXR171730W-3K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
390	MAZDA-DXR171730W-3K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
391	MAZDA-DXR171730W-3K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
392	MAZDA-DXR171730W-3K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
393	MAZDA-DXR171730W-3K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
394	MAZDA-DXR171730W-3K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
395	MAZDA-DXR171730W-3K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
396	MAZDA-DXR171730W-3K-AC240-WH-PH-A158 X B78 X C130MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
397	MAZDA-DXR171730W-3K-AC240-GRY-PH-A158 X B78 X C130MM	30W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
398	MAZDA-DXR171730W-3K-AC240-Cs-PH-A158 X B78 X C130MM	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
399	MAZDA-DXR171730W-3K-AC240-BK-PH-A158 X B78 X C130MM	30W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
400	MAZDA-DXR171730W-3K-AC240-SL-PH-A158 X B78 X C130MM	30W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
401	MAZDA-DXR171730W-3K-AC240-GD-PH-A158 X B78 X C130MM	30W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
402	MAZDA-DXR171730W-3K-AC240-CH-PH-A158 X B78 X C130MM	30W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
403	MAZDA-DXR171730W-3K-AC240-WH-DA-A158 X B78 X C130MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
404	MAZDA-DXR171730W-3K-AC240-GRY-DA-A158 X B78 X C130MM	30W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
405	MAZDA-DXR171730W-3K-AC240-Cs-DA-A158 X B78 X C130MM	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
406	MAZDA-DXR171730W-3K-AC240-BK-DA-A158 X B78 X C130MM	30W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
407	MAZDA-DXR171730W-3K-AC240-SL-DA-A158 X B78 X C130MM	30W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
408	MAZDA-DXR171730W-3K-AC240-GD-DA-A158 X B78 X C130MM	30W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
409	MAZDA-DXR171730W-3K-AC240-CH-DA-A158 X B78 X C130MM	30W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
410	MAZDA-DXR171730W-3K-AC240-WH-ND-A158 X B78 X C130MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
411	MAZDA-DXR171730W-3K-AC240-GRY-ND-A158 X B78 X C130MM	30W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
412	MAZDA-DXR171730W-3K-AC240-Cs-ND-A158 X B78 X C130MM	30W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
413	MAZDA-DXR171730W-3K-AC240-BK-ND-A158 X B78 X C130MM	30W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
414	MAZDA-DXR171730W-3K-AC240-SL-ND-A158 X B78 X C130MM	30W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
415	MAZDA-DXR171730W-3K-AC240-GD-ND-A158 X B78 X C130MM	30W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
416	MAZDA-DXR171730W-3K-AC240-CH-ND-A158 X B78 X C130MM	30W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
417	MAZDA-DXR171730W-4K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
418	MAZDA-DXR171730W-4K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
419	MAZDA-DXR171730W-4K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
420	MAZDA-DXR171730W-4K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
421	MAZDA-DXR171730W-4K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
422	MAZDA-DXR171730W-4K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
423	MAZDA-DXR171730W-4K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
424	MAZDA-DXR171730W-4K-AC240-WH-PH-A158 X B78 X C130MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
425	MAZDA-DXR171730W-4K-AC240-GRY-PH-A158 X B78 X C130MM	30W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
426	MAZDA-DXR171730W-4K-AC240-Cs-PH-A158 X B78 X C130MM	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
427	MAZDA-DXR171730W-4K-AC240-BK-PH-A158 X B78 X C130MM	30W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
428	MAZDA-DXR171730W-4K-AC240-SL-PH-A158 X B78 X C130MM	30W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
429	MAZDA-DXR171730W-4K-AC240-GD-PH-A158 X B78 X C130MM	30W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
430	MAZDA-DXR171730W-4K-AC240-CH-PH-A158 X B78 X C130MM	30W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
431	MAZDA-DXR171730W-4K-AC240-WH-DA-A158 X B78 X C130MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
432	MAZDA-DXR171730W-4K-AC240-GRY-DA-A158 X B78 X C130MM	30W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
433	MAZDA-DXR171730W-4K-AC240-Cs-DA-A158 X B78 X C130MM	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
434	MAZDA-DXR171730W-4K-AC240-BK-DA-A158 X B78 X C130MM	30W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
435	MAZDA-DXR171730W-4K-AC240-SL-DA-A158 X B78 X C130MM	30W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
436	MAZDA-DXR171730W-4K-AC240-GD-DA-A158 X B78 X C130MM	30W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
437	MAZDA-DXR171730W-4K-AC240-CH-DA-A158 X B78 X C130MM	30W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
438	MAZDA-DXR171730W-4K-AC240-WH-ND-A158 X B78 X C130MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
439	MAZDA-DXR171730W-4K-AC240-GRY-ND-A158 X B78 X C130MM	30W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
440	MAZDA-DXR171730W-4K-AC240-Cs-ND-A158 X B78 X C130MM	30W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
441	MAZDA-DXR171730W-4K-AC240-BK-ND-A158 X B78 X C130MM	30W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
442	MAZDA-DXR171730W-4K-AC240-SL-ND-A158 X B78 X C130MM	30W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
443	MAZDA-DXR171730W-4K-AC240-GD-ND-A158 X B78 X C130MM	30W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
444	MAZDA-DXR171730W-4K-AC240-CH-ND-A158 X B78 X C130MM	30W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
445	MAZDA-DXR171730W-5K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
446	MAZDA-DXR171730W-5K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
447	MAZDA-DXR171730W-5K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
448	MAZDA-DXR171730W-5K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
449	MAZDA-DXR171730W-5K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
450	MAZDA-DXR171730W-5K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
451	MAZDA-DXR171730W-5K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
452	MAZDA-DXR171730W-5K-AC240-WH-PH-A158 X B78 X C130MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
453	MAZDA-DXR171730W-5K-AC240-GRY-PH-A158 X B78 X C130MM	30W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
454	MAZDA-DXR171730W-5K-AC240-Cs-PH-A158 X B78 X C130MM	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
455	MAZDA-DXR171730W-5K-AC240-BK-PH-A158 X B78 X C130MM	30W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
456	MAZDA-DXR171730W-5K-AC240-SL-PH-A158 X B78 X C130MM	30W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
457	MAZDA-DXR171730W-5K-AC240-GD-PH-A158 X B78 X C130MM	30W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
458	MAZDA-DXR171730W-5K-AC240-CH-PH-A158 X B78 X C130MM	30W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
459	MAZDA-DXR171730W-5K-AC240-WH-DA-A158 X B78 X C130MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
460	MAZDA-DXR171730W-5K-AC240-GRY-DA-A158 X B78 X C130MM	30W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
461	MAZDA-DXR171730W-5K-AC240-Cs-DA-A158 X B78 X C130MM	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
462	MAZDA-DXR171730W-5K-AC240-BK-DA-A158 X B78 X C130MM	30W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
463	MAZDA-DXR171730W-5K-AC240-SL-DA-A158 X B78 X C130MM	30W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
464	MAZDA-DXR171730W-5K-AC240-GD-DA-A158 X B78 X C130MM	30W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
465	MAZDA-DXR171730W-5K-AC240-CH-DA-A158 X B78 X C130MM	30W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
466	MAZDA-DXR171730W-5K-AC240-WH-ND-A158 X B78 X C130MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
467	MAZDA-DXR171730W-5K-AC240-GRY-ND-A158 X B78 X C130MM	30W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
468	MAZDA-DXR171730W-5K-AC240-Cs-ND-A158 X B78 X C130MM	30W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
469	MAZDA-DXR171730W-5K-AC240-BK-ND-A158 X B78 X C130MM	30W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
470	MAZDA-DXR171730W-5K-AC240-SL-ND-A158 X B78 X C130MM	30W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
471	MAZDA-DXR171730W-5K-AC240-GD-ND-A158 X B78 X C130MM	30W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
472	MAZDA-DXR171730W-5K-AC240-CH-ND-A158 X B78 X C130MM	30W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
473	MAZDA-DXR171730W-6K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
474	MAZDA-DXR171730W-6K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
475	MAZDA-DXR171730W-6K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
476	MAZDA-DXR171730W-6K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
477	MAZDA-DXR171730W-6K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
478	MAZDA-DXR171730W-6K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
479	MAZDA-DXR171730W-6K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
480	MAZDA-DXR171730W-6K-AC240-WH-PH-A158 X B78 X C130MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
481	MAZDA-DXR171730W-6K-AC240-GRY-PH-A158 X B78 X C130MM	30W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
482	MAZDA-DXR171730W-6K-AC240-Cs-PH-A158 X B78 X C130MM	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
483	MAZDA-DXR171730W-6K-AC240-BK-PH-A158 X B78 X C130MM	30W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
484	MAZDA-DXR171730W-6K-AC240-SL-PH-A158 X B78 X C130MM	30W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
485	MAZDA-DXR171730W-6K-AC240-GD-PH-A158 X B78 X C130MM	30W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
486	MAZDA-DXR171730W-6K-AC240-CH-PH-A158 X B78 X C130MM	30W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
487	MAZDA-DXR171730W-6K-AC240-WH-DA-A158 X B78 X C130MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
488	MAZDA-DXR171730W-6K-AC240-GRY-DA-A158 X B78 X C130MM	30W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
489	MAZDA-DXR171730W-6K-AC240-Cs-DA-A158 X B78 X C130MM	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
490	MAZDA-DXR171730W-6K-AC240-BK-DA-A158 X B78 X C130MM	30W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
491	MAZDA-DXR171730W-6K-AC240-SL-DA-A158 X B78 X C130MM	30W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
492	MAZDA-DXR171730W-6K-AC240-GD-DA-A158 X B78 X C130MM	30W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
493	MAZDA-DXR171730W-6K-AC240-CH-DA-A158 X B78 X C130MM	30W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
494	MAZDA-DXR171730W-6K-AC240-WH-ND-A158 X B78 X C130MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
495	MAZDA-DXR171730W-6K-AC240-GRY-ND-A158 X B78 X C130MM	30W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
496	MAZDA-DXR171730W-6K-AC240-Cs-ND-A158 X B78 X C130MM	30W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
497	MAZDA-DXR171730W-6K-AC240-BK-ND-A158 X B78 X C130MM	30W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
498	MAZDA-DXR171730W-6K-AC240-SL-ND-A158 X B78 X C130MM	30W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
499	MAZDA-DXR171730W-6K-AC240-GD-ND-A158 X B78 X C130MM	30W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
500	MAZDA-DXR171730W-6K-AC240-CH-ND-A158 X B78 X C130MM	30W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
501	MAZDA-DXR171730W-6.5K-AC240-WH-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
502	MAZDA-DXR171730W-6.5K-AC240-GRY-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
503	MAZDA-DXR171730W-6.5K-AC240-Cs-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
504	MAZDA-DXR171730W-6.5K-AC240-BK-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
505	MAZDA-DXR171730W-6.5K-AC240-SL-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
506	MAZDA-DXR171730W-6.5K-AC240-GD-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
507	MAZDA-DXR171730W-6.5K-AC240-CH-10VDIM-A158 X B78 X C130MM	30W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
508	MAZDA-DXR171730W-6.5K-AC240-WH-PH-A158 X B78 X C130MM	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
509	MAZDA-DXR171730W-6.5K-AC240-GRY-PH-A158 X B78 X C130MM	30W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
510	MAZDA-DXR171730W-6.5K-AC240-Cs-PH-A158 X B78 X C130MM	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
511	MAZDA-DXR171730W-6.5K-AC240-BK-PH-A158 X B78 X C130MM	30W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
512	MAZDA-DXR171730W-6.5K-AC240-SL-PH-A158 X B78 X C130MM	30W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
513	MAZDA-DXR171730W-6.5K-AC240-GD-PH-A158 X B78 X C130MM	30W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
514	MAZDA-DXR171730W-6.5K-AC240-CH-PH-A158 X B78 X C130MM	30W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
515	MAZDA-DXR171730W-6.5K-AC240-WH-DA-A158 X B78 X C130MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
516	MAZDA-DXR171730W-6.5K-AC240-GRY-DA-A158 X B78 X C130MM	30W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
517	MAZDA-DXR171730W-6.5K-AC240-Cs-DA-A158 X B78 X C130MM	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
518	MAZDA-DXR171730W-6.5K-AC240-BK-DA-A158 X B78 X C130MM	30W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER		A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
519	MAZDA-DXR171730W-6.5K-AC240-SL-DA-A158 X B78 X C130MM	30W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
520	MAZDA-DXR171730W-6.5K-AC240-GD-DA-A158 X B78 X C130MM	30W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
521	MAZDA-DXR171730W-6.5K-AC240-CH-DA-A158 X B78 X C130MM	30W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
522	MAZDA-DXR171730W-6.5K-AC240-WH-ND-A158 X B78 X C130MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
523	MAZDA-DXR171730W-6.5K-AC240-GRY-ND-A158 X B78 X C130MM	30W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
524	MAZDA-DXR171730W-6.5K-AC240-Cs-ND-A158 X B78 X C130MM	30W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
525	MAZDA-DXR171730W-6.5K-AC240-BK-ND-A158 X B78 X C130MM	30W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
526	MAZDA-DXR171730W-6.5K-AC240-SL-ND-A158 X B78 X C130MM	30W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
527	MAZDA-DXR171730W-6.5K-AC240-GD-ND-A158 X B78 X C130MM	30W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
528	MAZDA-DXR171730W-6.5K-AC240-CH-ND-A158 X B78 X C130MM	30W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A158 X B78 X C130MM	DIE CAST ALUMINUM	IP65	3600LM	A158 X B78 X C130MM	
529	MAZDA-DXR171740W-2.7K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
530	MAZDA-DXR171740W-2.7K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
531	MAZDA-DXR171740W-2.7K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
532	MAZDA-DXR171740W-2.7K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
533	MAZDA-DXR171740W-2.7K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
534	MAZDA-DXR171740W-2.7K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
535	MAZDA-DXR171740W-2.7K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	2700	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
536	MAZDA-DXR171740W-2.7K-AC240-WH-PH-A186 X B102 X C170MM	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
537	MAZDA-DXR171740W-2.7K-AC240-GRY-PH-A186 X B102 X C170MM	40W	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
538	MAZDA-DXR171740W-2.7K-AC240-Cs-PH-A186 X B102 X C170MM	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
539	MAZDA-DXR171740W-2.7K-AC240-BK-PH-A186 X B102 X C170MM	40W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
540	MAZDA-DXR171740W-2.7K-AC240-SL-PH-A186 X B102 X C170MM	40W	2700	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
541	MAZDA-DXR171740W-2.7K-AC240-GD-PH-A186 X B102 X C170MM	40W	2700	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
542	MAZDA-DXR171740W-2.7K-AC240-CH-PH-A186 X B102 X C170MM	40W	2700	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
543	MAZDA-DXR171740W-2.7K-AC240-WH-DA-A186 X B102 X C170MM	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
544	MAZDA-DXR171740W-2.7K-AC240-GRY-DA-A186 X B102 X C170MM	40W	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
545	MAZDA-DXR171740W-2.7K-AC240-Cs-DA-A186 X B102 X C170MM	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
546	MAZDA-DXR171740W-2.7K-AC240-BK-DA-A186 X B102 X C170MM	40W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
547	MAZDA-DXR171740W-2.7K-AC240-SL-DA-A186 X B102 X C170MM	40W	2700	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
548	MAZDA-DXR171740W-2.7K-AC240-GD-DA-A186 X B102 X C170MM	40W	2700	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
549	MAZDA-DXR171740W-2.7K-AC240-CH-DA-A186 X B102 X C170MM	40W	2700	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE 24 DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
550	MAZDA-DXR171740W-2.7K-AC240-WH-ND-A186 X B102 X C170MM	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
551	MAZDA-DXR171740W-2.7K-AC240-GRY-ND-A186 X B102 X C170MM	40W	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
552	MAZDA-DXR171740W-2.7K-AC240-Cs-ND-A186 X B102 X C170MM	40W	2700	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
553	MAZDA-DXR171740W-2.7K-AC240-BK-ND-A186 X B102 X C170MM	40W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
554	MAZDA-DXR171740W-2.7K-AC240-SL-ND-A186 X B102 X C170MM	40W	2700	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
555	MAZDA-DXR171740W-2.7K-AC240-GD-ND-A186 X B102 X C170MM	40W	2700	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
556	MAZDA-DXR171740W-2.7K-AC240-CH-ND-A186 X B102 X C170MM	40W	2700	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
557	MAZDA-DXR171740W-3K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
558	MAZDA-DXR171740W-3K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
559	MAZDA-DXR171740W-3K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
560	MAZDA-DXR171740W-3K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
561	MAZDA-DXR171740W-3K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
562	MAZDA-DXR171740W-3K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
563	MAZDA-DXR171740W-3K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	3000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
564	MAZDA-DXR171740W-3K-AC240-WH-PH-A186 X B102 X C170MM	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
565	MAZDA-DXR171740W-3K-AC240-GRY-PH-A186 X B102 X C170MM	40W	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
566	MAZDA-DXR171740W-3K-AC240-Cs-PH-A186 X B102 X C170MM	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
567	MAZDA-DXR171740W-3K-AC240-BK-PH-A186 X B102 X C170MM	40W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
568	MAZDA-DXR171740W-3K-AC240-SL-PH-A186 X B102 X C170MM	40W	3000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
569	MAZDA-DXR171740W-3K-AC240-GD-PH-A186 X B102 X C170MM	40W	3000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
570	MAZDA-DXR171740W-3K-AC240-CH-PH-A186 X B102 X C170MM	40W	3000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
571	MAZDA-DXR171740W-3K-AC240-WH-DA-A186 X B102 X C170MM	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
572	MAZDA-DXR171740W-3K-AC240-GRY-DA-A186 X B102 X C170MM	40W	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
573	MAZDA-DXR171740W-3K-AC240-Cs-DA-A186 X B102 X C170MM	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
574	MAZDA-DXR171740W-3K-AC240-BK-DA-A186 X B102 X C170MM	40W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
575	MAZDA-DXR171740W-3K-AC240-SL-DA-A186 X B102 X C170MM	40W	3000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
576	MAZDA-DXR171740W-3K-AC240-GD-DA-A186 X B102 X C170MM	40W	3000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
577	MAZDA-DXR171740W-3K-AC240-CH-DA-A186 X B102 X C170MM	40W	3000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
578	MAZDA-DXR171740W-3K-AC240-WH-ND-A186 X B102 X C170MM	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
579	MAZDA-DXR171740W-3K-AC240-GRY-ND-A186 X B102 X C170MM	40W	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
580	MAZDA-DXR171740W-3K-AC240-Cs-ND-A186 X B102 X C170MM	40W	3000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
581	MAZDA-DXR171740W-3K-AC240-BK-ND-A186 X B102 X C170MM	40W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
582	MAZDA-DXR171740W-3K-AC240-SL-ND-A186 X B102 X C170MM	40W	3000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
583	MAZDA-DXR171740W-3K-AC240-GD-ND-A186 X B102 X C170MM	40W	3000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
584	MAZDA-DXR171740W-3K-AC240-CH-ND-A186 X B102 X C170MM	40W	3000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
585	MAZDA-DXR171740W-4K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
586	MAZDA-DXR171740W-4K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
587	MAZDA-DXR171740W-4K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
588	MAZDA-DXR171740W-4K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
589	MAZDA-DXR171740W-4K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
590	MAZDA-DXR171740W-4K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
591	MAZDA-DXR171740W-4K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	4000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
592	MAZDA-DXR171740W-4K-AC240-WH-PH-A186 X B102 X C170MM	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
593	MAZDA-DXR171740W-4K-AC240-GRY-PH-A186 X B102 X C170MM	40W	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
594	MAZDA-DXR171740W-4K-AC240-Cs-PH-A186 X B102 X C170MM	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
595	MAZDA-DXR171740W-4K-AC240-BK-PH-A186 X B102 X C170MM	40W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
596	MAZDA-DXR171740W-4K-AC240-SL-PH-A186 X B102 X C170MM	40W	4000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
597	MAZDA-DXR171740W-4K-AC240-GD-PH-A186 X B102 X C170MM	40W	4000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
598	MAZDA-DXR171740W-4K-AC240-CH-PH-A186 X B102 X C170MM	40W	4000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
599	MAZDA-DXR171740W-4K-AC240-WH-DA-A186 X B102 X C170MM	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
600	MAZDA-DXR171740W-4K-AC240-GRY-DA-A186 X B102 X C170MM	40W	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
601	MAZDA-DXR171740W-4K-AC240-Cs-DA-A186 X B102 X C170MM	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
602	MAZDA-DXR171740W-4K-AC240-BK-DA-A186 X B102 X C170MM	40W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
603	MAZDA-DXR171740W-4K-AC240-SL-DA-A186 X B102 X C170MM	40W	4000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
604	MAZDA-DXR171740W-4K-AC240-GD-DA-A186 X B102 X C170MM	40W	4000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
605	MAZDA-DXR171740W-4K-AC240-CH-DA-A186 X B102 X C170MM	40W	4000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
606	MAZDA-DXR171740W-4K-AC240-WH-ND-A186 X B102 X C170MM	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
607	MAZDA-DXR171740W-4K-AC240-GRY-ND-A186 X B102 X C170MM	40W	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
608	MAZDA-DXR171740W-4K-AC240-Cs-ND-A186 X B102 X C170MM	40W	4000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
609	MAZDA-DXR171740W-4K-AC240-BK-ND-A186 X B102 X C170MM	40W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
610	MAZDA-DXR171740W-4K-AC240-SL-ND-A186 X B102 X C170MM	40W	4000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
611	MAZDA-DXR171740W-4K-AC240-GD-ND-A186 X B102 X C170MM	40W	4000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
612	MAZDA-DXR171740W-4K-AC240-CH-ND-A186 X B102 X C170MM	40W	4000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
613	MAZDA-DXR171740W-5K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
614	MAZDA-DXR171740W-5K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
615	MAZDA-DXR171740W-5K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
616	MAZDA-DXR171740W-5K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
617	MAZDA-DXR171740W-5K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
618	MAZDA-DXR171740W-5K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
619	MAZDA-DXR171740W-5K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	5000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
620	MAZDA-DXR171740W-5K-AC240-WH-PH-A186 X B102 X C170MM	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
621	MAZDA-DXR171740W-5K-AC240-GRY-PH-A186 X B102 X C170MM	40W	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
622	MAZDA-DXR171740W-5K-AC240-Cs-PH-A186 X B102 X C170MM	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
623	MAZDA-DXR171740W-5K-AC240-BK-PH-A186 X B102 X C170MM	40W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
624	MAZDA-DXR171740W-5K-AC240-SL-PH-A186 X B102 X C170MM	40W	5000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
625	MAZDA-DXR171740W-5K-AC240-GD-PH-A186 X B102 X C170MM	40W	5000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
626	MAZDA-DXR171740W-5K-AC240-CH-PH-A186 X B102 X C170MM	40W	5000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
627	MAZDA-DXR171740W-5K-AC240-WH-DA-A186 X B102 X C170MM	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
628	MAZDA-DXR171740W-5K-AC240-GRY-DA-A186 X B102 X C170MM	40W	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
629	MAZDA-DXR171740W-5K-AC240-Cs-DA-A186 X B102 X C170MM	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
630	MAZDA-DXR171740W-5K-AC240-BK-DA-A186 X B102 X C170MM	40W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
631	MAZDA-DXR171740W-5K-AC240-SL-DA-A186 X B102 X C170MM	40W	5000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
632	MAZDA-DXR171740W-5K-AC240-GD-DA-A186 X B102 X C170MM	40W	5000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
633	MAZDA-DXR171740W-5K-AC240-CH-DA-A186 X B102 X C170MM	40W	5000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
634	MAZDA-DXR171740W-5K-AC240-WH-ND-A186 X B102 X C170MM	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
635	MAZDA-DXR171740W-5K-AC240-GRY-ND-A186 X B102 X C170MM	40W	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
636	MAZDA-DXR171740W-5K-AC240-Cs-ND-A186 X B102 X C170MM	40W	5000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
637	MAZDA-DXR171740W-5K-AC240-BK-ND-A186 X B102 X C170MM	40W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
638	MAZDA-DXR171740W-5K-AC240-SL-ND-A186 X B102 X C170MM	40W	5000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
639	MAZDA-DXR171740W-5K-AC240-GD-ND-A186 X B102 X C170MM	40W	5000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
640	MAZDA-DXR171740W-5K-AC240-CH-ND-A186 X B102 X C170MM	40W	5000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
641	MAZDA-DXR171740W-6K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
642	MAZDA-DXR171740W-6K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
643	MAZDA-DXR171740W-6K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
644	MAZDA-DXR171740W-6K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
645	MAZDA-DXR171740W-6K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
646	MAZDA-DXR171740W-6K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
647	MAZDA-DXR171740W-6K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	6000	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
648	MAZDA-DXR171740W-6K-AC240-WH-PH-A186 X B102 X C170MM	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
649	MAZDA-DXR171740W-6K-AC240-GRY-PH-A186 X B102 X C170MM	40W	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
650	MAZDA-DXR171740W-6K-AC240-Cs-PH-A186 X B102 X C170MM	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
651	MAZDA-DXR171740W-6K-AC240-BK-PH-A186 X B102 X C170MM	40W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
652	MAZDA-DXR171740W-6K-AC240-SL-PH-A186 X B102 X C170MM	40W	6000	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
653	MAZDA-DXR171740W-6K-AC240-GD-PH-A186 X B102 X C170MM	40W	6000	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
654	MAZDA-DXR171740W-6K-AC240-CH-PH-A186 X B102 X C170MM	40W	6000	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
655	MAZDA-DXR171740W-6K-AC240-WH-DA-A186 X B102 X C170MM	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
656	MAZDA-DXR171740W-6K-AC240-GRY-DA-A186 X B102 X C170MM	40W	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
657	MAZDA-DXR171740W-6K-AC240-Cs-DA-A186 X B102 X C170MM	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
658	MAZDA-DXR171740W-6K-AC240-BK-DA-A186 X B102 X C170MM	40W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
659	MAZDA-DXR171740W-6K-AC240-SL-DA-A186 X B102 X C170MM	40W	6000	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
660	MAZDA-DXR171740W-6K-AC240-GD-DA-A186 X B102 X C170MM	40W	6000	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
661	MAZDA-DXR171740W-6K-AC240-CH-DA-A186 X B102 X C170MM	40W	6000	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
662	MAZDA-DXR171740W-6K-AC240-WH-ND-A186 X B102 X C170MM	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
663	MAZDA-DXR171740W-6K-AC240-GRY-ND-A186 X B102 X C170MM	40W	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
664	MAZDA-DXR171740W-6K-AC240-Cs-ND-A186 X B102 X C170MM	40W	6000	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
665	MAZDA-DXR171740W-6K-AC240-BK-ND-A186 X B102 X C170MM	40W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
666	MAZDA-DXR171740W-6K-AC240-SL-ND-A186 X B102 X C170MM	40W	6000	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
667	MAZDA-DXR171740W-6K-AC240-GD-ND-A186 X B102 X C170MM	40W	6000	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
668	MAZDA-DXR171740W-6K-AC240-CH-ND-A186 X B102 X C170MM	40W	6000	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
669	MAZDA-DXR171740W-6.5K-AC240-WH-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
670	MAZDA-DXR171740W-6.5K-AC240-GRY-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
671	MAZDA-DXR171740W-6.5K-AC240-Cs-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
672	MAZDA-DXR171740W-6.5K-AC240-BK-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
673	MAZDA-DXR171740W-6.5K-AC240-SL-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	SILVER	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
674	MAZDA-DXR171740W-6.5K-AC240-GD-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	GOLD	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
675	MAZDA-DXR171740W-6.5K-AC240-CH-10VDIM-A186 X B102 X C170MM	40W	6500	240VAC	CHROME	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
676	MAZDA-DXR171740W-6.5K-AC240-WH-PH-A186 X B102 X C170MM	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
677	MAZDA-DXR171740W-6.5K-AC240-GRY-PH-A186 X B102 X C170MM	40W	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
678	MAZDA-DXR171740W-6.5K-AC240-Cs-PH-A186 X B102 X C170MM	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
679	MAZDA-DXR171740W-6.5K-AC240-BK-PH-A186 X B102 X C170MM	40W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
680	MAZDA-DXR171740W-6.5K-AC240-SL-PH-A186 X B102 X C170MM	40W	6500	240VAC	SILVER	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
681	MAZDA-DXR171740W-6.5K-AC240-GD-PH-A186 X B102 X C170MM	40W	6500	240VAC	GOLD	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
682	MAZDA-DXR171740W-6.5K-AC240-CH-PH-A186 X B102 X C170MM	40W	6500	240VAC	CHROME	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
683	MAZDA-DXR171740W-6.5K-AC240-WH-DA-A186 X B102 X C170MM	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
684	MAZDA-DXR171740W-6.5K-AC240-GRY-DA-A186 X B102 X C170MM	40W	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
685	MAZDA-DXR171740W-6.5K-AC240-Cs-DA-A186 X B102 X C170MM	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
686	MAZDA-DXR171740W-6.5K-AC240-BK-DA-A186 X B102 X C170MM	40W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
687	MAZDA-DXR171740W-6.5K-AC240-SL-DA-A186 X B102 X C170MM	40W	6500	240VAC	SILVER	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
688	MAZDA-DXR171740W-6.5K-AC240-GD-DA-A186 X B102 X C170MM	40W	6500	240VAC	GOLD	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
689	MAZDA-DXR171740W-6.5K-AC240-CH-DA-A186 X B102 X C170MM	40W	6500	240VAC	CHROME	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
690	MAZDA-DXR171740W-6.5K-AC240-WH-ND-A186 X B102 X C170MM	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
691	MAZDA-DXR171740W-6.5K-AC240-GRY-ND-A186 X B102 X C170MM	40W	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
692	MAZDA-DXR171740W-6.5K-AC240-Cs-ND-A186 X B102 X C170MM	40W	6500	240VAC	CHROME SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
693	MAZDA-DXR171740W-6.5K-AC240-BK-ND-A186 X B102 X C170MM	40W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
694	MAZDA-DXR171740W-6.5K-AC240-SL-ND-A186 X B102 X C170MM	40W	6500	240VAC	SILVER	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
695	MAZDA-DXR171740W-6.5K-AC240-GD-ND-A186 X B102 X C170MM	40W	6500	240VAC	GOLD	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	
696	MAZDA-DXR171740W-6.5K-AC240-CH-ND-A186 X B102 X C170MM	40W	6500	240VAC	CHROME	NON EMERGENCY	ON - OFF	24	A186 X B102 X C170MM	DIE CAST ALUMINUM	IP65	4800LM	A186 X B102 X C170MM	