DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



OSCAR

MAZDA Model: DXR1820 Downlight

Oscar LED Down light is unique traditional deep reflector and high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting and humanization design, made by high quality aluminum profile provides excellent thermal dissipation with great heatsink designed for any ceiling installations. Isolated driver solution both in dimmable and non-dimmable version

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR182007W-3K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
2	MAZDA-DXR182007W-3K-AC240-WH-PH-A95 X B65 X C70MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
3	MAZDA-DXR182007W-3K-AC240-WH-ND-A95 X B65 X C70MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
4	MAZDA-DXR182007W-3K-AC240-WH-DA-A95 X B65 X C70MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
5	MAZDA-DXR182007W-4K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
6	MAZDA-DXR182007W-4K-AC240-WH-PH-A95 X B65 X C70MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
7	MAZDA-DXR182007W-4K-AC240-WH-ND-A95 X B65 X C70MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
8	MAZDA-DXR182007W-4K-AC240-WH-DA-A95 X B65 X C70MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
9	MAZDA-DXR182007W-5K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
10	MAZDA-DXR182007W-5K-AC240-WH-PH-A95 X B65 X C70MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
11	MAZDA-DXR182007W-5K-AC240-WH-ND-A95 X B65 X C70MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
12	MAZDA-DXR182007W-5K-AC240-WH-DA-A95 X B65 X C70MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
13	MAZDA-DXR182007W-6K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
14	MAZDA-DXR182007W-6K-AC240-WH-PH-A95 X B65 X C70MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
15	MAZDA-DXR182007W-6K-AC240-WH-ND-A95 X B65 X C70MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
16	MAZDA-DXR182007W-6K-AC240-WH-DA-A95 X B65 X C70MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
17	MAZDA-DXR182007W-2.7K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
18	MAZDA-DXR182007W-2.7K-AC240-WH-PH-A95 X B65 X C70MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
19	MAZDA-DXR182007W-2.7K-AC240-WH-ND-A95 X B65 X C70MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
20	MAZDA-DXR182007W-2.7K-AC240-WH-DA-A95 X B65 X C70MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR182007W-6.5K-AC240-WH-10VDIM-A95 X B65 X C70MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
22	MAZDA-DXR182007W-6.5K-AC240-WH-PH-A95 X B65 X C70MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
23	MAZDA-DXR182007W-6.5K-AC240-WH-ND-A95 X B65 X C70MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
24	MAZDA-DXR182007W-6.5K-AC240-WH-DA-A95 X B65 X C70MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	840LM	A95 X B65 X C70MM	
25	MAZDA-DXR182010W-3K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
26	MAZDA-DXR182010W-3K-AC240-WH-PH-A95 X B65 X C70MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
27	MAZDA-DXR182010W-3K-AC240-WH-ND-A95 X B65 X C70MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
28	MAZDA-DXR182010W-3K-AC240-WH-DA-A95 X B65 X C70MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
29	MAZDA-DXR182010W-4K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
30	MAZDA-DXR182010W-4K-AC240-WH-PH-A95 X B65 X C70MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
31	MAZDA-DXR182010W-4K-AC240-WH-ND-A95 X B65 X C70MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
32	MAZDA-DXR182010W-4K-AC240-WH-DA-A95 X B65 X C70MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
33	MAZDA-DXR182010W-5K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
34	MAZDA-DXR182010W-5K-AC240-WH-PH-A95 X B65 X C70MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
35	MAZDA-DXR182010W-5K-AC240-WH-ND-A95 X B65 X C70MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
36	MAZDA-DXR182010W-5K-AC240-WH-DA-A95 X B65 X C70MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
37	MAZDA-DXR182010W-6K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
38	MAZDA-DXR182010W-6K-AC240-WH-PH-A95 X B65 X C70MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
39	MAZDA-DXR182010W-6K-AC240-WH-ND-A95 X B65 X C70MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
40	MAZDA-DXR182010W-6K-AC240-WH-DA-A95 X B65 X C70MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
41	MAZDA-DXR182010W-2.7K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
42	MAZDA-DXR182010W-2.7K-AC240-WH-PH-A95 X B65 X C70MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
43	MAZDA-DXR182010W-2.7K-AC240-WH-ND-A95 X B65 X C70MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
44	MAZDA-DXR182010W-2.7K-AC240-WH-DA-A95 X B65 X C70MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
45	MAZDA-DXR182010W-6.5K-AC240-WH-10VDIM-A95 X B65 X C70MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
46	MAZDA-DXR182010W-6.5K-AC240-WH-PH-A95 X B65 X C70MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
47	MAZDA-DXR182010W-6.5K-AC240-WH-ND-A95 X B65 X C70MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
48	MAZDA-DXR182010W-6.5K-AC240-WH-DA-A95 X B65 X C70MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1200LM	A95 X B65 X C70MM	
49	MAZDA-DXR182012W-3K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
50	MAZDA-DXR182012W-3K-AC240-WH-PH-A105 X B65 X C70MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
51	MAZDA-DXR182012W-3K-AC240-WH-ND-A105 X B65 X C70MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
52	MAZDA-DXR182012W-3K-AC240-WH-DA-A105 X B65 X C70MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
53	MAZDA-DXR182012W-4K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
54	MAZDA-DXR182012W-4K-AC240-WH-PH-A105 X B65 X C70MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
55	MAZDA-DXR182012W-4K-AC240-WH-ND-A105 X B65 X C70MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
56	MAZDA-DXR182012W-4K-AC240-WH-DA-A105 X B65 X C70MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
57	MAZDA-DXR182012W-5K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
58	MAZDA-DXR182012W-5K-AC240-WH-PH-A105 X B65 X C70MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
59	MAZDA-DXR182012W-5K-AC240-WH-ND-A105 X B65 X C70MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
60	MAZDA-DXR182012W-5K-AC240-WH-DA-A105 X B65 X C70MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
61	MAZDA-DXR182012W-6K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
62	MAZDA-DXR182012W-6K-AC240-WH-PH-A105 X B65 X C70MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
63	MAZDA-DXR182012W-6K-AC240-WH-ND-A105 X B65 X C70MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
64	MAZDA-DXR182012W-6K-AC240-WH-DA-A105 X B65 X C70MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
65	MAZDA-DXR182012W-2.7K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
66	MAZDA-DXR182012W-2.7K-AC240-WH-PH-A105 X B65 X C70MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
67	MAZDA-DXR182012W-2.7K-AC240-WH-ND-A105 X B65 X C70MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
68	MAZDA-DXR182012W-2.7K-AC240-WH-DA-A105 X B65 X C70MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
69	MAZDA-DXR182012W-6.5K-AC240-WH-10VDIM-A105 X B65 X C70MM	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
70	MAZDA-DXR182012W-6.5K-AC240-WH-PH-A105 X B65 X C70MM	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
71	MAZDA-DXR182012W-6.5K-AC240-WH-ND-A105 X B65 X C70MM	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
72	MAZDA-DXR182012W-6.5K-AC240-WH-DA-A105 X B65 X C70MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A105 X B65 X C70MM	DIE CAST ALUMINUM	IP54	1440LM	A105 X B65 X C70MM	
73	MAZDA-DXR182015W-3K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
74	MAZDA-DXR182015W-3K-AC240-WH-PH-A130 X B70 X C105MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
75	MAZDA-DXR182015W-3K-AC240-WH-ND-A130 X B70 X C105MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
76	MAZDA-DXR182015W-3K-AC240-WH-DA-A130 X B70 X C105MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
77	MAZDA-DXR182015W-4K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
78	MAZDA-DXR182015W-4K-AC240-WH-PH-A130 X B70 X C105MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
79	MAZDA-DXR182015W-4K-AC240-WH-ND-A130 X B70 X C105MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
80	MAZDA-DXR182015W-4K-AC240-WH-DA-A130 X B70 X C105MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
81	MAZDA-DXR182015W-5K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
82	MAZDA-DXR182015W-5K-AC240-WH-PH-A130 X B70 X C105MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
83	MAZDA-DXR182015W-5K-AC240-WH-ND-A130 X B70 X C105MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
84	MAZDA-DXR182015W-5K-AC240-WH-DA-A130 X B70 X C105MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
85	MAZDA-DXR182015W-6K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
86	MAZDA-DXR182015W-6K-AC240-WH-PH-A130 X B70 X C105MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
87	MAZDA-DXR182015W-6K-AC240-WH-ND-A130 X B70 X C105MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
88	MAZDA-DXR182015W-6K-AC240-WH-DA-A130 X B70 X C105MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
89	MAZDA-DXR182015W-2.7K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
90	MAZDA-DXR182015W-2.7K-AC240-WH-PH-A130 X B70 X C105MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
91	MAZDA-DXR182015W-2.7K-AC240-WH-ND-A130 X B70 X C105MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
92	MAZDA-DXR182015W-2.7K-AC240-WH-DA-A130 X B70 X C105MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
93	MAZDA-DXR182015W-6.5K-AC240-WH-10VDIM-A130 X B70 X C105MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
94	MAZDA-DXR182015W-6.5K-AC240-WH-PH-A130 X B70 X C105MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
95	MAZDA-DXR182015W-6.5K-AC240-WH-ND-A130 X B70 X C105MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
96	MAZDA-DXR182015W-6.5K-AC240-WH-DA-A130 X B70 X C105MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A130 X B70 X C105MM	DIE CAST ALUMINUM	IP54	1800LM	A130 X B70 X C105MM	
97	MAZDA-DXR182020W-3K-AC240-WH-10VDIM-A165 X B90 X C155MM	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
98	MAZDA-DXR182020W-3K-AC240-WH-PH-A165 X B90 X C155MM	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
99	MAZDA-DXR182020W-3K-AC240-WH-ND-A165 X B90 X C155MM	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
100	MAZDA-DXR182020W-3K-AC240-WH-DA-A165 X B90 X C155MM	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
101	MAZDA-DXR182020W-4K-AC240-WH-10VDIM-A165 X B90 X C155MM	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
102	MAZDA-DXR182020W-4K-AC240-WH-PH-A165 X B90 X C155MM	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
103	MAZDA-DXR182020W-4K-AC240-WH-ND-A165 X B90 X C155MM	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
104	MAZDA-DXR182020W-4K-AC240-WH-DA-A165 X B90 X C155MM	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
105	MAZDA-DXR182020W-5K-AC240-WH-10VDIM-A165 X B90 X C155MM	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
106	MAZDA-DXR182020W-5K-AC240-WH-PH-A165 X B90 X C155MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
107	MAZDA-DXR182020W-5K-AC240-WH-ND-A165 X B90 X C155MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
108	MAZDA-DXR182020W-5K-AC240-WH-DA-A165 X B90 X C155MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
109	MAZDA-DXR182020W-6K-AC240-WH-10VDIM-A165 X B90 X C155MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
110	MAZDA-DXR182020W-6K-AC240-WH-PH-A165 X B90 X C155MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
111	MAZDA-DXR182020W-6K-AC240-WH-ND-A165 X B90 X C155MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
112	MAZDA-DXR182020W-6K-AC240-WH-DA-A165 X B90 X C155MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
113	MAZDA-DXR182020W-2.7K-AC240-WH-10VDIM-A165 X B90 X C155MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
114	**MAZDA-DXR182020W-2.7K-AC240-WH-PH-A165 X B90 X C155MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
115	**MAZDA-DXR182020W-2.7K-AC240-WH-ND-A165 X B90 X C155MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
116	**MAZDA-DXR182020W-2.7K-AC240-WH-DA-A165 X B90 X C155MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
117	**MAZDA-DXR182020W-6.5K-AC240-WH-10VDIM-A165 X B90 X C155MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
118	**MAZDA-DXR182020W-6.5K-AC240-WH-PH-A165 X B90 X C155MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
119	**MAZDA-DXR182020W-6.5K-AC240-WH-ND-A165 X B90 X C155MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
120	**MAZDA-DXR182020W-6.5K-AC240-WH-DA-A165 X B90 X C155MM**	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A165 X B90 X C155MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B90 X C155MM	
121	**MAZDA-DXR182025W-3K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
122	**MAZDA-DXR182025W-3K-AC240-WH-PH-A185 X B95 X C165MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
123	**MAZDA-DXR182025W-3K-AC240-WH-ND-A185 X B95 X C165MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
124	**MAZDA-DXR182025W-3K-AC240-WH-DA-A185 X B95 X C165MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
125	**MAZDA-DXR182025W-4K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
126	**MAZDA-DXR182025W-4K-AC240-WH-PH-A185 X B95 X C165MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
127	**MAZDA-DXR182025W-4K-AC240-WH-ND-A185 X B95 X C165MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
128	**MAZDA-DXR182025W-4K-AC240-WH-DA-A185 X B95 X C165MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
129	**MAZDA-DXR182025W-5K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
130	**MAZDA-DXR182025W-5K-AC240-WH-PH-A185 X B95 X C165MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
131	**MAZDA-DXR182025W-5K-AC240-WH-ND-A185 X B95 X C165MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
132	**MAZDA-DXR182025W-5K-AC240-WH-DA-A185 X B95 X C165MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
133	**MAZDA-DXR182025W-6K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
134	**MAZDA-DXR182025W-6K-AC240-WH-PH-A185 X B95 X C165MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
135	**MAZDA-DXR182025W-6K-AC240-WH-ND-A185 X B95 X C165MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
136	**MAZDA-DXR182025W-6K-AC240-WH-DA-A185 X B95 X C165MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
137	**MAZDA-DXR182025W-2.7K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
138	**MAZDA-DXR182025W-2.7K-AC240-WH-PH-A185 X B95 X C165MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
139	**MAZDA-DXR182025W-2.7K-AC240-WH-ND-A185 X B95 X C165MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
140	**MAZDA-DXR182025W-2.7K-AC240-WH-DA-A185 X B95 X C165MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
141	**MAZDA-DXR182025W-6.5K-AC240-WH-10VDIM-A185 X B95 X C165MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
142	**MAZDA-DXR182025W-6.5K-AC240-WH-PH-A185 X B95 X C165MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
143	**MAZDA-DXR182025W-6.5K-AC240-WH-ND-A185 X B95 X C165MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	
144	**MAZDA-DXR182025W-6.5K-AC240-WH-DA-A185 X B95 X C165MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3000LM	A185 X B95 X C165MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
145	**MAZDA-DXR182030W-3K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
146	**MAZDA-DXR182030W-3K-AC240-WH-PH-A185 X B95 X C165MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
147	**MAZDA-DXR182030W-3K-AC240-WH-ND-A185 X B95 X C165MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
148	**MAZDA-DXR182030W-3K-AC240-WH-DA-A185 X B95 X C165MM**	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
149	**MAZDA-DXR182030W-4K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
150	**MAZDA-DXR182030W-4K-AC240-WH-PH-A185 X B95 X C165MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
151	**MAZDA-DXR182030W-4K-AC240-WH-ND-A185 X B95 X C165MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
152	**MAZDA-DXR182030W-4K-AC240-WH-DA-A185 X B95 X C165MM**	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
153	**MAZDA-DXR182030W-5K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
154	**MAZDA-DXR182030W-5K-AC240-WH-PH-A185 X B95 X C165MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
155	**MAZDA-DXR182030W-5K-AC240-WH-ND-A185 X B95 X C165MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
156	**MAZDA-DXR182030W-5K-AC240-WH-DA-A185 X B95 X C165MM**	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
157	**MAZDA-DXR182030W-6K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
158	**MAZDA-DXR182030W-6K-AC240-WH-PH-A185 X B95 X C165MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
159	**MAZDA-DXR182030W-6K-AC240-WH-ND-A185 X B95 X C165MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
160	**MAZDA-DXR182030W-6K-AC240-WH-DA-A185 X B95 X C165MM**	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
161	**MAZDA-DXR182030W-2.7K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
162	**MAZDA-DXR182030W-2.7K-AC240-WH-PH-A185 X B95 X C165MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
163	**MAZDA-DXR182030W-2.7K-AC240-WH-ND-A185 X B95 X C165MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
164	**MAZDA-DXR182030W-2.7K-AC240-WH-DA-A185 X B95 X C165MM**	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
165	**MAZDA-DXR182030W-6.5K-AC240-WH-10VDIM-A185 X B95 X C165MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
166	**MAZDA-DXR182030W-6.5K-AC240-WH-PH-A185 X B95 X C165MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
167	**MAZDA-DXR182030W-6.5K-AC240-WH-ND-A185 X B95 X C165MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
168	**MAZDA-DXR182030W-6.5K-AC240-WH-DA-A185 X B95 X C165MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A185 X B95 X C165MM	DIE CAST ALUMINUM	IP54	3600LM	A185 X B95 X C165MM	
169	**MAZDA-DXR182040W-3K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
170	**MAZDA-DXR182040W-3K-AC240-WH-PH-A220 X B105 X C200MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
171	**MAZDA-DXR182040W-3K-AC240-WH-ND-A220 X B105 X C200MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
172	**MAZDA-DXR182040W-3K-AC240-WH-DA-A220 X B105 X C200MM**	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
173	**MAZDA-DXR182040W-4K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
174	**MAZDA-DXR182040W-4K-AC240-WH-PH-A220 X B105 X C200MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
175	**MAZDA-DXR182040W-4K-AC240-WH-ND-A220 X B105 X C200MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
176	**MAZDA-DXR182040W-4K-AC240-WH-DA-A220 X B105 X C200MM**	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
177	**MAZDA-DXR182040W-5K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
178	**MAZDA-DXR182040W-5K-AC240-WH-PH-A220 X B105 X C200MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
179	**MAZDA-DXR182040W-5K-AC240-WH-ND-A220 X B105 X C200MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
180	**MAZDA-DXR182040W-5K-AC240-WH-DA-A220 X B105 X C200MM**	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
181	**MAZDA-DXR182040W-6K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
182	**MAZDA-DXR182040W-6K-AC240-WH-PH-A220 X B105 X C200MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
183	**MAZDA-DXR182040W-6K-AC240-WH-ND-A220 X B105 X C200MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
184	**MAZDA-DXR182040W-6K-AC240-WH-DA-A220 X B105 X C200MM**	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
185	**MAZDA-DXR182040W-2.7K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
186	**MAZDA-DXR182040W-2.7K-AC240-WH-PH-A220 X B105 X C200MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
187	**MAZDA-DXR182040W-2.7K-AC240-WH-ND-A220 X B105 X C200MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
188	**MAZDA-DXR182040W-2.7K-AC240-WH-DA-A220 X B105 X C200MM**	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
189	**MAZDA-DXR182040W-6.5K-AC240-WH-10VDIM-A220 X B105 X C200MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
190	**MAZDA-DXR182040W-6.5K-AC240-WH-PH-A220 X B105 X C200MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
191	**MAZDA-DXR182040W-6.5K-AC240-WH-ND-A220 X B105 X C200MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	
192	**MAZDA-DXR182040W-6.5K-AC240-WH-DA-A220 X B105 X C200MM**	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP54	4800LM	A220 X B105 X C200MM	