



PANELO SQ

MAZDA Model: DXR1792 DownLight

Panelo SQ is a square shaped down light recognised as one of the most trusted and highly desirable consumer fitting, we manufactured it to the highest standards. This superior design skillfully prevent the human eyes contact with the light sources directly, makes the light more soft. Meanwhile the light efficiency reach to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouse, home etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR179208W-3K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
2	MAZDA-DXR179208W-3K-AC240-WH-PH-A100 X B100 X C37MM	08W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
3	MAZDA-DXR179208W-3K-AC240-WH-ND-A100 X B100 X C37MM	08W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
4	MAZDA-DXR179208W-3K-AC240-WH-DA-A100 X B100 X C37MM	08W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
5	MAZDA-DXR179208W-4K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
6	MAZDA-DXR179208W-4K-AC240-WH-PH-A100 X B100 X C37MM	08W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
7	MAZDA-DXR179208W-4K-AC240-WH-ND-A100 X B100 X C37MM	08W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
8	MAZDA-DXR179208W-4K-AC240-WH-DA-A100 X B100 X C37MM	08W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
9	MAZDA-DXR179208W-5K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
10	MAZDA-DXR179208W-5K-AC240-WH-PH-A100 X B100 X C37MM	08W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
11	MAZDA-DXR179208W-5K-AC240-WH-ND-A100 X B100 X C37MM	08W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
12	MAZDA-DXR179208W-5K-AC240-WH-DA-A100 X B100 X C37MM	08W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
13	MAZDA-DXR179208W-6K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
14	MAZDA-DXR179208W-6K-AC240-WH-PH-A100 X B100 X C37MM	08W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
15	MAZDA-DXR179208W-6K-AC240-WH-ND-A100 X B100 X C37MM	08W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
16	MAZDA-DXR179208W-6K-AC240-WH-DA-A100 X B100 X C37MM	08W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
17	MAZDA-DXR179208W-2.7K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
18	MAZDA-DXR179208W-2.7K-AC240-WH-PH-A100 X B100 X C37MM	08W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
19	MAZDA-DXR179208W-2.7K-AC240-WH-ND-A100 X B100 X C37MM	08W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-DXR179208W-2.7K-AC240-WH-DA-A100 X B100 X C37MM	08W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
21	MAZDA-DXR179208W-6.5K-AC240-WH-10VDIM-A100 X B100 X C37MM	08W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
22	MAZDA-DXR179208W-6.5K-AC240-WH-PH-A100 X B100 X C37MM	08W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
23	MAZDA-DXR179208W-6.5K-AC240-WH-ND-A100 X B100 X C37MM	08W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
24	MAZDA-DXR179208W-6.5K-AC240-WH-DA-A100 X B100 X C37MM	08W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A100 X B100 X C37MM	DIE CAST ALUMINUM	IP54	960LM	A100 X B100 X C37MM	
25	MAZDA-DXR179212W-3K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
26	MAZDA-DXR179212W-3K-AC240-WH-PH-A135 X B135 X C37MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
27	MAZDA-DXR179212W-3K-AC240-WH-ND-A135 X B135 X C37MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
28	MAZDA-DXR179212W-3K-AC240-WH-DA-A135 X B135 X C37MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
29	MAZDA-DXR179212W-4K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
30	MAZDA-DXR179212W-4K-AC240-WH-PH-A135 X B135 X C37MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
31	MAZDA-DXR179212W-4K-AC240-WH-ND-A135 X B135 X C37MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
32	MAZDA-DXR179212W-4K-AC240-WH-DA-A135 X B135 X C37MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
33	MAZDA-DXR179212W-5K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
34	MAZDA-DXR179212W-5K-AC240-WH-PH-A135 X B135 X C37MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
35	MAZDA-DXR179212W-5K-AC240-WH-ND-A135 X B135 X C37MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
36	MAZDA-DXR179212W-5K-AC240-WH-DA-A135 X B135 X C37MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
37	MAZDA-DXR179212W-6K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
38	MAZDA-DXR179212W-6K-AC240-WH-PH-A135 X B135 X C37MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
39	MAZDA-DXR179212W-6K-AC240-WH-ND-A135 X B135 X C37MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
40	MAZDA-DXR179212W-6K-AC240-WH-DA-A135 X B135 X C37MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
41	MAZDA-DXR179212W-2.7K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
42	MAZDA-DXR179212W-2.7K-AC240-WH-PH-A135 X B135 X C37MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
43	MAZDA-DXR179212W-2.7K-AC240-WH-ND-A135 X B135 X C37MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
44	MAZDA-DXR179212W-2.7K-AC240-WH-DA-A135 X B135 X C37MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
45	MAZDA-DXR179212W-6.5K-AC240-WH-10VDIM-A135 X B135 X C37MM	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
46	MAZDA-DXR179212W-6.5K-AC240-WH-PH-A135 X B135 X C37MM	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
47	MAZDA-DXR179212W-6.5K-AC240-WH-ND-A135 X B135 X C37MM	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
48	MAZDA-DXR179212W-6.5K-AC240-WH-DA-A135 X B135 X C37MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1440LM	A135 X B135 X C37MM	
49	MAZDA-DXR179215W-3K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
50	MAZDA-DXR179215W-3K-AC240-WH-PH-A135 X B135 X C37MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
51	MAZDA-DXR179215W-3K-AC240-WH-ND-A135 X B135 X C37MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
52	MAZDA-DXR179215W-3K-AC240-WH-DA-A135 X B135 X C37MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
53	MAZDA-DXR179215W-4K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
54	MAZDA-DXR179215W-4K-AC240-WH-PH-A135 X B135 X C37MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
55	MAZDA-DXR179215W-4K-AC240-WH-ND-A135 X B135 X C37MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
56	MAZDA-DXR179215W-4K-AC240-WH-DA-A135 X B135 X C37MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
57	MAZDA-DXR179215W-5K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
58	MAZDA-DXR179215W-5K-AC240-WH-PH-A135 X B135 X C37MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
59	MAZDA-DXR179215W-5K-AC240-WH-ND-A135 X B135 X C37MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
60	MAZDA-DXR179215W-5K-AC240-WH-DA-A135 X B135 X C37MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
61	MAZDA-DXR179215W-6K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
62	MAZDA-DXR179215W-6K-AC240-WH-PH-A135 X B135 X C37MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
63	MAZDA-DXR179215W-6K-AC240-WH-ND-A135 X B135 X C37MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
64	MAZDA-DXR179215W-6K-AC240-WH-DA-A135 X B135 X C37MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
65	MAZDA-DXR179215W-2.7K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
66	MAZDA-DXR179215W-2.7K-AC240-WH-PH-A135 X B135 X C37MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
67	MAZDA-DXR179215W-2.7K-AC240-WH-ND-A135 X B135 X C37MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
68	MAZDA-DXR179215W-2.7K-AC240-WH-DA-A135 X B135 X C37MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
69	MAZDA-DXR179215W-6.5K-AC240-WH-10VDIM-A135 X B135 X C37MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
70	MAZDA-DXR179215W-6.5K-AC240-WH-PH-A135 X B135 X C37MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
71	MAZDA-DXR179215W-6.5K-AC240-WH-ND-A135 X B135 X C37MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
72	MAZDA-DXR179215W-6.5K-AC240-WH-DA-A135 X B135 X C37MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A135 X B135 X C37MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B135 X C37MM	
73	MAZDA-DXR179218W-3K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
74	MAZDA-DXR179218W-3K-AC240-WH-PH-A165 X B165 X C37MM	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
75	MAZDA-DXR179218W-3K-AC240-WH-ND-A165 X B165 X C37MM	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
76	MAZDA-DXR179218W-3K-AC240-WH-DA-A165 X B165 X C37MM	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
77	MAZDA-DXR179218W-4K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
78	MAZDA-DXR179218W-4K-AC240-WH-PH-A165 X B165 X C37MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
79	MAZDA-DXR179218W-4K-AC240-WH-ND-A165 X B165 X C37MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
80	MAZDA-DXR179218W-4K-AC240-WH-DA-A165 X B165 X C37MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
81	MAZDA-DXR179218W-5K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
82	MAZDA-DXR179218W-5K-AC240-WH-PH-A165 X B165 X C37MM	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
83	MAZDA-DXR179218W-5K-AC240-WH-ND-A165 X B165 X C37MM	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
84	MAZDA-DXR179218W-5K-AC240-WH-DA-A165 X B165 X C37MM	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
85	MAZDA-DXR179218W-6K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
86	MAZDA-DXR179218W-6K-AC240-WH-PH-A165 X B165 X C37MM	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
87	MAZDA-DXR179218W-6K-AC240-WH-ND-A165 X B165 X C37MM	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
88	MAZDA-DXR179218W-6K-AC240-WH-DA-A165 X B165 X C37MM	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
89	MAZDA-DXR179218W-2.7K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
90	MAZDA-DXR179218W-2.7K-AC240-WH-PH-A165 X B165 X C37MM	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
91	MAZDA-DXR179218W-2.7K-AC240-WH-ND-A165 X B165 X C37MM	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
92	MAZDA-DXR179218W-2.7K-AC240-WH-DA-A165 X B165 X C37MM	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
93	MAZDA-DXR179218W-6.5K-AC240-WH-10VDIM-A165 X B165 X C37MM	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
94	MAZDA-DXR179218W-6.5K-AC240-WH-PH-A165 X B165 X C37MM	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
95	MAZDA-DXR179218W-6.5K-AC240-WH-ND-A165 X B165 X C37MM	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
96	MAZDA-DXR179218W-6.5K-AC240-WH-DA-A165 X B165 X C37MM	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2160LM	A165 X B165 X C37MM	
97	MAZDA-DXR179220W-3K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
98	MAZDA-DXR179220W-3K-AC240-WH-PH-A165 X B165 X C37MM	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
99	MAZDA-DXR179220W-3K-AC240-WH-ND-A165 X B165 X C37MM	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
100	MAZDA-DXR179220W-3K-AC240-WH-DA-A165 X B165 X C37MM	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
101	MAZDA-DXR179220W-4K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
102	MAZDA-DXR179220W-4K-AC240-WH-PH-A165 X B165 X C37MM	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
103	MAZDA-DXR179220W-4K-AC240-WH-ND-A165 X B165 X C37MM	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
104	MAZDA-DXR179220W-4K-AC240-WH-DA-A165 X B165 X C37MM	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
105	MAZDA-DXR179220W-5K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
106	MAZDA-DXR179220W-5K-AC240-WH-PH-A165 X B165 X C37MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
107	MAZDA-DXR179220W-5K-AC240-WH-ND-A165 X B165 X C37MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
108	MAZDA-DXR179220W-5K-AC240-WH-DA-A165 X B165 X C37MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
109	MAZDA-DXR179220W-6K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
110	MAZDA-DXR179220W-6K-AC240-WH-PH-A165 X B165 X C37MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
111	MAZDA-DXR179220W-6K-AC240-WH-ND-A165 X B165 X C37MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
112	MAZDA-DXR179220W-6K-AC240-WH-DA-A165 X B165 X C37MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
113	MAZDA-DXR179220W-2.7K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
114	MAZDA-DXR179220W-2.7K-AC240-WH-PH-A165 X B165 X C37MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
115	MAZDA-DXR179220W-2.7K-AC240-WH-ND-A165 X B165 X C37MM	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
116	MAZDA-DXR179220W-2.7K-AC240-WH-DA-A165 X B165 X C37MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
117	MAZDA-DXR179220W-6.5K-AC240-WH-10VDIM-A165 X B165 X C37MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
118	MAZDA-DXR179220W-6.5K-AC240-WH-PH-A165 X B165 X C37MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
119	MAZDA-DXR179220W-6.5K-AC240-WH-ND-A165 X B165 X C37MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
120	MAZDA-DXR179220W-6.5K-AC240-WH-DA-A165 X B165 X C37MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A165 X B165 X C37MM	DIE CAST ALUMINUM	IP54	2400LM	A165 X B165 X C37MM	
121	MAZDA-DXR179225W-3K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
122	MAZDA-DXR179225W-3K-AC240-WH-PH-A215 X B215 X C37MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
123	MAZDA-DXR179225W-3K-AC240-WH-ND-A215 X B215 X C37MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
124	MAZDA-DXR179225W-3K-AC240-WH-DA-A215 X B215 X C37MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
125	MAZDA-DXR179225W-4K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
126	MAZDA-DXR179225W-4K-AC240-WH-PH-A215 X B215 X C37MM	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
127	MAZDA-DXR179225W-4K-AC240-WH-ND-A215 X B215 X C37MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
128	MAZDA-DXR179225W-4K-AC240-WH-DA-A215 X B215 X C37MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
129	MAZDA-DXR179225W-5K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
130	MAZDA-DXR179225W-5K-AC240-WH-PH-A215 X B215 X C37MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
131	MAZDA-DXR179225W-5K-AC240-WH-ND-A215 X B215 X C37MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
132	MAZDA-DXR179225W-5K-AC240-WH-DA-A215 X B215 X C37MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
133	MAZDA-DXR179225W-6K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
134	MAZDA-DXR179225W-6K-AC240-WH-PH-A215 X B215 X C37MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
135	MAZDA-DXR179225W-6K-AC240-WH-ND-A215 X B215 X C37MM	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
136	MAZDA-DXR179225W-6K-AC240-WH-DA-A215 X B215 X C37MM	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
137	MAZDA-DXR179225W-2.7K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
138	MAZDA-DXR179225W-2.7K-AC240-WH-PH-A215 X B215 X C37MM	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
139	MAZDA-DXR179225W-2.7K-AC240-WH-ND-A215 X B215 X C37MM	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
140	MAZDA-DXR179225W-2.7K-AC240-WH-DA-A215 X B215 X C37MM	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
141	MAZDA-DXR179225W-6.5K-AC240-WH-10VDIM-A215 X B215 X C37MM	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
142	MAZDA-DXR179225W-6.5K-AC240-WH-PH-A215 X B215 X C37MM	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
143	MAZDA-DXR179225W-6.5K-AC240-WH-ND-A215 X B215 X C37MM	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
144	MAZDA-DXR179225W-6.5K-AC240-WH-DA-A215 X B215 X C37MM	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3000LM	A215 X B215 X C37MM	
145	MAZDA-DXR179230W-3K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
146	MAZDA-DXR179230W-3K-AC240-WH-PH-A215 X B215 X C37MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
147	MAZDA-DXR179230W-3K-AC240-WH-ND-A215 X B215 X C37MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
148	MAZDA-DXR179230W-3K-AC240-WH-DA-A215 X B215 X C37MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
149	MAZDA-DXR179230W-4K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
150	MAZDA-DXR179230W-4K-AC240-WH-PH-A215 X B215 X C37MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
151	MAZDA-DXR179230W-4K-AC240-WH-ND-A215 X B215 X C37MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
152	MAZDA-DXR179230W-4K-AC240-WH-DA-A215 X B215 X C37MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
153	MAZDA-DXR179230W-5K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
154	MAZDA-DXR179230W-5K-AC240-WH-PH-A215 X B215 X C37MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
155	MAZDA-DXR179230W-5K-AC240-WH-ND-A215 X B215 X C37MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
156	MAZDA-DXR179230W-5K-AC240-WH-DA-A215 X B215 X C37MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
157	MAZDA-DXR179230W-6K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
158	MAZDA-DXR179230W-6K-AC240-WH-PH-A215 X B215 X C37MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
159	MAZDA-DXR179230W-6K-AC240-WH-ND-A215 X B215 X C37MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
160	MAZDA-DXR179230W-6K-AC240-WH-DA-A215 X B215 X C37MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
161	MAZDA-DXR179230W-2.7K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
162	MAZDA-DXR179230W-2.7K-AC240-WH-PH-A215 X B215 X C37MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
163	MAZDA-DXR179230W-2.7K-AC240-WH-ND-A215 X B215 X C37MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
164	MAZDA-DXR179230W-2.7K-AC240-WH-DA-A215 X B215 X C37MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
165	MAZDA-DXR179230W-6.5K-AC240-WH-10VDIM-A215 X B215 X C37MM	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
166	MAZDA-DXR179230W-6.5K-AC240-WH-PH-A215 X B215 X C37MM	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
167	MAZDA-DXR179230W-6.5K-AC240-WH-ND-A215 X B215 X C37MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
168	MAZDA-DXR179230W-6.5K-AC240-WH-DA-A215 X B215 X C37MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	3600LM	A215 X B215 X C37MM	
169	MAZDA-DXR179240W-3K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
170	MAZDA-DXR179240W-3K-AC240-WH-PH-A215 X B215 X C37MM	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
171	MAZDA-DXR179240W-3K-AC240-WH-ND-A215 X B215 X C37MM	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
172	MAZDA-DXR179240W-3K-AC240-WH-DA-A215 X B215 X C37MM	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
173	MAZDA-DXR179240W-4K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
174	MAZDA-DXR179240W-4K-AC240-WH-PH-A215 X B215 X C37MM	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
175	MAZDA-DXR179240W-4K-AC240-WH-ND-A215 X B215 X C37MM	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
176	MAZDA-DXR179240W-4K-AC240-WH-DA-A215 X B215 X C37MM	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
177	MAZDA-DXR179240W-5K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
178	MAZDA-DXR179240W-5K-AC240-WH-PH-A215 X B215 X C37MM	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
179	MAZDA-DXR179240W-5K-AC240-WH-ND-A215 X B215 X C37MM	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
180	MAZDA-DXR179240W-5K-AC240-WH-DA-A215 X B215 X C37MM	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
181	MAZDA-DXR179240W-6K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
182	MAZDA-DXR179240W-6K-AC240-WH-PH-A215 X B215 X C37MM	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
183	MAZDA-DXR179240W-6K-AC240-WH-ND-A215 X B215 X C37MM	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
184	MAZDA-DXR179240W-6K-AC240-WH-DA-A215 X B215 X C37MM	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
185	MAZDA-DXR179240W-2.7K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
186	MAZDA-DXR179240W-2.7K-AC240-WH-PH-A215 X B215 X C37MM	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
187	MAZDA-DXR179240W-2.7K-AC240-WH-ND-A215 X B215 X C37MM	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
188	MAZDA-DXR179240W-2.7K-AC240-WH-DA-A215 X B215 X C37MM	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
189	MAZDA-DXR179240W-6.5K-AC240-WH-10VDIM-A215 X B215 X C37MM	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
190	MAZDA-DXR179240W-6.5K-AC240-WH-PH-A215 X B215 X C37MM	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
191	MAZDA-DXR179240W-6.5K-AC240-WH-ND-A215 X B215 X C37MM	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	
192	MAZDA-DXR179240W-6.5K-AC240-WH-DA-A215 X B215 X C37MM	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	45	A215 X B215 X C37MM	DIE CAST ALUMINUM	IP54	4800LM	A215 X B215 X C37MM	