



RINGO

MAZDA Model: DXR1790 DownLight

Ringo LED Down Light is recessed aluminium downlight available in white. This downlight design has been finished with a special paint treatment to ensure an extra-long lifespan and making it suitable for use under eaves and in water areas such as showers. It features semi anti-glare with a deep positioning, and can be installed under insulation using an ICD driver, great thermal management, IP65 waterproof with high protection level, which offers a wider application area

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR179010W-3K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
2	MAZDA-DXR179010W-3K-AC240-WH-PH-A115 X B78 X C100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
3	MAZDA-DXR179010W-3K-AC240-WH-ND-A115 X B78 X C100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
4	MAZDA-DXR179010W-3K-AC240-WH-DA-A115 X B78 X C100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
5	MAZDA-DXR179010W-4K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
6	MAZDA-DXR179010W-4K-AC240-WH-PH-A115 X B78 X C100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
7	MAZDA-DXR179010W-4K-AC240-WH-ND-A115 X B78 X C100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
8	MAZDA-DXR179010W-4K-AC240-WH-DA-A115 X B78 X C100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
9	MAZDA-DXR179010W-5K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
10	MAZDA-DXR179010W-5K-AC240-WH-PH-A115 X B78 X C100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
11	MAZDA-DXR179010W-5K-AC240-WH-ND-A115 X B78 X C100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
12	MAZDA-DXR179010W-5K-AC240-WH-DA-A115 X B78 X C100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
13	MAZDA-DXR179010W-6K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
14	MAZDA-DXR179010W-6K-AC240-WH-PH-A115 X B78 X C100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
15	MAZDA-DXR179010W-6K-AC240-WH-ND-A115 X B78 X C100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
16	MAZDA-DXR179010W-6K-AC240-WH-DA-A115 X B78 X C100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
17	MAZDA-DXR179010W-2.7K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
18	MAZDA-DXR179010W-2.7K-AC240-WH-PH-A115 X B78 X C100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
19	MAZDA-DXR179010W-2.7K-AC240-WH-ND-A115 X B78 X C100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-DXR179010W-2.7K-AC240-WH-DA-A115 X B78 X C100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
21	MAZDA-DXR179010W-6.5K-AC240-WH-10VDIM-A115 X B78 X C100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
22	MAZDA-DXR179010W-6.5K-AC240-WH-PH-A115 X B78 X C100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
23	MAZDA-DXR179010W-6.5K-AC240-WH-ND-A115 X B78 X C100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
24	MAZDA-DXR179010W-6.5K-AC240-WH-DA-A115 X B78 X C100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A115 X B78 X C100MM	DIE CAST ALUMINUM	IP65	1200LM	A115 X B78 X C100MM	
25	MAZDA-DXR179015W-3K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
26	MAZDA-DXR179015W-3K-AC240-WH-PH-A135 X B78 X C120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
27	MAZDA-DXR179015W-3K-AC240-WH-ND-A135 X B78 X C120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
28	MAZDA-DXR179015W-3K-AC240-WH-DA-A135 X B78 X C120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
29	MAZDA-DXR179015W-4K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
30	MAZDA-DXR179015W-4K-AC240-WH-PH-A135 X B78 X C120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
31	MAZDA-DXR179015W-4K-AC240-WH-ND-A135 X B78 X C120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
32	MAZDA-DXR179015W-4K-AC240-WH-DA-A135 X B78 X C120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
33	MAZDA-DXR179015W-5K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
34	MAZDA-DXR179015W-5K-AC240-WH-PH-A135 X B78 X C120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
35	MAZDA-DXR179015W-5K-AC240-WH-ND-A135 X B78 X C120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
36	MAZDA-DXR179015W-5K-AC240-WH-DA-A135 X B78 X C120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
37	MAZDA-DXR179015W-6K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
38	MAZDA-DXR179015W-6K-AC240-WH-PH-A135 X B78 X C120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
39	MAZDA-DXR179015W-6K-AC240-WH-ND-A135 X B78 X C120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
40	MAZDA-DXR179015W-6K-AC240-WH-DA-A135 X B78 X C120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
41	MAZDA-DXR179015W-2.7K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
42	MAZDA-DXR179015W-2.7K-AC240-WH-PH-A135 X B78 X C120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
43	MAZDA-DXR179015W-2.7K-AC240-WH-ND-A135 X B78 X C120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
44	MAZDA-DXR179015W-2.7K-AC240-WH-DA-A135 X B78 X C120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
45	MAZDA-DXR179015W-6.5K-AC240-WH-10VDIM-A135 X B78 X C120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
46	MAZDA-DXR179015W-6.5K-AC240-WH-PH-A135 X B78 X C120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
47	MAZDA-DXR179015W-6.5K-AC240-WH-ND-A135 X B78 X C120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
48	MAZDA-DXR179015W-6.5K-AC240-WH-DA-A135 X B78 X C120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B78 X C120MM	DIE CAST ALUMINUM	IP65	1800LM	A135 X B78 X C120MM	
49	MAZDA-DXR179020W-3K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
50	MAZDA-DXR179020W-3K-AC240-WH-PH-A170 X B80 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
51	MAZDA-DXR179020W-3K-AC240-WH-ND-A170 X B80 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
52	MAZDA-DXR179020W-3K-AC240-WH-DA-A170 X B80 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
53	MAZDA-DXR179020W-4K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
54	MAZDA-DXR179020W-4K-AC240-WH-PH-A170 X B80 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
55	MAZDA-DXR179020W-4K-AC240-WH-ND-A170 X B80 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
56	MAZDA-DXR179020W-4K-AC240-WH-DA-A170 X B80 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
57	MAZDA-DXR179020W-5K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
58	MAZDA-DXR179020W-5K-AC240-WH-PH-A170 X B80 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
59	MAZDA-DXR179020W-5K-AC240-WH-ND-A170 X B80 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
60	MAZDA-DXR179020W-5K-AC240-WH-DA-A170 X B80 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
61	MAZDA-DXR179020W-6K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
62	MAZDA-DXR179020W-6K-AC240-WH-PH-A170 X B80 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
63	MAZDA-DXR179020W-6K-AC240-WH-ND-A170 X B80 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
64	MAZDA-DXR179020W-6K-AC240-WH-DA-A170 X B80 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
65	MAZDA-DXR179020W-2.7K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
66	MAZDA-DXR179020W-2.7K-AC240-WH-PH-A170 X B80 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
67	MAZDA-DXR179020W-2.7K-AC240-WH-ND-A170 X B80 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
68	MAZDA-DXR179020W-2.7K-AC240-WH-DA-A170 X B80 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
69	MAZDA-DXR179020W-6.5K-AC240-WH-10VDIM-A170 X B80 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
70	MAZDA-DXR179020W-6.5K-AC240-WH-PH-A170 X B80 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
71	MAZDA-DXR179020W-6.5K-AC240-WH-ND-A170 X B80 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
72	MAZDA-DXR179020W-6.5K-AC240-WH-DA-A170 X B80 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B80 X C150MM	DIE CAST ALUMINUM	IP65	2400LM	A170 X B80 X C150MM	
73	MAZDA-DXR179030W-3K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
74	MAZDA-DXR179030W-3K-AC240-WH-PH-A195 X B95 X C170MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
75	MAZDA-DXR179030W-3K-AC240-WH-ND-A195 X B95 X C170MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
76	MAZDA-DXR179030W-3K-AC240-WH-DA-A195 X B95 X C170MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
77	MAZDA-DXR179030W-4K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
78	MAZDA-DXR179030W-4K-AC240-WH-PH-A195 X B95 X C170MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
79	MAZDA-DXR179030W-4K-AC240-WH-ND-A195 X B95 X C170MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
80	MAZDA-DXR179030W-4K-AC240-WH-DA-A195 X B95 X C170MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
81	MAZDA-DXR179030W-5K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	



DATASHEET

GENERATED ON: 31 Aug 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
82	MAZDA-DXR179030W-5K-AC240-WH-PH-A195 X B95 X C170MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
83	MAZDA-DXR179030W-5K-AC240-WH-ND-A195 X B95 X C170MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
84	MAZDA-DXR179030W-5K-AC240-WH-DA-A195 X B95 X C170MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
85	MAZDA-DXR179030W-6K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
86	MAZDA-DXR179030W-6K-AC240-WH-PH-A195 X B95 X C170MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
87	MAZDA-DXR179030W-6K-AC240-WH-ND-A195 X B95 X C170MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
88	MAZDA-DXR179030W-6K-AC240-WH-DA-A195 X B95 X C170MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
89	MAZDA-DXR179030W-2.7K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
90	MAZDA-DXR179030W-2.7K-AC240-WH-PH-A195 X B95 X C170MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
91	MAZDA-DXR179030W-2.7K-AC240-WH-ND-A195 X B95 X C170MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
92	MAZDA-DXR179030W-2.7K-AC240-WH-DA-A195 X B95 X C170MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
93	MAZDA-DXR179030W-6.5K-AC240-WH-10VDIM-A195 X B95 X C170MM	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
94	MAZDA-DXR179030W-6.5K-AC240-WH-PH-A195 X B95 X C170MM	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
95	MAZDA-DXR179030W-6.5K-AC240-WH-ND-A195 X B95 X C170MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
96	MAZDA-DXR179030W-6.5K-AC240-WH-DA-A195 X B95 X C170MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A195 X B95 X C170MM	DIE CAST ALUMINUM	IP65	3600LM	A195 X B95 X C170MM	
97	MAZDA-DXR179040W-3K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
98	MAZDA-DXR179040W-3K-AC240-WH-PH-A220 X B105 X C200MM	40W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
99	MAZDA-DXR179040W-3K-AC240-WH-ND-A220 X B105 X C200MM	40W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
100	MAZDA-DXR179040W-3K-AC240-WH-DA-A220 X B105 X C200MM	40W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
101	MAZDA-DXR179040W-4K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
102	MAZDA-DXR179040W-4K-AC240-WH-PH-A220 X B105 X C200MM	40W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
103	MAZDA-DXR179040W-4K-AC240-WH-ND-A220 X B105 X C200MM	40W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
104	MAZDA-DXR179040W-4K-AC240-WH-DA-A220 X B105 X C200MM	40W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
105	MAZDA-DXR179040W-5K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
106	MAZDA-DXR179040W-5K-AC240-WH-PH-A220 X B105 X C200MM	40W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
107	MAZDA-DXR179040W-5K-AC240-WH-ND-A220 X B105 X C200MM	40W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
108	MAZDA-DXR179040W-5K-AC240-WH-DA-A220 X B105 X C200MM	40W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
109	MAZDA-DXR179040W-6K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
110	MAZDA-DXR179040W-6K-AC240-WH-PH-A220 X B105 X C200MM	40W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
111	MAZDA-DXR179040W-6K-AC240-WH-ND-A220 X B105 X C200MM	40W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
112	MAZDA-DXR179040W-6K-AC240-WH-DA-A220 X B105 X C200MM	40W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
113	MAZDA-DXR179040W-2.7K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
114	MAZDA-DXR179040W-2.7K-AC240-WH-PH-A220 X B105 X C200MM	40W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
115	MAZDA-DXR179040W-2.7K-AC240-WH-ND-A220 X B105 X C200MM	40W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
116	MAZDA-DXR179040W-2.7K-AC240-WH-DA-A220 X B105 X C200MM	40W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
117	MAZDA-DXR179040W-6.5K-AC240-WH-10VDIM-A220 X B105 X C200MM	40W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
118	MAZDA-DXR179040W-6.5K-AC240-WH-PH-A220 X B105 X C200MM	40W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
119	MAZDA-DXR179040W-6.5K-AC240-WH-ND-A220 X B105 X C200MM	40W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	
120	MAZDA-DXR179040W-6.5K-AC240-WH-DA-A220 X B105 X C200MM	40W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A220 X B105 X C200MM	DIE CAST ALUMINUM	IP65	4800LM	A220 X B105 X C200MM	