DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



SAMBA

MAZDA Model: SXR1788 Spot Light

Samba LED Spot Light is a mini and exquisite lamp with high light transmittance. It offers a very little size in many design styles, without forgetting about the functionality: all the range is characterized by the use high quality LEDtechnology, so the result is a choice of accent light suitable for false ceiling, kitchen cabinet and not only. The possible applications are a multitude. The mini spotlights are all environmental friendly and very useful in a matter of energy and economical saving.
The light result is bright, uniform and comfortable. Housing made by die cast aluminium powder coated with choice of RAL colors reflector with pure die cast aluminium diffuser tempered glass.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
1	MAZDA-SXR178807W-3K-AC240-WH-10VDIM-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
2	MAZDA-SXR178807W-3K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
3	MAZDA-SXR178807W-3K-AC240-WH-ND-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
4	MAZDA-SXR178807W-3K-AC240-WH-ND-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
5	MAZDA-SXR178807W-3K-AC240-WH-DA-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
6	MAZDA-SXR178807W-3K-AC240-WH-DA-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
7	MAZDA-SXR178807W-3K-AC240-WH-PH-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
8	MAZDA-SXR178807W-3K-AC240-WH-PH-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
9	MAZDA-SXR178807W-4K-AC240-WH-10VDIM-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
10	MAZDA-SXR178807W-4K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
11	MAZDA-SXR178807W-4K-AC240-WH-ND-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
12	MAZDA-SXR178807W-4K-AC240-WH-ND-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
13	MAZDA-SXR178807W-4K-AC240-WH-DA-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
14	MAZDA-SXR178807W-4K-AC240-WH-DA-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
15	MAZDA-SXR178807W-4K-AC240-WH-PH-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
16	MAZDA-SXR178807W-4K-AC240-WH-PH-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
17	MAZDA-SXR178807W-5K-AC240-WH-10VDIM-A51 X B76 MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
18	**MAZDA-SXR178807W-5K-AC240-WH-10VDIM-EM-A51 X B76 MM**	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
19	**MAZDA-SXR178807W-5K-AC240-WH-ND-A51 X B76 MM**	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
20	**MAZDA-SXR178807W-5K-AC240-WH-ND-EM-A51 X B76 MM**	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
21	**MAZDA-SXR178807W-5K-AC240-WH-DA-A51 X B76 MM**	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
22	**MAZDA-SXR178807W-5K-AC240-WH-DA-EM-A51 X B76 MM**	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
23	**MAZDA-SXR178807W-5K-AC240-WH-PH-A51 X B76 MM**	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
24	**MAZDA-SXR178807W-5K-AC240-WH-PH-EM-A51 X B76 MM**	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
25	**MAZDA-SXR178807W-6K-AC240-WH-10VDIM-A51 X B76 MM**	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
26	**MAZDA-SXR178807W-6K-AC240-WH-10VDIM-EM-A51 X B76 MM**	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
27	**MAZDA-SXR178807W-6K-AC240-WH-ND-A51 X B76 MM**	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
28	**MAZDA-SXR178807W-6K-AC240-WH-ND-EM-A51 X B76 MM**	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
29	**MAZDA-SXR178807W-6K-AC240-WH-DA-A51 X B76 MM**	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
30	**MAZDA-SXR178807W-6K-AC240-WH-DA-EM-A51 X B76 MM**	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
31	**MAZDA-SXR178807W-6K-AC240-WH-PH-A51 X B76 MM**	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
32	**MAZDA-SXR178807W-6K-AC240-WH-PH-EM-A51 X B76 MM**	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
33	**MAZDA-SXR178807W-2.7K-AC240-WH-10VDIM-A51 X B76 MM**	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
34	**MAZDA-SXR178807W-2.7K-AC240-WH-10VDIM-EM-A51 X B76 MM**	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
35	**MAZDA-SXR178807W-2.7K-AC240-WH-ND-A51 X B76 MM**	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
36	**MAZDA-SXR178807W-2.7K-AC240-WH-ND-EM-A51 X B76 MM**	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
37	**MAZDA-SXR178807W-2.7K-AC240-WH-DA-A51 X B76 MM**	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
38	**MAZDA-SXR178807W-2.7K-AC240-WH-DA-EM-A51 X B76 MM**	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
39	**MAZDA-SXR178807W-2.7K-AC240-WH-PH-A51 X B76 MM**	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
40	**MAZDA-SXR178807W-2.7K-AC240-WH-PH-EM-A51 X B76 MM**	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
41	**MAZDA-SXR178807W-6.5K-AC240-WH-10VDIM-A51 X B76 MM**	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
42	**MAZDA-SXR178807W-6.5K-AC240-WH-10VDIM-EM-A51 X B76 MM**	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
43	**MAZDA-SXR178807W-6.5K-AC240-WH-ND-A51 X B76 MM**	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
44	**MAZDA-SXR178807W-6.5K-AC240-WH-ND-EM-A51 X B76 MM**	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
45	**MAZDA-SXR178807W-6.5K-AC240-WH-DA-A51 X B76 MM**	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM
46	**MAZDA-SXR178807W-6.5K-AC240-WH-DA-EM-A51 X B76 MM**	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
47	MAZDA-SXR178807W-6.5K-AC240-WH-PH-A51 X B76 MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
48	MAZDA-SXR178807W-6.5K-AC240-WH-PH-EM-A51 X B76 MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
49	MAZDA-SXR178810W-3K-AC240-WH-10VDIM-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
50	MAZDA-SXR178810W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
51	MAZDA-SXR178810W-3K-AC240-WH-ND-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
52	MAZDA-SXR178810W-3K-AC240-WH-ND-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
53	MAZDA-SXR178810W-3K-AC240-WH-DA-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
54	MAZDA-SXR178810W-3K-AC240-WH-DA-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
55	MAZDA-SXR178810W-3K-AC240-WH-PH-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
56	MAZDA-SXR178810W-3K-AC240-WH-PH-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
57	MAZDA-SXR178810W-3K-DC12-WH-10VDIM-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
58	MAZDA-SXR178810W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
59	MAZDA-SXR178810W-3K-DC12-WH-ND-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
60	MAZDA-SXR178810W-3K-DC12-WH-ND-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
61	MAZDA-SXR178810W-3K-DC12-WH-DA-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
62	MAZDA-SXR178810W-3K-DC12-WH-DA-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
63	MAZDA-SXR178810W-3K-DC12-WH-PH-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
64	MAZDA-SXR178810W-3K-DC12-WH-PH-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
65	MAZDA-SXR178810W-3K-DC24-WH-10VDIM-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
66	MAZDA-SXR178810W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
67	MAZDA-SXR178810W-3K-DC24-WH-ND-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
68	MAZDA-SXR178810W-3K-DC24-WH-ND-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
69	MAZDA-SXR178810W-3K-DC24-WH-DA-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
70	MAZDA-SXR178810W-3K-DC24-WH-DA-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
71	MAZDA-SXR178810W-3K-DC24-WH-PH-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
72	MAZDA-SXR178810W-3K-DC24-WH-PH-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
73	MAZDA-SXR178810W-3K-DC48-WH-10VDIM-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
74	MAZDA-SXR178810W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
75	MAZDA-SXR178810W-3K-DC48-WH-ND-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
76	**MAZDA-SXR178810W-3K-DC48-WH-ND-EM-A68 X B85 MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
77	**MAZDA-SXR178810W-3K-DC48-WH-DA-A68 X B85 MM**	10W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
78	**MAZDA-SXR178810W-3K-DC48-WH-DA-EM-A68 X B85 MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
79	**MAZDA-SXR178810W-3K-DC48-WH-PH-A68 X B85 MM**	10W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
80	**MAZDA-SXR178810W-3K-DC48-WH-PH-EM-A68 X B85 MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
81	**MAZDA-SXR178810W-4K-AC240-WH-10VDIM-A68 X B85 MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
82	**MAZDA-SXR178810W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM**	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
83	**MAZDA-SXR178810W-4K-AC240-WH-ND-A68 X B85 MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
84	**MAZDA-SXR178810W-4K-AC240-WH-ND-EM-A68 X B85 MM**	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
85	**MAZDA-SXR178810W-4K-AC240-WH-DA-A68 X B85 MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
86	**MAZDA-SXR178810W-4K-AC240-WH-DA-EM-A68 X B85 MM**	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
87	**MAZDA-SXR178810W-4K-AC240-WH-PH-A68 X B85 MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
88	**MAZDA-SXR178810W-4K-AC240-WH-PH-EM-A68 X B85 MM**	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
89	**MAZDA-SXR178810W-4K-DC12-WH-10VDIM-A68 X B85 MM**	10W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
90	**MAZDA-SXR178810W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM**	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
91	**MAZDA-SXR178810W-4K-DC12-WH-ND-A68 X B85 MM**	10W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
92	**MAZDA-SXR178810W-4K-DC12-WH-ND-EM-A68 X B85 MM**	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
93	**MAZDA-SXR178810W-4K-DC12-WH-DA-A68 X B85 MM**	10W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
94	**MAZDA-SXR178810W-4K-DC12-WH-DA-EM-A68 X B85 MM**	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
95	**MAZDA-SXR178810W-4K-DC12-WH-PH-A68 X B85 MM**	10W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
96	**MAZDA-SXR178810W-4K-DC12-WH-PH-EM-A68 X B85 MM**	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
97	**MAZDA-SXR178810W-4K-DC24-WH-10VDIM-A68 X B85 MM**	10W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
98	**MAZDA-SXR178810W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM**	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
99	**MAZDA-SXR178810W-4K-DC24-WH-ND-A68 X B85 MM**	10W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
100	**MAZDA-SXR178810W-4K-DC24-WH-ND-EM-A68 X B85 MM**	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
101	**MAZDA-SXR178810W-4K-DC24-WH-DA-A68 X B85 MM**	10W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
102	**MAZDA-SXR178810W-4K-DC24-WH-DA-EM-A68 X B85 MM**	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
103	**MAZDA-SXR178810W-4K-DC24-WH-PH-A68 X B85 MM**	10W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
104	**MAZDA-SXR178810W-4K-DC24-WH-PH-EM-A68 X B85 MM**	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
105	**MAZDA-SXR178810W-4K-DC48-WH-10VDIM-A68 X B85 MM**	10W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
106	**MAZDA-SXR178810W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM**	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
107	**MAZDA-SXR178810W-4K-DC48-WH-ND-A68 X B85 MM**	10W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
108	**MAZDA-SXR178810W-4K-DC48-WH-ND-EM-A68 X B85 MM**	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
109	**MAZDA-SXR178810W-4K-DC48-WH-DA-A68 X B85 MM**	10W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
110	**MAZDA-SXR178810W-4K-DC48-WH-DA-EM-A68 X B85 MM**	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
111	**MAZDA-SXR178810W-4K-DC48-WH-PH-A68 X B85 MM**	10W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
112	**MAZDA-SXR178810W-4K-DC48-WH-PH-EM-A68 X B85 MM**	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
113	**MAZDA-SXR178810W-5K-AC240-WH-10VDIM-A68 X B85 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
114	**MAZDA-SXR178810W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM**	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
115	**MAZDA-SXR178810W-5K-AC240-WH-ND-A68 X B85 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
116	**MAZDA-SXR178810W-5K-AC240-WH-ND-EM-A68 X B85 MM**	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
117	**MAZDA-SXR178810W-5K-AC240-WH-DA-A68 X B85 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
118	**MAZDA-SXR178810W-5K-AC240-WH-DA-EM-A68 X B85 MM**	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
119	**MAZDA-SXR178810W-5K-AC240-WH-PH-A68 X B85 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
120	**MAZDA-SXR178810W-5K-AC240-WH-PH-EM-A68 X B85 MM**	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
121	**MAZDA-SXR178810W-5K-DC12-WH-10VDIM-A68 X B85 MM**	10W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
122	**MAZDA-SXR178810W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM**	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
123	**MAZDA-SXR178810W-5K-DC12-WH-ND-A68 X B85 MM**	10W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
124	**MAZDA-SXR178810W-5K-DC12-WH-ND-EM-A68 X B85 MM**	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
125	**MAZDA-SXR178810W-5K-DC12-WH-DA-A68 X B85 MM**	10W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
126	**MAZDA-SXR178810W-5K-DC12-WH-DA-EM-A68 X B85 MM**	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
127	**MAZDA-SXR178810W-5K-DC12-WH-PH-A68 X B85 MM**	10W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
128	**MAZDA-SXR178810W-5K-DC12-WH-PH-EM-A68 X B85 MM**	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
129	**MAZDA-SXR178810W-5K-DC24-WH-10VDIM-A68 X B85 MM**	10W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
130	**MAZDA-SXR178810W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM**	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
131	**MAZDA-SXR178810W-5K-DC24-WH-ND-A68 X B85 MM**	10W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
132	**MAZDA-SXR178810W-5K-DC24-WH-ND-EM-A68 X B85 MM**	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
133	**MAZDA-SXR178810W-5K-DC24-WH-DA-A68 X B85 MM**	10W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
134	MAZDA-SXR178810W-5K-DC24-WH-DA-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
135	MAZDA-SXR178810W-5K-DC24-WH-PH-A68 X B85 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
136	MAZDA-SXR178810W-5K-DC24-WH-PH-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
137	MAZDA-SXR178810W-5K-DC48-WH-10VDIM-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
138	MAZDA-SXR178810W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
139	MAZDA-SXR178810W-5K-DC48-WH-ND-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
140	MAZDA-SXR178810W-5K-DC48-WH-ND-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
141	MAZDA-SXR178810W-5K-DC48-WH-DA-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
142	MAZDA-SXR178810W-5K-DC48-WH-DA-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
143	MAZDA-SXR178810W-5K-DC48-WH-PH-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
144	MAZDA-SXR178810W-5K-DC48-WH-PH-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
145	MAZDA-SXR178810W-6K-AC240-WH-10VDIM-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
146	MAZDA-SXR178810W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
147	MAZDA-SXR178810W-6K-AC240-WH-ND-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
148	MAZDA-SXR178810W-6K-AC240-WH-ND-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
149	MAZDA-SXR178810W-6K-AC240-WH-DA-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
150	MAZDA-SXR178810W-6K-AC240-WH-DA-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
151	MAZDA-SXR178810W-6K-AC240-WH-PH-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
152	MAZDA-SXR178810W-6K-AC240-WH-PH-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
153	MAZDA-SXR178810W-6K-DC12-WH-10VDIM-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
154	MAZDA-SXR178810W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
155	MAZDA-SXR178810W-6K-DC12-WH-ND-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
156	MAZDA-SXR178810W-6K-DC12-WH-ND-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
157	MAZDA-SXR178810W-6K-DC12-WH-DA-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
158	MAZDA-SXR178810W-6K-DC12-WH-DA-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
159	MAZDA-SXR178810W-6K-DC12-WH-PH-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
160	MAZDA-SXR178810W-6K-DC12-WH-PH-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
161	MAZDA-SXR178810W-6K-DC24-WH-10VDIM-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
162	MAZDA-SXR178810W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
163	MAZDA-SXR178810W-6K-DC24-WH-ND-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
164	MAZDA-SXR178810W-6K-DC24-WH-ND-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
165	MAZDA-SXR178810W-6K-DC24-WH-DA-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
166	MAZDA-SXR178810W-6K-DC24-WH-DA-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
167	MAZDA-SXR178810W-6K-DC24-WH-PH-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
168	MAZDA-SXR178810W-6K-DC24-WH-PH-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
169	MAZDA-SXR178810W-6K-DC48-WH-10VDIM-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
170	MAZDA-SXR178810W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
171	MAZDA-SXR178810W-6K-DC48-WH-ND-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
172	MAZDA-SXR178810W-6K-DC48-WH-ND-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
173	MAZDA-SXR178810W-6K-DC48-WH-DA-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
174	MAZDA-SXR178810W-6K-DC48-WH-DA-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
175	MAZDA-SXR178810W-6K-DC48-WH-PH-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
176	MAZDA-SXR178810W-6K-DC48-WH-PH-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
177	MAZDA-SXR178810W-2.7K-AC240-WH-10VDIM-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
178	MAZDA-SXR178810W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
179	MAZDA-SXR178810W-2.7K-AC240-WH-ND-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
180	MAZDA-SXR178810W-2.7K-AC240-WH-ND-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
181	MAZDA-SXR178810W-2.7K-AC240-WH-DA-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
182	MAZDA-SXR178810W-2.7K-AC240-WH-DA-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
183	MAZDA-SXR178810W-2.7K-AC240-WH-PH-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
184	MAZDA-SXR178810W-2.7K-AC240-WH-PH-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
185	MAZDA-SXR178810W-2.7K-DC12-WH-10VDIM-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
186	MAZDA-SXR178810W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
187	MAZDA-SXR178810W-2.7K-DC12-WH-ND-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
188	MAZDA-SXR178810W-2.7K-DC12-WH-ND-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
189	MAZDA-SXR178810W-2.7K-DC12-WH-DA-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
190	MAZDA-SXR178810W-2.7K-DC12-WH-DA-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
191	MAZDA-SXR178810W-2.7K-DC12-WH-PH-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
192	**MAZDA-SXR178810W-2.7K-DC12-WH-PH-EM-A68 X B85 MM**	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
193	**MAZDA-SXR178810W-2.7K-DC24-WH-10VDIM-A68 X B85 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
194	**MAZDA-SXR178810W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
195	**MAZDA-SXR178810W-2.7K-DC24-WH-ND-A68 X B85 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
196	**MAZDA-SXR178810W-2.7K-DC24-WH-ND-EM-A68 X B85 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
197	**MAZDA-SXR178810W-2.7K-DC24-WH-DA-A68 X B85 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
198	**MAZDA-SXR178810W-2.7K-DC24-WH-DA-EM-A68 X B85 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
199	**MAZDA-SXR178810W-2.7K-DC24-WH-PH-A68 X B85 MM**	10W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
200	**MAZDA-SXR178810W-2.7K-DC24-WH-PH-EM-A68 X B85 MM**	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
201	**MAZDA-SXR178810W-2.7K-DC48-WH-10VDIM-A68 X B85 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
202	**MAZDA-SXR178810W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
203	**MAZDA-SXR178810W-2.7K-DC48-WH-ND-A68 X B85 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
204	**MAZDA-SXR178810W-2.7K-DC48-WH-ND-EM-A68 X B85 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
205	**MAZDA-SXR178810W-2.7K-DC48-WH-DA-A68 X B85 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
206	**MAZDA-SXR178810W-2.7K-DC48-WH-DA-EM-A68 X B85 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
207	**MAZDA-SXR178810W-2.7K-DC48-WH-PH-A68 X B85 MM**	10W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
208	**MAZDA-SXR178810W-2.7K-DC48-WH-PH-EM-A68 X B85 MM**	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
209	**MAZDA-SXR178810W-6.5K-AC240-WH-10VDIM-A68 X B85 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
210	**MAZDA-SXR178810W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
211	**MAZDA-SXR178810W-6.5K-AC240-WH-ND-A68 X B85 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
212	**MAZDA-SXR178810W-6.5K-AC240-WH-ND-EM-A68 X B85 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
213	**MAZDA-SXR178810W-6.5K-AC240-WH-DA-A68 X B85 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
214	**MAZDA-SXR178810W-6.5K-AC240-WH-DA-EM-A68 X B85 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
215	**MAZDA-SXR178810W-6.5K-AC240-WH-PH-A68 X B85 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
216	**MAZDA-SXR178810W-6.5K-AC240-WH-PH-EM-A68 X B85 MM**	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
217	**MAZDA-SXR178810W-6.5K-DC12-WH-10VDIM-A68 X B85 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
218	**MAZDA-SXR178810W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
219	**MAZDA-SXR178810W-6.5K-DC12-WH-ND-A68 X B85 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
220	**MAZDA-SXR178810W-6.5K-DC12-WH-ND-EM-A68 X B85 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
221	**MAZDA-SXR178810W-6.5K-DC12-WH-DA-A68 X B85 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
222	**MAZDA-SXR178810W-6.5K-DC12-WH-DA-EM-A68 X B85 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
223	**MAZDA-SXR178810W-6.5K-DC12-WH-PH-A68 X B85 MM**	10W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
224	**MAZDA-SXR178810W-6.5K-DC12-WH-PH-EM-A68 X B85 MM**	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
225	**MAZDA-SXR178810W-6.5K-DC24-WH-10VDIM-A68 X B85 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
226	**MAZDA-SXR178810W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
227	**MAZDA-SXR178810W-6.5K-DC24-WH-ND-A68 X B85 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
228	**MAZDA-SXR178810W-6.5K-DC24-WH-ND-EM-A68 X B85 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
229	**MAZDA-SXR178810W-6.5K-DC24-WH-DA-A68 X B85 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
230	**MAZDA-SXR178810W-6.5K-DC24-WH-DA-EM-A68 X B85 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
231	**MAZDA-SXR178810W-6.5K-DC24-WH-PH-A68 X B85 MM**	10W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
232	**MAZDA-SXR178810W-6.5K-DC24-WH-PH-EM-A68 X B85 MM**	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
233	**MAZDA-SXR178810W-6.5K-DC48-WH-10VDIM-A68 X B85 MM**	10W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
234	**MAZDA-SXR178810W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM**	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
235	**MAZDA-SXR178810W-6.5K-DC48-WH-ND-A68 X B85 MM**	10W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
236	**MAZDA-SXR178810W-6.5K-DC48-WH-ND-EM-A68 X B85 MM**	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
237	**MAZDA-SXR178810W-6.5K-DC48-WH-DA-A68 X B85 MM**	10W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
238	**MAZDA-SXR178810W-6.5K-DC48-WH-DA-EM-A68 X B85 MM**	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
239	**MAZDA-SXR178810W-6.5K-DC48-WH-PH-A68 X B85 MM**	10W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
240	**MAZDA-SXR178810W-6.5K-DC48-WH-PH-EM-A68 X B85 MM**	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
241	**MAZDA-SXR178812W-3K-AC240-WH-10VDIM-A68 X B85 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
242	**MAZDA-SXR178812W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
243	**MAZDA-SXR178812W-3K-AC240-WH-ND-A68 X B85 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
244	**MAZDA-SXR178812W-3K-AC240-WH-ND-EM-A68 X B85 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
245	**MAZDA-SXR178812W-3K-AC240-WH-DA-A68 X B85 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
246	**MAZDA-SXR178812W-3K-AC240-WH-DA-EM-A68 X B85 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
247	**MAZDA-SXR178812W-3K-AC240-WH-PH-A68 X B85 MM**	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
248	**MAZDA-SXR178812W-3K-AC240-WH-PH-EM-A68 X B85 MM**	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
249	**MAZDA-SXR178812W-3K-DC12-WH-10VDIM-A68 X B85 MM**	12W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
250	**MAZDA-SXR178812W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM**	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
251	**MAZDA-SXR178812W-3K-DC12-WH-ND-A68 X B85 MM**	12W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
252	**MAZDA-SXR178812W-3K-DC12-WH-ND-EM-A68 X B85 MM**	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
253	**MAZDA-SXR178812W-3K-DC12-WH-DA-A68 X B85 MM**	12W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
254	**MAZDA-SXR178812W-3K-DC12-WH-DA-EM-A68 X B85 MM**	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
255	**MAZDA-SXR178812W-3K-DC12-WH-PH-A68 X B85 MM**	12W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
256	**MAZDA-SXR178812W-3K-DC12-WH-PH-EM-A68 X B85 MM**	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
257	**MAZDA-SXR178812W-3K-DC24-WH-10VDIM-A68 X B85 MM**	12W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
258	**MAZDA-SXR178812W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM**	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
259	**MAZDA-SXR178812W-3K-DC24-WH-ND-A68 X B85 MM**	12W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
260	**MAZDA-SXR178812W-3K-DC24-WH-ND-EM-A68 X B85 MM**	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
261	**MAZDA-SXR178812W-3K-DC24-WH-DA-A68 X B85 MM**	12W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
262	**MAZDA-SXR178812W-3K-DC24-WH-DA-EM-A68 X B85 MM**	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
263	**MAZDA-SXR178812W-3K-DC24-WH-PH-A68 X B85 MM**	12W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
264	**MAZDA-SXR178812W-3K-DC24-WH-PH-EM-A68 X B85 MM**	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
265	**MAZDA-SXR178812W-3K-DC48-WH-10VDIM-A68 X B85 MM**	12W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
266	**MAZDA-SXR178812W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM**	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
267	**MAZDA-SXR178812W-3K-DC48-WH-ND-A68 X B85 MM**	12W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
268	**MAZDA-SXR178812W-3K-DC48-WH-ND-EM-A68 X B85 MM**	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
269	**MAZDA-SXR178812W-3K-DC48-WH-DA-A68 X B85 MM**	12W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
270	**MAZDA-SXR178812W-3K-DC48-WH-DA-EM-A68 X B85 MM**	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
271	**MAZDA-SXR178812W-3K-DC48-WH-PH-A68 X B85 MM**	12W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
272	**MAZDA-SXR178812W-3K-DC48-WH-PH-EM-A68 X B85 MM**	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
273	**MAZDA-SXR178812W-4K-AC240-WH-10VDIM-A68 X B85 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
274	**MAZDA-SXR178812W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
275	**MAZDA-SXR178812W-4K-AC240-WH-ND-A68 X B85 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
276	**MAZDA-SXR178812W-4K-AC240-WH-ND-EM-A68 X B85 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
277	**MAZDA-SXR178812W-4K-AC240-WH-DA-A68 X B85 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
278	**MAZDA-SXR178812W-4K-AC240-WH-DA-EM-A68 X B85 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
279	**MAZDA-SXR178812W-4K-AC240-WH-PH-A68 X B85 MM**	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
280	**MAZDA-SXR178812W-4K-AC240-WH-PH-EM-A68 X B85 MM**	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
281	**MAZDA-SXR178812W-4K-DC12-WH-10VDIM-A68 X B85 MM**	12W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
282	**MAZDA-SXR178812W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM**	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
283	**MAZDA-SXR178812W-4K-DC12-WH-ND-A68 X B85 MM**	12W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
284	**MAZDA-SXR178812W-4K-DC12-WH-ND-EM-A68 X B85 MM**	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
285	**MAZDA-SXR178812W-4K-DC12-WH-DA-A68 X B85 MM**	12W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
286	**MAZDA-SXR178812W-4K-DC12-WH-DA-EM-A68 X B85 MM**	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
287	**MAZDA-SXR178812W-4K-DC12-WH-PH-A68 X B85 MM**	12W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
288	**MAZDA-SXR178812W-4K-DC12-WH-PH-EM-A68 X B85 MM**	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
289	**MAZDA-SXR178812W-4K-DC24-WH-10VDIM-A68 X B85 MM**	12W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
290	**MAZDA-SXR178812W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM**	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
291	**MAZDA-SXR178812W-4K-DC24-WH-ND-A68 X B85 MM**	12W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
292	**MAZDA-SXR178812W-4K-DC24-WH-ND-EM-A68 X B85 MM**	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
293	**MAZDA-SXR178812W-4K-DC24-WH-DA-A68 X B85 MM**	12W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
294	**MAZDA-SXR178812W-4K-DC24-WH-DA-EM-A68 X B85 MM**	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
295	**MAZDA-SXR178812W-4K-DC24-WH-PH-A68 X B85 MM**	12W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
296	**MAZDA-SXR178812W-4K-DC24-WH-PH-EM-A68 X B85 MM**	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
297	**MAZDA-SXR178812W-4K-DC48-WH-10VDIM-A68 X B85 MM**	12W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
298	**MAZDA-SXR178812W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM**	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
299	**MAZDA-SXR178812W-4K-DC48-WH-ND-A68 X B85 MM**	12W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
300	**MAZDA-SXR178812W-4K-DC48-WH-ND-EM-A68 X B85 MM**	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
301	**MAZDA-SXR178812W-4K-DC48-WH-DA-A68 X B85 MM**	12W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
302	**MAZDA-SXR178812W-4K-DC48-WH-DA-EM-A68 X B85 MM**	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
303	**MAZDA-SXR178812W-4K-DC48-WH-PH-A68 X B85 MM**	12W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
304	**MAZDA-SXR178812W-4K-DC48-WH-PH-EM-A68 X B85 MM**	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
305	**MAZDA-SXR178812W-5K-AC240-WH-10VDIM-A68 X B85 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
306	**MAZDA-SXR178812W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM**	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
307	**MAZDA-SXR178812W-5K-AC240-WH-ND-A68 X B85 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
308	**MAZDA-SXR178812W-5K-AC240-WH-ND-EM-A68 X B85 MM**	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
309	**MAZDA-SXR178812W-5K-AC240-WH-DA-A68 X B85 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
310	**MAZDA-SXR178812W-5K-AC240-WH-DA-EM-A68 X B85 MM**	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
311	**MAZDA-SXR178812W-5K-AC240-WH-PH-A68 X B85 MM**	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
312	**MAZDA-SXR178812W-5K-AC240-WH-PH-EM-A68 X B85 MM**	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
313	**MAZDA-SXR178812W-5K-DC12-WH-10VDIM-A68 X B85 MM**	12W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
314	**MAZDA-SXR178812W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM**	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
315	**MAZDA-SXR178812W-5K-DC12-WH-ND-A68 X B85 MM**	12W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
316	**MAZDA-SXR178812W-5K-DC12-WH-ND-EM-A68 X B85 MM**	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
317	**MAZDA-SXR178812W-5K-DC12-WH-DA-A68 X B85 MM**	12W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
318	**MAZDA-SXR178812W-5K-DC12-WH-DA-EM-A68 X B85 MM**	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
319	**MAZDA-SXR178812W-5K-DC12-WH-PH-A68 X B85 MM**	12W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
320	**MAZDA-SXR178812W-5K-DC12-WH-PH-EM-A68 X B85 MM**	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
321	**MAZDA-SXR178812W-5K-DC24-WH-10VDIM-A68 X B85 MM**	12W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
322	**MAZDA-SXR178812W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM**	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
323	**MAZDA-SXR178812W-5K-DC24-WH-ND-A68 X B85 MM**	12W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
324	**MAZDA-SXR178812W-5K-DC24-WH-ND-EM-A68 X B85 MM**	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
325	**MAZDA-SXR178812W-5K-DC24-WH-DA-A68 X B85 MM**	12W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
326	**MAZDA-SXR178812W-5K-DC24-WH-DA-EM-A68 X B85 MM**	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
327	**MAZDA-SXR178812W-5K-DC24-WH-PH-A68 X B85 MM**	12W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
328	**MAZDA-SXR178812W-5K-DC24-WH-PH-EM-A68 X B85 MM**	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
329	**MAZDA-SXR178812W-5K-DC48-WH-10VDIM-A68 X B85 MM**	12W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
330	**MAZDA-SXR178812W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM**	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
331	**MAZDA-SXR178812W-5K-DC48-WH-ND-A68 X B85 MM**	12W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
332	**MAZDA-SXR178812W-5K-DC48-WH-ND-EM-A68 X B85 MM**	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
333	**MAZDA-SXR178812W-5K-DC48-WH-DA-A68 X B85 MM**	12W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
334	**MAZDA-SXR178812W-5K-DC48-WH-DA-EM-A68 X B85 MM**	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
335	**MAZDA-SXR178812W-5K-DC48-WH-PH-A68 X B85 MM**	12W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
336	**MAZDA-SXR178812W-5K-DC48-WH-PH-EM-A68 X B85 MM**	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
337	MAZDA-SXR178812W-6K-AC240-WH-10VDIM-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
338	MAZDA-SXR178812W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
339	MAZDA-SXR178812W-6K-AC240-WH-ND-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
340	MAZDA-SXR178812W-6K-AC240-WH-ND-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
341	MAZDA-SXR178812W-6K-AC240-WH-DA-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
342	MAZDA-SXR178812W-6K-AC240-WH-DA-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
343	MAZDA-SXR178812W-6K-AC240-WH-PH-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
344	MAZDA-SXR178812W-6K-AC240-WH-PH-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
345	MAZDA-SXR178812W-6K-DC12-WH-10VDIM-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
346	MAZDA-SXR178812W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
347	MAZDA-SXR178812W-6K-DC12-WH-ND-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
348	MAZDA-SXR178812W-6K-DC12-WH-ND-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
349	MAZDA-SXR178812W-6K-DC12-WH-DA-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
350	MAZDA-SXR178812W-6K-DC12-WH-DA-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
351	MAZDA-SXR178812W-6K-DC12-WH-PH-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
352	MAZDA-SXR178812W-6K-DC12-WH-PH-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
353	MAZDA-SXR178812W-6K-DC24-WH-10VDIM-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
354	MAZDA-SXR178812W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
355	MAZDA-SXR178812W-6K-DC24-WH-ND-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
356	MAZDA-SXR178812W-6K-DC24-WH-ND-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
357	MAZDA-SXR178812W-6K-DC24-WH-DA-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
358	MAZDA-SXR178812W-6K-DC24-WH-DA-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
359	MAZDA-SXR178812W-6K-DC24-WH-PH-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
360	MAZDA-SXR178812W-6K-DC24-WH-PH-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
361	MAZDA-SXR178812W-6K-DC48-WH-10VDIM-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
362	MAZDA-SXR178812W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
363	MAZDA-SXR178812W-6K-DC48-WH-ND-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
364	MAZDA-SXR178812W-6K-DC48-WH-ND-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
365	MAZDA-SXR178812W-6K-DC48-WH-DA-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
366	MAZDA-SXR178812W-6K-DC48-WH-DA-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
367	MAZDA-SXR178812W-6K-DC48-WH-PH-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
368	MAZDA-SXR178812W-6K-DC48-WH-PH-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
369	MAZDA-SXR178812W-2.7K-AC240-WH-10VDIM-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
370	MAZDA-SXR178812W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
371	MAZDA-SXR178812W-2.7K-AC240-WH-ND-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
372	MAZDA-SXR178812W-2.7K-AC240-WH-ND-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
373	MAZDA-SXR178812W-2.7K-AC240-WH-DA-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
374	MAZDA-SXR178812W-2.7K-AC240-WH-DA-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
375	MAZDA-SXR178812W-2.7K-AC240-WH-PH-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
376	MAZDA-SXR178812W-2.7K-AC240-WH-PH-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
377	MAZDA-SXR178812W-2.7K-DC12-WH-10VDIM-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
378	MAZDA-SXR178812W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
379	MAZDA-SXR178812W-2.7K-DC12-WH-ND-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
380	MAZDA-SXR178812W-2.7K-DC12-WH-ND-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
381	MAZDA-SXR178812W-2.7K-DC12-WH-DA-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
382	MAZDA-SXR178812W-2.7K-DC12-WH-DA-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
383	MAZDA-SXR178812W-2.7K-DC12-WH-PH-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
384	MAZDA-SXR178812W-2.7K-DC12-WH-PH-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
385	MAZDA-SXR178812W-2.7K-DC24-WH-10VDIM-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
386	MAZDA-SXR178812W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
387	MAZDA-SXR178812W-2.7K-DC24-WH-ND-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
388	MAZDA-SXR178812W-2.7K-DC24-WH-ND-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
389	MAZDA-SXR178812W-2.7K-DC24-WH-DA-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
390	MAZDA-SXR178812W-2.7K-DC24-WH-DA-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
391	MAZDA-SXR178812W-2.7K-DC24-WH-PH-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
392	MAZDA-SXR178812W-2.7K-DC24-WH-PH-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
393	MAZDA-SXR178812W-2.7K-DC48-WH-10VDIM-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
394	MAZDA-SXR178812W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
395	MAZDA-SXR178812W-2.7K-DC48-WH-ND-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
396	MAZDA-SXR178812W-2.7K-DC48-WH-ND-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
397	MAZDA-SXR178812W-2.7K-DC48-WH-DA-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
398	MAZDA-SXR178812W-2.7K-DC48-WH-DA-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
399	MAZDA-SXR178812W-2.7K-DC48-WH-PH-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
400	MAZDA-SXR178812W-2.7K-DC48-WH-PH-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
401	MAZDA-SXR178812W-6.5K-AC240-WH-10VDIM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
402	MAZDA-SXR178812W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
403	MAZDA-SXR178812W-6.5K-AC240-WH-ND-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
404	MAZDA-SXR178812W-6.5K-AC240-WH-ND-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
405	MAZDA-SXR178812W-6.5K-AC240-WH-DA-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
406	MAZDA-SXR178812W-6.5K-AC240-WH-DA-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
407	MAZDA-SXR178812W-6.5K-AC240-WH-PH-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
408	MAZDA-SXR178812W-6.5K-AC240-WH-PH-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
409	MAZDA-SXR178812W-6.5K-DC12-WH-10VDIM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
410	MAZDA-SXR178812W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
411	MAZDA-SXR178812W-6.5K-DC12-WH-ND-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
412	MAZDA-SXR178812W-6.5K-DC12-WH-ND-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
413	MAZDA-SXR178812W-6.5K-DC12-WH-DA-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
414	MAZDA-SXR178812W-6.5K-DC12-WH-DA-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
415	MAZDA-SXR178812W-6.5K-DC12-WH-PH-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
416	MAZDA-SXR178812W-6.5K-DC12-WH-PH-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
417	MAZDA-SXR178812W-6.5K-DC24-WH-10VDIM-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
418	MAZDA-SXR178812W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
419	MAZDA-SXR178812W-6.5K-DC24-WH-ND-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
420	MAZDA-SXR178812W-6.5K-DC24-WH-ND-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
421	MAZDA-SXR178812W-6.5K-DC24-WH-DA-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
422	MAZDA-SXR178812W-6.5K-DC24-WH-DA-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
423	MAZDA-SXR178812W-6.5K-DC24-WH-PH-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
424	**MAZDA-SXR178812W-6.5K-DC24-WH-PH-EM-A68 X B85 MM**	12W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
425	**MAZDA-SXR178812W-6.5K-DC48-WH-10VDIM-A68 X B85 MM**	12W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
426	**MAZDA-SXR178812W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM**	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
427	**MAZDA-SXR178812W-6.5K-DC48-WH-ND-A68 X B85 MM**	12W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
428	**MAZDA-SXR178812W-6.5K-DC48-WH-ND-EM-A68 X B85 MM**	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
429	**MAZDA-SXR178812W-6.5K-DC48-WH-DA-A68 X B85 MM**	12W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
430	**MAZDA-SXR178812W-6.5K-DC48-WH-DA-EM-A68 X B85 MM**	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
431	**MAZDA-SXR178812W-6.5K-DC48-WH-PH-A68 X B85 MM**	12W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
432	**MAZDA-SXR178812W-6.5K-DC48-WH-PH-EM-A68 X B85 MM**	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM
433	**MAZDA-SXR178815W-3K-AC240-WH-10VDIM-A68 X B85 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
434	**MAZDA-SXR178815W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM**	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
435	**MAZDA-SXR178815W-3K-AC240-WH-ND-A68 X B85 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
436	**MAZDA-SXR178815W-3K-AC240-WH-ND-EM-A68 X B85 MM**	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
437	**MAZDA-SXR178815W-3K-AC240-WH-DA-A68 X B85 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
438	**MAZDA-SXR178815W-3K-AC240-WH-DA-EM-A68 X B85 MM**	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
439	**MAZDA-SXR178815W-3K-AC240-WH-PH-A68 X B85 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
440	**MAZDA-SXR178815W-3K-AC240-WH-PH-EM-A68 X B85 MM**	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
441	**MAZDA-SXR178815W-3K-DC12-WH-10VDIM-A68 X B85 MM**	15W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
442	**MAZDA-SXR178815W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM**	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
443	**MAZDA-SXR178815W-3K-DC12-WH-ND-A68 X B85 MM**	15W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
444	**MAZDA-SXR178815W-3K-DC12-WH-ND-EM-A68 X B85 MM**	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
445	**MAZDA-SXR178815W-3K-DC12-WH-DA-A68 X B85 MM**	15W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
446	**MAZDA-SXR178815W-3K-DC12-WH-DA-EM-A68 X B85 MM**	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
447	**MAZDA-SXR178815W-3K-DC12-WH-PH-A68 X B85 MM**	15W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
448	**MAZDA-SXR178815W-3K-DC12-WH-PH-EM-A68 X B85 MM**	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
449	**MAZDA-SXR178815W-3K-DC24-WH-10VDIM-A68 X B85 MM**	15W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
450	**MAZDA-SXR178815W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM**	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
451	**MAZDA-SXR178815W-3K-DC24-WH-ND-A68 X B85 MM**	15W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM
452	**MAZDA-SXR178815W-3K-DC24-WH-ND-EM-A68 X B85 MM**	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
453	**MAZDA-SXR178815W-3K-DC24-WH-DA-A68 X B85 MM**	15W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
454	**MAZDA-SXR178815W-3K-DC24-WH-DA-EM-A68 X B85 MM**	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
455	**MAZDA-SXR178815W-3K-DC24-WH-PH-A68 X B85 MM**	15W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
456	**MAZDA-SXR178815W-3K-DC24-WH-PH-EM-A68 X B85 MM**	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
457	**MAZDA-SXR178815W-3K-DC48-WH-10VDIM-A68 X B85 MM**	15W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
458	**MAZDA-SXR178815W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM**	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
459	**MAZDA-SXR178815W-3K-DC48-WH-ND-A68 X B85 MM**	15W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
460	**MAZDA-SXR178815W-3K-DC48-WH-ND-EM-A68 X B85 MM**	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
461	**MAZDA-SXR178815W-3K-DC48-WH-DA-A68 X B85 MM**	15W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
462	**MAZDA-SXR178815W-3K-DC48-WH-DA-EM-A68 X B85 MM**	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
463	**MAZDA-SXR178815W-3K-DC48-WH-PH-A68 X B85 MM**	15W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
464	**MAZDA-SXR178815W-3K-DC48-WH-PH-EM-A68 X B85 MM**	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
465	**MAZDA-SXR178815W-4K-AC240-WH-10VDIM-A68 X B85 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
466	**MAZDA-SXR178815W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
467	**MAZDA-SXR178815W-4K-AC240-WH-ND-A68 X B85 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
468	**MAZDA-SXR178815W-4K-AC240-WH-ND-EM-A68 X B85 MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
469	**MAZDA-SXR178815W-4K-AC240-WH-DA-A68 X B85 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
470	**MAZDA-SXR178815W-4K-AC240-WH-DA-EM-A68 X B85 MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
471	**MAZDA-SXR178815W-4K-AC240-WH-PH-A68 X B85 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
472	**MAZDA-SXR178815W-4K-AC240-WH-PH-EM-A68 X B85 MM**	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
473	**MAZDA-SXR178815W-4K-DC12-WH-10VDIM-A68 X B85 MM**	15W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
474	**MAZDA-SXR178815W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM**	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
475	**MAZDA-SXR178815W-4K-DC12-WH-ND-A68 X B85 MM**	15W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
476	**MAZDA-SXR178815W-4K-DC12-WH-ND-EM-A68 X B85 MM**	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
477	**MAZDA-SXR178815W-4K-DC12-WH-DA-A68 X B85 MM**	15W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
478	**MAZDA-SXR178815W-4K-DC12-WH-DA-EM-A68 X B85 MM**	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
479	**MAZDA-SXR178815W-4K-DC12-WH-PH-A68 X B85 MM**	15W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
480	**MAZDA-SXR178815W-4K-DC12-WH-PH-EM-A68 X B85 MM**	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
481	**MAZDA-SXR178815W-4K-DC24-WH-10VDIM-A68 X B85 MM**	15W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
482	**MAZDA-SXR178815W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM**	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
483	**MAZDA-SXR178815W-4K-DC24-WH-ND-A68 X B85 MM**	15W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
484	**MAZDA-SXR178815W-4K-DC24-WH-ND-EM-A68 X B85 MM**	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
485	**MAZDA-SXR178815W-4K-DC24-WH-DA-A68 X B85 MM**	15W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
486	**MAZDA-SXR178815W-4K-DC24-WH-DA-EM-A68 X B85 MM**	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
487	**MAZDA-SXR178815W-4K-DC24-WH-PH-A68 X B85 MM**	15W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
488	**MAZDA-SXR178815W-4K-DC24-WH-PH-EM-A68 X B85 MM**	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
489	**MAZDA-SXR178815W-4K-DC48-WH-10VDIM-A68 X B85 MM**	15W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
490	**MAZDA-SXR178815W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM**	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
491	**MAZDA-SXR178815W-4K-DC48-WH-ND-A68 X B85 MM**	15W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
492	**MAZDA-SXR178815W-4K-DC48-WH-ND-EM-A68 X B85 MM**	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
493	**MAZDA-SXR178815W-4K-DC48-WH-DA-A68 X B85 MM**	15W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
494	**MAZDA-SXR178815W-4K-DC48-WH-DA-EM-A68 X B85 MM**	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
495	**MAZDA-SXR178815W-4K-DC48-WH-PH-A68 X B85 MM**	15W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
496	**MAZDA-SXR178815W-4K-DC48-WH-PH-EM-A68 X B85 MM**	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
497	**MAZDA-SXR178815W-5K-AC240-WH-10VDIM-A68 X B85 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
498	**MAZDA-SXR178815W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
499	**MAZDA-SXR178815W-5K-AC240-WH-ND-A68 X B85 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
500	**MAZDA-SXR178815W-5K-AC240-WH-ND-EM-A68 X B85 MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
501	**MAZDA-SXR178815W-5K-AC240-WH-DA-A68 X B85 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
502	**MAZDA-SXR178815W-5K-AC240-WH-DA-EM-A68 X B85 MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
503	**MAZDA-SXR178815W-5K-AC240-WH-PH-A68 X B85 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
504	**MAZDA-SXR178815W-5K-AC240-WH-PH-EM-A68 X B85 MM**	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
505	**MAZDA-SXR178815W-5K-DC12-WH-10VDIM-A68 X B85 MM**	15W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
506	**MAZDA-SXR178815W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM**	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
507	**MAZDA-SXR178815W-5K-DC12-WH-ND-A68 X B85 MM**	15W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
508	**MAZDA-SXR178815W-5K-DC12-WH-ND-EM-A68 X B85 MM**	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
509	**MAZDA-SXR178815W-5K-DC12-WH-DA-A68 X B85 MM**	15W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
510	**MAZDA-SXR178815W-5K-DC12-WH-DA-EM-A68 X B85 MM**	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
511	MAZDA-SXR178815W-5K-DC12-WH-PH-A68 X B85 MM	15W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
512	MAZDA-SXR178815W-5K-DC12-WH-PH-EM-A68 X B85 MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
513	MAZDA-SXR178815W-5K-DC24-WH-10VDIM-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
514	MAZDA-SXR178815W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
515	MAZDA-SXR178815W-5K-DC24-WH-ND-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
516	MAZDA-SXR178815W-5K-DC24-WH-ND-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
517	MAZDA-SXR178815W-5K-DC24-WH-DA-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
518	MAZDA-SXR178815W-5K-DC24-WH-DA-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
519	MAZDA-SXR178815W-5K-DC24-WH-PH-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
520	MAZDA-SXR178815W-5K-DC24-WH-PH-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
521	MAZDA-SXR178815W-5K-DC48-WH-10VDIM-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
522	MAZDA-SXR178815W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
523	MAZDA-SXR178815W-5K-DC48-WH-ND-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
524	MAZDA-SXR178815W-5K-DC48-WH-ND-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
525	MAZDA-SXR178815W-5K-DC48-WH-DA-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
526	MAZDA-SXR178815W-5K-DC48-WH-DA-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
527	MAZDA-SXR178815W-5K-DC48-WH-PH-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
528	MAZDA-SXR178815W-5K-DC48-WH-PH-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
529	MAZDA-SXR178815W-6K-AC240-WH-10VDIM-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
530	MAZDA-SXR178815W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
531	MAZDA-SXR178815W-6K-AC240-WH-ND-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
532	MAZDA-SXR178815W-6K-AC240-WH-ND-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
533	MAZDA-SXR178815W-6K-AC240-WH-DA-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
534	MAZDA-SXR178815W-6K-AC240-WH-DA-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
535	MAZDA-SXR178815W-6K-AC240-WH-PH-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
536	MAZDA-SXR178815W-6K-AC240-WH-PH-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
537	MAZDA-SXR178815W-6K-DC12-WH-10VDIM-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
538	MAZDA-SXR178815W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
539	MAZDA-SXR178815W-6K-DC12-WH-ND-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
540	**MAZDA-SXR178815W-6K-DC12-WH-ND-EM-A68 X B85 MM**	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
541	**MAZDA-SXR178815W-6K-DC12-WH-DA-A68 X B85 MM**	15W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
542	**MAZDA-SXR178815W-6K-DC12-WH-DA-EM-A68 X B85 MM**	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
543	**MAZDA-SXR178815W-6K-DC12-WH-PH-A68 X B85 MM**	15W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
544	**MAZDA-SXR178815W-6K-DC12-WH-PH-EM-A68 X B85 MM**	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
545	**MAZDA-SXR178815W-6K-DC24-WH-10VDIM-A68 X B85 MM**	15W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
546	**MAZDA-SXR178815W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM**	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
547	**MAZDA-SXR178815W-6K-DC24-WH-ND-A68 X B85 MM**	15W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
548	**MAZDA-SXR178815W-6K-DC24-WH-ND-EM-A68 X B85 MM**	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
549	**MAZDA-SXR178815W-6K-DC24-WH-DA-A68 X B85 MM**	15W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
550	**MAZDA-SXR178815W-6K-DC24-WH-DA-EM-A68 X B85 MM**	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
551	**MAZDA-SXR178815W-6K-DC24-WH-PH-A68 X B85 MM**	15W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
552	**MAZDA-SXR178815W-6K-DC24-WH-PH-EM-A68 X B85 MM**	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
553	**MAZDA-SXR178815W-6K-DC48-WH-10VDIM-A68 X B85 MM**	15W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
554	**MAZDA-SXR178815W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM**	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
555	**MAZDA-SXR178815W-6K-DC48-WH-ND-A68 X B85 MM**	15W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
556	**MAZDA-SXR178815W-6K-DC48-WH-ND-EM-A68 X B85 MM**	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
557	**MAZDA-SXR178815W-6K-DC48-WH-DA-A68 X B85 MM**	15W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
558	**MAZDA-SXR178815W-6K-DC48-WH-DA-EM-A68 X B85 MM**	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
559	**MAZDA-SXR178815W-6K-DC48-WH-PH-A68 X B85 MM**	15W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
560	**MAZDA-SXR178815W-6K-DC48-WH-PH-EM-A68 X B85 MM**	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
561	**MAZDA-SXR178815W-2.7K-AC240-WH-10VDIM-A68 X B85 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
562	**MAZDA-SXR178815W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
563	**MAZDA-SXR178815W-2.7K-AC240-WH-ND-A68 X B85 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
564	**MAZDA-SXR178815W-2.7K-AC240-WH-ND-EM-A68 X B85 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
565	**MAZDA-SXR178815W-2.7K-AC240-WH-DA-A68 X B85 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
566	**MAZDA-SXR178815W-2.7K-AC240-WH-DA-EM-A68 X B85 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
567	**MAZDA-SXR178815W-2.7K-AC240-WH-PH-A68 X B85 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
568	**MAZDA-SXR178815W-2.7K-AC240-WH-PH-EM-A68 X B85 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
569	**MAZDA-SXR178815W-2.7K-DC12-WH-10VDIM-A68 X B85 MM**	15W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
570	**MAZDA-SXR178815W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM**	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
571	**MAZDA-SXR178815W-2.7K-DC12-WH-ND-A68 X B85 MM**	15W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
572	**MAZDA-SXR178815W-2.7K-DC12-WH-ND-EM-A68 X B85 MM**	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
573	**MAZDA-SXR178815W-2.7K-DC12-WH-DA-A68 X B85 MM**	15W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
574	**MAZDA-SXR178815W-2.7K-DC12-WH-DA-EM-A68 X B85 MM**	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
575	**MAZDA-SXR178815W-2.7K-DC12-WH-PH-A68 X B85 MM**	15W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
576	**MAZDA-SXR178815W-2.7K-DC12-WH-PH-EM-A68 X B85 MM**	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
577	**MAZDA-SXR178815W-2.7K-DC24-WH-10VDIM-A68 X B85 MM**	15W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
578	**MAZDA-SXR178815W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM**	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
579	**MAZDA-SXR178815W-2.7K-DC24-WH-ND-A68 X B85 MM**	15W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
580	**MAZDA-SXR178815W-2.7K-DC24-WH-ND-EM-A68 X B85 MM**	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
581	**MAZDA-SXR178815W-2.7K-DC24-WH-DA-A68 X B85 MM**	15W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
582	**MAZDA-SXR178815W-2.7K-DC24-WH-DA-EM-A68 X B85 MM**	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
583	**MAZDA-SXR178815W-2.7K-DC24-WH-PH-A68 X B85 MM**	15W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
584	**MAZDA-SXR178815W-2.7K-DC24-WH-PH-EM-A68 X B85 MM**	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
585	**MAZDA-SXR178815W-2.7K-DC48-WH-10VDIM-A68 X B85 MM**	15W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
586	**MAZDA-SXR178815W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM**	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
587	**MAZDA-SXR178815W-2.7K-DC48-WH-ND-A68 X B85 MM**	15W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
588	**MAZDA-SXR178815W-2.7K-DC48-WH-ND-EM-A68 X B85 MM**	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
589	**MAZDA-SXR178815W-2.7K-DC48-WH-DA-A68 X B85 MM**	15W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
590	**MAZDA-SXR178815W-2.7K-DC48-WH-DA-EM-A68 X B85 MM**	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
591	**MAZDA-SXR178815W-2.7K-DC48-WH-PH-A68 X B85 MM**	15W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
592	**MAZDA-SXR178815W-2.7K-DC48-WH-PH-EM-A68 X B85 MM**	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
593	**MAZDA-SXR178815W-6.5K-AC240-WH-10VDIM-A68 X B85 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
594	**MAZDA-SXR178815W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
595	**MAZDA-SXR178815W-6.5K-AC240-WH-ND-A68 X B85 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
596	**MAZDA-SXR178815W-6.5K-AC240-WH-ND-EM-A68 X B85 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
597	**MAZDA-SXR178815W-6.5K-AC240-WH-DA-A68 X B85 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
598	**MAZDA-SXR178815W-6.5K-AC240-WH-DA-EM-A68 X B85 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
599	**MAZDA-SXR178815W-6.5K-AC240-WH-PH-A68 X B85 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
600	**MAZDA-SXR178815W-6.5K-AC240-WH-PH-EM-A68 X B85 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
601	**MAZDA-SXR178815W-6.5K-DC12-WH-10VDIM-A68 X B85 MM**	15W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
602	**MAZDA-SXR178815W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM**	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
603	**MAZDA-SXR178815W-6.5K-DC12-WH-ND-A68 X B85 MM**	15W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
604	**MAZDA-SXR178815W-6.5K-DC12-WH-ND-EM-A68 X B85 MM**	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
605	**MAZDA-SXR178815W-6.5K-DC12-WH-DA-A68 X B85 MM**	15W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
606	**MAZDA-SXR178815W-6.5K-DC12-WH-DA-EM-A68 X B85 MM**	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
607	**MAZDA-SXR178815W-6.5K-DC12-WH-PH-A68 X B85 MM**	15W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
608	**MAZDA-SXR178815W-6.5K-DC12-WH-PH-EM-A68 X B85 MM**	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
609	**MAZDA-SXR178815W-6.5K-DC24-WH-10VDIM-A68 X B85 MM**	15W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
610	**MAZDA-SXR178815W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM**	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
611	**MAZDA-SXR178815W-6.5K-DC24-WH-ND-A68 X B85 MM**	15W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
612	**MAZDA-SXR178815W-6.5K-DC24-WH-ND-EM-A68 X B85 MM**	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
613	**MAZDA-SXR178815W-6.5K-DC24-WH-DA-A68 X B85 MM**	15W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
614	**MAZDA-SXR178815W-6.5K-DC24-WH-DA-EM-A68 X B85 MM**	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
615	**MAZDA-SXR178815W-6.5K-DC24-WH-PH-A68 X B85 MM**	15W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
616	**MAZDA-SXR178815W-6.5K-DC24-WH-PH-EM-A68 X B85 MM**	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
617	**MAZDA-SXR178815W-6.5K-DC48-WH-10VDIM-A68 X B85 MM**	15W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
618	**MAZDA-SXR178815W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM**	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
619	**MAZDA-SXR178815W-6.5K-DC48-WH-ND-A68 X B85 MM**	15W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
620	**MAZDA-SXR178815W-6.5K-DC48-WH-ND-EM-A68 X B85 MM**	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
621	**MAZDA-SXR178815W-6.5K-DC48-WH-DA-A68 X B85 MM**	15W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
622	**MAZDA-SXR178815W-6.5K-DC48-WH-DA-EM-A68 X B85 MM**	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
623	**MAZDA-SXR178815W-6.5K-DC48-WH-PH-A68 X B85 MM**	15W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
624	**MAZDA-SXR178815W-6.5K-DC48-WH-PH-EM-A68 X B85 MM**	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	