



SAMBA

MAZDA Model: SXR1788 Spot Light

Samba LED Spot Light is a mini and exquisite lamp with high light transmittance. It offers a very little size in many design styles, without forgetting about the functionality: all the range is characterized by the use high quality LED technology, so the result is a choice of accent light suitable for false ceiling, kitchen cabinet and not only. The possible applications are a multitude. The mini spotlights are all environmental friendly and very useful in a matter of energy and economical saving. The light result is bright, uniform and comfortable. Housing made by die cast aluminium powder coated with choice of RAL colors reflector with pure die cast aluminium diffuser tempered glass.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR178807W-3K-AC240-WH-10VDIM-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
2	MAZDA-SXR178807W-3K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
3	MAZDA-SXR178807W-3K-AC240-WH-ND-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
4	MAZDA-SXR178807W-3K-AC240-WH-ND-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
5	MAZDA-SXR178807W-3K-AC240-WH-DA-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
6	MAZDA-SXR178807W-3K-AC240-WH-DA-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
7	MAZDA-SXR178807W-3K-AC240-WH-PH-A51 X B76 MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
8	MAZDA-SXR178807W-3K-AC240-WH-PH-EM-A51 X B76 MM	07W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
9	MAZDA-SXR178807W-4K-AC240-WH-10VDIM-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
10	MAZDA-SXR178807W-4K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
11	MAZDA-SXR178807W-4K-AC240-WH-ND-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
12	MAZDA-SXR178807W-4K-AC240-WH-ND-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
13	MAZDA-SXR178807W-4K-AC240-WH-DA-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
14	MAZDA-SXR178807W-4K-AC240-WH-DA-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
15	MAZDA-SXR178807W-4K-AC240-WH-PH-A51 X B76 MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
16	MAZDA-SXR178807W-4K-AC240-WH-PH-EM-A51 X B76 MM	07W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
17	MAZDA-SXR178807W-5K-AC240-WH-10VDIM-A51 X B76 MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
18	MAZDA-SXR178807W-5K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
19	MAZDA-SXR178807W-5K-AC240-WH-ND-A51 X B76 MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
20	MAZDA-SXR178807W-5K-AC240-WH-ND-EM-A51 X B76 MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
21	MAZDA-SXR178807W-5K-AC240-WH-DA-A51 X B76 MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
22	MAZDA-SXR178807W-5K-AC240-WH-DA-EM-A51 X B76 MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
23	MAZDA-SXR178807W-5K-AC240-WH-PH-A51 X B76 MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
24	MAZDA-SXR178807W-5K-AC240-WH-PH-EM-A51 X B76 MM	07W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
25	MAZDA-SXR178807W-6K-AC240-WH-10VDIM-A51 X B76 MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
26	MAZDA-SXR178807W-6K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
27	MAZDA-SXR178807W-6K-AC240-WH-ND-A51 X B76 MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
28	MAZDA-SXR178807W-6K-AC240-WH-ND-EM-A51 X B76 MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
29	MAZDA-SXR178807W-6K-AC240-WH-DA-A51 X B76 MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
30	MAZDA-SXR178807W-6K-AC240-WH-DA-EM-A51 X B76 MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
31	MAZDA-SXR178807W-6K-AC240-WH-PH-A51 X B76 MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
32	MAZDA-SXR178807W-6K-AC240-WH-PH-EM-A51 X B76 MM	07W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
33	MAZDA-SXR178807W-2.7K-AC240-WH-10VDIM-A51 X B76 MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
34	MAZDA-SXR178807W-2.7K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
35	MAZDA-SXR178807W-2.7K-AC240-WH-ND-A51 X B76 MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
36	MAZDA-SXR178807W-2.7K-AC240-WH-ND-EM-A51 X B76 MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
37	MAZDA-SXR178807W-2.7K-AC240-WH-DA-A51 X B76 MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
38	MAZDA-SXR178807W-2.7K-AC240-WH-DA-EM-A51 X B76 MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
39	MAZDA-SXR178807W-2.7K-AC240-WH-PH-A51 X B76 MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
40	MAZDA-SXR178807W-2.7K-AC240-WH-PH-EM-A51 X B76 MM	07W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
41	MAZDA-SXR178807W-6.5K-AC240-WH-10VDIM-A51 X B76 MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
42	MAZDA-SXR178807W-6.5K-AC240-WH-10VDIM-EM-A51 X B76 MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
43	MAZDA-SXR178807W-6.5K-AC240-WH-ND-A51 X B76 MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
44	MAZDA-SXR178807W-6.5K-AC240-WH-ND-EM-A51 X B76 MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
45	MAZDA-SXR178807W-6.5K-AC240-WH-DA-A51 X B76 MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
46	MAZDA-SXR178807W-6.5K-AC240-WH-DA-EM-A51 X B76 MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
47	MAZDA-SXR178807W-6.5K-AC240-WH-PH-A51 X B76 MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
48	MAZDA-SXR178807W-6.5K-AC240-WH-PH-EM-A51 X B76 MM	07W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A51 X B76 MM	DIE CAST ALUMINUM	IP44	840LM	A51 X B76 MM	
49	MAZDA-SXR178810W-3K-AC240-WH-10VDIM-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
50	MAZDA-SXR178810W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
51	MAZDA-SXR178810W-3K-AC240-WH-ND-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
52	MAZDA-SXR178810W-3K-AC240-WH-ND-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
53	MAZDA-SXR178810W-3K-AC240-WH-DA-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
54	MAZDA-SXR178810W-3K-AC240-WH-DA-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
55	MAZDA-SXR178810W-3K-AC240-WH-PH-A68 X B85 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
56	MAZDA-SXR178810W-3K-AC240-WH-PH-EM-A68 X B85 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
57	MAZDA-SXR178810W-3K-DC12-WH-10VDIM-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
58	MAZDA-SXR178810W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
59	MAZDA-SXR178810W-3K-DC12-WH-ND-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
60	MAZDA-SXR178810W-3K-DC12-WH-ND-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
61	MAZDA-SXR178810W-3K-DC12-WH-DA-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
62	MAZDA-SXR178810W-3K-DC12-WH-DA-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
63	MAZDA-SXR178810W-3K-DC12-WH-PH-A68 X B85 MM	10W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
64	MAZDA-SXR178810W-3K-DC12-WH-PH-EM-A68 X B85 MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
65	MAZDA-SXR178810W-3K-DC24-WH-10VDIM-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
66	MAZDA-SXR178810W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
67	MAZDA-SXR178810W-3K-DC24-WH-ND-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
68	MAZDA-SXR178810W-3K-DC24-WH-ND-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
69	MAZDA-SXR178810W-3K-DC24-WH-DA-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
70	MAZDA-SXR178810W-3K-DC24-WH-DA-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
71	MAZDA-SXR178810W-3K-DC24-WH-PH-A68 X B85 MM	10W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
72	MAZDA-SXR178810W-3K-DC24-WH-PH-EM-A68 X B85 MM	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
73	MAZDA-SXR178810W-3K-DC48-WH-10VDIM-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
74	MAZDA-SXR178810W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
75	MAZDA-SXR178810W-3K-DC48-WH-ND-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
76	MAZDA-SXR178810W-3K-DC48-WH-ND-EM-A68 X B85 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
77	MAZDA-SXR178810W-3K-DC48-WH-DA-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
78	MAZDA-SXR178810W-3K-DC48-WH-DA-EM-A68 X B85 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
79	MAZDA-SXR178810W-3K-DC48-WH-PH-A68 X B85 MM	10W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
80	MAZDA-SXR178810W-3K-DC48-WH-PH-EM-A68 X B85 MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
81	MAZDA-SXR178810W-4K-AC240-WH-10VDIM-A68 X B85 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
82	MAZDA-SXR178810W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
83	MAZDA-SXR178810W-4K-AC240-WH-ND-A68 X B85 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
84	MAZDA-SXR178810W-4K-AC240-WH-ND-EM-A68 X B85 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
85	MAZDA-SXR178810W-4K-AC240-WH-DA-A68 X B85 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
86	MAZDA-SXR178810W-4K-AC240-WH-DA-EM-A68 X B85 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
87	MAZDA-SXR178810W-4K-AC240-WH-PH-A68 X B85 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
88	MAZDA-SXR178810W-4K-AC240-WH-PH-EM-A68 X B85 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
89	MAZDA-SXR178810W-4K-DC12-WH-10VDIM-A68 X B85 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
90	MAZDA-SXR178810W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
91	MAZDA-SXR178810W-4K-DC12-WH-ND-A68 X B85 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
92	MAZDA-SXR178810W-4K-DC12-WH-ND-EM-A68 X B85 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
93	MAZDA-SXR178810W-4K-DC12-WH-DA-A68 X B85 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
94	MAZDA-SXR178810W-4K-DC12-WH-DA-EM-A68 X B85 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
95	MAZDA-SXR178810W-4K-DC12-WH-PH-A68 X B85 MM	10W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
96	MAZDA-SXR178810W-4K-DC12-WH-PH-EM-A68 X B85 MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
97	MAZDA-SXR178810W-4K-DC24-WH-10VDIM-A68 X B85 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
98	MAZDA-SXR178810W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
99	MAZDA-SXR178810W-4K-DC24-WH-ND-A68 X B85 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
100	MAZDA-SXR178810W-4K-DC24-WH-ND-EM-A68 X B85 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
101	MAZDA-SXR178810W-4K-DC24-WH-DA-A68 X B85 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
102	MAZDA-SXR178810W-4K-DC24-WH-DA-EM-A68 X B85 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
103	MAZDA-SXR178810W-4K-DC24-WH-PH-A68 X B85 MM	10W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
104	MAZDA-SXR178810W-4K-DC24-WH-PH-EM-A68 X B85 MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
105	MAZDA-SXR178810W-4K-DC48-WH-10VDIM-A68 X B85 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
106	MAZDA-SXR178810W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
107	MAZDA-SXR178810W-4K-DC48-WH-ND-A68 X B85 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
108	MAZDA-SXR178810W-4K-DC48-WH-ND-EM-A68 X B85 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
109	MAZDA-SXR178810W-4K-DC48-WH-DA-A68 X B85 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
110	MAZDA-SXR178810W-4K-DC48-WH-DA-EM-A68 X B85 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
111	MAZDA-SXR178810W-4K-DC48-WH-PH-A68 X B85 MM	10W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
112	MAZDA-SXR178810W-4K-DC48-WH-PH-EM-A68 X B85 MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
113	MAZDA-SXR178810W-5K-AC240-WH-10VDIM-A68 X B85 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
114	MAZDA-SXR178810W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
115	MAZDA-SXR178810W-5K-AC240-WH-ND-A68 X B85 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
116	MAZDA-SXR178810W-5K-AC240-WH-ND-EM-A68 X B85 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
117	MAZDA-SXR178810W-5K-AC240-WH-DA-A68 X B85 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
118	MAZDA-SXR178810W-5K-AC240-WH-DA-EM-A68 X B85 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
119	MAZDA-SXR178810W-5K-AC240-WH-PH-A68 X B85 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
120	MAZDA-SXR178810W-5K-AC240-WH-PH-EM-A68 X B85 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
121	MAZDA-SXR178810W-5K-DC12-WH-10VDIM-A68 X B85 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
122	MAZDA-SXR178810W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
123	MAZDA-SXR178810W-5K-DC12-WH-ND-A68 X B85 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
124	MAZDA-SXR178810W-5K-DC12-WH-ND-EM-A68 X B85 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
125	MAZDA-SXR178810W-5K-DC12-WH-DA-A68 X B85 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
126	MAZDA-SXR178810W-5K-DC12-WH-DA-EM-A68 X B85 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
127	MAZDA-SXR178810W-5K-DC12-WH-PH-A68 X B85 MM	10W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
128	MAZDA-SXR178810W-5K-DC12-WH-PH-EM-A68 X B85 MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
129	MAZDA-SXR178810W-5K-DC24-WH-10VDIM-A68 X B85 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
130	MAZDA-SXR178810W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
131	MAZDA-SXR178810W-5K-DC24-WH-ND-A68 X B85 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
132	MAZDA-SXR178810W-5K-DC24-WH-ND-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
133	MAZDA-SXR178810W-5K-DC24-WH-DA-A68 X B85 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
134	MAZDA-SXR178810W-5K-DC24-WH-DA-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
135	MAZDA-SXR178810W-5K-DC24-WH-PH-A68 X B85 MM	10W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
136	MAZDA-SXR178810W-5K-DC24-WH-PH-EM-A68 X B85 MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
137	MAZDA-SXR178810W-5K-DC48-WH-10VDIM-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
138	MAZDA-SXR178810W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
139	MAZDA-SXR178810W-5K-DC48-WH-ND-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
140	MAZDA-SXR178810W-5K-DC48-WH-ND-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
141	MAZDA-SXR178810W-5K-DC48-WH-DA-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
142	MAZDA-SXR178810W-5K-DC48-WH-DA-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
143	MAZDA-SXR178810W-5K-DC48-WH-PH-A68 X B85 MM	10W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
144	MAZDA-SXR178810W-5K-DC48-WH-PH-EM-A68 X B85 MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
145	MAZDA-SXR178810W-6K-AC240-WH-10VDIM-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
146	MAZDA-SXR178810W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
147	MAZDA-SXR178810W-6K-AC240-WH-ND-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
148	MAZDA-SXR178810W-6K-AC240-WH-ND-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
149	MAZDA-SXR178810W-6K-AC240-WH-DA-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
150	MAZDA-SXR178810W-6K-AC240-WH-DA-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
151	MAZDA-SXR178810W-6K-AC240-WH-PH-A68 X B85 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
152	MAZDA-SXR178810W-6K-AC240-WH-PH-EM-A68 X B85 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
153	MAZDA-SXR178810W-6K-DC12-WH-10VDIM-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
154	MAZDA-SXR178810W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
155	MAZDA-SXR178810W-6K-DC12-WH-ND-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
156	MAZDA-SXR178810W-6K-DC12-WH-ND-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
157	MAZDA-SXR178810W-6K-DC12-WH-DA-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
158	MAZDA-SXR178810W-6K-DC12-WH-DA-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
159	MAZDA-SXR178810W-6K-DC12-WH-PH-A68 X B85 MM	10W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
160	MAZDA-SXR178810W-6K-DC12-WH-PH-EM-A68 X B85 MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
161	MAZDA-SXR178810W-6K-DC24-WH-10VDIM-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
162	MAZDA-SXR178810W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
163	MAZDA-SXR178810W-6K-DC24-WH-ND-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
164	MAZDA-SXR178810W-6K-DC24-WH-ND-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
165	MAZDA-SXR178810W-6K-DC24-WH-DA-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
166	MAZDA-SXR178810W-6K-DC24-WH-DA-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
167	MAZDA-SXR178810W-6K-DC24-WH-PH-A68 X B85 MM	10W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
168	MAZDA-SXR178810W-6K-DC24-WH-PH-EM-A68 X B85 MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
169	MAZDA-SXR178810W-6K-DC48-WH-10VDIM-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
170	MAZDA-SXR178810W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
171	MAZDA-SXR178810W-6K-DC48-WH-ND-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
172	MAZDA-SXR178810W-6K-DC48-WH-ND-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
173	MAZDA-SXR178810W-6K-DC48-WH-DA-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
174	MAZDA-SXR178810W-6K-DC48-WH-DA-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
175	MAZDA-SXR178810W-6K-DC48-WH-PH-A68 X B85 MM	10W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
176	MAZDA-SXR178810W-6K-DC48-WH-PH-EM-A68 X B85 MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
177	MAZDA-SXR178810W-2.7K-AC240-WH-10VDIM-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
178	MAZDA-SXR178810W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
179	MAZDA-SXR178810W-2.7K-AC240-WH-ND-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
180	MAZDA-SXR178810W-2.7K-AC240-WH-ND-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
181	MAZDA-SXR178810W-2.7K-AC240-WH-DA-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
182	MAZDA-SXR178810W-2.7K-AC240-WH-DA-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
183	MAZDA-SXR178810W-2.7K-AC240-WH-PH-A68 X B85 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
184	MAZDA-SXR178810W-2.7K-AC240-WH-PH-EM-A68 X B85 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
185	MAZDA-SXR178810W-2.7K-DC12-WH-10VDIM-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
186	MAZDA-SXR178810W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
187	MAZDA-SXR178810W-2.7K-DC12-WH-ND-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
188	MAZDA-SXR178810W-2.7K-DC12-WH-ND-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
189	MAZDA-SXR178810W-2.7K-DC12-WH-DA-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
190	MAZDA-SXR178810W-2.7K-DC12-WH-DA-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
191	MAZDA-SXR178810W-2.7K-DC12-WH-PH-A68 X B85 MM	10W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
192	MAZDA-SXR178810W-2.7K-DC12-WH-PH-EM-A68 X B85 MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
193	MAZDA-SXR178810W-2.7K-DC24-WH-10VDIM-A68 X B85 MM	10W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
194	MAZDA-SXR178810W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
195	MAZDA-SXR178810W-2.7K-DC24-WH-ND-A68 X B85 MM	10W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
196	MAZDA-SXR178810W-2.7K-DC24-WH-ND-EM-A68 X B85 MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
197	MAZDA-SXR178810W-2.7K-DC24-WH-DA-A68 X B85 MM	10W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
198	MAZDA-SXR178810W-2.7K-DC24-WH-DA-EM-A68 X B85 MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
199	MAZDA-SXR178810W-2.7K-DC24-WH-PH-A68 X B85 MM	10W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
200	MAZDA-SXR178810W-2.7K-DC24-WH-PH-EM-A68 X B85 MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
201	MAZDA-SXR178810W-2.7K-DC48-WH-10VDIM-A68 X B85 MM	10W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
202	MAZDA-SXR178810W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
203	MAZDA-SXR178810W-2.7K-DC48-WH-ND-A68 X B85 MM	10W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
204	MAZDA-SXR178810W-2.7K-DC48-WH-ND-EM-A68 X B85 MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
205	MAZDA-SXR178810W-2.7K-DC48-WH-DA-A68 X B85 MM	10W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
206	MAZDA-SXR178810W-2.7K-DC48-WH-DA-EM-A68 X B85 MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
207	MAZDA-SXR178810W-2.7K-DC48-WH-PH-A68 X B85 MM	10W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
208	MAZDA-SXR178810W-2.7K-DC48-WH-PH-EM-A68 X B85 MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
209	MAZDA-SXR178810W-6.5K-AC240-WH-10VDIM-A68 X B85 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
210	MAZDA-SXR178810W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
211	MAZDA-SXR178810W-6.5K-AC240-WH-ND-A68 X B85 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
212	MAZDA-SXR178810W-6.5K-AC240-WH-ND-EM-A68 X B85 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
213	MAZDA-SXR178810W-6.5K-AC240-WH-DA-A68 X B85 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
214	MAZDA-SXR178810W-6.5K-AC240-WH-DA-EM-A68 X B85 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
215	MAZDA-SXR178810W-6.5K-AC240-WH-PH-A68 X B85 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
216	MAZDA-SXR178810W-6.5K-AC240-WH-PH-EM-A68 X B85 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
217	MAZDA-SXR178810W-6.5K-DC12-WH-10VDIM-A68 X B85 MM	10W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
218	MAZDA-SXR178810W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
219	MAZDA-SXR178810W-6.5K-DC12-WH-ND-A68 X B85 MM	10W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
220	MAZDA-SXR178810W-6.5K-DC12-WH-ND-EM-A68 X B85 MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
221	MAZDA-SXR178810W-6.5K-DC12-WH-DA-A68 X B85 MM	10W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
222	MAZDA-SXR178810W-6.5K-DC12-WH-DA-EM-A68 X B85 MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
223	MAZDA-SXR178810W-6.5K-DC12-WH-PH-A68 X B85 MM	10W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
224	MAZDA-SXR178810W-6.5K-DC12-WH-PH-EM-A68 X B85 MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
225	MAZDA-SXR178810W-6.5K-DC24-WH-10VDIM-A68 X B85 MM	10W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
226	MAZDA-SXR178810W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
227	MAZDA-SXR178810W-6.5K-DC24-WH-ND-A68 X B85 MM	10W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
228	MAZDA-SXR178810W-6.5K-DC24-WH-ND-EM-A68 X B85 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
229	MAZDA-SXR178810W-6.5K-DC24-WH-DA-A68 X B85 MM	10W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
230	MAZDA-SXR178810W-6.5K-DC24-WH-DA-EM-A68 X B85 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
231	MAZDA-SXR178810W-6.5K-DC24-WH-PH-A68 X B85 MM	10W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
232	MAZDA-SXR178810W-6.5K-DC24-WH-PH-EM-A68 X B85 MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
233	MAZDA-SXR178810W-6.5K-DC48-WH-10VDIM-A68 X B85 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
234	MAZDA-SXR178810W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
235	MAZDA-SXR178810W-6.5K-DC48-WH-ND-A68 X B85 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
236	MAZDA-SXR178810W-6.5K-DC48-WH-ND-EM-A68 X B85 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
237	MAZDA-SXR178810W-6.5K-DC48-WH-DA-A68 X B85 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
238	MAZDA-SXR178810W-6.5K-DC48-WH-DA-EM-A68 X B85 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
239	MAZDA-SXR178810W-6.5K-DC48-WH-PH-A68 X B85 MM	10W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
240	MAZDA-SXR178810W-6.5K-DC48-WH-PH-EM-A68 X B85 MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1200LM	A68 X B85 MM	
241	MAZDA-SXR178812W-3K-AC240-WH-10VDIM-A68 X B85 MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
242	MAZDA-SXR178812W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
243	MAZDA-SXR178812W-3K-AC240-WH-ND-A68 X B85 MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
244	MAZDA-SXR178812W-3K-AC240-WH-ND-EM-A68 X B85 MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
245	MAZDA-SXR178812W-3K-AC240-WH-DA-A68 X B85 MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
246	MAZDA-SXR178812W-3K-AC240-WH-DA-EM-A68 X B85 MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
247	MAZDA-SXR178812W-3K-AC240-WH-PH-A68 X B85 MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
248	MAZDA-SXR178812W-3K-AC240-WH-PH-EM-A68 X B85 MM	12W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
249	MAZDA-SXR178812W-3K-DC12-WH-10VDIM-A68 X B85 MM	12W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
250	MAZDA-SXR178812W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
251	MAZDA-SXR178812W-3K-DC12-WH-ND-A68 X B85 MM	12W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
252	MAZDA-SXR178812W-3K-DC12-WH-ND-EM-A68 X B85 MM	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
253	MAZDA-SXR178812W-3K-DC12-WH-DA-A68 X B85 MM	12W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
254	MAZDA-SXR178812W-3K-DC12-WH-DA-EM-A68 X B85 MM	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
255	MAZDA-SXR178812W-3K-DC12-WH-PH-A68 X B85 MM	12W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
256	MAZDA-SXR178812W-3K-DC12-WH-PH-EM-A68 X B85 MM	12W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
257	MAZDA-SXR178812W-3K-DC24-WH-10VDIM-A68 X B85 MM	12W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
258	MAZDA-SXR178812W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
259	MAZDA-SXR178812W-3K-DC24-WH-ND-A68 X B85 MM	12W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
260	MAZDA-SXR178812W-3K-DC24-WH-ND-EM-A68 X B85 MM	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
261	MAZDA-SXR178812W-3K-DC24-WH-DA-A68 X B85 MM	12W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
262	MAZDA-SXR178812W-3K-DC24-WH-DA-EM-A68 X B85 MM	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
263	MAZDA-SXR178812W-3K-DC24-WH-PH-A68 X B85 MM	12W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
264	MAZDA-SXR178812W-3K-DC24-WH-PH-EM-A68 X B85 MM	12W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
265	MAZDA-SXR178812W-3K-DC48-WH-10VDIM-A68 X B85 MM	12W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
266	MAZDA-SXR178812W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
267	MAZDA-SXR178812W-3K-DC48-WH-ND-A68 X B85 MM	12W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
268	MAZDA-SXR178812W-3K-DC48-WH-ND-EM-A68 X B85 MM	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
269	MAZDA-SXR178812W-3K-DC48-WH-DA-A68 X B85 MM	12W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
270	MAZDA-SXR178812W-3K-DC48-WH-DA-EM-A68 X B85 MM	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
271	MAZDA-SXR178812W-3K-DC48-WH-PH-A68 X B85 MM	12W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
272	MAZDA-SXR178812W-3K-DC48-WH-PH-EM-A68 X B85 MM	12W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
273	MAZDA-SXR178812W-4K-AC240-WH-10VDIM-A68 X B85 MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
274	MAZDA-SXR178812W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
275	MAZDA-SXR178812W-4K-AC240-WH-ND-A68 X B85 MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
276	MAZDA-SXR178812W-4K-AC240-WH-ND-EM-A68 X B85 MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
277	MAZDA-SXR178812W-4K-AC240-WH-DA-A68 X B85 MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
278	MAZDA-SXR178812W-4K-AC240-WH-DA-EM-A68 X B85 MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
279	MAZDA-SXR178812W-4K-AC240-WH-PH-A68 X B85 MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
280	MAZDA-SXR178812W-4K-AC240-WH-PH-EM-A68 X B85 MM	12W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
281	MAZDA-SXR178812W-4K-DC12-WH-10VDIM-A68 X B85 MM	12W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
282	MAZDA-SXR178812W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
283	MAZDA-SXR178812W-4K-DC12-WH-ND-A68 X B85 MM	12W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
284	MAZDA-SXR178812W-4K-DC12-WH-ND-EM-A68 X B85 MM	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
285	MAZDA-SXR178812W-4K-DC12-WH-DA-A68 X B85 MM	12W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
286	MAZDA-SXR178812W-4K-DC12-WH-DA-EM-A68 X B85 MM	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
287	MAZDA-SXR178812W-4K-DC12-WH-PH-A68 X B85 MM	12W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
288	MAZDA-SXR178812W-4K-DC12-WH-PH-EM-A68 X B85 MM	12W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
289	MAZDA-SXR178812W-4K-DC24-WH-10VDIM-A68 X B85 MM	12W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
290	MAZDA-SXR178812W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
291	MAZDA-SXR178812W-4K-DC24-WH-ND-A68 X B85 MM	12W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
292	MAZDA-SXR178812W-4K-DC24-WH-ND-EM-A68 X B85 MM	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
293	MAZDA-SXR178812W-4K-DC24-WH-DA-A68 X B85 MM	12W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
294	MAZDA-SXR178812W-4K-DC24-WH-DA-EM-A68 X B85 MM	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
295	MAZDA-SXR178812W-4K-DC24-WH-PH-A68 X B85 MM	12W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
296	MAZDA-SXR178812W-4K-DC24-WH-PH-EM-A68 X B85 MM	12W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
297	MAZDA-SXR178812W-4K-DC48-WH-10VDIM-A68 X B85 MM	12W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
298	MAZDA-SXR178812W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
299	MAZDA-SXR178812W-4K-DC48-WH-ND-A68 X B85 MM	12W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
300	MAZDA-SXR178812W-4K-DC48-WH-ND-EM-A68 X B85 MM	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
301	MAZDA-SXR178812W-4K-DC48-WH-DA-A68 X B85 MM	12W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
302	MAZDA-SXR178812W-4K-DC48-WH-DA-EM-A68 X B85 MM	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
303	MAZDA-SXR178812W-4K-DC48-WH-PH-A68 X B85 MM	12W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
304	MAZDA-SXR178812W-4K-DC48-WH-PH-EM-A68 X B85 MM	12W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
305	MAZDA-SXR178812W-5K-AC240-WH-10VDIM-A68 X B85 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
306	MAZDA-SXR178812W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
307	MAZDA-SXR178812W-5K-AC240-WH-ND-A68 X B85 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
308	MAZDA-SXR178812W-5K-AC240-WH-ND-EM-A68 X B85 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
309	MAZDA-SXR178812W-5K-AC240-WH-DA-A68 X B85 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
310	MAZDA-SXR178812W-5K-AC240-WH-DA-EM-A68 X B85 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
311	MAZDA-SXR178812W-5K-AC240-WH-PH-A68 X B85 MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
312	MAZDA-SXR178812W-5K-AC240-WH-PH-EM-A68 X B85 MM	12W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
313	MAZDA-SXR178812W-5K-DC12-WH-10VDIM-A68 X B85 MM	12W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
314	MAZDA-SXR178812W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
315	MAZDA-SXR178812W-5K-DC12-WH-ND-A68 X B85 MM	12W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
316	MAZDA-SXR178812W-5K-DC12-WH-ND-EM-A68 X B85 MM	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
317	MAZDA-SXR178812W-5K-DC12-WH-DA-A68 X B85 MM	12W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
318	MAZDA-SXR178812W-5K-DC12-WH-DA-EM-A68 X B85 MM	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
319	MAZDA-SXR178812W-5K-DC12-WH-PH-A68 X B85 MM	12W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
320	MAZDA-SXR178812W-5K-DC12-WH-PH-EM-A68 X B85 MM	12W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
321	MAZDA-SXR178812W-5K-DC24-WH-10VDIM-A68 X B85 MM	12W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
322	MAZDA-SXR178812W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
323	MAZDA-SXR178812W-5K-DC24-WH-ND-A68 X B85 MM	12W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
324	MAZDA-SXR178812W-5K-DC24-WH-ND-EM-A68 X B85 MM	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
325	MAZDA-SXR178812W-5K-DC24-WH-DA-A68 X B85 MM	12W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
326	MAZDA-SXR178812W-5K-DC24-WH-DA-EM-A68 X B85 MM	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
327	MAZDA-SXR178812W-5K-DC24-WH-PH-A68 X B85 MM	12W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
328	MAZDA-SXR178812W-5K-DC24-WH-PH-EM-A68 X B85 MM	12W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
329	MAZDA-SXR178812W-5K-DC48-WH-10VDIM-A68 X B85 MM	12W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
330	MAZDA-SXR178812W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
331	MAZDA-SXR178812W-5K-DC48-WH-ND-A68 X B85 MM	12W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
332	MAZDA-SXR178812W-5K-DC48-WH-ND-EM-A68 X B85 MM	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
333	MAZDA-SXR178812W-5K-DC48-WH-DA-A68 X B85 MM	12W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
334	MAZDA-SXR178812W-5K-DC48-WH-DA-EM-A68 X B85 MM	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
335	MAZDA-SXR178812W-5K-DC48-WH-PH-A68 X B85 MM	12W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
336	MAZDA-SXR178812W-5K-DC48-WH-PH-EM-A68 X B85 MM	12W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
337	MAZDA-SXR178812W-6K-AC240-WH-10VDIM-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
338	MAZDA-SXR178812W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
339	MAZDA-SXR178812W-6K-AC240-WH-ND-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
340	MAZDA-SXR178812W-6K-AC240-WH-ND-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
341	MAZDA-SXR178812W-6K-AC240-WH-DA-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
342	MAZDA-SXR178812W-6K-AC240-WH-DA-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
343	MAZDA-SXR178812W-6K-AC240-WH-PH-A68 X B85 MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
344	MAZDA-SXR178812W-6K-AC240-WH-PH-EM-A68 X B85 MM	12W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
345	MAZDA-SXR178812W-6K-DC12-WH-10VDIM-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
346	MAZDA-SXR178812W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
347	MAZDA-SXR178812W-6K-DC12-WH-ND-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
348	MAZDA-SXR178812W-6K-DC12-WH-ND-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
349	MAZDA-SXR178812W-6K-DC12-WH-DA-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
350	MAZDA-SXR178812W-6K-DC12-WH-DA-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
351	MAZDA-SXR178812W-6K-DC12-WH-PH-A68 X B85 MM	12W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
352	MAZDA-SXR178812W-6K-DC12-WH-PH-EM-A68 X B85 MM	12W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
353	MAZDA-SXR178812W-6K-DC24-WH-10VDIM-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
354	MAZDA-SXR178812W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
355	MAZDA-SXR178812W-6K-DC24-WH-ND-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
356	MAZDA-SXR178812W-6K-DC24-WH-ND-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
357	MAZDA-SXR178812W-6K-DC24-WH-DA-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
358	MAZDA-SXR178812W-6K-DC24-WH-DA-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
359	MAZDA-SXR178812W-6K-DC24-WH-PH-A68 X B85 MM	12W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
360	MAZDA-SXR178812W-6K-DC24-WH-PH-EM-A68 X B85 MM	12W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
361	MAZDA-SXR178812W-6K-DC48-WH-10VDIM-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
362	MAZDA-SXR178812W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
363	MAZDA-SXR178812W-6K-DC48-WH-ND-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
364	MAZDA-SXR178812W-6K-DC48-WH-ND-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
365	MAZDA-SXR178812W-6K-DC48-WH-DA-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
366	MAZDA-SXR178812W-6K-DC48-WH-DA-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
367	MAZDA-SXR178812W-6K-DC48-WH-PH-A68 X B85 MM	12W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
368	MAZDA-SXR178812W-6K-DC48-WH-PH-EM-A68 X B85 MM	12W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
369	MAZDA-SXR178812W-2.7K-AC240-WH-10VDIM-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
370	MAZDA-SXR178812W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
371	MAZDA-SXR178812W-2.7K-AC240-WH-ND-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
372	MAZDA-SXR178812W-2.7K-AC240-WH-ND-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
373	MAZDA-SXR178812W-2.7K-AC240-WH-DA-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
374	MAZDA-SXR178812W-2.7K-AC240-WH-DA-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
375	MAZDA-SXR178812W-2.7K-AC240-WH-PH-A68 X B85 MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
376	MAZDA-SXR178812W-2.7K-AC240-WH-PH-EM-A68 X B85 MM	12W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
377	MAZDA-SXR178812W-2.7K-DC12-WH-10VDIM-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
378	MAZDA-SXR178812W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
379	MAZDA-SXR178812W-2.7K-DC12-WH-ND-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
380	MAZDA-SXR178812W-2.7K-DC12-WH-ND-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
381	MAZDA-SXR178812W-2.7K-DC12-WH-DA-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
382	MAZDA-SXR178812W-2.7K-DC12-WH-DA-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
383	MAZDA-SXR178812W-2.7K-DC12-WH-PH-A68 X B85 MM	12W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
384	MAZDA-SXR178812W-2.7K-DC12-WH-PH-EM-A68 X B85 MM	12W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
385	MAZDA-SXR178812W-2.7K-DC24-WH-10VDIM-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
386	MAZDA-SXR178812W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
387	MAZDA-SXR178812W-2.7K-DC24-WH-ND-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
388	MAZDA-SXR178812W-2.7K-DC24-WH-ND-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
389	MAZDA-SXR178812W-2.7K-DC24-WH-DA-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
390	MAZDA-SXR178812W-2.7K-DC24-WH-DA-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
391	MAZDA-SXR178812W-2.7K-DC24-WH-PH-A68 X B85 MM	12W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
392	MAZDA-SXR178812W-2.7K-DC24-WH-PH-EM-A68 X B85 MM	12W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
393	MAZDA-SXR178812W-2.7K-DC48-WH-10VDIM-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
394	MAZDA-SXR178812W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
395	MAZDA-SXR178812W-2.7K-DC48-WH-ND-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
396	MAZDA-SXR178812W-2.7K-DC48-WH-ND-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
397	MAZDA-SXR178812W-2.7K-DC48-WH-DA-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
398	MAZDA-SXR178812W-2.7K-DC48-WH-DA-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
399	MAZDA-SXR178812W-2.7K-DC48-WH-PH-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
400	MAZDA-SXR178812W-2.7K-DC48-WH-PH-EM-A68 X B85 MM	12W	2700	48VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
401	MAZDA-SXR178812W-6.5K-AC240-WH-10VDIM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
402	MAZDA-SXR178812W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
403	MAZDA-SXR178812W-6.5K-AC240-WH-ND-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
404	MAZDA-SXR178812W-6.5K-AC240-WH-ND-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
405	MAZDA-SXR178812W-6.5K-AC240-WH-DA-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
406	MAZDA-SXR178812W-6.5K-AC240-WH-DA-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
407	MAZDA-SXR178812W-6.5K-AC240-WH-PH-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
408	MAZDA-SXR178812W-6.5K-AC240-WH-PH-EM-A68 X B85 MM	12W	6500	240VAC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
409	MAZDA-SXR178812W-6.5K-DC12-WH-10VDIM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
410	MAZDA-SXR178812W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
411	MAZDA-SXR178812W-6.5K-DC12-WH-ND-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
412	MAZDA-SXR178812W-6.5K-DC12-WH-ND-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
413	MAZDA-SXR178812W-6.5K-DC12-WH-DA-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
414	MAZDA-SXR178812W-6.5K-DC12-WH-DA-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
415	MAZDA-SXR178812W-6.5K-DC12-WH-PH-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
416	MAZDA-SXR178812W-6.5K-DC12-WH-PH-EM-A68 X B85 MM	12W	6500	12VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
417	MAZDA-SXR178812W-6.5K-DC24-WH-10VDIM-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
418	MAZDA-SXR178812W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
419	MAZDA-SXR178812W-6.5K-DC24-WH-ND-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
420	MAZDA-SXR178812W-6.5K-DC24-WH-ND-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
421	MAZDA-SXR178812W-6.5K-DC24-WH-DA-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
422	MAZDA-SXR178812W-6.5K-DC24-WH-DA-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
423	MAZDA-SXR178812W-6.5K-DC24-WH-PH-A68 X B85 MM	12W	6500	24VDC	WHITE	NON EMERGENCY 3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
424	MAZDA-SXR178812W-6.5K-DC24-WH-PH-EM-A68 X B85 MM	12W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
425	MAZDA-SXR178812W-6.5K-DC48-WH-10VDIM-A68 X B85 MM	12W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
426	MAZDA-SXR178812W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
427	MAZDA-SXR178812W-6.5K-DC48-WH-ND-A68 X B85 MM	12W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
428	MAZDA-SXR178812W-6.5K-DC48-WH-ND-EM-A68 X B85 MM	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
429	MAZDA-SXR178812W-6.5K-DC48-WH-DA-A68 X B85 MM	12W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
430	MAZDA-SXR178812W-6.5K-DC48-WH-DA-EM-A68 X B85 MM	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
431	MAZDA-SXR178812W-6.5K-DC48-WH-PH-A68 X B85 MM	12W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
432	MAZDA-SXR178812W-6.5K-DC48-WH-PH-EM-A68 X B85 MM	12W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1440LM	A68 X B85 MM	
433	MAZDA-SXR178815W-3K-AC240-WH-10VDIM-A68 X B85 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
434	MAZDA-SXR178815W-3K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
435	MAZDA-SXR178815W-3K-AC240-WH-ND-A68 X B85 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
436	MAZDA-SXR178815W-3K-AC240-WH-ND-EM-A68 X B85 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
437	MAZDA-SXR178815W-3K-AC240-WH-DA-A68 X B85 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
438	MAZDA-SXR178815W-3K-AC240-WH-DA-EM-A68 X B85 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
439	MAZDA-SXR178815W-3K-AC240-WH-PH-A68 X B85 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
440	MAZDA-SXR178815W-3K-AC240-WH-PH-EM-A68 X B85 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
441	MAZDA-SXR178815W-3K-DC12-WH-10VDIM-A68 X B85 MM	15W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
442	MAZDA-SXR178815W-3K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
443	MAZDA-SXR178815W-3K-DC12-WH-ND-A68 X B85 MM	15W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
444	MAZDA-SXR178815W-3K-DC12-WH-ND-EM-A68 X B85 MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
445	MAZDA-SXR178815W-3K-DC12-WH-DA-A68 X B85 MM	15W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
446	MAZDA-SXR178815W-3K-DC12-WH-DA-EM-A68 X B85 MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
447	MAZDA-SXR178815W-3K-DC12-WH-PH-A68 X B85 MM	15W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
448	MAZDA-SXR178815W-3K-DC12-WH-PH-EM-A68 X B85 MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
449	MAZDA-SXR178815W-3K-DC24-WH-10VDIM-A68 X B85 MM	15W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
450	MAZDA-SXR178815W-3K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
451	MAZDA-SXR178815W-3K-DC24-WH-ND-A68 X B85 MM	15W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
452	MAZDA-SXR178815W-3K-DC24-WH-ND-EM-A68 X B85 MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
453	MAZDA-SXR178815W-3K-DC24-WH-DA-A68 X B85 MM	15W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
454	MAZDA-SXR178815W-3K-DC24-WH-DA-EM-A68 X B85 MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
455	MAZDA-SXR178815W-3K-DC24-WH-PH-A68 X B85 MM	15W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
456	MAZDA-SXR178815W-3K-DC24-WH-PH-EM-A68 X B85 MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
457	MAZDA-SXR178815W-3K-DC48-WH-10VDIM-A68 X B85 MM	15W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
458	MAZDA-SXR178815W-3K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
459	MAZDA-SXR178815W-3K-DC48-WH-ND-A68 X B85 MM	15W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
460	MAZDA-SXR178815W-3K-DC48-WH-ND-EM-A68 X B85 MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
461	MAZDA-SXR178815W-3K-DC48-WH-DA-A68 X B85 MM	15W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
462	MAZDA-SXR178815W-3K-DC48-WH-DA-EM-A68 X B85 MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
463	MAZDA-SXR178815W-3K-DC48-WH-PH-A68 X B85 MM	15W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
464	MAZDA-SXR178815W-3K-DC48-WH-PH-EM-A68 X B85 MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
465	MAZDA-SXR178815W-4K-AC240-WH-10VDIM-A68 X B85 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
466	MAZDA-SXR178815W-4K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
467	MAZDA-SXR178815W-4K-AC240-WH-ND-A68 X B85 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
468	MAZDA-SXR178815W-4K-AC240-WH-ND-EM-A68 X B85 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
469	MAZDA-SXR178815W-4K-AC240-WH-DA-A68 X B85 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
470	MAZDA-SXR178815W-4K-AC240-WH-DA-EM-A68 X B85 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
471	MAZDA-SXR178815W-4K-AC240-WH-PH-A68 X B85 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
472	MAZDA-SXR178815W-4K-AC240-WH-PH-EM-A68 X B85 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
473	MAZDA-SXR178815W-4K-DC12-WH-10VDIM-A68 X B85 MM	15W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
474	MAZDA-SXR178815W-4K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
475	MAZDA-SXR178815W-4K-DC12-WH-ND-A68 X B85 MM	15W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
476	MAZDA-SXR178815W-4K-DC12-WH-ND-EM-A68 X B85 MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
477	MAZDA-SXR178815W-4K-DC12-WH-DA-A68 X B85 MM	15W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
478	MAZDA-SXR178815W-4K-DC12-WH-DA-EM-A68 X B85 MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
479	MAZDA-SXR178815W-4K-DC12-WH-PH-A68 X B85 MM	15W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
480	MAZDA-SXR178815W-4K-DC12-WH-PH-EM-A68 X B85 MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
481	MAZDA-SXR178815W-4K-DC24-WH-10VDIM-A68 X B85 MM	15W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
482	MAZDA-SXR178815W-4K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
483	MAZDA-SXR178815W-4K-DC24-WH-ND-A68 X B85 MM	15W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
484	MAZDA-SXR178815W-4K-DC24-WH-ND-EM-A68 X B85 MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
485	MAZDA-SXR178815W-4K-DC24-WH-DA-A68 X B85 MM	15W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
486	MAZDA-SXR178815W-4K-DC24-WH-DA-EM-A68 X B85 MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
487	MAZDA-SXR178815W-4K-DC24-WH-PH-A68 X B85 MM	15W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
488	MAZDA-SXR178815W-4K-DC24-WH-PH-EM-A68 X B85 MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
489	MAZDA-SXR178815W-4K-DC48-WH-10VDIM-A68 X B85 MM	15W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
490	MAZDA-SXR178815W-4K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
491	MAZDA-SXR178815W-4K-DC48-WH-ND-A68 X B85 MM	15W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
492	MAZDA-SXR178815W-4K-DC48-WH-ND-EM-A68 X B85 MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
493	MAZDA-SXR178815W-4K-DC48-WH-DA-A68 X B85 MM	15W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
494	MAZDA-SXR178815W-4K-DC48-WH-DA-EM-A68 X B85 MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
495	MAZDA-SXR178815W-4K-DC48-WH-PH-A68 X B85 MM	15W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
496	MAZDA-SXR178815W-4K-DC48-WH-PH-EM-A68 X B85 MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
497	MAZDA-SXR178815W-5K-AC240-WH-10VDIM-A68 X B85 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
498	MAZDA-SXR178815W-5K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
499	MAZDA-SXR178815W-5K-AC240-WH-ND-A68 X B85 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
500	MAZDA-SXR178815W-5K-AC240-WH-ND-EM-A68 X B85 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
501	MAZDA-SXR178815W-5K-AC240-WH-DA-A68 X B85 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
502	MAZDA-SXR178815W-5K-AC240-WH-DA-EM-A68 X B85 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
503	MAZDA-SXR178815W-5K-AC240-WH-PH-A68 X B85 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
504	MAZDA-SXR178815W-5K-AC240-WH-PH-EM-A68 X B85 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
505	MAZDA-SXR178815W-5K-DC12-WH-10VDIM-A68 X B85 MM	15W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
506	MAZDA-SXR178815W-5K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
507	MAZDA-SXR178815W-5K-DC12-WH-ND-A68 X B85 MM	15W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
508	MAZDA-SXR178815W-5K-DC12-WH-ND-EM-A68 X B85 MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
509	MAZDA-SXR178815W-5K-DC12-WH-DA-A68 X B85 MM	15W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
510	MAZDA-SXR178815W-5K-DC12-WH-DA-EM-A68 X B85 MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
511	MAZDA-SXR178815W-5K-DC12-WH-PH-A68 X B85 MM	15W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
512	MAZDA-SXR178815W-5K-DC12-WH-PH-EM-A68 X B85 MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
513	MAZDA-SXR178815W-5K-DC24-WH-10VDIM-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
514	MAZDA-SXR178815W-5K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
515	MAZDA-SXR178815W-5K-DC24-WH-ND-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
516	MAZDA-SXR178815W-5K-DC24-WH-ND-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
517	MAZDA-SXR178815W-5K-DC24-WH-DA-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
518	MAZDA-SXR178815W-5K-DC24-WH-DA-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
519	MAZDA-SXR178815W-5K-DC24-WH-PH-A68 X B85 MM	15W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
520	MAZDA-SXR178815W-5K-DC24-WH-PH-EM-A68 X B85 MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
521	MAZDA-SXR178815W-5K-DC48-WH-10VDIM-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
522	MAZDA-SXR178815W-5K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
523	MAZDA-SXR178815W-5K-DC48-WH-ND-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
524	MAZDA-SXR178815W-5K-DC48-WH-ND-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
525	MAZDA-SXR178815W-5K-DC48-WH-DA-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
526	MAZDA-SXR178815W-5K-DC48-WH-DA-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
527	MAZDA-SXR178815W-5K-DC48-WH-PH-A68 X B85 MM	15W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
528	MAZDA-SXR178815W-5K-DC48-WH-PH-EM-A68 X B85 MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
529	MAZDA-SXR178815W-6K-AC240-WH-10VDIM-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
530	MAZDA-SXR178815W-6K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
531	MAZDA-SXR178815W-6K-AC240-WH-ND-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
532	MAZDA-SXR178815W-6K-AC240-WH-ND-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
533	MAZDA-SXR178815W-6K-AC240-WH-DA-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
534	MAZDA-SXR178815W-6K-AC240-WH-DA-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
535	MAZDA-SXR178815W-6K-AC240-WH-PH-A68 X B85 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
536	MAZDA-SXR178815W-6K-AC240-WH-PH-EM-A68 X B85 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
537	MAZDA-SXR178815W-6K-DC12-WH-10VDIM-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
538	MAZDA-SXR178815W-6K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
539	MAZDA-SXR178815W-6K-DC12-WH-ND-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
540	MAZDA-SXR178815W-6K-DC12-WH-ND-EM-A68 X B85 MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
541	MAZDA-SXR178815W-6K-DC12-WH-DA-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
542	MAZDA-SXR178815W-6K-DC12-WH-DA-EM-A68 X B85 MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
543	MAZDA-SXR178815W-6K-DC12-WH-PH-A68 X B85 MM	15W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
544	MAZDA-SXR178815W-6K-DC12-WH-PH-EM-A68 X B85 MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
545	MAZDA-SXR178815W-6K-DC24-WH-10VDIM-A68 X B85 MM	15W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
546	MAZDA-SXR178815W-6K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
547	MAZDA-SXR178815W-6K-DC24-WH-ND-A68 X B85 MM	15W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
548	MAZDA-SXR178815W-6K-DC24-WH-ND-EM-A68 X B85 MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
549	MAZDA-SXR178815W-6K-DC24-WH-DA-A68 X B85 MM	15W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
550	MAZDA-SXR178815W-6K-DC24-WH-DA-EM-A68 X B85 MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
551	MAZDA-SXR178815W-6K-DC24-WH-PH-A68 X B85 MM	15W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
552	MAZDA-SXR178815W-6K-DC24-WH-PH-EM-A68 X B85 MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
553	MAZDA-SXR178815W-6K-DC48-WH-10VDIM-A68 X B85 MM	15W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
554	MAZDA-SXR178815W-6K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
555	MAZDA-SXR178815W-6K-DC48-WH-ND-A68 X B85 MM	15W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
556	MAZDA-SXR178815W-6K-DC48-WH-ND-EM-A68 X B85 MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
557	MAZDA-SXR178815W-6K-DC48-WH-DA-A68 X B85 MM	15W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
558	MAZDA-SXR178815W-6K-DC48-WH-DA-EM-A68 X B85 MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
559	MAZDA-SXR178815W-6K-DC48-WH-PH-A68 X B85 MM	15W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
560	MAZDA-SXR178815W-6K-DC48-WH-PH-EM-A68 X B85 MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
561	MAZDA-SXR178815W-2.7K-AC240-WH-10VDIM-A68 X B85 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
562	MAZDA-SXR178815W-2.7K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
563	MAZDA-SXR178815W-2.7K-AC240-WH-ND-A68 X B85 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
564	MAZDA-SXR178815W-2.7K-AC240-WH-ND-EM-A68 X B85 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
565	MAZDA-SXR178815W-2.7K-AC240-WH-DA-A68 X B85 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
566	MAZDA-SXR178815W-2.7K-AC240-WH-DA-EM-A68 X B85 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
567	MAZDA-SXR178815W-2.7K-AC240-WH-PH-A68 X B85 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
568	MAZDA-SXR178815W-2.7K-AC240-WH-PH-EM-A68 X B85 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	



DATASHEET

GENERATED ON: 01 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
569	MAZDA-SXR178815W-2.7K-DC12-WH-10VDIM-A68 X B85 MM	15W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
570	MAZDA-SXR178815W-2.7K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
571	MAZDA-SXR178815W-2.7K-DC12-WH-ND-A68 X B85 MM	15W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
572	MAZDA-SXR178815W-2.7K-DC12-WH-ND-EM-A68 X B85 MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
573	MAZDA-SXR178815W-2.7K-DC12-WH-DA-A68 X B85 MM	15W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
574	MAZDA-SXR178815W-2.7K-DC12-WH-DA-EM-A68 X B85 MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
575	MAZDA-SXR178815W-2.7K-DC12-WH-PH-A68 X B85 MM	15W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
576	MAZDA-SXR178815W-2.7K-DC12-WH-PH-EM-A68 X B85 MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
577	MAZDA-SXR178815W-2.7K-DC24-WH-10VDIM-A68 X B85 MM	15W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
578	MAZDA-SXR178815W-2.7K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
579	MAZDA-SXR178815W-2.7K-DC24-WH-ND-A68 X B85 MM	15W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
580	MAZDA-SXR178815W-2.7K-DC24-WH-ND-EM-A68 X B85 MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
581	MAZDA-SXR178815W-2.7K-DC24-WH-DA-A68 X B85 MM	15W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
582	MAZDA-SXR178815W-2.7K-DC24-WH-DA-EM-A68 X B85 MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
583	MAZDA-SXR178815W-2.7K-DC24-WH-PH-A68 X B85 MM	15W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
584	MAZDA-SXR178815W-2.7K-DC24-WH-PH-EM-A68 X B85 MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
585	MAZDA-SXR178815W-2.7K-DC48-WH-10VDIM-A68 X B85 MM	15W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
586	MAZDA-SXR178815W-2.7K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
587	MAZDA-SXR178815W-2.7K-DC48-WH-ND-A68 X B85 MM	15W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
588	MAZDA-SXR178815W-2.7K-DC48-WH-ND-EM-A68 X B85 MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
589	MAZDA-SXR178815W-2.7K-DC48-WH-DA-A68 X B85 MM	15W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
590	MAZDA-SXR178815W-2.7K-DC48-WH-DA-EM-A68 X B85 MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
591	MAZDA-SXR178815W-2.7K-DC48-WH-PH-A68 X B85 MM	15W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
592	MAZDA-SXR178815W-2.7K-DC48-WH-PH-EM-A68 X B85 MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
593	MAZDA-SXR178815W-6.5K-AC240-WH-10VDIM-A68 X B85 MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
594	MAZDA-SXR178815W-6.5K-AC240-WH-10VDIM-EM-A68 X B85 MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
595	MAZDA-SXR178815W-6.5K-AC240-WH-ND-A68 X B85 MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
596	MAZDA-SXR178815W-6.5K-AC240-WH-ND-EM-A68 X B85 MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
597	MAZDA-SXR178815W-6.5K-AC240-WH-DA-A68 X B85 MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
598	MAZDA-SXR178815W-6.5K-AC240-WH-DA-EM-A68 X B85 MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
599	MAZDA-SXR178815W-6.5K-AC240-WH-PH-A68 X B85 MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
600	MAZDA-SXR178815W-6.5K-AC240-WH-PH-EM-A68 X B85 MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
601	MAZDA-SXR178815W-6.5K-DC12-WH-10VDIM-A68 X B85 MM	15W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
602	MAZDA-SXR178815W-6.5K-DC12-WH-10VDIM-EM-A68 X B85 MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
603	MAZDA-SXR178815W-6.5K-DC12-WH-ND-A68 X B85 MM	15W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
604	MAZDA-SXR178815W-6.5K-DC12-WH-ND-EM-A68 X B85 MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
605	MAZDA-SXR178815W-6.5K-DC12-WH-DA-A68 X B85 MM	15W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
606	MAZDA-SXR178815W-6.5K-DC12-WH-DA-EM-A68 X B85 MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
607	MAZDA-SXR178815W-6.5K-DC12-WH-PH-A68 X B85 MM	15W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
608	MAZDA-SXR178815W-6.5K-DC12-WH-PH-EM-A68 X B85 MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
609	MAZDA-SXR178815W-6.5K-DC24-WH-10VDIM-A68 X B85 MM	15W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
610	MAZDA-SXR178815W-6.5K-DC24-WH-10VDIM-EM-A68 X B85 MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
611	MAZDA-SXR178815W-6.5K-DC24-WH-ND-A68 X B85 MM	15W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
612	MAZDA-SXR178815W-6.5K-DC24-WH-ND-EM-A68 X B85 MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
613	MAZDA-SXR178815W-6.5K-DC24-WH-DA-A68 X B85 MM	15W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
614	MAZDA-SXR178815W-6.5K-DC24-WH-DA-EM-A68 X B85 MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
615	MAZDA-SXR178815W-6.5K-DC24-WH-PH-A68 X B85 MM	15W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
616	MAZDA-SXR178815W-6.5K-DC24-WH-PH-EM-A68 X B85 MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
617	MAZDA-SXR178815W-6.5K-DC48-WH-10VDIM-A68 X B85 MM	15W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
618	MAZDA-SXR178815W-6.5K-DC48-WH-10VDIM-EM-A68 X B85 MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
619	MAZDA-SXR178815W-6.5K-DC48-WH-ND-A68 X B85 MM	15W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
620	MAZDA-SXR178815W-6.5K-DC48-WH-ND-EM-A68 X B85 MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
621	MAZDA-SXR178815W-6.5K-DC48-WH-DA-A68 X B85 MM	15W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
622	MAZDA-SXR178815W-6.5K-DC48-WH-DA-EM-A68 X B85 MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
623	MAZDA-SXR178815W-6.5K-DC48-WH-PH-A68 X B85 MM	15W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	
624	MAZDA-SXR178815W-6.5K-DC48-WH-PH-EM-A68 X B85 MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A68 X B85 MM	DIE CAST ALUMINUM	IP44	1800LM	A68 X B85 MM	