DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



SMOOTHY

MAZDA Model: DXR1784 Downlight

Smoothy LED Down Light is die-cast aluminium body, die-cast aluminium heat sink, solid springs and chrome reflector.
COB high power LED chip provides perfect combination of high lighting e ciency, comfortable lighting and
humanization design, made by high quality Aluminum profile. The item is very professional and it has all the
characteristics to be involved in any kind of architectural or design project

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR178405W-3K-AC240-WH-10VDIM-A65 X B40 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
2	MAZDA-DXR178405W-3K-AC240-WH-ND-A65 X B40 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
3	MAZDA-DXR178405W-3K-AC240-WH-DA-A65 X B40 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
4	MAZDA-DXR178405W-3K-AC240-WH-PH-A65 X B40 MM	05W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
5	MAZDA-DXR178405W-4K-AC240-WH-10VDIM-A65 X B40 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
6	MAZDA-DXR178405W-4K-AC240-WH-ND-A65 X B40 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
7	MAZDA-DXR178405W-4K-AC240-WH-DA-A65 X B40 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
8	MAZDA-DXR178405W-4K-AC240-WH-PH-A65 X B40 MM	05W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
9	MAZDA-DXR178405W-5K-AC240-WH-10VDIM-A65 X B40 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
10	MAZDA-DXR178405W-5K-AC240-WH-ND-A65 X B40 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
11	MAZDA-DXR178405W-5K-AC240-WH-DA-A65 X B40 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
12	MAZDA-DXR178405W-5K-AC240-WH-PH-A65 X B40 MM	05W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
13	MAZDA-DXR178405W-6K-AC240-WH-10VDIM-A65 X B40 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
14	MAZDA-DXR178405W-6K-AC240-WH-ND-A65 X B40 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
15	MAZDA-DXR178405W-6K-AC240-WH-DA-A65 X B40 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
16	MAZDA-DXR178405W-6K-AC240-WH-PH-A65 X B40 MM	05W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
17	MAZDA-DXR178405W-2.7K-AC240-WH-10VDIM-A65 X B40 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
18	MAZDA-DXR178405W-2.7K-AC240-WH-ND-A65 X B40 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
19	MAZDA-DXR178405W-2.7K-AC240-WH-DA-A65 X B40 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
20	MAZDA-DXR178405W-2.7K-AC240-WH-PH-A65 X B40 MM	05W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR178405W-6.5K-AC240-WH-10VDIM-A65 X B40 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
22	MAZDA-DXR178405W-6.5K-AC240-WH-ND-A65 X B40 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
23	MAZDA-DXR178405W-6.5K-AC240-WH-DA-A65 X B40 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
24	MAZDA-DXR178405W-6.5K-AC240-WH-PH-A65 X B40 MM	05W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A65 X B40 MM	DIE CAST ALUMINUM	IP54	600LM	A65 X B40 MM	
25	MAZDA-DXR178410W-3K-AC240-WH-10VDIM-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
26	MAZDA-DXR178410W-3K-AC240-WH-ND-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
27	MAZDA-DXR178410W-3K-AC240-WH-DA-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
28	MAZDA-DXR178410W-3K-AC240-WH-PH-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
29	MAZDA-DXR178410W-4K-AC240-WH-10VDIM-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
30	MAZDA-DXR178410W-4K-AC240-WH-ND-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
31	MAZDA-DXR178410W-4K-AC240-WH-DA-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
32	MAZDA-DXR178410W-4K-AC240-WH-PH-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
33	MAZDA-DXR178410W-5K-AC240-WH-10VDIM-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
34	MAZDA-DXR178410W-5K-AC240-WH-ND-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
35	MAZDA-DXR178410W-5K-AC240-WH-DA-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
36	MAZDA-DXR178410W-5K-AC240-WH-PH-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
37	MAZDA-DXR178410W-6K-AC240-WH-10VDIM-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
38	MAZDA-DXR178410W-6K-AC240-WH-ND-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
39	MAZDA-DXR178410W-6K-AC240-WH-DA-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
40	MAZDA-DXR178410W-6K-AC240-WH-PH-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
41	MAZDA-DXR178410W-2.7K-AC240-WH-10VDIM-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
42	MAZDA-DXR178410W-2.7K-AC240-WH-ND-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
43	MAZDA-DXR178410W-2.7K-AC240-WH-DA-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
44	MAZDA-DXR178410W-2.7K-AC240-WH-PH-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
45	MAZDA-DXR178410W-6.5K-AC240-WH-10VDIM-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
46	MAZDA-DXR178410W-6.5K-AC240-WH-ND-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
47	MAZDA-DXR178410W-6.5K-AC240-WH-DA-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
48	MAZDA-DXR178410W-6.5K-AC240-WH-PH-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
49	MAZDA-DXR178410W-3K-AC240-WH-10VDIM-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
50	MAZDA-DXR178410W-3K-AC240-WH-ND-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
51	MAZDA-DXR178410W-3K-AC240-WH-DA-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
52	MAZDA-DXR178410W-3K-AC240-WH-PH-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
53	MAZDA-DXR178410W-4K-AC240-WH-10VDIM-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
54	MAZDA-DXR178410W-4K-AC240-WH-ND-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
55	MAZDA-DXR178410W-4K-AC240-WH-DA-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
56	MAZDA-DXR178410W-4K-AC240-WH-PH-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
57	MAZDA-DXR178410W-5K-AC240-WH-10VDIM-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
58	MAZDA-DXR178410W-5K-AC240-WH-ND-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
59	MAZDA-DXR178410W-5K-AC240-WH-DA-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
60	MAZDA-DXR178410W-5K-AC240-WH-PH-A90 X B55 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
61	MAZDA-DXR178410W-6K-AC240-WH-10VDIM-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
62	MAZDA-DXR178410W-6K-AC240-WH-ND-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
63	MAZDA-DXR178410W-6K-AC240-WH-DA-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
64	MAZDA-DXR178410W-6K-AC240-WH-PH-A90 X B55 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
65	MAZDA-DXR178410W-2.7K-AC240-WH-10VDIM-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
66	MAZDA-DXR178410W-2.7K-AC240-WH-ND-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
67	MAZDA-DXR178410W-2.7K-AC240-WH-DA-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
68	MAZDA-DXR178410W-2.7K-AC240-WH-PH-A90 X B55 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
69	MAZDA-DXR178410W-6.5K-AC240-WH-10VDIM-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
70	MAZDA-DXR178410W-6.5K-AC240-WH-ND-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
71	MAZDA-DXR178410W-6.5K-AC240-WH-DA-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
72	MAZDA-DXR178410W-6.5K-AC240-WH-PH-A90 X B55 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
73	MAZDA-DXR178410W-3K-AC240-WH-10VDIM-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
74	MAZDA-DXR178410W-3K-AC240-WH-ND-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
75	MAZDA-DXR178410W-3K-AC240-WH-DA-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
76	MAZDA-DXR178410W-3K-AC240-WH-PH-A90 X B55 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
77	MAZDA-DXR178410W-4K-AC240-WH-10VDIM-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
78	MAZDA-DXR178410W-4K-AC240-WH-ND-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
79	MAZDA-DXR178410W-4K-AC240-WH-DA-A90 X B55 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	**MAZDA-DXR178410W-4K-AC240-WH-PH-A90 X B55 MM**	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
81	**MAZDA-DXR178410W-5K-AC240-WH-10VDIM-A90 X B55 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
82	**MAZDA-DXR178410W-5K-AC240-WH-ND-A90 X B55 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
83	**MAZDA-DXR178410W-5K-AC240-WH-DA-A90 X B55 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
84	**MAZDA-DXR178410W-5K-AC240-WH-PH-A90 X B55 MM**	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
85	**MAZDA-DXR178410W-6K-AC240-WH-10VDIM-A90 X B55 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
86	**MAZDA-DXR178410W-6K-AC240-WH-ND-A90 X B55 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
87	**MAZDA-DXR178410W-6K-AC240-WH-DA-A90 X B55 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
88	**MAZDA-DXR178410W-6K-AC240-WH-PH-A90 X B55 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
89	**MAZDA-DXR178410W-2.7K-AC240-WH-10VDIM-A90 X B55 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
90	**MAZDA-DXR178410W-2.7K-AC240-WH-ND-A90 X B55 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
91	**MAZDA-DXR178410W-2.7K-AC240-WH-DA-A90 X B55 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
92	**MAZDA-DXR178410W-2.7K-AC240-WH-PH-A90 X B55 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
93	**MAZDA-DXR178410W-6.5K-AC240-WH-10VDIM-A90 X B55 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
94	**MAZDA-DXR178410W-6.5K-AC240-WH-ND-A90 X B55 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
95	**MAZDA-DXR178410W-6.5K-AC240-WH-DA-A90 X B55 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
96	**MAZDA-DXR178410W-6.5K-AC240-WH-PH-A90 X B55 MM**	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A90 X B55 MM	DIE CAST ALUMINUM	IP54	1200LM	A90 X B55 MM	
97	**MAZDA-DXR178415W-3K-AC240-WH-10VDIM-A115 X B70 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
98	**MAZDA-DXR178415W-3K-AC240-WH-ND-A115 X B70 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
99	**MAZDA-DXR178415W-3K-AC240-WH-DA-A115 X B70 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
100	**MAZDA-DXR178415W-3K-AC240-WH-PH-A115 X B70 MM**	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
101	**MAZDA-DXR178415W-4K-AC240-WH-10VDIM-A115 X B70 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
102	**MAZDA-DXR178415W-4K-AC240-WH-ND-A115 X B70 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
103	**MAZDA-DXR178415W-4K-AC240-WH-DA-A115 X B70 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
104	**MAZDA-DXR178415W-4K-AC240-WH-PH-A115 X B70 MM**	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
105	**MAZDA-DXR178415W-5K-AC240-WH-10VDIM-A115 X B70 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
106	**MAZDA-DXR178415W-5K-AC240-WH-ND-A115 X B70 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
107	**MAZDA-DXR178415W-5K-AC240-WH-DA-A115 X B70 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
108	**MAZDA-DXR178415W-5K-AC240-WH-PH-A115 X B70 MM**	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
109	**MAZDA-DXR178415W-6K-AC240-WH-10VDIM-A115 X B70 MM**	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
110	**MAZDA-DXR178415W-6K-AC240-WH-ND-A115 X B70 MM**	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
111	**MAZDA-DXR178415W-6K-AC240-WH-DA-A115 X B70 MM**	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
112	**MAZDA-DXR178415W-6K-AC240-WH-PH-A115 X B70 MM**	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
113	**MAZDA-DXR178415W-2.7K-AC240-WH-10VDIM-A115 X B70 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
114	**MAZDA-DXR178415W-2.7K-AC240-WH-ND-A115 X B70 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
115	**MAZDA-DXR178415W-2.7K-AC240-WH-DA-A115 X B70 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
116	**MAZDA-DXR178415W-2.7K-AC240-WH-PH-A115 X B70 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
117	**MAZDA-DXR178415W-6.5K-AC240-WH-10VDIM-A115 X B70 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
118	**MAZDA-DXR178415W-6.5K-AC240-WH-ND-A115 X B70 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
119	**MAZDA-DXR178415W-6.5K-AC240-WH-DA-A115 X B70 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
120	**MAZDA-DXR178415W-6.5K-AC240-WH-PH-A115 X B70 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A115 X B70 MM	DIE CAST ALUMINUM	IP54	1800LM	A115 X B70 MM	
121	**MAZDA-DXR178420W-3K-AC240-WH-10VDIM-A140 X B77 MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
122	**MAZDA-DXR178420W-3K-AC240-WH-ND-A140 X B77 MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
123	**MAZDA-DXR178420W-3K-AC240-WH-DA-A140 X B77 MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
124	**MAZDA-DXR178420W-3K-AC240-WH-PH-A140 X B77 MM**	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
125	**MAZDA-DXR178420W-4K-AC240-WH-10VDIM-A140 X B77 MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
126	**MAZDA-DXR178420W-4K-AC240-WH-ND-A140 X B77 MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
127	**MAZDA-DXR178420W-4K-AC240-WH-DA-A140 X B77 MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
128	**MAZDA-DXR178420W-4K-AC240-WH-PH-A140 X B77 MM**	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
129	**MAZDA-DXR178420W-5K-AC240-WH-10VDIM-A140 X B77 MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
130	**MAZDA-DXR178420W-5K-AC240-WH-ND-A140 X B77 MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
131	**MAZDA-DXR178420W-5K-AC240-WH-DA-A140 X B77 MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
132	**MAZDA-DXR178420W-5K-AC240-WH-PH-A140 X B77 MM**	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
133	**MAZDA-DXR178420W-6K-AC240-WH-10VDIM-A140 X B77 MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
134	**MAZDA-DXR178420W-6K-AC240-WH-ND-A140 X B77 MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
135	**MAZDA-DXR178420W-6K-AC240-WH-DA-A140 X B77 MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
136	**MAZDA-DXR178420W-6K-AC240-WH-PH-A140 X B77 MM**	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
137	**MAZDA-DXR178420W-2.7K-AC240-WH-10VDIM-A140 X B77 MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
138	**MAZDA-DXR178420W-2.7K-AC240-WH-ND-A140 X B77 MM**	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
139	MAZDA-DXR178420W-2.7K-AC240-WH-DA-A140 X B77 MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
140	MAZDA-DXR178420W-2.7K-AC240-WH-PH-A140 X B77 MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
141	MAZDA-DXR178420W-6.5K-AC240-WH-10VDIM-A140 X B77 MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
142	MAZDA-DXR178420W-6.5K-AC240-WH-ND-A140 X B77 MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
143	MAZDA-DXR178420W-6.5K-AC240-WH-DA-A140 X B77 MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
144	MAZDA-DXR178420W-6.5K-AC240-WH-PH-A140 X B77 MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A140 X B77 MM	DIE CAST ALUMINUM	IP54	2400LM	A140 X B77 MM	
145	MAZDA-DXR178430W-3K-AC240-WH-10VDIM-A182 X B92 MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
146	MAZDA-DXR178430W-3K-AC240-WH-ND-A182 X B92 MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
147	MAZDA-DXR178430W-3K-AC240-WH-DA-A182 X B92 MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
148	MAZDA-DXR178430W-3K-AC240-WH-PH-A182 X B92 MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
149	MAZDA-DXR178430W-4K-AC240-WH-10VDIM-A182 X B92 MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
150	MAZDA-DXR178430W-4K-AC240-WH-ND-A182 X B92 MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
151	MAZDA-DXR178430W-4K-AC240-WH-DA-A182 X B92 MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
152	MAZDA-DXR178430W-4K-AC240-WH-PH-A182 X B92 MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
153	MAZDA-DXR178430W-5K-AC240-WH-10VDIM-A182 X B92 MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
154	MAZDA-DXR178430W-5K-AC240-WH-ND-A182 X B92 MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
155	MAZDA-DXR178430W-5K-AC240-WH-DA-A182 X B92 MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
156	MAZDA-DXR178430W-5K-AC240-WH-PH-A182 X B92 MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
157	MAZDA-DXR178430W-6K-AC240-WH-10VDIM-A182 X B92 MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
158	MAZDA-DXR178430W-6K-AC240-WH-ND-A182 X B92 MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
159	MAZDA-DXR178430W-6K-AC240-WH-DA-A182 X B92 MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
160	MAZDA-DXR178430W-6K-AC240-WH-PH-A182 X B92 MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
161	MAZDA-DXR178430W-2.7K-AC240-WH-10VDIM-A182 X B92 MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
162	MAZDA-DXR178430W-2.7K-AC240-WH-ND-A182 X B92 MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
163	MAZDA-DXR178430W-2.7K-AC240-WH-DA-A182 X B92 MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
164	MAZDA-DXR178430W-2.7K-AC240-WH-PH-A182 X B92 MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
165	MAZDA-DXR178430W-6.5K-AC240-WH-10VDIM-A182 X B92 MM	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
166	MAZDA-DXR178430W-6.5K-AC240-WH-ND-A182 X B92 MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	
167	MAZDA-DXR178430W-6.5K-AC240-WH-DA-A182 X B92 MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
168	**MAZDA-DXR178430W-6.5K-AC240-WH-PH-A182 X B92 MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A182 X B92 MM	DIE CAST ALUMINUM	IP54	3600LM	A182 X B92 MM	