



TRAPPOLA

MAZDA Model: SXR1828 Downlight

LED Spot Light Attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. Well integrated LED chip and associated dimmable driver. Made of die-cast powder-coated aluminium, glass diffuser. with a three different beam angle. Low recessed downlight with hole size. This unique design skillfully prevent the human eyes contact with the light sources directly, makes the light more soft. Meanwhile the light efficiency reach to 90lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouse, home etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR182807W-3K-AC240-BK-ND-A60 X B70 X C75MM	07W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
2	MAZDA-SXR182807W-3K-AC240-WH-ND-A60 X B70 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
3	MAZDA-SXR182807W-3K-AC240-BK-DA-A60 X B70 X C75MM	07W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
4	MAZDA-SXR182807W-3K-AC240-WH-DA-A60 X B70 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
5	MAZDA-SXR182807W-3K-AC240-BK-PH-A60 X B70 X C75MM	07W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
6	MAZDA-SXR182807W-3K-AC240-WH-PH-A60 X B70 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
7	MAZDA-SXR182807W-3K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
8	MAZDA-SXR182807W-3K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
9	MAZDA-SXR182807W-4K-AC240-BK-ND-A60 X B70 X C75MM	07W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
10	MAZDA-SXR182807W-4K-AC240-WH-ND-A60 X B70 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
11	MAZDA-SXR182807W-4K-AC240-BK-DA-A60 X B70 X C75MM	07W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
12	MAZDA-SXR182807W-4K-AC240-WH-DA-A60 X B70 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
13	MAZDA-SXR182807W-4K-AC240-BK-PH-A60 X B70 X C75MM	07W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
14	MAZDA-SXR182807W-4K-AC240-WH-PH-A60 X B70 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
15	MAZDA-SXR182807W-4K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
16	MAZDA-SXR182807W-4K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
17	MAZDA-SXR182807W-5K-AC240-BK-ND-A60 X B70 X C75MM	07W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
18	MAZDA-SXR182807W-5K-AC240-WH-ND-A60 X B70 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
19	MAZDA-SXR182807W-5K-AC240-BK-DA-A60 X B70 X C75MM	07W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
20	MAZDA-SXR182807W-5K-AC240-WH-DA-A60 X B70 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
21	MAZDA-SXR182807W-5K-AC240-BK-PH-A60 X B70 X C75MM	07W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
22	MAZDA-SXR182807W-5K-AC240-WH-PH-A60 X B70 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
23	MAZDA-SXR182807W-5K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
24	MAZDA-SXR182807W-5K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
25	MAZDA-SXR182807W-6K-AC240-BK-ND-A60 X B70 X C75MM	07W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
26	MAZDA-SXR182807W-6K-AC240-WH-ND-A60 X B70 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
27	MAZDA-SXR182807W-6K-AC240-BK-DA-A60 X B70 X C75MM	07W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
28	MAZDA-SXR182807W-6K-AC240-WH-DA-A60 X B70 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
29	MAZDA-SXR182807W-6K-AC240-BK-PH-A60 X B70 X C75MM	07W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
30	MAZDA-SXR182807W-6K-AC240-WH-PH-A60 X B70 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
31	MAZDA-SXR182807W-6K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
32	MAZDA-SXR182807W-6K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
33	MAZDA-SXR182807W-2.7K-AC240-BK-ND-A60 X B70 X C75MM	07W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
34	MAZDA-SXR182807W-2.7K-AC240-WH-ND-A60 X B70 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
35	MAZDA-SXR182807W-2.7K-AC240-BK-DA-A60 X B70 X C75MM	07W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
36	MAZDA-SXR182807W-2.7K-AC240-WH-DA-A60 X B70 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
37	MAZDA-SXR182807W-2.7K-AC240-BK-PH-A60 X B70 X C75MM	07W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
38	MAZDA-SXR182807W-2.7K-AC240-WH-PH-A60 X B70 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
39	MAZDA-SXR182807W-2.7K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
40	MAZDA-SXR182807W-2.7K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
41	MAZDA-SXR182807W-6.5K-AC240-BK-ND-A60 X B70 X C75MM	07W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
42	MAZDA-SXR182807W-6.5K-AC240-WH-ND-A60 X B70 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
43	MAZDA-SXR182807W-6.5K-AC240-BK-DA-A60 X B70 X C75MM	07W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
44	MAZDA-SXR182807W-6.5K-AC240-WH-DA-A60 X B70 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
45	MAZDA-SXR182807W-6.5K-AC240-BK-PH-A60 X B70 X C75MM	07W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
46	MAZDA-SXR182807W-6.5K-AC240-WH-PH-A60 X B70 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
47	MAZDA-SXR182807W-6.5K-AC240-BK-10VDIM-A60 X B70 X C75MM	07W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
48	MAZDA-SXR182807W-6.5K-AC240-WH-10VDIM-A60 X B70 X C75MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A60 X B70 X C75MM	DIE CAST ALUMINUM	IP20	770LM	A60 X B70 X C75MM	
49	MAZDA-SXR182812W-3K-AC240-BK-ND-A80 X B85 X C75MM	12W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
50	MAZDA-SXR182812W-3K-AC240-WH-ND-A80 X B85 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
51	MAZDA-SXR182812W-3K-AC240-BK-DA-A80 X B85 X C75MM	12W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
52	MAZDA-SXR182812W-3K-AC240-WH-DA-A80 X B85 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
53	MAZDA-SXR182812W-3K-AC240-BK-PH-A80 X B85 X C75MM	12W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
54	MAZDA-SXR182812W-3K-AC240-WH-PH-A80 X B85 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
55	MAZDA-SXR182812W-3K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
56	MAZDA-SXR182812W-3K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
57	MAZDA-SXR182812W-4K-AC240-BK-ND-A80 X B85 X C75MM	12W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
58	MAZDA-SXR182812W-4K-AC240-WH-ND-A80 X B85 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
59	MAZDA-SXR182812W-4K-AC240-BK-DA-A80 X B85 X C75MM	12W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
60	MAZDA-SXR182812W-4K-AC240-WH-DA-A80 X B85 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
61	MAZDA-SXR182812W-4K-AC240-BK-PH-A80 X B85 X C75MM	12W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
62	MAZDA-SXR182812W-4K-AC240-WH-PH-A80 X B85 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
63	MAZDA-SXR182812W-4K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
64	MAZDA-SXR182812W-4K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
65	MAZDA-SXR182812W-5K-AC240-BK-ND-A80 X B85 X C75MM	12W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
66	MAZDA-SXR182812W-5K-AC240-WH-ND-A80 X B85 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
67	MAZDA-SXR182812W-5K-AC240-BK-DA-A80 X B85 X C75MM	12W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
68	MAZDA-SXR182812W-5K-AC240-WH-DA-A80 X B85 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
69	MAZDA-SXR182812W-5K-AC240-BK-PH-A80 X B85 X C75MM	12W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
70	MAZDA-SXR182812W-5K-AC240-WH-PH-A80 X B85 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
71	MAZDA-SXR182812W-5K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
72	MAZDA-SXR182812W-5K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
73	MAZDA-SXR182812W-6K-AC240-BK-ND-A80 X B85 X C75MM	12W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
74	MAZDA-SXR182812W-6K-AC240-WH-ND-A80 X B85 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
75	MAZDA-SXR182812W-6K-AC240-BK-DA-A80 X B85 X C75MM	12W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
76	MAZDA-SXR182812W-6K-AC240-WH-DA-A80 X B85 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
77	MAZDA-SXR182812W-6K-AC240-BK-PH-A80 X B85 X C75MM	12W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
78	MAZDA-SXR182812W-6K-AC240-WH-PH-A80 X B85 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
79	MAZDA-SXR182812W-6K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
80	MAZDA-SXR182812W-6K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
81	MAZDA-SXR182812W-2.7K-AC240-BK-ND-A80 X B85 X C75MM	12W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
82	MAZDA-SXR182812W-2.7K-AC240-WH-ND-A80 X B85 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
83	MAZDA-SXR182812W-2.7K-AC240-BK-DA-A80 X B85 X C75MM	12W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
84	MAZDA-SXR182812W-2.7K-AC240-WH-DA-A80 X B85 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
85	MAZDA-SXR182812W-2.7K-AC240-BK-PH-A80 X B85 X C75MM	12W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
86	MAZDA-SXR182812W-2.7K-AC240-WH-PH-A80 X B85 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
87	MAZDA-SXR182812W-2.7K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
88	MAZDA-SXR182812W-2.7K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
89	MAZDA-SXR182812W-6.5K-AC240-BK-ND-A80 X B85 X C75MM	12W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
90	MAZDA-SXR182812W-6.5K-AC240-WH-ND-A80 X B85 X C75MM	12W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
91	MAZDA-SXR182812W-6.5K-AC240-BK-DA-A80 X B85 X C75MM	12W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
92	MAZDA-SXR182812W-6.5K-AC240-WH-DA-A80 X B85 X C75MM	12W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
93	MAZDA-SXR182812W-6.5K-AC240-BK-PH-A80 X B85 X C75MM	12W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
94	MAZDA-SXR182812W-6.5K-AC240-WH-PH-A80 X B85 X C75MM	12W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
95	MAZDA-SXR182812W-6.5K-AC240-BK-10VDIM-A80 X B85 X C75MM	12W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
96	MAZDA-SXR182812W-6.5K-AC240-WH-10VDIM-A80 X B85 X C75MM	12W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A80 X B85 X C75MM	DIE CAST ALUMINUM	IP20	1320LM	A80 X B85 X C75MM	
97	MAZDA-SXR182818W-3K-AC240-BK-ND-A100 X B105 X C95MM	18W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
98	MAZDA-SXR182818W-3K-AC240-WH-ND-A100 X B105 X C95MM	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
99	MAZDA-SXR182818W-3K-AC240-BK-DA-A100 X B105 X C95MM	18W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
100	MAZDA-SXR182818W-3K-AC240-WH-DA-A100 X B105 X C95MM	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
101	MAZDA-SXR182818W-3K-AC240-BK-PH-A100 X B105 X C95MM	18W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
102	MAZDA-SXR182818W-3K-AC240-WH-PH-A100 X B105 X C95MM	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
103	MAZDA-SXR182818W-3K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
104	MAZDA-SXR182818W-3K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
105	MAZDA-SXR182818W-4K-AC240-BK-ND-A100 X B105 X C95MM	18W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
106	MAZDA-SXR182818W-4K-AC240-WH-ND-A100 X B105 X C95MM	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
107	MAZDA-SXR182818W-4K-AC240-BK-DA-A100 X B105 X C95MM	18W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
108	MAZDA-SXR182818W-4K-AC240-WH-DA-A100 X B105 X C95MM	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
109	MAZDA-SXR182818W-4K-AC240-BK-PH-A100 X B105 X C95MM	18W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
110	MAZDA-SXR182818W-4K-AC240-WH-PH-A100 X B105 X C95MM	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
111	MAZDA-SXR182818W-4K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
112	MAZDA-SXR182818W-4K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
113	MAZDA-SXR182818W-5K-AC240-BK-ND-A100 X B105 X C95MM	18W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
114	MAZDA-SXR182818W-5K-AC240-WH-ND-A100 X B105 X C95MM	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
115	MAZDA-SXR182818W-5K-AC240-BK-DA-A100 X B105 X C95MM	18W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
116	MAZDA-SXR182818W-5K-AC240-WH-DA-A100 X B105 X C95MM	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
117	MAZDA-SXR182818W-5K-AC240-BK-PH-A100 X B105 X C95MM	18W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
118	MAZDA-SXR182818W-5K-AC240-WH-PH-A100 X B105 X C95MM	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
119	MAZDA-SXR182818W-5K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
120	MAZDA-SXR182818W-5K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
121	MAZDA-SXR182818W-6K-AC240-BK-ND-A100 X B105 X C95MM	18W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
122	MAZDA-SXR182818W-6K-AC240-WH-ND-A100 X B105 X C95MM	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
123	MAZDA-SXR182818W-6K-AC240-BK-DA-A100 X B105 X C95MM	18W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
124	MAZDA-SXR182818W-6K-AC240-WH-DA-A100 X B105 X C95MM	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
125	MAZDA-SXR182818W-6K-AC240-BK-PH-A100 X B105 X C95MM	18W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
126	MAZDA-SXR182818W-6K-AC240-WH-PH-A100 X B105 X C95MM	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
127	MAZDA-SXR182818W-6K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
128	MAZDA-SXR182818W-6K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
129	MAZDA-SXR182818W-2.7K-AC240-BK-ND-A100 X B105 X C95MM	18W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
130	MAZDA-SXR182818W-2.7K-AC240-WH-ND-A100 X B105 X C95MM	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
131	MAZDA-SXR182818W-2.7K-AC240-BK-DA-A100 X B105 X C95MM	18W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
132	MAZDA-SXR182818W-2.7K-AC240-WH-DA-A100 X B105 X C95MM	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
133	MAZDA-SXR182818W-2.7K-AC240-BK-PH-A100 X B105 X C95MM	18W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
134	MAZDA-SXR182818W-2.7K-AC240-WH-PH-A100 X B105 X C95MM	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
135	MAZDA-SXR182818W-2.7K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
136	MAZDA-SXR182818W-2.7K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
137	MAZDA-SXR182818W-6.5K-AC240-BK-ND-A100 X B105 X C95MM	18W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
138	MAZDA-SXR182818W-6.5K-AC240-WH-ND-A100 X B105 X C95MM	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
139	MAZDA-SXR182818W-6.5K-AC240-BK-DA-A100 X B105 X C95MM	18W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
140	MAZDA-SXR182818W-6.5K-AC240-WH-DA-A100 X B105 X C95MM	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
141	MAZDA-SXR182818W-6.5K-AC240-BK-PH-A100 X B105 X C95MM	18W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
142	MAZDA-SXR182818W-6.5K-AC240-WH-PH-A100 X B105 X C95MM	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
143	MAZDA-SXR182818W-6.5K-AC240-BK-10VDIM-A100 X B105 X C95MM	18W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	
144	MAZDA-SXR182818W-6.5K-AC240-WH-10VDIM-A100 X B105 X C95MM	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A100 X B105 X C95MM	DIE CAST ALUMINUM	IP20	1980LM	A100 X B105 X C95MM	