DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



ZAK

MAZDA Model: DXR1797 Downlight

Zak LED Down Light Attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. Well integrated LED chip and associated dimmable driver. Made of die-cast powder-coated aluminium, glass diffuser. with a three different beam angle. Low recessed downlight with hole size.
This unique design skillfully prevent the human eyes contact with the light sources directly, makes the light more soft.
Meanwhile the light efficiency reach to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight.
Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouse, home etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR179707W-3K-AC240-WH-ND-A100 X B85 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
2	MAZDA-DXR179707W-3K-AC240-WH-DA-A100 X B85 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
3	MAZDA-DXR179707W-3K-AC240-WH-PH-A100 X B85 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
4	MAZDA-DXR179707W-3K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
5	MAZDA-DXR179707W-4K-AC240-WH-ND-A100 X B85 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
6	MAZDA-DXR179707W-4K-AC240-WH-DA-A100 X B85 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
7	MAZDA-DXR179707W-4K-AC240-WH-PH-A100 X B85 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
8	MAZDA-DXR179707W-4K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
9	MAZDA-DXR179707W-5K-AC240-WH-ND-A100 X B85 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
10	MAZDA-DXR179707W-5K-AC240-WH-DA-A100 X B85 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
11	MAZDA-DXR179707W-5K-AC240-WH-PH-A100 X B85 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
12	MAZDA-DXR179707W-5K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
13	MAZDA-DXR179707W-6K-AC240-WH-ND-A100 X B85 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
14	MAZDA-DXR179707W-6K-AC240-WH-DA-A100 X B85 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
15	MAZDA-DXR179707W-6K-AC240-WH-PH-A100 X B85 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
16	MAZDA-DXR179707W-6K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
17	MAZDA-DXR179707W-2.7K-AC240-WH-ND-A100 X B85 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
18	MAZDA-DXR179707W-2.7K-AC240-WH-DA-A100 X B85 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-DXR179707W-2.7K-AC240-WH-PH-A100 X B85 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
20	MAZDA-DXR179707W-2.7K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
21	MAZDA-DXR179707W-6.5K-AC240-WH-ND-A100 X B85 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
22	MAZDA-DXR179707W-6.5K-AC240-WH-DA-A100 X B85 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
23	MAZDA-DXR179707W-6.5K-AC240-WH-PH-A100 X B85 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
24	MAZDA-DXR179707W-6.5K-AC240-WH-10VDIM-A100 X B85 X C80MM	07W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A100 X B85 X C80MM	DIE CAST ALUMINUM	IP54	840LM	A100 X B85 X C80MM	
25	MAZDA-DXR179710W-3K-AC240-WH-ND-A130 X B95 X C120MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
26	MAZDA-DXR179710W-3K-AC240-WH-DA-A130 X B95 X C120MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
27	MAZDA-DXR179710W-3K-AC240-WH-PH-A130 X B95 X C120MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
28	MAZDA-DXR179710W-3K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
29	MAZDA-DXR179710W-4K-AC240-WH-ND-A130 X B95 X C120MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
30	MAZDA-DXR179710W-4K-AC240-WH-DA-A130 X B95 X C120MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
31	MAZDA-DXR179710W-4K-AC240-WH-PH-A130 X B95 X C120MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
32	MAZDA-DXR179710W-4K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
33	MAZDA-DXR179710W-5K-AC240-WH-ND-A130 X B95 X C120MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
34	MAZDA-DXR179710W-5K-AC240-WH-DA-A130 X B95 X C120MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
35	MAZDA-DXR179710W-5K-AC240-WH-PH-A130 X B95 X C120MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
36	MAZDA-DXR179710W-5K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
37	MAZDA-DXR179710W-6K-AC240-WH-ND-A130 X B95 X C120MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
38	MAZDA-DXR179710W-6K-AC240-WH-DA-A130 X B95 X C120MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
39	MAZDA-DXR179710W-6K-AC240-WH-PH-A130 X B95 X C120MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
40	MAZDA-DXR179710W-6K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
41	MAZDA-DXR179710W-2.7K-AC240-WH-ND-A130 X B95 X C120MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
42	MAZDA-DXR179710W-2.7K-AC240-WH-DA-A130 X B95 X C120MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
43	MAZDA-DXR179710W-2.7K-AC240-WH-PH-A130 X B95 X C120MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
44	MAZDA-DXR179710W-2.7K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
45	MAZDA-DXR179710W-6.5K-AC240-WH-ND-A130 X B95 X C120MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
46	MAZDA-DXR179710W-6.5K-AC240-WH-DA-A130 X B95 X C120MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
47	MAZDA-DXR179710W-6.5K-AC240-WH-PH-A130 X B95 X C120MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
48	MAZDA-DXR179710W-6.5K-AC240-WH-10VDIM-A130 X B95 X C120MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A130 X B95 X C120MM	DIE CAST ALUMINUM	IP54	1200LM	A130 X B95 X C120MM	
49	MAZDA-DXR179715W-3K-AC240-WH-ND-A160 X B100 X C150MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-DXR179715W-3K-AC240-WH-DA-A160 X B100 X C150MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
51	MAZDA-DXR179715W-3K-AC240-WH-PH-A160 X B100 X C150MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
52	MAZDA-DXR179715W-3K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
53	MAZDA-DXR179715W-4K-AC240-WH-ND-A160 X B100 X C150MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
54	MAZDA-DXR179715W-4K-AC240-WH-DA-A160 X B100 X C150MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
55	MAZDA-DXR179715W-4K-AC240-WH-PH-A160 X B100 X C150MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
56	MAZDA-DXR179715W-4K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
57	MAZDA-DXR179715W-5K-AC240-WH-ND-A160 X B100 X C150MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
58	MAZDA-DXR179715W-5K-AC240-WH-DA-A160 X B100 X C150MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
59	MAZDA-DXR179715W-5K-AC240-WH-PH-A160 X B100 X C150MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
60	MAZDA-DXR179715W-5K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
61	MAZDA-DXR179715W-6K-AC240-WH-ND-A160 X B100 X C150MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
62	MAZDA-DXR179715W-6K-AC240-WH-DA-A160 X B100 X C150MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
63	MAZDA-DXR179715W-6K-AC240-WH-PH-A160 X B100 X C150MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
64	MAZDA-DXR179715W-6K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
65	MAZDA-DXR179715W-2.7K-AC240-WH-ND-A160 X B100 X C150MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
66	MAZDA-DXR179715W-2.7K-AC240-WH-DA-A160 X B100 X C150MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
67	MAZDA-DXR179715W-2.7K-AC240-WH-PH-A160 X B100 X C150MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
68	MAZDA-DXR179715W-2.7K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
69	MAZDA-DXR179715W-6.5K-AC240-WH-ND-A160 X B100 X C150MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
70	MAZDA-DXR179715W-6.5K-AC240-WH-DA-A160 X B100 X C150MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
71	MAZDA-DXR179715W-6.5K-AC240-WH-PH-A160 X B100 X C150MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
72	MAZDA-DXR179715W-6.5K-AC240-WH-10VDIM-A160 X B100 X C150MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	1800LM	A160 X B100 X C150MM	
73	MAZDA-DXR179720W-3K-AC240-WH-ND-A160 X B100 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
74	MAZDA-DXR179720W-3K-AC240-WH-DA-A160 X B100 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
75	MAZDA-DXR179720W-3K-AC240-WH-PH-A160 X B100 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
76	MAZDA-DXR179720W-3K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
77	MAZDA-DXR179720W-4K-AC240-WH-ND-A160 X B100 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
78	MAZDA-DXR179720W-4K-AC240-WH-DA-A160 X B100 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
79	MAZDA-DXR179720W-4K-AC240-WH-PH-A160 X B100 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
80	MAZDA-DXR179720W-4K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
81	MAZDA-DXR179720W-5K-AC240-WH-ND-A160 X B100 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
82	MAZDA-DXR179720W-5K-AC240-WH-DA-A160 X B100 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
83	MAZDA-DXR179720W-5K-AC240-WH-PH-A160 X B100 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
84	MAZDA-DXR179720W-5K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
85	MAZDA-DXR179720W-6K-AC240-WH-ND-A160 X B100 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
86	MAZDA-DXR179720W-6K-AC240-WH-DA-A160 X B100 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
87	MAZDA-DXR179720W-6K-AC240-WH-PH-A160 X B100 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
88	MAZDA-DXR179720W-6K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
89	MAZDA-DXR179720W-2.7K-AC240-WH-ND-A160 X B100 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
90	MAZDA-DXR179720W-2.7K-AC240-WH-DA-A160 X B100 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
91	MAZDA-DXR179720W-2.7K-AC240-WH-PH-A160 X B100 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
92	MAZDA-DXR179720W-2.7K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
93	MAZDA-DXR179720W-6.5K-AC240-WH-ND-A160 X B100 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
94	MAZDA-DXR179720W-6.5K-AC240-WH-DA-A160 X B100 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
95	MAZDA-DXR179720W-6.5K-AC240-WH-PH-A160 X B100 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
96	MAZDA-DXR179720W-6.5K-AC240-WH-10VDIM-A160 X B100 X C150MM	20W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A160 X B100 X C150MM	DIE CAST ALUMINUM	IP54	2400LM	A160 X B100 X C150MM	
97	MAZDA-DXR179725W-3K-AC240-WH-ND-A190 X B110 X C180MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
98	MAZDA-DXR179725W-3K-AC240-WH-DA-A190 X B110 X C180MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
99	MAZDA-DXR179725W-3K-AC240-WH-PH-A190 X B110 X C180MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
100	MAZDA-DXR179725W-3K-AC240-WH-10VDIM-A190 X B110 X C180MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
101	MAZDA-DXR179725W-4K-AC240-WH-ND-A190 X B110 X C180MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
102	MAZDA-DXR179725W-4K-AC240-WH-DA-A190 X B110 X C180MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
103	MAZDA-DXR179725W-4K-AC240-WH-PH-A190 X B110 X C180MM	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
104	MAZDA-DXR179725W-4K-AC240-WH-10VDIM-A190 X B110 X C180MM	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
105	MAZDA-DXR179725W-5K-AC240-WH-ND-A190 X B110 X C180MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
106	MAZDA-DXR179725W-5K-AC240-WH-DA-A190 X B110 X C180MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
107	MAZDA-DXR179725W-5K-AC240-WH-PH-A190 X B110 X C180MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
108	**MAZDA-DXR179725W-5K-AC240-WH-10VDIM-A190 X B110 X C180MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
109	**MAZDA-DXR179725W-6K-AC240-WH-ND-A190 X B110 X C180MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
110	**MAZDA-DXR179725W-6K-AC240-WH-DA-A190 X B110 X C180MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
111	**MAZDA-DXR179725W-6K-AC240-WH-PH-A190 X B110 X C180MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
112	**MAZDA-DXR179725W-6K-AC240-WH-10VDIM-A190 X B110 X C180MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
113	**MAZDA-DXR179725W-2.7K-AC240-WH-ND-A190 X B110 X C180MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
114	**MAZDA-DXR179725W-2.7K-AC240-WH-DA-A190 X B110 X C180MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
115	**MAZDA-DXR179725W-2.7K-AC240-WH-PH-A190 X B110 X C180MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
116	**MAZDA-DXR179725W-2.7K-AC240-WH-10VDIM-A190 X B110 X C180MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
117	**MAZDA-DXR179725W-6.5K-AC240-WH-ND-A190 X B110 X C180MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
118	**MAZDA-DXR179725W-6.5K-AC240-WH-DA-A190 X B110 X C180MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
119	**MAZDA-DXR179725W-6.5K-AC240-WH-PH-A190 X B110 X C180MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	
120	**MAZDA-DXR179725W-6.5K-AC240-WH-10VDIM-A190 X B110 X C180MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15°	A190 X B110 X C180MM	DIE CAST ALUMINUM	IP54	3000LM	A190 X B110 X C180MM	