



## ABSOL

**MAZDA Model: WSXR3746 External Wall Light**

Wall pack lights, otherwise known as exterior building lights are special kinds of lights designed to be mounted on the outside part of commercial building walls. This Wall packs are designed with high intensity lamp heads that are energy efficient, durable and with low level of light pollution. Among the benefits of this light is its ability to illuminate specific areas outside the building.

### ALL AVAILABLE VARIANTS

| #  | Code                                                       | WATT | CCT  | Voltage | Body Color          | Emergency Backup | Control                  | Beam Angel | Dimension            | Material          | IP   | Dimensions           | Price |
|----|------------------------------------------------------------|------|------|---------|---------------------|------------------|--------------------------|------------|----------------------|-------------------|------|----------------------|-------|
| 1  | MAZDA-WSXR374610W-2.7K-240V-BL-ND-A250 X B110 X C85 MM     | 10W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 2  | MAZDA-WSXR374610W-2.7K-240V-BL-DA-A250 X B110 X C85 MM     | 10W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 3  | MAZDA-WSXR374610W-2.7K-240V-BL-PH-A250 X B110 X C85 MM     | 10W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 4  | MAZDA-WSXR374610W-2.7K-240V-BL-10VDIM-A250 X B110 X C85 MM | 10W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 5  | MAZDA-WSXR374610W-3K-240V-BL-ND-A250 X B110 X C85 MM       | 10W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 6  | MAZDA-WSXR374610W-3K-240V-BL-DA-A250 X B110 X C85 MM       | 10W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 7  | MAZDA-WSXR374610W-3K-240V-BL-PH-A250 X B110 X C85 MM       | 10W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 8  | MAZDA-WSXR374610W-3K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 10W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 9  | MAZDA-WSXR374610W-4K-240V-BL-ND-A250 X B110 X C85 MM       | 10W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 10 | MAZDA-WSXR374610W-4K-240V-BL-DA-A250 X B110 X C85 MM       | 10W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 11 | MAZDA-WSXR374610W-4K-240V-BL-PH-A250 X B110 X C85 MM       | 10W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 12 | MAZDA-WSXR374610W-4K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 10W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 13 | MAZDA-WSXR374610W-5K-240V-BL-ND-A250 X B110 X C85 MM       | 10W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |



# DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                       | WATT | CCT  | Voltage | Body Color          | Emergency Backup | Control                  | Beam Angel | Dimension            | Material          | IP   | Dimensions           | Price |
|----|------------------------------------------------------------|------|------|---------|---------------------|------------------|--------------------------|------------|----------------------|-------------------|------|----------------------|-------|
| 14 | MAZDA-WSXR374610W-5K-240V-BL-DA-A250 X B110 X C85 MM       | 10W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 15 | MAZDA-WSXR374610W-5K-240V-BL-PH-A250 X B110 X C85 MM       | 10W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 16 | MAZDA-WSXR374610W-5K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 10W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 17 | MAZDA-WSXR374610W-6K-240V-BL-ND-A250 X B110 X C85 MM       | 10W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 18 | MAZDA-WSXR374610W-6K-240V-BL-DA-A250 X B110 X C85 MM       | 10W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 19 | MAZDA-WSXR374610W-6K-240V-BL-PH-A250 X B110 X C85 MM       | 10W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 20 | MAZDA-WSXR374610W-6K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 10W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 21 | MAZDA-WSXR374610W-6.5K-240V-BL-ND-A250 X B110 X C85 MM     | 10W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 22 | MAZDA-WSXR374610W-6.5K-240V-BL-DA-A250 X B110 X C85 MM     | 10W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 23 | MAZDA-WSXR374610W-6.5K-240V-BL-PH-A250 X B110 X C85 MM     | 10W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 24 | MAZDA-WSXR374610W-6.5K-240V-BL-10VDIM-A250 X B110 X C85 MM | 10W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 25 | MAZDA-WSXR374615W-2.7K-240V-BL-ND-A250 X B110 X C85 MM     | 15W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 26 | MAZDA-WSXR374615W-2.7K-240V-BL-DA-A250 X B110 X C85 MM     | 15W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 27 | MAZDA-WSXR374615W-2.7K-240V-BL-PH-A250 X B110 X C85 MM     | 15W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 28 | MAZDA-WSXR374615W-2.7K-240V-BL-10VDIM-A250 X B110 X C85 MM | 15W  | 2700 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 29 | MAZDA-WSXR374615W-3K-240V-BL-ND-A250 X B110 X C85 MM       | 15W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 30 | MAZDA-WSXR374615W-3K-240V-BL-DA-A250 X B110 X C85 MM       | 15W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 31 | MAZDA-WSXR374615W-3K-240V-BL-PH-A250 X B110 X C85 MM       | 15W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 32 | MAZDA-WSXR374615W-3K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 15W  | 3000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 33 | MAZDA-WSXR374615W-4K-240V-BL-ND-A250 X B110 X C85 MM       | 15W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 34 | MAZDA-WSXR374615W-4K-240V-BL-DA-A250 X B110 X C85 MM       | 15W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |

| #  | Code                                                       | WATT | CCT  | Voltage | Body Color          | Emergency Backup | Control                  | Beam Angel | Dimension            | Material          | IP   | Dimensions           | Price |
|----|------------------------------------------------------------|------|------|---------|---------------------|------------------|--------------------------|------------|----------------------|-------------------|------|----------------------|-------|
| 35 | MAZDA-WSXR374615W-4K-240V-BL-PH-A250 X B110 X C85 MM       | 15W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 36 | MAZDA-WSXR374615W-4K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 15W  | 4000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 37 | MAZDA-WSXR374615W-5K-240V-BL-ND-A250 X B110 X C85 MM       | 15W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 38 | MAZDA-WSXR374615W-5K-240V-BL-DA-A250 X B110 X C85 MM       | 15W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 39 | MAZDA-WSXR374615W-5K-240V-BL-PH-A250 X B110 X C85 MM       | 15W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 40 | MAZDA-WSXR374615W-5K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 15W  | 5000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 41 | MAZDA-WSXR374615W-6K-240V-BL-ND-A250 X B110 X C85 MM       | 15W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 42 | MAZDA-WSXR374615W-6K-240V-BL-DA-A250 X B110 X C85 MM       | 15W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 43 | MAZDA-WSXR374615W-6K-240V-BL-PH-A250 X B110 X C85 MM       | 15W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 44 | MAZDA-WSXR374615W-6K-240V-BL-10VDIM-A250 X B110 X C85 MM   | 15W  | 6000 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 45 | MAZDA-WSXR374615W-6.5K-240V-BL-ND-A250 X B110 X C85 MM     | 15W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | ON - OFF                 | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 46 | MAZDA-WSXR374615W-6.5K-240V-BL-DA-A250 X B110 X C85 MM     | 15W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 47 | MAZDA-WSXR374615W-6.5K-240V-BL-PH-A250 X B110 X C85 MM     | 15W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |
| 48 | MAZDA-WSXR374615W-6.5K-240V-BL-10VDIM-A250 X B110 X C85 MM | 15W  | 6500 | 240V    | BLACK, WHITE & GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 120        | A250 X B110 X C85 MM | DIE CAST ALUMINUM | IP65 | A250 X B110 X C85 MM |       |