



GRID

MAZDA Model: WXR3480 External Wall Light

Stylish, cost-effective and reliable, they bring light to interior and exterior architecture worldwide. A great looking outdoor light fitting, excellent for lighting your property and with its grill detailing it is protected from any low level knocks. Ideal for use along walkways, pavements or either side of a doorway and with its opal coloured diffuser this fitting is perfect installed at any height without risk of glare. Versatile in nature this fitting is ideal for use on with the wall or ceiling with impact-resistant synthetic covers made of polycarbonate. Available in a choice of three fabulous colour finishes, white, Black, or silver grey

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR348012W-3K-240V-WH-ND-A210 X B80 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
2	MAZDA-WXR348012W-3K-240V-WH-DA-A210 X B80 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
3	MAZDA-WXR348012W-3K-240V-WH-PH-A210 X B80 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
4	MAZDA-WXR348012W-3K-240V-WH-10VDIM-A210 X B80 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
5	MAZDA-WXR348012W-4K-240V-WH-ND-A210 X B80 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
6	MAZDA-WXR348012W-4K-240V-WH-DA-A210 X B80 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
7	MAZDA-WXR348012W-4K-240V-WH-PH-A210 X B80 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
8	MAZDA-WXR348012W-4K-240V-WH-10VDIM-A210 X B80 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
9	MAZDA-WXR348012W-5K-240V-WH-ND-A210 X B80 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
10	MAZDA-WXR348012W-5K-240V-WH-DA-A210 X B80 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
11	MAZDA-WXR348012W-5K-240V-WH-PH-A210 X B80 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
12	MAZDA-WXR348012W-5K-240V-WH-10VDIM-A210 X B80 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
13	MAZDA-WXR348012W-6K-240V-WH-ND-A210 X B80 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
14	MAZDA-WXR348012W-6K-240V-WH-DA-A210 X B80 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
15	MAZDA-WXR348012W-6K-240V-WH-PH-A210 X B80 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
16	MAZDA-WXR348012W-6K-240V-WH-10VDIM-A210 X B80 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
17	MAZDA-WXR348012W-2.7K-240V-WH-ND-A210 X B80 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WXR348012W-2.7K-240V-WH-DA-A210 X B80 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
19	MAZDA-WXR348012W-2.7K-240V-WH-PH-A210 X B80 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
20	MAZDA-WXR348012W-2.7K-240V-WH-10VDIM-A210 X B80 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
21	MAZDA-WXR348012W-6.5K-240V-WH-ND-A210 X B80 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
22	MAZDA-WXR348012W-6.5K-240V-WH-DA-A210 X B80 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
23	MAZDA-WXR348012W-6.5K-240V-WH-PH-A210 X B80 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
24	MAZDA-WXR348012W-6.5K-240V-WH-10VDIM-A210 X B80 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
25	MAZDA-WXR348018W-3K-240V-WH-ND-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
26	MAZDA-WXR348018W-3K-240V-WH-DA-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
27	MAZDA-WXR348018W-3K-240V-WH-PH-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
28	MAZDA-WXR348018W-3K-240V-WH-10VDIM-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
29	MAZDA-WXR348018W-4K-240V-WH-ND-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
30	MAZDA-WXR348018W-4K-240V-WH-DA-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
31	MAZDA-WXR348018W-4K-240V-WH-PH-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
32	MAZDA-WXR348018W-4K-240V-WH-10VDIM-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
33	MAZDA-WXR348018W-5K-240V-WH-ND-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
34	MAZDA-WXR348018W-5K-240V-WH-DA-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
35	MAZDA-WXR348018W-5K-240V-WH-PH-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
36	MAZDA-WXR348018W-5K-240V-WH-10VDIM-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
37	MAZDA-WXR348018W-6K-240V-WH-ND-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
38	MAZDA-WXR348018W-6K-240V-WH-DA-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
39	MAZDA-WXR348018W-6K-240V-WH-PH-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
40	MAZDA-WXR348018W-6K-240V-WH-10VDIM-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
41	MAZDA-WXR348018W-2.7K-240V-WH-ND-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
42	MAZDA-WXR348018W-2.7K-240V-WH-DA-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
43	MAZDA-WXR348018W-2.7K-240V-WH-PH-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
44	MAZDA-WXR348018W-2.7K-240V-WH-10VDIM-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-WXR348018W-6.5K-240V-WH-ND-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
46	MAZDA-WXR348018W-6.5K-240V-WH-DA-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
47	MAZDA-WXR348018W-6.5K-240V-WH-PH-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
48	MAZDA-WXR348018W-6.5K-240V-WH-10VDIM-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
49	MAZDA-WXR348018W-3K-240V-WH-ND-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
50	MAZDA-WXR348018W-3K-240V-WH-DA-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
51	MAZDA-WXR348018W-3K-240V-WH-PH-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
52	MAZDA-WXR348018W-3K-240V-WH-10VDIM-A210 X B80 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
53	MAZDA-WXR348018W-4K-240V-WH-ND-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
54	MAZDA-WXR348018W-4K-240V-WH-DA-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
55	MAZDA-WXR348018W-4K-240V-WH-PH-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
56	MAZDA-WXR348018W-4K-240V-WH-10VDIM-A210 X B80 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
57	MAZDA-WXR348018W-5K-240V-WH-ND-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
58	MAZDA-WXR348018W-5K-240V-WH-DA-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
59	MAZDA-WXR348018W-5K-240V-WH-PH-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
60	MAZDA-WXR348018W-5K-240V-WH-10VDIM-A210 X B80 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
61	MAZDA-WXR348018W-6K-240V-WH-ND-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
62	MAZDA-WXR348018W-6K-240V-WH-DA-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
63	MAZDA-WXR348018W-6K-240V-WH-PH-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
64	MAZDA-WXR348018W-6K-240V-WH-10VDIM-A210 X B80 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
65	MAZDA-WXR348018W-2.7K-240V-WH-ND-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
66	MAZDA-WXR348018W-2.7K-240V-WH-DA-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
67	MAZDA-WXR348018W-2.7K-240V-WH-PH-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
68	MAZDA-WXR348018W-2.7K-240V-WH-10VDIM-A210 X B80 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
69	MAZDA-WXR348018W-6.5K-240V-WH-ND-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
70	MAZDA-WXR348018W-6.5K-240V-WH-DA-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
71	MAZDA-WXR348018W-6.5K-240V-WH-PH-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-WXR348018W-6.5K-240V-WH-10VDIM-A210 X B80 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
73	MAZDA-WXR348024W-3K-240V-WH-ND-A210 X B80 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
74	MAZDA-WXR348024W-3K-240V-WH-DA-A210 X B80 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
75	MAZDA-WXR348024W-3K-240V-WH-PH-A210 X B80 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
76	MAZDA-WXR348024W-3K-240V-WH-10VDIM-A210 X B80 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
77	MAZDA-WXR348024W-4K-240V-WH-ND-A210 X B80 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
78	MAZDA-WXR348024W-4K-240V-WH-DA-A210 X B80 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
79	MAZDA-WXR348024W-4K-240V-WH-PH-A210 X B80 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
80	MAZDA-WXR348024W-4K-240V-WH-10VDIM-A210 X B80 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
81	MAZDA-WXR348024W-5K-240V-WH-ND-A210 X B80 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
82	MAZDA-WXR348024W-5K-240V-WH-DA-A210 X B80 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
83	MAZDA-WXR348024W-5K-240V-WH-PH-A210 X B80 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
84	MAZDA-WXR348024W-5K-240V-WH-10VDIM-A210 X B80 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
85	MAZDA-WXR348024W-6K-240V-WH-ND-A210 X B80 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
86	MAZDA-WXR348024W-6K-240V-WH-DA-A210 X B80 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
87	MAZDA-WXR348024W-6K-240V-WH-PH-A210 X B80 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
88	MAZDA-WXR348024W-6K-240V-WH-10VDIM-A210 X B80 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
89	MAZDA-WXR348024W-2.7K-240V-WH-ND-A210 X B80 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
90	MAZDA-WXR348024W-2.7K-240V-WH-DA-A210 X B80 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
91	MAZDA-WXR348024W-2.7K-240V-WH-PH-A210 X B80 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
92	MAZDA-WXR348024W-2.7K-240V-WH-10VDIM-A210 X B80 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
93	MAZDA-WXR348024W-6.5K-240V-WH-ND-A210 X B80 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
94	MAZDA-WXR348024W-6.5K-240V-WH-DA-A210 X B80 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
95	MAZDA-WXR348024W-6.5K-240V-WH-PH-A210 X B80 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
96	MAZDA-WXR348024W-6.5K-240V-WH-10VDIM-A210 X B80 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A210 X B80 MM	DIE CAST ALUMINUM	IP66	A210 X B80 MM	
97	MAZDA-WXR348012W-3K-240V-WH-ND-A235 X B128 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
98	MAZDA-WXR348012W-3K-240V-WH-DA-A235 X B128 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
99	MAZDA-WXR348012W-3K-240V-WH-PH-A235 X B128 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
100	MAZDA-WXR348012W-3K-240V-WH-10VDIM-A235 X B128 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
101	MAZDA-WXR348012W-4K-240V-WH-ND-A235 X B128 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
102	MAZDA-WXR348012W-4K-240V-WH-DA-A235 X B128 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
103	MAZDA-WXR348012W-4K-240V-WH-PH-A235 X B128 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
104	MAZDA-WXR348012W-4K-240V-WH-10VDIM-A235 X B128 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
105	MAZDA-WXR348012W-5K-240V-WH-ND-A235 X B128 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
106	MAZDA-WXR348012W-5K-240V-WH-DA-A235 X B128 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
107	MAZDA-WXR348012W-5K-240V-WH-PH-A235 X B128 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
108	MAZDA-WXR348012W-5K-240V-WH-10VDIM-A235 X B128 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
109	MAZDA-WXR348012W-6K-240V-WH-ND-A235 X B128 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
110	MAZDA-WXR348012W-6K-240V-WH-DA-A235 X B128 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
111	MAZDA-WXR348012W-6K-240V-WH-PH-A235 X B128 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
112	MAZDA-WXR348012W-6K-240V-WH-10VDIM-A235 X B128 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
113	MAZDA-WXR348012W-2.7K-240V-WH-ND-A235 X B128 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
114	MAZDA-WXR348012W-2.7K-240V-WH-DA-A235 X B128 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
115	MAZDA-WXR348012W-2.7K-240V-WH-PH-A235 X B128 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
116	MAZDA-WXR348012W-2.7K-240V-WH-10VDIM-A235 X B128 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
117	MAZDA-WXR348012W-6.5K-240V-WH-ND-A235 X B128 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
118	MAZDA-WXR348012W-6.5K-240V-WH-DA-A235 X B128 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
119	MAZDA-WXR348012W-6.5K-240V-WH-PH-A235 X B128 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
120	MAZDA-WXR348012W-6.5K-240V-WH-10VDIM-A235 X B128 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
121	MAZDA-WXR348018W-3K-240V-WH-ND-A235 X B128 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
122	MAZDA-WXR348018W-3K-240V-WH-DA-A235 X B128 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
123	MAZDA-WXR348018W-3K-240V-WH-PH-A235 X B128 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
124	MAZDA-WXR348018W-3K-240V-WH-10VDIM-A235 X B128 MM	18W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
125	MAZDA-WXR348018W-4K-240V-WH-ND-A235 X B128 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
126	MAZDA-WXR348018W-4K-240V-WH-DA-A235 X B128 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
127	MAZDA-WXR348018W-4K-240V-WH-PH-A235 X B128 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
128	MAZDA-WXR348018W-4K-240V-WH-10VDIM-A235 X B128 MM	18W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
129	MAZDA-WXR348018W-5K-240V-WH-ND-A235 X B128 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
130	MAZDA-WXR348018W-5K-240V-WH-DA-A235 X B128 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
131	MAZDA-WXR348018W-5K-240V-WH-PH-A235 X B128 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
132	MAZDA-WXR348018W-5K-240V-WH-10VDIM-A235 X B128 MM	18W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
133	MAZDA-WXR348018W-6K-240V-WH-ND-A235 X B128 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
134	MAZDA-WXR348018W-6K-240V-WH-DA-A235 X B128 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
135	MAZDA-WXR348018W-6K-240V-WH-PH-A235 X B128 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
136	MAZDA-WXR348018W-6K-240V-WH-10VDIM-A235 X B128 MM	18W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
137	MAZDA-WXR348018W-2.7K-240V-WH-ND-A235 X B128 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
138	MAZDA-WXR348018W-2.7K-240V-WH-DA-A235 X B128 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
139	MAZDA-WXR348018W-2.7K-240V-WH-PH-A235 X B128 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
140	MAZDA-WXR348018W-2.7K-240V-WH-10VDIM-A235 X B128 MM	18W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
141	MAZDA-WXR348018W-6.5K-240V-WH-ND-A235 X B128 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
142	MAZDA-WXR348018W-6.5K-240V-WH-DA-A235 X B128 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
143	MAZDA-WXR348018W-6.5K-240V-WH-PH-A235 X B128 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
144	MAZDA-WXR348018W-6.5K-240V-WH-10VDIM-A235 X B128 MM	18W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
145	MAZDA-WXR348024W-3K-240V-WH-ND-A235 X B128 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
146	MAZDA-WXR348024W-3K-240V-WH-DA-A235 X B128 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
147	MAZDA-WXR348024W-3K-240V-WH-PH-A235 X B128 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
148	MAZDA-WXR348024W-3K-240V-WH-10VDIM-A235 X B128 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
149	MAZDA-WXR348024W-4K-240V-WH-ND-A235 X B128 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
150	MAZDA-WXR348024W-4K-240V-WH-DA-A235 X B128 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
151	MAZDA-WXR348024W-4K-240V-WH-PH-A235 X B128 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
152	MAZDA-WXR348024W-4K-240V-WH-10VDIM-A235 X B128 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
153	MAZDA-WXR348024W-5K-240V-WH-ND-A235 X B128 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
154	MAZDA-WXR348024W-5K-240V-WH-DA-A235 X B128 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
155	MAZDA-WXR348024W-5K-240V-WH-PH-A235 X B128 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
156	MAZDA-WXR348024W-5K-240V-WH-10VDIM-A235 X B128 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
157	MAZDA-WXR348024W-6K-240V-WH-ND-A235 X B128 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
158	MAZDA-WXR348024W-6K-240V-WH-DA-A235 X B128 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
159	MAZDA-WXR348024W-6K-240V-WH-PH-A235 X B128 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
160	MAZDA-WXR348024W-6K-240V-WH-10VDIM-A235 X B128 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
161	MAZDA-WXR348024W-2.7K-240V-WH-ND-A235 X B128 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
162	MAZDA-WXR348024W-2.7K-240V-WH-DA-A235 X B128 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
163	MAZDA-WXR348024W-2.7K-240V-WH-PH-A235 X B128 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
164	MAZDA-WXR348024W-2.7K-240V-WH-10VDIM-A235 X B128 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
165	MAZDA-WXR348024W-6.5K-240V-WH-ND-A235 X B128 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
166	MAZDA-WXR348024W-6.5K-240V-WH-DA-A235 X B128 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
167	MAZDA-WXR348024W-6.5K-240V-WH-PH-A235 X B128 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	
168	MAZDA-WXR348024W-6.5K-240V-WH-10VDIM-A235 X B128 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A235 X B128 MM	DIE CAST ALUMINUM	IP66	A235 X B128 MM	