



GRID I UL

MAZDA Model: WXR3481 External Wall Light

Stylish, cost-effective and reliable, they bring light to interior and exterior architecture worldwide. A great looking outdoor light fitting, excellent for lighting your property and with its grill detailing it is protected from any low level knocks. Ideal for use along walkways, pavements or either side of a doorway and with its opal coloured diffuser this fitting is perfect installed at any height without risk of glare. Versatile in nature this fitting is ideal for use on with the wall or ceiling with impact-resistant synthetic covers made of polycarbonate. Available in a choice of three fabulous colour finishes, white, Black, or silver grey.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR348106W-3K-277V-WH-ND-A210XB122XC118.5 MM	06W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
2	MAZDA-WXR348106W-3K-277V-WH-DA-A210XB122XC118.5 MM	06W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
3	MAZDA-WXR348106W-3K-277V-WH-PH-A210XB122XC118.5 MM	06W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
4	MAZDA-WXR348106W-3K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
5	MAZDA-WXR348106W-4K-277V-WH-ND-A210XB122XC118.5 MM	06W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
6	MAZDA-WXR348106W-4K-277V-WH-DA-A210XB122XC118.5 MM	06W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
7	MAZDA-WXR348106W-4K-277V-WH-PH-A210XB122XC118.5 MM	06W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
8	MAZDA-WXR348106W-4K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
9	MAZDA-WXR348106W-5K-277V-WH-ND-A210XB122XC118.5 MM	06W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
10	MAZDA-WXR348106W-5K-277V-WH-DA-A210XB122XC118.5 MM	06W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
11	MAZDA-WXR348106W-5K-277V-WH-PH-A210XB122XC118.5 MM	06W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
12	MAZDA-WXR348106W-5K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
13	MAZDA-WXR348106W-6K-277V-WH-ND-A210XB122XC118.5 MM	06W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
14	MAZDA-WXR348106W-6K-277V-WH-DA-A210XB122XC118.5 MM	06W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
15	MAZDA-WXR348106W-6K-277V-WH-PH-A210XB122XC118.5 MM	06W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
16	MAZDA-WXR348106W-6K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
17	MAZDA-WXR348106W-2.7K-277V-WH-ND-A210XB122XC118.5 MM	06W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
18	MAZDA-WXR348106W-2.7K-277V-WH-DA-A210XB122XC118.5 MM	06W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
19	MAZDA-WXR348106W-2.7K-277V-WH-PH-A210XB122XC118.5 MM	06W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
20	MAZDA-WXR348106W-2.7K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
21	MAZDA-WXR348106W-6.5K-277V-WH-ND-A210XB122XC118.5 MM	06W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
22	MAZDA-WXR348106W-6.5K-277V-WH-DA-A210XB122XC118.5 MM	06W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
23	MAZDA-WXR348106W-6.5K-277V-WH-PH-A210XB122XC118.5 MM	06W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
24	MAZDA-WXR348106W-6.5K-277V-WH-10VDIM-A210XB122XC118.5 MM	06W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
25	MAZDA-WXR348108W-3K-277V-WH-ND-A210XB122XC118.5 MM	08W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
26	MAZDA-WXR348108W-3K-277V-WH-DA-A210XB122XC118.5 MM	08W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
27	MAZDA-WXR348108W-3K-277V-WH-PH-A210XB122XC118.5 MM	08W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
28	MAZDA-WXR348108W-3K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	3000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
29	MAZDA-WXR348108W-4K-277V-WH-ND-A210XB122XC118.5 MM	08W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
30	MAZDA-WXR348108W-4K-277V-WH-DA-A210XB122XC118.5 MM	08W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
31	MAZDA-WXR348108W-4K-277V-WH-PH-A210XB122XC118.5 MM	08W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
32	MAZDA-WXR348108W-4K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
33	MAZDA-WXR348108W-5K-277V-WH-ND-A210XB122XC118.5 MM	08W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
34	MAZDA-WXR348108W-5K-277V-WH-DA-A210XB122XC118.5 MM	08W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
35	MAZDA-WXR348108W-5K-277V-WH-PH-A210XB122XC118.5 MM	08W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
36	MAZDA-WXR348108W-5K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
37	MAZDA-WXR348108W-6K-277V-WH-ND-A210XB122XC118.5 MM	08W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
38	MAZDA-WXR348108W-6K-277V-WH-DA-A210XB122XC118.5 MM	08W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
39	MAZDA-WXR348108W-6K-277V-WH-PH-A210XB122XC118.5 MM	08W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
40	MAZDA-WXR348108W-6K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
41	MAZDA-WXR348108W-2.7K-277V-WH-ND-A210XB122XC118.5 MM	08W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
42	MAZDA-WXR348108W-2.7K-277V-WH-DA-A210XB122XC118.5 MM	08W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
43	MAZDA-WXR348108W-2.7K-277V-WH-PH-A210XB122XC118.5 MM	08W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
44	MAZDA-WXR348108W-2.7K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
45	MAZDA-WXR348108W-6.5K-277V-WH-ND-A210XB122XC118.5 MM	08W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
46	MAZDA-WXR348108W-6.5K-277V-WH-DA-A210XB122XC118.5 MM	08W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
47	MAZDA-WXR348108W-6.5K-277V-WH-PH-A210XB122XC118.5 MM	08W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
48	MAZDA-WXR348108W-6.5K-277V-WH-10VDIM-A210XB122XC118.5 MM	08W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
49	MAZDA-WXR348110W-3K-277V-WH-ND-A210XB122XC118.5 MM	10W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
50	MAZDA-WXR348110W-3K-277V-WH-DA-A210XB122XC118.5 MM	10W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
51	MAZDA-WXR348110W-3K-277V-WH-PH-A210XB122XC118.5 MM	10W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
52	MAZDA-WXR348110W-3K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
53	MAZDA-WXR348110W-4K-277V-WH-ND-A210XB122XC118.5 MM	10W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
54	MAZDA-WXR348110W-4K-277V-WH-DA-A210XB122XC118.5 MM	10W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
55	MAZDA-WXR348110W-4K-277V-WH-PH-A210XB122XC118.5 MM	10W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
56	MAZDA-WXR348110W-4K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
57	MAZDA-WXR348110W-5K-277V-WH-ND-A210XB122XC118.5 MM	10W	5000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
58	MAZDA-WXR348110W-5K-277V-WH-DA-A210XB122XC118.5 MM	10W	5000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
59	MAZDA-WXR348110W-5K-277V-WH-PH-A210XB122XC118.5 MM	10W	5000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
60	MAZDA-WXR348110W-5K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	5000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
61	MAZDA-WXR348110W-6K-277V-WH-ND-A210XB122XC118.5 MM	10W	6000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
62	MAZDA-WXR348110W-6K-277V-WH-DA-A210XB122XC118.5 MM	10W	6000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
63	MAZDA-WXR348110W-6K-277V-WH-PH-A210XB122XC118.5 MM	10W	6000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
64	MAZDA-WXR348110W-6K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	6000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
65	MAZDA-WXR348110W-2.7K-277V-WH-ND-A210XB122XC118.5 MM	10W	2700	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
66	MAZDA-WXR348110W-2.7K-277V-WH-DA-A210XB122XC118.5 MM	10W	2700	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
67	MAZDA-WXR348110W-2.7K-277V-WH-PH-A210XB122XC118.5 MM	10W	2700	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
68	MAZDA-WXR348110W-2.7K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	2700	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
69	MAZDA-WXR348110W-6.5K-277V-WH-ND-A210XB122XC118.5 MM	10W	6500	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
70	MAZDA-WXR348110W-6.5K-277V-WH-DA-A210XB122XC118.5 MM	10W	6500	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
71	MAZDA-WXR348110W-6.5K-277V-WH-PH-A210XB122XC118.5 MM	10W	6500	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
72	MAZDA-WXR348110W-6.5K-277V-WH-10VDIM-A210XB122XC118.5 MM	10W	6500	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A210XB122XC118.5 MM	DIE CAST ALUMINUM	IP65	A210XB122XC118.5 MM	
73	MAZDA-WXR348120W-3K-277V-WH-ND-A245XB148XC129.6 MM	20W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
74	MAZDA-WXR348120W-3K-277V-WH-DA-A245XB148XC129.6 MM	20W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
75	MAZDA-WXR348120W-3K-277V-WH-PH-A245XB148XC129.6 MM	20W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
76	MAZDA-WXR348120W-3K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	3000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
77	MAZDA-WXR348120W-4K-277V-WH-ND-A245XB148XC129.6 MM	20W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
78	MAZDA-WXR348120W-4K-277V-WH-DA-A245XB148XC129.6 MM	20W	4000	277V	WHITE, BLACK & DARK-GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
79	MAZDA-WXR348120W-4K-277V-WH-PH-A245XB148XC129.6 MM	20W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
80	MAZDA-WXR348120W-4K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	4000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
81	MAZDA-WXR348120W-5K-277V-WH-ND-A245XB148XC129.6 MM	20W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
82	MAZDA-WXR348120W-5K-277V-WH-DA-A245XB148XC129.6 MM	20W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
83	MAZDA-WXR348120W-5K-277V-WH-PH-A245XB148XC129.6 MM	20W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
84	MAZDA-WXR348120W-5K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	5000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
85	MAZDA-WXR348120W-6K-277V-WH-ND-A245XB148XC129.6 MM	20W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
86	MAZDA-WXR348120W-6K-277V-WH-DA-A245XB148XC129.6 MM	20W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
87	MAZDA-WXR348120W-6K-277V-WH-PH-A245XB148XC129.6 MM	20W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
88	MAZDA-WXR348120W-6K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	6000	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
89	MAZDA-WXR348120W-2.7K-277V-WH-ND-A245XB148XC129.6 MM	20W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
90	MAZDA-WXR348120W-2.7K-277V-WH-DA-A245XB148XC129.6 MM	20W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
91	MAZDA-WXR348120W-2.7K-277V-WH-PH-A245XB148XC129.6 MM	20W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
92	MAZDA-WXR348120W-2.7K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	2700	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
93	MAZDA-WXR348120W-6.5K-277V-WH-ND-A245XB148XC129.6 MM	20W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
94	MAZDA-WXR348120W-6.5K-277V-WH-DA-A245XB148XC129.6 MM	20W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
95	MAZDA-WXR348120W-6.5K-277V-WH-PH-A245XB148XC129.6 MM	20W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	
96	MAZDA-WXR348120W-6.5K-277V-WH-10VDIM-A245XB148XC129.6 MM	20W	6500	277V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90°	A245XB148XC129.6 MM	DIE CAST ALUMINUM	IP65	A245XB148XC129.6 MM	