



LIL0

MAZDA Model: WSXR3767 External Wall Light

Wall pack lights, otherwise known as exterior building lights are special kinds of lights designed to be mounted on the outside part of commercial building walls. This Wall packs are designed with high intensity lamp heads that are energy efficient, durable and with low level of light pollution. Among the benefits of this light is its ability to illuminate specific areas outside the building

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR376712W-3K-240 V-BK-ND-A245 X B120 X C80 MM	12W	3000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
2	MAZDA-WSXR376712W-3K-240 V-WH-ND-A245 X B120 X C80 MM	12W	3000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
3	MAZDA-WSXR376712W-3K-240 V-BK-DA-A245 X B120 X C80 MM	12W	3000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
4	MAZDA-WSXR376712W-3K-240 V-WH-DA-A245 X B120 X C80 MM	12W	3000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
5	MAZDA-WSXR376712W-3K-240 V-BK-PH-A245 X B120 X C80 MM	12W	3000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
6	MAZDA-WSXR376712W-3K-240 V-WH-PH-A245 X B120 X C80 MM	12W	3000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
7	MAZDA-WSXR376712W-3K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	3000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
8	MAZDA-WSXR376712W-3K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	3000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
9	MAZDA-WSXR376712W-4K-240 V-BK-ND-A245 X B120 X C80 MM	12W	4000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
10	MAZDA-WSXR376712W-4K-240 V-WH-ND-A245 X B120 X C80 MM	12W	4000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
11	MAZDA-WSXR376712W-4K-240 V-BK-DA-A245 X B120 X C80 MM	12W	4000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
12	MAZDA-WSXR376712W-4K-240 V-WH-DA-A245 X B120 X C80 MM	12W	4000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
13	MAZDA-WSXR376712W-4K-240 V-BK-PH-A245 X B120 X C80 MM	12W	4000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
14	MAZDA-WSXR376712W-4K-240 V-WH-PH-A245 X B120 X C80 MM	12W	4000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
15	MAZDA-WSXR376712W-4K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	4000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
16	MAZDA-WSXR376712W-4K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	4000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
17	MAZDA-WSXR376712W-5K-240 V-BK-ND-A245 X B120 X C80 MM	12W	5000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WSXR376712W-5K-240 V-WH-ND-A245 X B120 X C80 MM	12W	5000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
19	MAZDA-WSXR376712W-5K-240 V-BK-DA-A245 X B120 X C80 MM	12W	5000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
20	MAZDA-WSXR376712W-5K-240 V-WH-DA-A245 X B120 X C80 MM	12W	5000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
21	MAZDA-WSXR376712W-5K-240 V-BK-PH-A245 X B120 X C80 MM	12W	5000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
22	MAZDA-WSXR376712W-5K-240 V-WH-PH-A245 X B120 X C80 MM	12W	5000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
23	MAZDA-WSXR376712W-5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	5000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
24	MAZDA-WSXR376712W-5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	5000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
25	MAZDA-WSXR376712W-6K-240 V-BK-ND-A245 X B120 X C80 MM	12W	6000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
26	MAZDA-WSXR376712W-6K-240 V-WH-ND-A245 X B120 X C80 MM	12W	6000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
27	MAZDA-WSXR376712W-6K-240 V-BK-DA-A245 X B120 X C80 MM	12W	6000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
28	MAZDA-WSXR376712W-6K-240 V-WH-DA-A245 X B120 X C80 MM	12W	6000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
29	MAZDA-WSXR376712W-6K-240 V-BK-PH-A245 X B120 X C80 MM	12W	6000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
30	MAZDA-WSXR376712W-6K-240 V-WH-PH-A245 X B120 X C80 MM	12W	6000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
31	MAZDA-WSXR376712W-6K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	6000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
32	MAZDA-WSXR376712W-6K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	6000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
33	MAZDA-WSXR376712W-2.7K-240 V-BK-ND-A245 X B120 X C80 MM	12W	2700	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
34	MAZDA-WSXR376712W-2.7K-240 V-WH-ND-A245 X B120 X C80 MM	12W	2700	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
35	MAZDA-WSXR376712W-2.7K-240 V-BK-DA-A245 X B120 X C80 MM	12W	2700	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
36	MAZDA-WSXR376712W-2.7K-240 V-WH-DA-A245 X B120 X C80 MM	12W	2700	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
37	MAZDA-WSXR376712W-2.7K-240 V-BK-PH-A245 X B120 X C80 MM	12W	2700	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
38	MAZDA-WSXR376712W-2.7K-240 V-WH-PH-A245 X B120 X C80 MM	12W	2700	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
39	MAZDA-WSXR376712W-2.7K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	2700	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
40	MAZDA-WSXR376712W-2.7K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	2700	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
41	MAZDA-WSXR376712W-6.5K-240 V-BK-ND-A245 X B120 X C80 MM	12W	6500	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
42	MAZDA-WSXR376712W-6.5K-240 V-WH-ND-A245 X B120 X C80 MM	12W	6500	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
43	MAZDA-WSXR376712W-6.5K-240 V-BK-DA-A245 X B120 X C80 MM	12W	6500	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
44	MAZDA-WSXR376712W-6.5K-240 V-WH-DA-A245 X B120 X C80 MM	12W	6500	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-WSXR376712W-6.5K-240 V-BK-PH-A245 X B120 X C80 MM	12W	6500	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
46	MAZDA-WSXR376712W-6.5K-240 V-WH-PH-A245 X B120 X C80 MM	12W	6500	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
47	MAZDA-WSXR376712W-6.5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	12W	6500	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
48	MAZDA-WSXR376712W-6.5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	12W	6500	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
49	MAZDA-WSXR376715W-3K-240 V-BK-ND-A245 X B120 X C80 MM	15W	3000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
50	MAZDA-WSXR376715W-3K-240 V-WH-ND-A245 X B120 X C80 MM	15W	3000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
51	MAZDA-WSXR376715W-3K-240 V-BK-DA-A245 X B120 X C80 MM	15W	3000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
52	MAZDA-WSXR376715W-3K-240 V-WH-DA-A245 X B120 X C80 MM	15W	3000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
53	MAZDA-WSXR376715W-3K-240 V-BK-PH-A245 X B120 X C80 MM	15W	3000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
54	MAZDA-WSXR376715W-3K-240 V-WH-PH-A245 X B120 X C80 MM	15W	3000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
55	MAZDA-WSXR376715W-3K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	3000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
56	MAZDA-WSXR376715W-3K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	3000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
57	MAZDA-WSXR376715W-4K-240 V-BK-ND-A245 X B120 X C80 MM	15W	4000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
58	MAZDA-WSXR376715W-4K-240 V-WH-ND-A245 X B120 X C80 MM	15W	4000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
59	MAZDA-WSXR376715W-4K-240 V-BK-DA-A245 X B120 X C80 MM	15W	4000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
60	MAZDA-WSXR376715W-4K-240 V-WH-DA-A245 X B120 X C80 MM	15W	4000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
61	MAZDA-WSXR376715W-4K-240 V-BK-PH-A245 X B120 X C80 MM	15W	4000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
62	MAZDA-WSXR376715W-4K-240 V-WH-PH-A245 X B120 X C80 MM	15W	4000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
63	MAZDA-WSXR376715W-4K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	4000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
64	MAZDA-WSXR376715W-4K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	4000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
65	MAZDA-WSXR376715W-5K-240 V-BK-ND-A245 X B120 X C80 MM	15W	5000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
66	MAZDA-WSXR376715W-5K-240 V-WH-ND-A245 X B120 X C80 MM	15W	5000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
67	MAZDA-WSXR376715W-5K-240 V-BK-DA-A245 X B120 X C80 MM	15W	5000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
68	MAZDA-WSXR376715W-5K-240 V-WH-DA-A245 X B120 X C80 MM	15W	5000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
69	MAZDA-WSXR376715W-5K-240 V-BK-PH-A245 X B120 X C80 MM	15W	5000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
70	MAZDA-WSXR376715W-5K-240 V-WH-PH-A245 X B120 X C80 MM	15W	5000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
71	MAZDA-WSXR376715W-5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	5000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-WSXR376715W-5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	5000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
73	MAZDA-WSXR376715W-6K-240 V-BK-ND-A245 X B120 X C80 MM	15W	6000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
74	MAZDA-WSXR376715W-6K-240 V-WH-ND-A245 X B120 X C80 MM	15W	6000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
75	MAZDA-WSXR376715W-6K-240 V-BK-DA-A245 X B120 X C80 MM	15W	6000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
76	MAZDA-WSXR376715W-6K-240 V-WH-DA-A245 X B120 X C80 MM	15W	6000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
77	MAZDA-WSXR376715W-6K-240 V-BK-PH-A245 X B120 X C80 MM	15W	6000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
78	MAZDA-WSXR376715W-6K-240 V-WH-PH-A245 X B120 X C80 MM	15W	6000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
79	MAZDA-WSXR376715W-6K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	6000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
80	MAZDA-WSXR376715W-6K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	6000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
81	MAZDA-WSXR376715W-2.7K-240 V-BK-ND-A245 X B120 X C80 MM	15W	2700	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
82	MAZDA-WSXR376715W-2.7K-240 V-WH-ND-A245 X B120 X C80 MM	15W	2700	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
83	MAZDA-WSXR376715W-2.7K-240 V-BK-DA-A245 X B120 X C80 MM	15W	2700	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
84	MAZDA-WSXR376715W-2.7K-240 V-WH-DA-A245 X B120 X C80 MM	15W	2700	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
85	MAZDA-WSXR376715W-2.7K-240 V-BK-PH-A245 X B120 X C80 MM	15W	2700	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
86	MAZDA-WSXR376715W-2.7K-240 V-WH-PH-A245 X B120 X C80 MM	15W	2700	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
87	MAZDA-WSXR376715W-2.7K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	2700	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
88	MAZDA-WSXR376715W-2.7K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	2700	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
89	MAZDA-WSXR376715W-6.5K-240 V-BK-ND-A245 X B120 X C80 MM	15W	6500	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
90	MAZDA-WSXR376715W-6.5K-240 V-WH-ND-A245 X B120 X C80 MM	15W	6500	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
91	MAZDA-WSXR376715W-6.5K-240 V-BK-DA-A245 X B120 X C80 MM	15W	6500	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
92	MAZDA-WSXR376715W-6.5K-240 V-WH-DA-A245 X B120 X C80 MM	15W	6500	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
93	MAZDA-WSXR376715W-6.5K-240 V-BK-PH-A245 X B120 X C80 MM	15W	6500	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
94	MAZDA-WSXR376715W-6.5K-240 V-WH-PH-A245 X B120 X C80 MM	15W	6500	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
95	MAZDA-WSXR376715W-6.5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	15W	6500	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
96	MAZDA-WSXR376715W-6.5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	15W	6500	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
97	MAZDA-WSXR376718W-3K-240 V-BK-ND-A245 X B120 X C80 MM	18W	3000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
98	MAZDA-WSXR376718W-3K-240 V-WH-ND-A245 X B120 X C80 MM	18W	3000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
99	MAZDA-WSXR376718W-3K-240 V-BK-DA-A245 X B120 X C80 MM	18W	3000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
100	MAZDA-WSXR376718W-3K-240 V-WH-DA-A245 X B120 X C80 MM	18W	3000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
101	MAZDA-WSXR376718W-3K-240 V-BK-PH-A245 X B120 X C80 MM	18W	3000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
102	MAZDA-WSXR376718W-3K-240 V-WH-PH-A245 X B120 X C80 MM	18W	3000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
103	MAZDA-WSXR376718W-3K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	3000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
104	MAZDA-WSXR376718W-3K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	3000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
105	MAZDA-WSXR376718W-4K-240 V-BK-ND-A245 X B120 X C80 MM	18W	4000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
106	MAZDA-WSXR376718W-4K-240 V-WH-ND-A245 X B120 X C80 MM	18W	4000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
107	MAZDA-WSXR376718W-4K-240 V-BK-DA-A245 X B120 X C80 MM	18W	4000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
108	MAZDA-WSXR376718W-4K-240 V-WH-DA-A245 X B120 X C80 MM	18W	4000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
109	MAZDA-WSXR376718W-4K-240 V-BK-PH-A245 X B120 X C80 MM	18W	4000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
110	MAZDA-WSXR376718W-4K-240 V-WH-PH-A245 X B120 X C80 MM	18W	4000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
111	MAZDA-WSXR376718W-4K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	4000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
112	MAZDA-WSXR376718W-4K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	4000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
113	MAZDA-WSXR376718W-5K-240 V-BK-ND-A245 X B120 X C80 MM	18W	5000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
114	MAZDA-WSXR376718W-5K-240 V-WH-ND-A245 X B120 X C80 MM	18W	5000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
115	MAZDA-WSXR376718W-5K-240 V-BK-DA-A245 X B120 X C80 MM	18W	5000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
116	MAZDA-WSXR376718W-5K-240 V-WH-DA-A245 X B120 X C80 MM	18W	5000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
117	MAZDA-WSXR376718W-5K-240 V-BK-PH-A245 X B120 X C80 MM	18W	5000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
118	MAZDA-WSXR376718W-5K-240 V-WH-PH-A245 X B120 X C80 MM	18W	5000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
119	MAZDA-WSXR376718W-5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	5000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
120	MAZDA-WSXR376718W-5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	5000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
121	MAZDA-WSXR376718W-6K-240 V-BK-ND-A245 X B120 X C80 MM	18W	6000	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
122	MAZDA-WSXR376718W-6K-240 V-WH-ND-A245 X B120 X C80 MM	18W	6000	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
123	MAZDA-WSXR376718W-6K-240 V-BK-DA-A245 X B120 X C80 MM	18W	6000	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
124	MAZDA-WSXR376718W-6K-240 V-WH-DA-A245 X B120 X C80 MM	18W	6000	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
125	MAZDA-WSXR376718W-6K-240 V-BK-PH-A245 X B120 X C80 MM	18W	6000	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
126	MAZDA-WSXR376718W-6K-240 V-WH-PH-A245 X B120 X C80 MM	18W	6000	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
127	MAZDA-WSXR376718W-6K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	6000	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
128	MAZDA-WSXR376718W-6K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	6000	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
129	MAZDA-WSXR376718W-2.7K-240 V-BK-ND-A245 X B120 X C80 MM	18W	2700	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
130	MAZDA-WSXR376718W-2.7K-240 V-WH-ND-A245 X B120 X C80 MM	18W	2700	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
131	MAZDA-WSXR376718W-2.7K-240 V-BK-DA-A245 X B120 X C80 MM	18W	2700	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
132	MAZDA-WSXR376718W-2.7K-240 V-WH-DA-A245 X B120 X C80 MM	18W	2700	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
133	MAZDA-WSXR376718W-2.7K-240 V-BK-PH-A245 X B120 X C80 MM	18W	2700	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
134	MAZDA-WSXR376718W-2.7K-240 V-WH-PH-A245 X B120 X C80 MM	18W	2700	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
135	MAZDA-WSXR376718W-2.7K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	2700	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
136	MAZDA-WSXR376718W-2.7K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	2700	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
137	MAZDA-WSXR376718W-6.5K-240 V-BK-ND-A245 X B120 X C80 MM	18W	6500	240 V	BLACK	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
138	MAZDA-WSXR376718W-6.5K-240 V-WH-ND-A245 X B120 X C80 MM	18W	6500	240 V	WHITE	NON EMERGENCY	ON - OFF	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
139	MAZDA-WSXR376718W-6.5K-240 V-BK-DA-A245 X B120 X C80 MM	18W	6500	240 V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
140	MAZDA-WSXR376718W-6.5K-240 V-WH-DA-A245 X B120 X C80 MM	18W	6500	240 V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
141	MAZDA-WSXR376718W-6.5K-240 V-BK-PH-A245 X B120 X C80 MM	18W	6500	240 V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
142	MAZDA-WSXR376718W-6.5K-240 V-WH-PH-A245 X B120 X C80 MM	18W	6500	240 V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
143	MAZDA-WSXR376718W-6.5K-240 V-BK-10VDIM-A245 X B120 X C80 MM	18W	6500	240 V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	
144	MAZDA-WSXR376718W-6.5K-240 V-WH-10VDIM-A245 X B120 X C80 MM	18W	6500	240 V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A245 X B120 X C80 MM	DIE CAST ALUMINUM	IP65	A245 X B120 X C80 MM	