



LUNA

MAZDA Model: WXR3410 External Wall Light

LED bulkhead with easy installation and best features. This bulkhead light adopts Die-casting aluminum body and 94-V0 fire-rated PC cover. it is also available as led emergency bulkhead are ideal for applications that require continuous light even after a power outage. Modern IP65 rated led bulkhead also provide high bright lighting to stairway, lobby, reception, corridors and building entrances.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR341012W-3K-240V-WH-ND-A250 X B59 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
2	MAZDA-WXR341012W-3K-240V-WH-DA-A250 X B59 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
3	MAZDA-WXR341012W-3K-240V-WH-PH-A250 X B59 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
4	MAZDA-WXR341012W-3K-240V-WH-10VDIM-A250 X B59 MM	12W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
5	MAZDA-WXR341012W-4K-240V-WH-ND-A250 X B59 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
6	MAZDA-WXR341012W-4K-240V-WH-DA-A250 X B59 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
7	MAZDA-WXR341012W-4K-240V-WH-PH-A250 X B59 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
8	MAZDA-WXR341012W-4K-240V-WH-10VDIM-A250 X B59 MM	12W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
9	MAZDA-WXR341012W-5K-240V-WH-ND-A250 X B59 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
10	MAZDA-WXR341012W-5K-240V-WH-DA-A250 X B59 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
11	MAZDA-WXR341012W-5K-240V-WH-PH-A250 X B59 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
12	MAZDA-WXR341012W-5K-240V-WH-10VDIM-A250 X B59 MM	12W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
13	MAZDA-WXR341012W-6K-240V-WH-ND-A250 X B59 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
14	MAZDA-WXR341012W-6K-240V-WH-DA-A250 X B59 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
15	MAZDA-WXR341012W-6K-240V-WH-PH-A250 X B59 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
16	MAZDA-WXR341012W-6K-240V-WH-10VDIM-A250 X B59 MM	12W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
17	MAZDA-WXR341012W-2.7K-240V-WH-ND-A250 X B59 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
18	MAZDA-WXR341012W-2.7K-240V-WH-DA-A250 X B59 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
19	MAZDA-WXR341012W-2.7K-240V-WH-PH-A250 X B59 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
20	MAZDA-WXR341012W-2.7K-240V-WH-10VDIM-A250 X B59 MM	12W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
21	MAZDA-WXR341012W-6.5K-240V-WH-ND-A250 X B59 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
22	MAZDA-WXR341012W-6.5K-240V-WH-DA-A250 X B59 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
23	MAZDA-WXR341012W-6.5K-240V-WH-PH-A250 X B59 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
24	MAZDA-WXR341012W-6.5K-240V-WH-10VDIM-A250 X B59 MM	12W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
25	MAZDA-WXR341020W-3K-240V-WH-ND-A250 X B59 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
26	MAZDA-WXR341020W-3K-240V-WH-DA-A250 X B59 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
27	MAZDA-WXR341020W-3K-240V-WH-PH-A250 X B59 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
28	MAZDA-WXR341020W-3K-240V-WH-10VDIM-A250 X B59 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
29	MAZDA-WXR341020W-4K-240V-WH-ND-A250 X B59 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
30	MAZDA-WXR341020W-4K-240V-WH-DA-A250 X B59 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
31	MAZDA-WXR341020W-4K-240V-WH-PH-A250 X B59 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
32	MAZDA-WXR341020W-4K-240V-WH-10VDIM-A250 X B59 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
33	MAZDA-WXR341020W-5K-240V-WH-ND-A250 X B59 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
34	MAZDA-WXR341020W-5K-240V-WH-DA-A250 X B59 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
35	MAZDA-WXR341020W-5K-240V-WH-PH-A250 X B59 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
36	MAZDA-WXR341020W-5K-240V-WH-10VDIM-A250 X B59 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
37	MAZDA-WXR341020W-6K-240V-WH-ND-A250 X B59 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
38	MAZDA-WXR341020W-6K-240V-WH-DA-A250 X B59 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
39	MAZDA-WXR341020W-6K-240V-WH-PH-A250 X B59 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
40	MAZDA-WXR341020W-6K-240V-WH-10VDIM-A250 X B59 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
41	MAZDA-WXR341020W-2.7K-240V-WH-ND-A250 X B59 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
42	MAZDA-WXR341020W-2.7K-240V-WH-DA-A250 X B59 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
43	MAZDA-WXR341020W-2.7K-240V-WH-PH-A250 X B59 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
44	MAZDA-WXR341020W-2.7K-240V-WH-10VDIM-A250 X B59 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	



DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-WXR341020W-6.5K-240V-WH-ND-A250 X B59 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
46	MAZDA-WXR341020W-6.5K-240V-WH-DA-A250 X B59 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
47	MAZDA-WXR341020W-6.5K-240V-WH-PH-A250 X B59 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
48	MAZDA-WXR341020W-6.5K-240V-WH-10VDIM-A250 X B59 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
49	MAZDA-WXR341024W-3K-240V-WH-ND-A250 X B59 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
50	MAZDA-WXR341024W-3K-240V-WH-DA-A250 X B59 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
51	MAZDA-WXR341024W-3K-240V-WH-PH-A250 X B59 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
52	MAZDA-WXR341024W-3K-240V-WH-10VDIM-A250 X B59 MM	24W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
53	MAZDA-WXR341024W-4K-240V-WH-ND-A250 X B59 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
54	MAZDA-WXR341024W-4K-240V-WH-DA-A250 X B59 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
55	MAZDA-WXR341024W-4K-240V-WH-PH-A250 X B59 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
56	MAZDA-WXR341024W-4K-240V-WH-10VDIM-A250 X B59 MM	24W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
57	MAZDA-WXR341024W-5K-240V-WH-ND-A250 X B59 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
58	MAZDA-WXR341024W-5K-240V-WH-DA-A250 X B59 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
59	MAZDA-WXR341024W-5K-240V-WH-PH-A250 X B59 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
60	MAZDA-WXR341024W-5K-240V-WH-10VDIM-A250 X B59 MM	24W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
61	MAZDA-WXR341024W-6K-240V-WH-ND-A250 X B59 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
62	MAZDA-WXR341024W-6K-240V-WH-DA-A250 X B59 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
63	MAZDA-WXR341024W-6K-240V-WH-PH-A250 X B59 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
64	MAZDA-WXR341024W-6K-240V-WH-10VDIM-A250 X B59 MM	24W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
65	MAZDA-WXR341024W-2.7K-240V-WH-ND-A250 X B59 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
66	MAZDA-WXR341024W-2.7K-240V-WH-DA-A250 X B59 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
67	MAZDA-WXR341024W-2.7K-240V-WH-PH-A250 X B59 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
68	MAZDA-WXR341024W-2.7K-240V-WH-10VDIM-A250 X B59 MM	24W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
69	MAZDA-WXR341024W-6.5K-240V-WH-ND-A250 X B59 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
70	MAZDA-WXR341024W-6.5K-240V-WH-DA-A250 X B59 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
71	MAZDA-WXR341024W-6.5K-240V-WH-PH-A250 X B59 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	
72	MAZDA-WXR341024W-6.5K-240V-WH-10VDIM-A250 X B59 MM	24W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A250 X B59 MM	DIE CAST ALUMINUM	IP65	A250 X B59 MM	