



## TWIST

**MAZDA Model: WXR3420 External Wall Light**

Slim integrated led ceiling light, IP65 waterproof added function, it's sensible choice for any commercial and residential areas. economical led integrated ceiling lights with high luminous flux, that's best way to save money and more energy.

### ALL AVAILABLE VARIANTS

| #  | Code                                               | WATT | CCT  | Voltage | Body Color               | Emergency Backup | Control                  | Beam Angel | Dimension       | Material  | IP   | Dimensions      | Price |
|----|----------------------------------------------------|------|------|---------|--------------------------|------------------|--------------------------|------------|-----------------|-----------|------|-----------------|-------|
| 1  | MAZDA-WXR342012W-3K-240V-WH-ND-A300 X B66.5 MM     | 12W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 2  | MAZDA-WXR342012W-3K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 3  | MAZDA-WXR342012W-3K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 4  | MAZDA-WXR342012W-3K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 5  | MAZDA-WXR342012W-4K-240V-WH-ND-A300 X B66.5 MM     | 12W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 6  | MAZDA-WXR342012W-4K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 7  | MAZDA-WXR342012W-4K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 8  | MAZDA-WXR342012W-4K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 9  | MAZDA-WXR342012W-5K-240V-WH-ND-A300 X B66.5 MM     | 12W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 10 | MAZDA-WXR342012W-5K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 11 | MAZDA-WXR342012W-5K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 12 | MAZDA-WXR342012W-5K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 13 | MAZDA-WXR342012W-6K-240V-WH-ND-A300 X B66.5 MM     | 12W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 14 | MAZDA-WXR342012W-6K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 15 | MAZDA-WXR342012W-6K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 16 | MAZDA-WXR342012W-6K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 17 | MAZDA-WXR342012W-2.7K-240V-WH-ND-A300 X B66.5 MM   | 12W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |



# DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                 | WATT | CCT  | Voltage | Body Color               | Emergency Backup | Control                  | Beam Angel | Dimension       | Material  | IP   | Dimensions      | Price |
|----|------------------------------------------------------|------|------|---------|--------------------------|------------------|--------------------------|------------|-----------------|-----------|------|-----------------|-------|
| 18 | MAZDA-WXR342012W-2.7K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 19 | MAZDA-WXR342012W-2.7K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 20 | MAZDA-WXR342012W-2.7K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 21 | MAZDA-WXR342012W-6.5K-240V-WH-ND-A300 X B66.5 MM     | 12W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 22 | MAZDA-WXR342012W-6.5K-240V-WH-DA-A300 X B66.5 MM     | 12W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 23 | MAZDA-WXR342012W-6.5K-240V-WH-PH-A300 X B66.5 MM     | 12W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 24 | MAZDA-WXR342012W-6.5K-240V-WH-10VDIM-A300 X B66.5 MM | 12W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 25 | MAZDA-WXR342018W-3K-240V-WH-ND-A300 X B66.5 MM       | 18W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 26 | MAZDA-WXR342018W-3K-240V-WH-DA-A300 X B66.5 MM       | 18W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 27 | MAZDA-WXR342018W-3K-240V-WH-PH-A300 X B66.5 MM       | 18W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 28 | MAZDA-WXR342018W-3K-240V-WH-10VDIM-A300 X B66.5 MM   | 18W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 29 | MAZDA-WXR342018W-4K-240V-WH-ND-A300 X B66.5 MM       | 18W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 30 | MAZDA-WXR342018W-4K-240V-WH-DA-A300 X B66.5 MM       | 18W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 31 | MAZDA-WXR342018W-4K-240V-WH-PH-A300 X B66.5 MM       | 18W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 32 | MAZDA-WXR342018W-4K-240V-WH-10VDIM-A300 X B66.5 MM   | 18W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 33 | MAZDA-WXR342018W-5K-240V-WH-ND-A300 X B66.5 MM       | 18W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 34 | MAZDA-WXR342018W-5K-240V-WH-DA-A300 X B66.5 MM       | 18W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 35 | MAZDA-WXR342018W-5K-240V-WH-PH-A300 X B66.5 MM       | 18W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 36 | MAZDA-WXR342018W-5K-240V-WH-10VDIM-A300 X B66.5 MM   | 18W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 37 | MAZDA-WXR342018W-6K-240V-WH-ND-A300 X B66.5 MM       | 18W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 38 | MAZDA-WXR342018W-6K-240V-WH-DA-A300 X B66.5 MM       | 18W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 39 | MAZDA-WXR342018W-6K-240V-WH-PH-A300 X B66.5 MM       | 18W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 40 | MAZDA-WXR342018W-6K-240V-WH-10VDIM-A300 X B66.5 MM   | 18W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 41 | MAZDA-WXR342018W-2.7K-240V-WH-ND-A300 X B66.5 MM     | 18W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 42 | MAZDA-WXR342018W-2.7K-240V-WH-DA-A300 X B66.5 MM     | 18W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 43 | MAZDA-WXR342018W-2.7K-240V-WH-PH-A300 X B66.5 MM     | 18W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 44 | MAZDA-WXR342018W-2.7K-240V-WH-10VDIM-A300 X B66.5 MM | 18W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |



# DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                 | WATT | CCT  | Voltage | Body Color               | Emergency Backup | Control                  | Beam Angel | Dimension       | Material  | IP   | Dimensions      | Price |
|----|------------------------------------------------------|------|------|---------|--------------------------|------------------|--------------------------|------------|-----------------|-----------|------|-----------------|-------|
| 45 | MAZDA-WXR342018W-6.5K-240V-WH-ND-A300 X B66.5 MM     | 18W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 46 | MAZDA-WXR342018W-6.5K-240V-WH-DA-A300 X B66.5 MM     | 18W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 47 | MAZDA-WXR342018W-6.5K-240V-WH-PH-A300 X B66.5 MM     | 18W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 48 | MAZDA-WXR342018W-6.5K-240V-WH-10VDIM-A300 X B66.5 MM | 18W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 49 | MAZDA-WXR342020W-3K-240V-WH-ND-A300 X B66.5 MM       | 20W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 50 | MAZDA-WXR342020W-3K-240V-WH-DA-A300 X B66.5 MM       | 20W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 51 | MAZDA-WXR342020W-3K-240V-WH-PH-A300 X B66.5 MM       | 20W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 52 | MAZDA-WXR342020W-3K-240V-WH-10VDIM-A300 X B66.5 MM   | 20W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 53 | MAZDA-WXR342020W-4K-240V-WH-ND-A300 X B66.5 MM       | 20W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 54 | MAZDA-WXR342020W-4K-240V-WH-DA-A300 X B66.5 MM       | 20W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 55 | MAZDA-WXR342020W-4K-240V-WH-PH-A300 X B66.5 MM       | 20W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 56 | MAZDA-WXR342020W-4K-240V-WH-10VDIM-A300 X B66.5 MM   | 20W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 57 | MAZDA-WXR342020W-5K-240V-WH-ND-A300 X B66.5 MM       | 20W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 58 | MAZDA-WXR342020W-5K-240V-WH-DA-A300 X B66.5 MM       | 20W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 59 | MAZDA-WXR342020W-5K-240V-WH-PH-A300 X B66.5 MM       | 20W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 60 | MAZDA-WXR342020W-5K-240V-WH-10VDIM-A300 X B66.5 MM   | 20W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 61 | MAZDA-WXR342020W-6K-240V-WH-ND-A300 X B66.5 MM       | 20W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 62 | MAZDA-WXR342020W-6K-240V-WH-DA-A300 X B66.5 MM       | 20W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 63 | MAZDA-WXR342020W-6K-240V-WH-PH-A300 X B66.5 MM       | 20W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 64 | MAZDA-WXR342020W-6K-240V-WH-10VDIM-A300 X B66.5 MM   | 20W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 65 | MAZDA-WXR342020W-2.7K-240V-WH-ND-A300 X B66.5 MM     | 20W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 66 | MAZDA-WXR342020W-2.7K-240V-WH-DA-A300 X B66.5 MM     | 20W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 67 | MAZDA-WXR342020W-2.7K-240V-WH-PH-A300 X B66.5 MM     | 20W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 68 | MAZDA-WXR342020W-2.7K-240V-WH-10VDIM-A300 X B66.5 MM | 20W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 69 | MAZDA-WXR342020W-6.5K-240V-WH-ND-A300 X B66.5 MM     | 20W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 70 | MAZDA-WXR342020W-6.5K-240V-WH-DA-A300 X B66.5 MM     | 20W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 71 | MAZDA-WXR342020W-6.5K-240V-WH-PH-A300 X B66.5 MM     | 20W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |



# DATASHEET

GENERATED ON: 02 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                 | WATT | CCT  | Voltage | Body Color               | Emergency Backup | Control                  | Beam Angel | Dimension       | Material  | IP   | Dimensions      | Price |
|----|------------------------------------------------------|------|------|---------|--------------------------|------------------|--------------------------|------------|-----------------|-----------|------|-----------------|-------|
| 72 | MAZDA-WXR342020W-6.5K-240V-WH-10VDIM-A300 X B66.5 MM | 20W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 73 | MAZDA-WXR342025W-3K-240V-WH-ND-A300 X B66.5 MM       | 25W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 74 | MAZDA-WXR342025W-3K-240V-WH-DA-A300 X B66.5 MM       | 25W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 75 | MAZDA-WXR342025W-3K-240V-WH-PH-A300 X B66.5 MM       | 25W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 76 | MAZDA-WXR342025W-3K-240V-WH-10VDIM-A300 X B66.5 MM   | 25W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 77 | MAZDA-WXR342025W-4K-240V-WH-ND-A300 X B66.5 MM       | 25W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 78 | MAZDA-WXR342025W-4K-240V-WH-DA-A300 X B66.5 MM       | 25W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 79 | MAZDA-WXR342025W-4K-240V-WH-PH-A300 X B66.5 MM       | 25W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 80 | MAZDA-WXR342025W-4K-240V-WH-10VDIM-A300 X B66.5 MM   | 25W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 81 | MAZDA-WXR342025W-5K-240V-WH-ND-A300 X B66.5 MM       | 25W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 82 | MAZDA-WXR342025W-5K-240V-WH-DA-A300 X B66.5 MM       | 25W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 83 | MAZDA-WXR342025W-5K-240V-WH-PH-A300 X B66.5 MM       | 25W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 84 | MAZDA-WXR342025W-5K-240V-WH-10VDIM-A300 X B66.5 MM   | 25W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 85 | MAZDA-WXR342025W-6K-240V-WH-ND-A300 X B66.5 MM       | 25W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 86 | MAZDA-WXR342025W-6K-240V-WH-DA-A300 X B66.5 MM       | 25W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 87 | MAZDA-WXR342025W-6K-240V-WH-PH-A300 X B66.5 MM       | 25W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 88 | MAZDA-WXR342025W-6K-240V-WH-10VDIM-A300 X B66.5 MM   | 25W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 89 | MAZDA-WXR342025W-2.7K-240V-WH-ND-A300 X B66.5 MM     | 25W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 90 | MAZDA-WXR342025W-2.7K-240V-WH-DA-A300 X B66.5 MM     | 25W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 91 | MAZDA-WXR342025W-2.7K-240V-WH-PH-A300 X B66.5 MM     | 25W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 92 | MAZDA-WXR342025W-2.7K-240V-WH-10VDIM-A300 X B66.5 MM | 25W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 93 | MAZDA-WXR342025W-6.5K-240V-WH-ND-A300 X B66.5 MM     | 25W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 94 | MAZDA-WXR342025W-6.5K-240V-WH-DA-A300 X B66.5 MM     | 25W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 95 | MAZDA-WXR342025W-6.5K-240V-WH-PH-A300 X B66.5 MM     | 25W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 96 | MAZDA-WXR342025W-6.5K-240V-WH-10VDIM-A300 X B66.5 MM | 25W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A300 X B66.5 MM | ALUMINIUM | IK10 | A300 X B66.5 MM |       |
| 97 | MAZDA-WXR342030W-3K-240V-WH-ND-A400 X B66.5 MM       | 30W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 98 | MAZDA-WXR342030W-3K-240V-WH-DA-A400 X B66.5 MM       | 30W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |

| #   | Code                                                 | WATT | CCT  | Voltage | Body Color               | Emergency Backup | Control                  | Beam Angel | Dimension       | Material  | IP   | Dimensions      | Price |
|-----|------------------------------------------------------|------|------|---------|--------------------------|------------------|--------------------------|------------|-----------------|-----------|------|-----------------|-------|
| 99  | MAZDA-WXR342030W-3K-240V-WH-PH-A400 X B66.5 MM       | 30W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 100 | MAZDA-WXR342030W-3K-240V-WH-10VDIM-A400 X B66.5 MM   | 30W  | 3000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 101 | MAZDA-WXR342030W-4K-240V-WH-ND-A400 X B66.5 MM       | 30W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 102 | MAZDA-WXR342030W-4K-240V-WH-DA-A400 X B66.5 MM       | 30W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 103 | MAZDA-WXR342030W-4K-240V-WH-PH-A400 X B66.5 MM       | 30W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 104 | MAZDA-WXR342030W-4K-240V-WH-10VDIM-A400 X B66.5 MM   | 30W  | 4000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 105 | MAZDA-WXR342030W-5K-240V-WH-ND-A400 X B66.5 MM       | 30W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 106 | MAZDA-WXR342030W-5K-240V-WH-DA-A400 X B66.5 MM       | 30W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 107 | MAZDA-WXR342030W-5K-240V-WH-PH-A400 X B66.5 MM       | 30W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 108 | MAZDA-WXR342030W-5K-240V-WH-10VDIM-A400 X B66.5 MM   | 30W  | 5000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 109 | MAZDA-WXR342030W-6K-240V-WH-ND-A400 X B66.5 MM       | 30W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 110 | MAZDA-WXR342030W-6K-240V-WH-DA-A400 X B66.5 MM       | 30W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 111 | MAZDA-WXR342030W-6K-240V-WH-PH-A400 X B66.5 MM       | 30W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 112 | MAZDA-WXR342030W-6K-240V-WH-10VDIM-A400 X B66.5 MM   | 30W  | 6000 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 113 | MAZDA-WXR342030W-2.7K-240V-WH-ND-A400 X B66.5 MM     | 30W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 114 | MAZDA-WXR342030W-2.7K-240V-WH-DA-A400 X B66.5 MM     | 30W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 115 | MAZDA-WXR342030W-2.7K-240V-WH-PH-A400 X B66.5 MM     | 30W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 116 | MAZDA-WXR342030W-2.7K-240V-WH-10VDIM-A400 X B66.5 MM | 30W  | 2700 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 117 | MAZDA-WXR342030W-6.5K-240V-WH-ND-A400 X B66.5 MM     | 30W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | ON - OFF                 | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 118 | MAZDA-WXR342030W-6.5K-240V-WH-DA-A400 X B66.5 MM     | 30W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 119 | MAZDA-WXR342030W-6.5K-240V-WH-PH-A400 X B66.5 MM     | 30W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | PHASE CUT DIMMABLE       | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |
| 120 | MAZDA-WXR342030W-6.5K-240V-WH-10VDIM-A400 X B66.5 MM | 30W  | 6500 | 240V    | WHITE, BLACK & DARK-GREY | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 90         | A400 X B66.5 MM | ALUMINIUM | IK10 | A400 X B66.5 MM |       |