
DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



SONIC

MAZDA Model: FNXRTV Strip Light

Sonic is IP68 flexible neon dot free linear. It’s UV resistance, chemical stability against urban gases, marine enviroment and protection against abrasion. Avilable in vertical and horizontal bending, excellent solution for indoor/outdoor organic facade accent lighting or decorative applications requiring IP68 ingress

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
1	**MAZDA-FNXRTV4.8 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
2	**MAZDA-FNXRTV4.8 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
3	**MAZDA-FNXRTV4.8 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
4	**MAZDA-FNXRTV4.8 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
5	**MAZDA-FNXRTV4.8 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
6	**MAZDA-FNXRTV4.8 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
7	**MAZDA-FNXRTV4.8 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
8	**MAZDA-FNXRTV4.8 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
9	**MAZDA-FNXRTV4.8 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
10	**MAZDA-FNXRTV4.8 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
11	**MAZDA-FNXRTV4.8 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
12	**MAZDA-FNXRTV4.8 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
13	**MAZDA-FNXRTV4.8 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
14	**MAZDA-FNXRTV4.8 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
15	**MAZDA-FNXRTV4.8 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
16	**MAZDA-FNXRTV4.8 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	4.8 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
17	**MAZDA-FNXRTV4.8 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	4.8 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
18	**MAZDA-FNXRTV4.8 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	4.8 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
19	**MAZDA-FNXRTV10 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
20	**MAZDA-FNXRTV10 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
21	**MAZDA-FNXRTV10 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
22	**MAZDA-FNXRTV10 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
23	**MAZDA-FNXRTV10 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
24	**MAZDA-FNXRTV10 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
25	**MAZDA-FNXRTV10 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
26	**MAZDA-FNXRTV10 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
27	**MAZDA-FNXRTV10 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
28	**MAZDA-FNXRTV10 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
29	**MAZDA-FNXRTV10 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
30	**MAZDA-FNXRTV10 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
31	**MAZDA-FNXRTV10 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
32	**MAZDA-FNXRTV10 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
33	**MAZDA-FNXRTV10 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
34	**MAZDA-FNXRTV10 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	10 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
35	**MAZDA-FNXRTV10 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	10 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
36	**MAZDA-FNXRTV10 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	10 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
37	**MAZDA-FNXRTV12 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
38	**MAZDA-FNXRTV12 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
39	**MAZDA-FNXRTV12 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
40	**MAZDA-FNXRTV12 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
41	**MAZDA-FNXRTV12 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
42	**MAZDA-FNXRTV12 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
43	**MAZDA-FNXRTV12 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
44	**MAZDA-FNXRTV12 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
45	**MAZDA-FNXRTV12 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
46	**MAZDA-FNXRTV12 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
47	**MAZDA-FNXRTV12 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
48	**MAZDA-FNXRTV12 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
49	**MAZDA-FNXRTV12 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
50	**MAZDA-FNXRTV12 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
51	**MAZDA-FNXRTV12 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
52	**MAZDA-FNXRTV12 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	12 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
53	**MAZDA-FNXRTV12 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	12 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
54	**MAZDA-FNXRTV12 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	12 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
55	**MAZDA-FNXRTV14 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
56	**MAZDA-FNXRTV14 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
57	**MAZDA-FNXRTV14 W/M-3K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	3000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
58	**MAZDA-FNXRTV14 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
59	**MAZDA-FNXRTV14 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
60	**MAZDA-FNXRTV14 W/M-4K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	4000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
61	**MAZDA-FNXRTV14 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
62	**MAZDA-FNXRTV14 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
63	**MAZDA-FNXRTV14 W/M-5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	5000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
64	**MAZDA-FNXRTV14 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
65	**MAZDA-FNXRTV14 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
66	**MAZDA-FNXRTV14 W/M-6K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	6000	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
67	**MAZDA-FNXRTV14 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
68	**MAZDA-FNXRTV14 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
69	**MAZDA-FNXRTV14 W/M-2.7K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	2700	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	
70	**MAZDA-FNXRTV14 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-fc**	14 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	FRONT CABLE ENTRY	15 X 16 MM	
71	**MAZDA-FNXRTV14 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-sc**	14 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	SIDE CABLE ENTRY	15 X 16 MM	
72	**MAZDA-FNXRTV14 W/M-6.5K-24DC (23.5VMIN,24.5VMAX)-MI-15 X 16 MM-bc**	14 W/M	6500	24DC (23.5VMIN,24.5VMAX)	MILKY	NON EMERGENCY	160	15 X 16 MM	ANTI-YELLOWING & HEAT RESISTING SILICONE GLUE EXTRUSION CHEMICAL RESISTANCE ACID	IK08	BOTTOM CABLE ENTRY	15 X 16 MM	