DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



TONE

MAZDA Model: CVXR351020 Strip Light

Tone an LED strip light is a flexible circuit board that is populated with LEDs that you can stick almost anywhere you want
to add powerful lighting in a variety of colors and brightness. LED strip lights are flexible and can be bent vertically up to
90 degrees

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
1	**MAZDA-CVXR3510204.8W-3K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
2	**MAZDA-CVXR3510204.8W-3K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
3	**MAZDA-CVXR3510204.8W-3K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
4	**MAZDA-CVXR3510204.8W-4K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
5	**MAZDA-CVXR3510204.8W-4K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
6	**MAZDA-CVXR3510204.8W-4K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
7	**MAZDA-CVXR3510204.8W-5K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
8	**MAZDA-CVXR3510204.8W-5K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
9	**MAZDA-CVXR3510204.8W-5K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
10	**MAZDA-CVXR3510204.8W-6K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
11	**MAZDA-CVXR3510204.8W-6K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
12	**MAZDA-CVXR3510204.8W-6K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
13	**MAZDA-CVXR3510204.8W-2.7K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
14	**MAZDA-CVXR3510204.8W-2.7K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
15	**MAZDA-CVXR3510204.8W-2.7K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
16	**MAZDA-CVXR3510204.8W-6.5K-24V DC-CL-5000 X 8 X 3 MM-fc**	4.8W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
17	**MAZDA-CVXR3510204.8W-6.5K-24V DC-CL-5000 X 8 X 3 MM-sc**	4.8W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
18	**MAZDA-CVXR3510204.8W-6.5K-24V DC-CL-5000 X 8 X 3 MM-bc**	4.8W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
19	**MAZDA-CVXR3510209.6W-3K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
20	**MAZDA-CVXR3510209.6W-3K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
21	**MAZDA-CVXR3510209.6W-3K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
22	**MAZDA-CVXR3510209.6W-4K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
23	**MAZDA-CVXR3510209.6W-4K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
24	**MAZDA-CVXR3510209.6W-4K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
25	**MAZDA-CVXR3510209.6W-5K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
26	**MAZDA-CVXR3510209.6W-5K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
27	**MAZDA-CVXR3510209.6W-5K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
28	**MAZDA-CVXR3510209.6W-6K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
29	**MAZDA-CVXR3510209.6W-6K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
30	**MAZDA-CVXR3510209.6W-6K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
31	**MAZDA-CVXR3510209.6W-2.7K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
32	**MAZDA-CVXR3510209.6W-2.7K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
33	**MAZDA-CVXR3510209.6W-2.7K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
34	**MAZDA-CVXR3510209.6W-6.5K-24V DC-CL-5000 X 8 X 3 MM-fc**	9.6W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
35	**MAZDA-CVXR3510209.6W-6.5K-24V DC-CL-5000 X 8 X 3 MM-sc**	9.6W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
36	**MAZDA-CVXR3510209.6W-6.5K-24V DC-CL-5000 X 8 X 3 MM-bc**	9.6W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
37	**MAZDA-CVXR35102014.4W-3K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
38	**MAZDA-CVXR35102014.4W-3K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
39	**MAZDA-CVXR35102014.4W-3K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	3000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
40	**MAZDA-CVXR35102014.4W-4K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
41	**MAZDA-CVXR35102014.4W-4K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
42	**MAZDA-CVXR35102014.4W-4K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	4000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Beam Angel	Dimension	Material	IP	cable entry	Dimensions	Price
43	**MAZDA-CVXR35102014.4W-5K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
44	**MAZDA-CVXR35102014.4W-5K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
45	**MAZDA-CVXR35102014.4W-5K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	5000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
46	**MAZDA-CVXR35102014.4W-6K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
47	**MAZDA-CVXR35102014.4W-6K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
48	**MAZDA-CVXR35102014.4W-6K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	6000	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
49	**MAZDA-CVXR35102014.4W-2.7K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
50	**MAZDA-CVXR35102014.4W-2.7K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
51	**MAZDA-CVXR35102014.4W-2.7K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	2700	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	
52	**MAZDA-CVXR35102014.4W-6.5K-24V DC-CL-5000 X 8 X 3 MM-fc**	14.4W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	FRONT CABLE ENTRY	5000 X 8 X 3 MM	
53	**MAZDA-CVXR35102014.4W-6.5K-24V DC-CL-5000 X 8 X 3 MM-sc**	14.4W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	SIDE CABLE ENTRY	5000 X 8 X 3 MM	
54	**MAZDA-CVXR35102014.4W-6.5K-24V DC-CL-5000 X 8 X 3 MM-bc**	14.4W	6500	24V DC	CLEAR	NON EMERGENCY	120	5000 X 8 X 3 MM	COATED SILICON	IK08	BOTTOM CABLE ENTRY	5000 X 8 X 3 MM	