



ICE

MAZDA Model: IDXR2955 INDUSTRIAL & TRIPROOF LIGHT

Ice LED Tri-Proof lighting fitting made of high quality polycarbonate. The product range of Ice waterproof LED lights, made entirely in polycarbonate. Suitable for industrial environments between 2 and 9 meters in height. The several fixing ways and the strength of materials make Ice a durable and reliable solution for application in industrial and commercial areas. Ice is made of technopolymeric polycarbonate, with metal body

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR295520W-3K-240V-WH-ND-A1200 XB180 X C85MM	20W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
2	MAZDA-IDXR295520W-3K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
3	MAZDA-IDXR295520W-3K-240V-WH-DA-A1200 XB180 X C85MM	20W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
4	MAZDA-IDXR295520W-3K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
5	MAZDA-IDXR295520W-3K-240V-WH-PH-A1200 XB180 X C85MM	20W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
6	MAZDA-IDXR295520W-3K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
7	MAZDA-IDXR295520W-3K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
8	MAZDA-IDXR295520W-3K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
9	MAZDA-IDXR295520W-4K-240V-WH-ND-A1200 XB180 X C85MM	20W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
10	MAZDA-IDXR295520W-4K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
11	MAZDA-IDXR295520W-4K-240V-WH-DA-A1200 XB180 X C85MM	20W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
12	MAZDA-IDXR295520W-4K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
13	MAZDA-IDXR295520W-4K-240V-WH-PH-A1200 XB180 X C85MM	20W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
14	MAZDA-IDXR295520W-4K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
15	MAZDA-IDXR295520W-4K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
16	MAZDA-IDXR295520W-4K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
17	MAZDA-IDXR295520W-5K-240V-WH-ND-A1200 XB180 X C85MM	20W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
18	MAZDA-IDXR295520W-5K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
19	MAZDA-IDXR295520W-5K-240V-WH-DA-A1200 XB180 X C85MM	20W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
20	MAZDA-IDXR295520W-5K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
21	MAZDA-IDXR295520W-5K-240V-WH-PH-A1200 XB180 X C85MM	20W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
22	MAZDA-IDXR295520W-5K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
23	MAZDA-IDXR295520W-5K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
24	MAZDA-IDXR295520W-5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
25	MAZDA-IDXR295520W-6K-240V-WH-ND-A1200 XB180 X C85MM	20W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
26	MAZDA-IDXR295520W-6K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
27	MAZDA-IDXR295520W-6K-240V-WH-DA-A1200 XB180 X C85MM	20W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
28	MAZDA-IDXR295520W-6K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
29	MAZDA-IDXR295520W-6K-240V-WH-PH-A1200 XB180 X C85MM	20W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
30	MAZDA-IDXR295520W-6K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
31	MAZDA-IDXR295520W-6K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
32	MAZDA-IDXR295520W-6K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
33	MAZDA-IDXR295520W-2.7K-240V-WH-ND-A1200 XB180 X C85MM	20W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
34	MAZDA-IDXR295520W-2.7K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
35	MAZDA-IDXR295520W-2.7K-240V-WH-DA-A1200 XB180 X C85MM	20W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
36	MAZDA-IDXR295520W-2.7K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
37	MAZDA-IDXR295520W-2.7K-240V-WH-PH-A1200 XB180 X C85MM	20W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
38	MAZDA-IDXR295520W-2.7K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
39	MAZDA-IDXR295520W-2.7K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
40	MAZDA-IDXR295520W-2.7K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
41	MAZDA-IDXR295520W-6.5K-240V-WH-ND-A1200 XB180 X C85MM	20W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
42	MAZDA-IDXR295520W-6.5K-240V-WH-ND-EM-A1200 XB180 X C85MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
43	MAZDA-IDXR295520W-6.5K-240V-WH-DA-A1200 XB180 X C85MM	20W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
44	MAZDA-IDXR295520W-6.5K-240V-WH-DA-EM-A1200 XB180 X C85MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
45	MAZDA-IDXR295520W-6.5K-240V-WH-PH-A1200 XB180 X C85MM	20W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
46	MAZDA-IDXR295520W-6.5K-240V-WH-PH-EM-A1200 XB180 X C85MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
47	MAZDA-IDXR295520W-6.5K-240V-WH-10VDIM-A1200 XB180 X C85MM	20W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
48	MAZDA-IDXR295520W-6.5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
49	MAZDA-IDXR295530W-3K-240V-WH-ND-A1200 XB180 X C85MM	30W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
50	MAZDA-IDXR295530W-3K-240V-WH-ND-EM-A1200 XB180 X C85MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
51	MAZDA-IDXR295530W-3K-240V-WH-DA-A1200 XB180 X C85MM	30W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
52	MAZDA-IDXR295530W-3K-240V-WH-DA-EM-A1200 XB180 X C85MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
53	MAZDA-IDXR295530W-3K-240V-WH-PH-A1200 XB180 X C85MM	30W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
54	MAZDA-IDXR295530W-3K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
55	MAZDA-IDXR295530W-3K-240V-WH-10VDIM-A1200 XB180 X C85MM	30W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
56	MAZDA-IDXR295530W-3K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
57	MAZDA-IDXR295530W-4K-240V-WH-ND-A1200 XB180 X C85MM	30W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
58	MAZDA-IDXR295530W-4K-240V-WH-ND-EM-A1200 XB180 X C85MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
59	MAZDA-IDXR295530W-4K-240V-WH-DA-A1200 XB180 X C85MM	30W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
60	MAZDA-IDXR295530W-4K-240V-WH-DA-EM-A1200 XB180 X C85MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
61	MAZDA-IDXR295530W-4K-240V-WH-PH-A1200 XB180 X C85MM	30W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
62	MAZDA-IDXR295530W-4K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
63	MAZDA-IDXR295530W-4K-240V-WH-10VDIM-A1200 XB180 X C85MM	30W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
64	MAZDA-IDXR295530W-4K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
65	MAZDA-IDXR295530W-5K-240V-WH-ND-A1200 XB180 X C85MM	30W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
66	MAZDA-IDXR295530W-5K-240V-WH-ND-EM-A1200 XB180 X C85MM	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
67	MAZDA-IDXR295530W-5K-240V-WH-DA-A1200 XB180 X C85MM	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
68	MAZDA-IDXR295530W-5K-240V-WH-DA-EM-A1200 XB180 X C85MM	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
69	MAZDA-IDXR295530W-5K-240V-WH-PH-A1200 XB180 X C85MM	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
70	MAZDA-IDXR295530W-5K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
78	MAZDA-IDXR295530W-6K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
79	MAZDA-IDXR295530W-6K-240V-WH-10VDIM-A1200 XB180 X C85MM	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
80	MAZDA-IDXR295530W-6K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
81	MAZDA-IDXR295530W-2.7K-240V-WH-ND-A1200 XB180 X C85MM	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
82	MAZDA-IDXR295530W-2.7K-240V-WH-ND-EM-A1200 XB180 X C85MM	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
83	MAZDA-IDXR295530W-2.7K-240V-WH-DA-A1200 XB180 X C85MM	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
84	MAZDA-IDXR295530W-2.7K-240V-WH-DA-EM-A1200 XB180 X C85MM	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
85	MAZDA-IDXR295530W-2.7K-240V-WH-PH-A1200 XB180 X C85MM	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
86	MAZDA-IDXR295530W-2.7K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
87	MAZDA-IDXR295530W-2.7K-240V-WH-10VDIM-A1200 XB180 X C85MM	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
88	MAZDA-IDXR295530W-2.7K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
89	MAZDA-IDXR295530W-6.5K-240V-WH-ND-A1200 XB180 X C85MM	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
90	MAZDA-IDXR295530W-6.5K-240V-WH-ND-EM-A1200 XB180 X C85MM	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
91	MAZDA-IDXR295530W-6.5K-240V-WH-DA-A1200 XB180 X C85MM	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
92	MAZDA-IDXR295530W-6.5K-240V-WH-DA-EM-A1200 XB180 X C85MM	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
93	MAZDA-IDXR295530W-6.5K-240V-WH-PH-A1200 XB180 X C85MM	30W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
94	MAZDA-IDXR295530W-6.5K-240V-WH-PH-EM-A1200 XB180 X C85MM	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
95	MAZDA-IDXR295530W-6.5K-240V-WH-10VDIM-A1200 XB180 X C85MM	30W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
96	MAZDA-IDXR295530W-6.5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
97	MAZDA-IDXR295540W-3K-240V-WH-ND-A1200 XB180 X C85MM	40W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
98	MAZDA-IDXR295540W-3K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
99	MAZDA-IDXR295540W-3K-240V-WH-DA-A1200 XB180 X C85MM	40W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
100	MAZDA-IDXR295540W-3K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
101	MAZDA-IDXR295540W-3K-240V-WH-PH-A1200 XB180 X C85MM	40W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
102	MAZDA-IDXR295540W-3K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
103	MAZDA-IDXR295540W-3K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
104	MAZDA-IDXR295540W-3K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
105	MAZDA-IDXR295540W-4K-240V-WH-ND-A1200 XB180 X C85MM	40W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
106	MAZDA-IDXR295540W-4K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
107	MAZDA-IDXR295540W-4K-240V-WH-DA-A1200 XB180 X C85MM	40W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
108	MAZDA-IDXR295540W-4K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
109	MAZDA-IDXR295540W-4K-240V-WH-PH-A1200 XB180 X C85MM	40W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
110	MAZDA-IDXR295540W-4K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
111	MAZDA-IDXR295540W-4K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
112	MAZDA-IDXR295540W-4K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
113	MAZDA-IDXR295540W-5K-240V-WH-ND-A1200 XB180 X C85MM	40W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
114	MAZDA-IDXR295540W-5K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
115	MAZDA-IDXR295540W-5K-240V-WH-DA-A1200 XB180 X C85MM	40W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
116	MAZDA-IDXR295540W-5K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
117	MAZDA-IDXR295540W-5K-240V-WH-PH-A1200 XB180 X C85MM	40W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
118	MAZDA-IDXR295540W-5K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
119	MAZDA-IDXR295540W-5K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
120	MAZDA-IDXR295540W-5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
121	MAZDA-IDXR295540W-6K-240V-WH-ND-A1200 XB180 X C85MM	40W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
122	MAZDA-IDXR295540W-6K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
123	MAZDA-IDXR295540W-6K-240V-WH-DA-A1200 XB180 X C85MM	40W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
124	MAZDA-IDXR295540W-6K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
125	MAZDA-IDXR295540W-6K-240V-WH-PH-A1200 XB180 X C85MM	40W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
126	MAZDA-IDXR295540W-6K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
127	MAZDA-IDXR295540W-6K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
128	MAZDA-IDXR295540W-6K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
129	MAZDA-IDXR295540W-2.7K-240V-WH-ND-A1200 XB180 X C85MM	40W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
130	MAZDA-IDXR295540W-2.7K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
131	MAZDA-IDXR295540W-2.7K-240V-WH-DA-A1200 XB180 X C85MM	40W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
132	MAZDA-IDXR295540W-2.7K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
133	MAZDA-IDXR295540W-2.7K-240V-WH-PH-A1200 XB180 X C85MM	40W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
134	MAZDA-IDXR295540W-2.7K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
135	MAZDA-IDXR295540W-2.7K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
136	MAZDA-IDXR295540W-2.7K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
137	MAZDA-IDXR295540W-6.5K-240V-WH-ND-A1200 XB180 X C85MM	40W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
138	MAZDA-IDXR295540W-6.5K-240V-WH-ND-EM-A1200 XB180 X C85MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
139	MAZDA-IDXR295540W-6.5K-240V-WH-DA-A1200 XB180 X C85MM	40W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
140	MAZDA-IDXR295540W-6.5K-240V-WH-DA-EM-A1200 XB180 X C85MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
141	MAZDA-IDXR295540W-6.5K-240V-WH-PH-A1200 XB180 X C85MM	40W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
142	MAZDA-IDXR295540W-6.5K-240V-WH-PH-EM-A1200 XB180 X C85MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
143	MAZDA-IDXR295540W-6.5K-240V-WH-10VDIM-A1200 XB180 X C85MM	40W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
144	MAZDA-IDXR295540W-6.5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
145	MAZDA-IDXR295560W-3K-240V-WH-ND-A1200 XB180 X C85MM	60W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
146	MAZDA-IDXR295560W-3K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
147	MAZDA-IDXR295560W-3K-240V-WH-DA-A1200 XB180 X C85MM	60W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
148	MAZDA-IDXR295560W-3K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
149	MAZDA-IDXR295560W-3K-240V-WH-PH-A1200 XB180 X C85MM	60W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
150	MAZDA-IDXR295560W-3K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
151	MAZDA-IDXR295560W-3K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
152	MAZDA-IDXR295560W-3K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
153	MAZDA-IDXR295560W-4K-240V-WH-ND-A1200 XB180 X C85MM	60W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
154	MAZDA-IDXR295560W-4K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
155	MAZDA-IDXR295560W-4K-240V-WH-DA-A1200 XB180 X C85MM	60W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
156	MAZDA-IDXR295560W-4K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
157	MAZDA-IDXR295560W-4K-240V-WH-PH-A1200 XB180 X C85MM	60W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
158	MAZDA-IDXR295560W-4K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
159	MAZDA-IDXR295560W-4K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
160	MAZDA-IDXR295560W-4K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
161	MAZDA-IDXR295560W-5K-240V-WH-ND-A1200 XB180 X C85MM	60W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
162	MAZDA-IDXR295560W-5K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
163	MAZDA-IDXR295560W-5K-240V-WH-DA-A1200 XB180 X C85MM	60W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
164	MAZDA-IDXR295560W-5K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
165	MAZDA-IDXR295560W-5K-240V-WH-PH-A1200 XB180 X C85MM	60W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
166	MAZDA-IDXR295560W-5K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
167	MAZDA-IDXR295560W-5K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
168	MAZDA-IDXR295560W-5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
169	MAZDA-IDXR295560W-6K-240V-WH-ND-A1200 XB180 X C85MM	60W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
170	MAZDA-IDXR295560W-6K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
171	MAZDA-IDXR295560W-6K-240V-WH-DA-A1200 XB180 X C85MM	60W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
172	MAZDA-IDXR295560W-6K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
173	MAZDA-IDXR295560W-6K-240V-WH-PH-A1200 XB180 X C85MM	60W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
174	MAZDA-IDXR295560W-6K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
175	MAZDA-IDXR295560W-6K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
176	MAZDA-IDXR295560W-6K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
177	MAZDA-IDXR295560W-2.7K-240V-WH-ND-A1200 XB180 X C85MM	60W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
178	MAZDA-IDXR295560W-2.7K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
179	MAZDA-IDXR295560W-2.7K-240V-WH-DA-A1200 XB180 X C85MM	60W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
180	MAZDA-IDXR295560W-2.7K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
181	MAZDA-IDXR295560W-2.7K-240V-WH-PH-A1200 XB180 X C85MM	60W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
182	MAZDA-IDXR295560W-2.7K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
183	MAZDA-IDXR295560W-2.7K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
184	MAZDA-IDXR295560W-2.7K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
185	MAZDA-IDXR295560W-6.5K-240V-WH-ND-A1200 XB180 X C85MM	60W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
186	MAZDA-IDXR295560W-6.5K-240V-WH-ND-EM-A1200 XB180 X C85MM	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
187	MAZDA-IDXR295560W-6.5K-240V-WH-DA-A1200 XB180 X C85MM	60W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
188	MAZDA-IDXR295560W-6.5K-240V-WH-DA-EM-A1200 XB180 X C85MM	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
189	MAZDA-IDXR295560W-6.5K-240V-WH-PH-A1200 XB180 X C85MM	60W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
190	MAZDA-IDXR295560W-6.5K-240V-WH-PH-EM-A1200 XB180 X C85MM	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
191	MAZDA-IDXR295560W-6.5K-240V-WH-10VDIM-A1200 XB180 X C85MM	60W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	
192	MAZDA-IDXR295560W-6.5K-240V-WH-10VDIM-EM-A1200 XB180 X C85MM	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A1200 XB180 X C85MM	MADE OF POWDER-COATED SHEET STEEL	IP44	A1200 XB180 X C85MM	