



SAKA

MAZDA Model: IDXR29211 INDUSTRIAL & TRIPROOF LIGHT

This powerful lighting solution is designed to meet the demands of high-ceiling applications such as warehouses, factories, and other industrial settings. The beam angle is adjustable with options of 60°, and 90°, giving you the flexibility to adjust the lighting angle based on your specific needs. The color temperature can also be adjusted from 3000K to 6500K, allowing you to customize the lighting to suit your desired ambiance. The IP66 rating ensures that this LED high bay light is protected against dust and water, making it suitable for use in harsh environments.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR29211100W-3K-2770V-WH-ND-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
2	MAZDA-IDXR29211100W-3K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
3	MAZDA-IDXR29211100W-3K-2770V-WH-DA-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
4	MAZDA-IDXR29211100W-3K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
5	MAZDA-IDXR29211100W-3K-2770V-WH-PH-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
6	MAZDA-IDXR29211100W-3K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
7	MAZDA-IDXR29211100W-3K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
8	MAZDA-IDXR29211100W-3K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
9	MAZDA-IDXR29211100W-4K-2770V-WH-ND-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
10	MAZDA-IDXR29211100W-4K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
11	MAZDA-IDXR29211100W-4K-2770V-WH-DA-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
12	MAZDA-IDXR29211100W-4K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
13	MAZDA-IDXR29211100W-4K-2770V-WH-PH-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
14	MAZDA-IDXR29211100W-4K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
15	MAZDA-IDXR29211100W-4K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
16	MAZDA-IDXR29211100W-4K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
17	MAZDA-IDXR29211100W-5K-2770V-WH-ND-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
18	MAZDA-IDXR29211100W-5K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
19	MAZDA-IDXR29211100W-5K-2770V-WH-DA-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
20	MAZDA-IDXR29211100W-5K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
21	MAZDA-IDXR29211100W-5K-2770V-WH-PH-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
22	MAZDA-IDXR29211100W-5K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
23	MAZDA-IDXR29211100W-5K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
24	MAZDA-IDXR29211100W-5K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
25	MAZDA-IDXR29211100W-6K-2770V-WH-ND-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
26	MAZDA-IDXR29211100W-6K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
27	MAZDA-IDXR29211100W-6K-2770V-WH-DA-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
28	MAZDA-IDXR29211100W-6K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
29	MAZDA-IDXR29211100W-6K-2770V-WH-PH-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
30	MAZDA-IDXR29211100W-6K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
31	MAZDA-IDXR29211100W-6K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
32	MAZDA-IDXR29211100W-6K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
33	MAZDA-IDXR29211100W-2.7K-2770V-WH-ND-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
34	MAZDA-IDXR29211100W-2.7K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
35	MAZDA-IDXR29211100W-2.7K-2770V-WH-DA-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
36	MAZDA-IDXR29211100W-2.7K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
37	MAZDA-IDXR29211100W-2.7K-2770V-WH-PH-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
38	MAZDA-IDXR29211100W-2.7K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
39	MAZDA-IDXR29211100W-2.7K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
40	MAZDA-IDXR29211100W-2.7K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
41	MAZDA-IDXR29211100W-6.5K-2770V-WH-ND-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
42	MAZDA-IDXR29211100W-6.5K-2770V-WH-ND-EM-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
43	MAZDA-IDXR29211100W-6.5K-2770V-WH-DA-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
44	MAZDA-IDXR29211100W-6.5K-2770V-WH-DA-EM-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
45	MAZDA-IDXR29211100W-6.5K-2770V-WH-PH-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
46	MAZDA-IDXR29211100W-6.5K-2770V-WH-PH-EM-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
47	MAZDA-IDXR29211100W-6.5K-2770V-WH-10VDIM-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
48	MAZDA-IDXR29211100W-6.5K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	100W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
49	MAZDA-IDXR29211120W-3K-2770V-WH-ND-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
50	MAZDA-IDXR29211120W-3K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
51	MAZDA-IDXR29211120W-3K-2770V-WH-DA-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
52	MAZDA-IDXR29211120W-3K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
53	MAZDA-IDXR29211120W-3K-2770V-WH-PH-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
54	MAZDA-IDXR29211120W-3K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
55	MAZDA-IDXR29211120W-3K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
56	MAZDA-IDXR29211120W-3K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
57	MAZDA-IDXR29211120W-4K-2770V-WH-ND-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
58	MAZDA-IDXR29211120W-4K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
59	MAZDA-IDXR29211120W-4K-2770V-WH-DA-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
60	MAZDA-IDXR29211120W-4K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
61	MAZDA-IDXR29211120W-4K-2770V-WH-PH-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
62	MAZDA-IDXR29211120W-4K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
63	MAZDA-IDXR29211120W-4K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
64	MAZDA-IDXR29211120W-4K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
65	MAZDA-IDXR29211120W-5K-2770V-WH-ND-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
66	MAZDA-IDXR29211120W-5K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
67	MAZDA-IDXR29211120W-5K-2770V-WH-DA-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
68	MAZDA-IDXR29211120W-5K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
69	MAZDA-IDXR29211120W-5K-2770V-WH-PH-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
70	MAZDA-IDXR29211120W-5K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
71	MAZDA-IDXR29211120W-5K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
72	MAZDA-IDXR29211120W-5K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
73	MAZDA-IDXR29211120W-6K-2770V-WH-ND-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
74	MAZDA-IDXR29211120W-6K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
75	MAZDA-IDXR29211120W-6K-2770V-WH-DA-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
76	MAZDA-IDXR29211120W-6K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
77	MAZDA-IDXR29211120W-6K-2770V-WH-PH-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
78	MAZDA-IDXR29211120W-6K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
79	MAZDA-IDXR29211120W-6K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
80	MAZDA-IDXR29211120W-6K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
81	MAZDA-IDXR29211120W-2.7K-2770V-WH-ND-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
82	MAZDA-IDXR29211120W-2.7K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
83	MAZDA-IDXR29211120W-2.7K-2770V-WH-DA-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
84	MAZDA-IDXR29211120W-2.7K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
85	MAZDA-IDXR29211120W-2.7K-2770V-WH-PH-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
86	MAZDA-IDXR29211120W-2.7K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
87	MAZDA-IDXR29211120W-2.7K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
88	MAZDA-IDXR29211120W-2.7K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
89	MAZDA-IDXR29211120W-6.5K-2770V-WH-ND-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
90	MAZDA-IDXR29211120W-6.5K-2770V-WH-ND-EM-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
91	MAZDA-IDXR29211120W-6.5K-2770V-WH-DA-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
92	MAZDA-IDXR29211120W-6.5K-2770V-WH-DA-EM-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
93	MAZDA-IDXR29211120W-6.5K-2770V-WH-PH-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
94	MAZDA-IDXR29211120W-6.5K-2770V-WH-PH-EM-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
95	MAZDA-IDXR29211120W-6.5K-2770V-WH-10VDIM-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
96	MAZDA-IDXR29211120W-6.5K-2770V-WH-10VDIM-EM-A605 X B133 X C83MM	120W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A605 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A605 X B133 X C83MM	
97	MAZDA-IDXR29211150W-3K-2770V-WH-ND-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
98	MAZDA-IDXR29211150W-3K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
99	MAZDA-IDXR29211150W-3K-2770V-WH-DA-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
100	MAZDA-IDXR29211150W-3K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
101	MAZDA-IDXR29211150W-3K-2770V-WH-PH-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
102	MAZDA-IDXR29211150W-3K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
103	MAZDA-IDXR29211150W-3K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
104	MAZDA-IDXR29211150W-3K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
105	MAZDA-IDXR29211150W-4K-2770V-WH-ND-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
106	MAZDA-IDXR29211150W-4K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
107	MAZDA-IDXR29211150W-4K-2770V-WH-DA-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
108	MAZDA-IDXR29211150W-4K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
109	MAZDA-IDXR29211150W-4K-2770V-WH-PH-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
110	MAZDA-IDXR29211150W-4K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
111	MAZDA-IDXR29211150W-4K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
112	MAZDA-IDXR29211150W-4K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
113	MAZDA-IDXR29211150W-5K-2770V-WH-ND-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
114	MAZDA-IDXR29211150W-5K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
115	MAZDA-IDXR29211150W-5K-2770V-WH-DA-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
116	MAZDA-IDXR29211150W-5K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
117	MAZDA-IDXR29211150W-5K-2770V-WH-PH-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
118	MAZDA-IDXR29211150W-5K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
119	MAZDA-IDXR29211150W-5K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
120	MAZDA-IDXR29211150W-5K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
121	MAZDA-IDXR29211150W-6K-2770V-WH-ND-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
122	MAZDA-IDXR29211150W-6K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
123	MAZDA-IDXR29211150W-6K-2770V-WH-DA-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
124	MAZDA-IDXR29211150W-6K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
125	MAZDA-IDXR29211150W-6K-2770V-WH-PH-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
126	MAZDA-IDXR29211150W-6K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
127	MAZDA-IDXR29211150W-6K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
128	MAZDA-IDXR29211150W-6K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
129	MAZDA-IDXR29211150W-2.7K-2770V-WH-ND-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
130	MAZDA-IDXR29211150W-2.7K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
131	MAZDA-IDXR29211150W-2.7K-2770V-WH-DA-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
132	MAZDA-IDXR29211150W-2.7K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
133	MAZDA-IDXR29211150W-2.7K-2770V-WH-PH-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
134	MAZDA-IDXR29211150W-2.7K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
135	MAZDA-IDXR29211150W-2.7K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
136	MAZDA-IDXR29211150W-2.7K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
137	MAZDA-IDXR29211150W-6.5K-2770V-WH-ND-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
138	MAZDA-IDXR29211150W-6.5K-2770V-WH-ND-EM-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
139	MAZDA-IDXR29211150W-6.5K-2770V-WH-DA-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
140	MAZDA-IDXR29211150W-6.5K-2770V-WH-DA-EM-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
141	MAZDA-IDXR29211150W-6.5K-2770V-WH-PH-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
142	MAZDA-IDXR29211150W-6.5K-2770V-WH-PH-EM-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
143	MAZDA-IDXR29211150W-6.5K-2770V-WH-10VDIM-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
144	MAZDA-IDXR29211150W-6.5K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	150W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
145	MAZDA-IDXR29211160W-3K-2770V-WH-ND-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
146	MAZDA-IDXR29211160W-3K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
147	MAZDA-IDXR29211160W-3K-2770V-WH-DA-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
148	MAZDA-IDXR29211160W-3K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
149	MAZDA-IDXR29211160W-3K-2770V-WH-PH-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
150	MAZDA-IDXR29211160W-3K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
151	MAZDA-IDXR29211160W-3K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
152	MAZDA-IDXR29211160W-3K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
153	MAZDA-IDXR29211160W-4K-2770V-WH-ND-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
154	MAZDA-IDXR29211160W-4K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
155	MAZDA-IDXR29211160W-4K-2770V-WH-DA-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
156	MAZDA-IDXR29211160W-4K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
157	MAZDA-IDXR29211160W-4K-2770V-WH-PH-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
158	MAZDA-IDXR29211160W-4K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
159	MAZDA-IDXR29211160W-4K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
160	MAZDA-IDXR29211160W-4K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
161	MAZDA-IDXR29211160W-5K-2770V-WH-ND-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
162	MAZDA-IDXR29211160W-5K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
163	MAZDA-IDXR29211160W-5K-2770V-WH-DA-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
164	MAZDA-IDXR29211160W-5K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
165	MAZDA-IDXR29211160W-5K-2770V-WH-PH-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
166	MAZDA-IDXR29211160W-5K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
167	MAZDA-IDXR29211160W-5K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
168	MAZDA-IDXR29211160W-5K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
169	MAZDA-IDXR29211160W-6K-2770V-WH-ND-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
170	MAZDA-IDXR29211160W-6K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
171	MAZDA-IDXR29211160W-6K-2770V-WH-DA-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
172	MAZDA-IDXR29211160W-6K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
173	MAZDA-IDXR29211160W-6K-2770V-WH-PH-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
174	MAZDA-IDXR29211160W-6K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
175	MAZDA-IDXR29211160W-6K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
176	MAZDA-IDXR29211160W-6K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
177	MAZDA-IDXR29211160W-2.7K-2770V-WH-ND-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
178	MAZDA-IDXR29211160W-2.7K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
179	MAZDA-IDXR29211160W-2.7K-2770V-WH-DA-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
180	MAZDA-IDXR29211160W-2.7K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
181	MAZDA-IDXR29211160W-2.7K-2770V-WH-PH-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
182	MAZDA-IDXR29211160W-2.7K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
183	MAZDA-IDXR29211160W-2.7K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
184	MAZDA-IDXR29211160W-2.7K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
185	MAZDA-IDXR29211160W-6.5K-2770V-WH-ND-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
186	MAZDA-IDXR29211160W-6.5K-2770V-WH-ND-EM-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
187	MAZDA-IDXR29211160W-6.5K-2770V-WH-DA-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
188	MAZDA-IDXR29211160W-6.5K-2770V-WH-DA-EM-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
189	MAZDA-IDXR29211160W-6.5K-2770V-WH-PH-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
190	MAZDA-IDXR29211160W-6.5K-2770V-WH-PH-EM-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
191	MAZDA-IDXR29211160W-6.5K-2770V-WH-10VDIM-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
192	MAZDA-IDXR29211160W-6.5K-2770V-WH-10VDIM-EM-A905 X B133 XC 83MM	160W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A905 X B133 XC 83MM	ALUMINUM ALLOY, ANODIZED	IP65	A905 X B133 XC 83MM	
193	MAZDA-IDXR29211180W-3K-2770V-WH-ND-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
194	MAZDA-IDXR29211180W-3K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
195	MAZDA-IDXR29211180W-3K-2770V-WH-DA-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
196	MAZDA-IDXR29211180W-3K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
197	MAZDA-IDXR29211180W-3K-2770V-WH-PH-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
198	MAZDA-IDXR29211180W-3K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
199	MAZDA-IDXR29211180W-3K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
200	MAZDA-IDXR29211180W-3K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
201	MAZDA-IDXR29211180W-4K-2770V-WH-ND-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
202	MAZDA-IDXR29211180W-4K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
203	MAZDA-IDXR29211180W-4K-2770V-WH-DA-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
204	MAZDA-IDXR29211180W-4K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
205	MAZDA-IDXR29211180W-4K-2770V-WH-PH-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
206	MAZDA-IDXR29211180W-4K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
207	MAZDA-IDXR29211180W-4K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
208	MAZDA-IDXR29211180W-4K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
209	MAZDA-IDXR29211180W-5K-2770V-WH-ND-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
210	MAZDA-IDXR29211180W-5K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
211	MAZDA-IDXR29211180W-5K-2770V-WH-DA-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
212	MAZDA-IDXR29211180W-5K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
213	MAZDA-IDXR29211180W-5K-2770V-WH-PH-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
214	MAZDA-IDXR29211180W-5K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
215	MAZDA-IDXR29211180W-5K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
216	MAZDA-IDXR29211180W-5K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
217	MAZDA-IDXR29211180W-6K-2770V-WH-ND-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
218	MAZDA-IDXR29211180W-6K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
219	MAZDA-IDXR29211180W-6K-2770V-WH-DA-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
220	MAZDA-IDXR29211180W-6K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
221	MAZDA-IDXR29211180W-6K-2770V-WH-PH-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
222	MAZDA-IDXR29211180W-6K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
223	MAZDA-IDXR29211180W-6K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
224	MAZDA-IDXR29211180W-6K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
225	MAZDA-IDXR29211180W-2.7K-2770V-WH-ND-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
226	MAZDA-IDXR29211180W-2.7K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
227	MAZDA-IDXR29211180W-2.7K-2770V-WH-DA-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
228	MAZDA-IDXR29211180W-2.7K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
229	MAZDA-IDXR29211180W-2.7K-2770V-WH-PH-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
230	MAZDA-IDXR29211180W-2.7K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
231	MAZDA-IDXR29211180W-2.7K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
232	MAZDA-IDXR29211180W-2.7K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
233	MAZDA-IDXR29211180W-6.5K-2770V-WH-ND-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
234	MAZDA-IDXR29211180W-6.5K-2770V-WH-ND-EM-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
235	MAZDA-IDXR29211180W-6.5K-2770V-WH-DA-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
236	MAZDA-IDXR29211180W-6.5K-2770V-WH-DA-EM-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
237	MAZDA-IDXR29211180W-6.5K-2770V-WH-PH-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
238	MAZDA-IDXR29211180W-6.5K-2770V-WH-PH-EM-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
239	MAZDA-IDXR29211180W-6.5K-2770V-WH-10VDIM-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
240	MAZDA-IDXR29211180W-6.5K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	180W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
241	MAZDA-IDXR29211200W-3K-2770V-WH-ND-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
242	MAZDA-IDXR29211200W-3K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
243	MAZDA-IDXR29211200W-3K-2770V-WH-DA-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
244	MAZDA-IDXR29211200W-3K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
245	MAZDA-IDXR29211200W-3K-2770V-WH-PH-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
246	MAZDA-IDXR29211200W-3K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
247	MAZDA-IDXR29211200W-3K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
248	MAZDA-IDXR29211200W-3K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	3000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
249	MAZDA-IDXR29211200W-4K-2770V-WH-ND-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
250	MAZDA-IDXR29211200W-4K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
251	MAZDA-IDXR29211200W-4K-2770V-WH-DA-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
252	MAZDA-IDXR29211200W-4K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
253	MAZDA-IDXR29211200W-4K-2770V-WH-PH-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
254	MAZDA-IDXR29211200W-4K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
255	MAZDA-IDXR29211200W-4K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
256	MAZDA-IDXR29211200W-4K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	4000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
257	MAZDA-IDXR29211200W-5K-2770V-WH-ND-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
258	MAZDA-IDXR29211200W-5K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
259	MAZDA-IDXR29211200W-5K-2770V-WH-DA-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
260	MAZDA-IDXR29211200W-5K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
261	MAZDA-IDXR29211200W-5K-2770V-WH-PH-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
262	MAZDA-IDXR29211200W-5K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
263	MAZDA-IDXR29211200W-5K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
264	MAZDA-IDXR29211200W-5K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	5000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
265	MAZDA-IDXR29211200W-6K-2770V-WH-ND-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
266	MAZDA-IDXR29211200W-6K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
267	MAZDA-IDXR29211200W-6K-2770V-WH-DA-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
268	MAZDA-IDXR29211200W-6K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
269	MAZDA-IDXR29211200W-6K-2770V-WH-PH-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
270	MAZDA-IDXR29211200W-6K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
271	MAZDA-IDXR29211200W-6K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
272	MAZDA-IDXR29211200W-6K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	6000	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
273	MAZDA-IDXR29211200W-2.7K-2770V-WH-ND-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
274	MAZDA-IDXR29211200W-2.7K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
275	MAZDA-IDXR29211200W-2.7K-2770V-WH-DA-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
276	MAZDA-IDXR29211200W-2.7K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
277	MAZDA-IDXR29211200W-2.7K-2770V-WH-PH-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
278	MAZDA-IDXR29211200W-2.7K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
279	MAZDA-IDXR29211200W-2.7K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
280	MAZDA-IDXR29211200W-2.7K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	2700	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
281	MAZDA-IDXR29211200W-6.5K-2770V-WH-ND-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	NON EMERGENCY	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
282	MAZDA-IDXR29211200W-6.5K-2770V-WH-ND-EM-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
283	MAZDA-IDXR29211200W-6.5K-2770V-WH-DA-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
284	MAZDA-IDXR29211200W-6.5K-2770V-WH-DA-EM-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
285	MAZDA-IDXR29211200W-6.5K-2770V-WH-PH-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
286	MAZDA-IDXR29211200W-6.5K-2770V-WH-PH-EM-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
287	MAZDA-IDXR29211200W-6.5K-2770V-WH-10VDIM-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	
288	MAZDA-IDXR29211200W-6.5K-2770V-WH-10VDIM-EM-A1250 X B133 X C83MM	200W	6500	2770V	WHITE & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60°	A1250 X B133 X C83MM	ALUMINUM ALLOY, ANODIZED	IP65	A1250 X B133 X C83MM	