



ASPEN

MAZDA Model: FXR3086 Flood Light

Aspen LED Floodlight is a high-quality aluminum alloy, with integrated shell, high hardness, good heat dissipation, greatly improving service life. High-quality high-brightness LED light source, high luminous efficiency, high color rendering, no radiation pollution, long service life. The lamp body is completely sealed and work in thunder and rain

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR3086400W-3K-240V-BK-ND-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
2	MAZDA-FXR3086400W-3K-240V-GRY-ND-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
3	MAZDA-FXR3086400W-3K-240V-BK-DA-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
4	MAZDA-FXR3086400W-3K-240V-GRY-DA-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
5	MAZDA-FXR3086400W-3K-240V-BK-PH-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
6	MAZDA-FXR3086400W-3K-240V-GRY-PH-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
7	MAZDA-FXR3086400W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
8	MAZDA-FXR3086400W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
9	MAZDA-FXR3086400W-4K-240V-BK-ND-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
10	MAZDA-FXR3086400W-4K-240V-GRY-ND-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
11	MAZDA-FXR3086400W-4K-240V-BK-DA-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
12	MAZDA-FXR3086400W-4K-240V-GRY-DA-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
13	MAZDA-FXR3086400W-4K-240V-BK-PH-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
14	MAZDA-FXR3086400W-4K-240V-GRY-PH-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
15	MAZDA-FXR3086400W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
16	MAZDA-FXR3086400W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
17	MAZDA-FXR3086400W-5K-240V-BK-ND-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-FXR3086400W-5K-240V-GRY-ND-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
19	MAZDA-FXR3086400W-5K-240V-BK-DA-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
20	MAZDA-FXR3086400W-5K-240V-GRY-DA-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
21	MAZDA-FXR3086400W-5K-240V-BK-PH-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
22	MAZDA-FXR3086400W-5K-240V-GRY-PH-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
23	MAZDA-FXR3086400W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
24	MAZDA-FXR3086400W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
25	MAZDA-FXR3086400W-6K-240V-BK-ND-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
26	MAZDA-FXR3086400W-6K-240V-GRY-ND-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
27	MAZDA-FXR3086400W-6K-240V-BK-DA-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
28	MAZDA-FXR3086400W-6K-240V-GRY-DA-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
29	MAZDA-FXR3086400W-6K-240V-BK-PH-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
30	MAZDA-FXR3086400W-6K-240V-GRY-PH-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
31	MAZDA-FXR3086400W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
32	MAZDA-FXR3086400W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
33	MAZDA-FXR3086400W-2.7K-240V-BK-ND-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
34	MAZDA-FXR3086400W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
35	MAZDA-FXR3086400W-2.7K-240V-BK-DA-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
36	MAZDA-FXR3086400W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
37	MAZDA-FXR3086400W-2.7K-240V-BK-PH-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
38	MAZDA-FXR3086400W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
39	MAZDA-FXR3086400W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
40	MAZDA-FXR3086400W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
41	MAZDA-FXR3086400W-6.5K-240V-BK-ND-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
42	MAZDA-FXR3086400W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
43	MAZDA-FXR3086400W-6.5K-240V-BK-DA-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
44	MAZDA-FXR3086400W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
45	MAZDA-FXR3086400W-6.5K-240V-BK-PH-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-FXR3086400W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
47	MAZDA-FXR3086400W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
48	MAZDA-FXR3086400W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
49	MAZDA-FXR3086500W-3K-240V-BK-ND-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
50	MAZDA-FXR3086500W-3K-240V-GRY-ND-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
51	MAZDA-FXR3086500W-3K-240V-BK-DA-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
52	MAZDA-FXR3086500W-3K-240V-GRY-DA-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
53	MAZDA-FXR3086500W-3K-240V-BK-PH-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
54	MAZDA-FXR3086500W-3K-240V-GRY-PH-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
55	MAZDA-FXR3086500W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
56	MAZDA-FXR3086500W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
57	MAZDA-FXR3086500W-4K-240V-BK-ND-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
58	MAZDA-FXR3086500W-4K-240V-GRY-ND-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
59	MAZDA-FXR3086500W-4K-240V-BK-DA-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
60	MAZDA-FXR3086500W-4K-240V-GRY-DA-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
61	MAZDA-FXR3086500W-4K-240V-BK-PH-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
62	MAZDA-FXR3086500W-4K-240V-GRY-PH-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
63	MAZDA-FXR3086500W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
64	MAZDA-FXR3086500W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
65	MAZDA-FXR3086500W-5K-240V-BK-ND-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
66	MAZDA-FXR3086500W-5K-240V-GRY-ND-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
67	MAZDA-FXR3086500W-5K-240V-BK-DA-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
68	MAZDA-FXR3086500W-5K-240V-GRY-DA-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
69	MAZDA-FXR3086500W-5K-240V-BK-PH-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
70	MAZDA-FXR3086500W-5K-240V-GRY-PH-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
71	MAZDA-FXR3086500W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
72	MAZDA-FXR3086500W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
73	MAZDA-FXR3086500W-6K-240V-BK-ND-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-FXR3086500W-6K-240V-GRY-ND-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
75	MAZDA-FXR3086500W-6K-240V-BK-DA-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
76	MAZDA-FXR3086500W-6K-240V-GRY-DA-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
77	MAZDA-FXR3086500W-6K-240V-BK-PH-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
78	MAZDA-FXR3086500W-6K-240V-GRY-PH-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
79	MAZDA-FXR3086500W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
80	MAZDA-FXR3086500W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
81	MAZDA-FXR3086500W-2.7K-240V-BK-ND-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
82	MAZDA-FXR3086500W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
83	MAZDA-FXR3086500W-2.7K-240V-BK-DA-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
84	MAZDA-FXR3086500W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
85	MAZDA-FXR3086500W-2.7K-240V-BK-PH-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
86	MAZDA-FXR3086500W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
87	MAZDA-FXR3086500W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
88	MAZDA-FXR3086500W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
89	MAZDA-FXR3086500W-6.5K-240V-BK-ND-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
90	MAZDA-FXR3086500W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
91	MAZDA-FXR3086500W-6.5K-240V-BK-DA-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
92	MAZDA-FXR3086500W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
93	MAZDA-FXR3086500W-6.5K-240V-BK-PH-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
94	MAZDA-FXR3086500W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
95	MAZDA-FXR3086500W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
96	MAZDA-FXR3086500W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
97	MAZDA-FXR3086600W-3K-240V-BK-ND-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
98	MAZDA-FXR3086600W-3K-240V-GRY-ND-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
99	MAZDA-FXR3086600W-3K-240V-BK-DA-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
100	MAZDA-FXR3086600W-3K-240V-GRY-DA-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
101	MAZDA-FXR3086600W-3K-240V-BK-PH-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	MAZDA-FXR3086600W-3K-240V-GRY-PH-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
103	MAZDA-FXR3086600W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
104	MAZDA-FXR3086600W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
105	MAZDA-FXR3086600W-4K-240V-BK-ND-A500 X B413 X C250 MM	600W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
106	MAZDA-FXR3086600W-4K-240V-GRY-ND-A500 X B413 X C250 MM	600W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
107	MAZDA-FXR3086600W-4K-240V-BK-DA-A500 X B413 X C250 MM	600W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
108	MAZDA-FXR3086600W-4K-240V-GRY-DA-A500 X B413 X C250 MM	600W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
109	MAZDA-FXR3086600W-4K-240V-BK-PH-A500 X B413 X C250 MM	600W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
110	MAZDA-FXR3086600W-4K-240V-GRY-PH-A500 X B413 X C250 MM	600W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
111	MAZDA-FXR3086600W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
112	MAZDA-FXR3086600W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
113	MAZDA-FXR3086600W-5K-240V-BK-ND-A500 X B413 X C250 MM	600W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
114	MAZDA-FXR3086600W-5K-240V-GRY-ND-A500 X B413 X C250 MM	600W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
115	MAZDA-FXR3086600W-5K-240V-BK-DA-A500 X B413 X C250 MM	600W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
116	MAZDA-FXR3086600W-5K-240V-GRY-DA-A500 X B413 X C250 MM	600W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
117	MAZDA-FXR3086600W-5K-240V-BK-PH-A500 X B413 X C250 MM	600W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
118	MAZDA-FXR3086600W-5K-240V-GRY-PH-A500 X B413 X C250 MM	600W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
119	MAZDA-FXR3086600W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
120	MAZDA-FXR3086600W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
121	MAZDA-FXR3086600W-6K-240V-BK-ND-A500 X B413 X C250 MM	600W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
122	MAZDA-FXR3086600W-6K-240V-GRY-ND-A500 X B413 X C250 MM	600W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
123	MAZDA-FXR3086600W-6K-240V-BK-DA-A500 X B413 X C250 MM	600W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
124	MAZDA-FXR3086600W-6K-240V-GRY-DA-A500 X B413 X C250 MM	600W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
125	MAZDA-FXR3086600W-6K-240V-BK-PH-A500 X B413 X C250 MM	600W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
126	MAZDA-FXR3086600W-6K-240V-GRY-PH-A500 X B413 X C250 MM	600W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
127	MAZDA-FXR3086600W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
128	MAZDA-FXR3086600W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
129	MAZDA-FXR3086600W-2.7K-240V-BK-ND-A500 X B413 X C250 MM	600W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-FXR3086600W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM	600W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
131	MAZDA-FXR3086600W-2.7K-240V-BK-DA-A500 X B413 X C250 MM	600W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
132	MAZDA-FXR3086600W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM	600W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
133	MAZDA-FXR3086600W-2.7K-240V-BK-PH-A500 X B413 X C250 MM	600W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
134	MAZDA-FXR3086600W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM	600W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
135	MAZDA-FXR3086600W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
136	MAZDA-FXR3086600W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
137	MAZDA-FXR3086600W-6.5K-240V-BK-ND-A500 X B413 X C250 MM	600W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
138	MAZDA-FXR3086600W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM	600W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
139	MAZDA-FXR3086600W-6.5K-240V-BK-DA-A500 X B413 X C250 MM	600W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
140	MAZDA-FXR3086600W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM	600W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
141	MAZDA-FXR3086600W-6.5K-240V-BK-PH-A500 X B413 X C250 MM	600W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
142	MAZDA-FXR3086600W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM	600W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
143	MAZDA-FXR3086600W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM	600W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
144	MAZDA-FXR3086600W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	600W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
145	MAZDA-FXR3086800W-3K-240V-BK-ND-A500 X B574 X C530MM	800W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
146	MAZDA-FXR3086800W-3K-240V-GRY-ND-A500 X B574 X C530MM	800W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
147	MAZDA-FXR3086800W-3K-240V-BK-DA-A500 X B574 X C530MM	800W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
148	MAZDA-FXR3086800W-3K-240V-GRY-DA-A500 X B574 X C530MM	800W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
149	MAZDA-FXR3086800W-3K-240V-BK-PH-A500 X B574 X C530MM	800W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
150	MAZDA-FXR3086800W-3K-240V-GRY-PH-A500 X B574 X C530MM	800W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
151	MAZDA-FXR3086800W-3K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
152	MAZDA-FXR3086800W-3K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
153	MAZDA-FXR3086800W-4K-240V-BK-ND-A500 X B574 X C530MM	800W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
154	MAZDA-FXR3086800W-4K-240V-GRY-ND-A500 X B574 X C530MM	800W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
155	MAZDA-FXR3086800W-4K-240V-BK-DA-A500 X B574 X C530MM	800W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
156	MAZDA-FXR3086800W-4K-240V-GRY-DA-A500 X B574 X C530MM	800W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
157	MAZDA-FXR3086800W-4K-240V-BK-PH-A500 X B574 X C530MM	800W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
158	MAZDA-FXR3086800W-4K-240V-GRY-PH-A500 X B574 X C530MM	800W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
159	MAZDA-FXR3086800W-4K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
160	MAZDA-FXR3086800W-4K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
161	MAZDA-FXR3086800W-5K-240V-BK-ND-A500 X B574 X C530MM	800W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
162	MAZDA-FXR3086800W-5K-240V-GRY-ND-A500 X B574 X C530MM	800W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
163	MAZDA-FXR3086800W-5K-240V-BK-DA-A500 X B574 X C530MM	800W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
164	MAZDA-FXR3086800W-5K-240V-GRY-DA-A500 X B574 X C530MM	800W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
165	MAZDA-FXR3086800W-5K-240V-BK-PH-A500 X B574 X C530MM	800W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
166	MAZDA-FXR3086800W-5K-240V-GRY-PH-A500 X B574 X C530MM	800W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
167	MAZDA-FXR3086800W-5K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
168	MAZDA-FXR3086800W-5K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
169	MAZDA-FXR3086800W-6K-240V-BK-ND-A500 X B574 X C530MM	800W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
170	MAZDA-FXR3086800W-6K-240V-GRY-ND-A500 X B574 X C530MM	800W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
171	MAZDA-FXR3086800W-6K-240V-BK-DA-A500 X B574 X C530MM	800W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
172	MAZDA-FXR3086800W-6K-240V-GRY-DA-A500 X B574 X C530MM	800W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
173	MAZDA-FXR3086800W-6K-240V-BK-PH-A500 X B574 X C530MM	800W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
174	MAZDA-FXR3086800W-6K-240V-GRY-PH-A500 X B574 X C530MM	800W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
175	MAZDA-FXR3086800W-6K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
176	MAZDA-FXR3086800W-6K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
177	MAZDA-FXR3086800W-2.7K-240V-BK-ND-A500 X B574 X C530MM	800W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
178	MAZDA-FXR3086800W-2.7K-240V-GRY-ND-A500 X B574 X C530MM	800W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
179	MAZDA-FXR3086800W-2.7K-240V-BK-DA-A500 X B574 X C530MM	800W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
180	MAZDA-FXR3086800W-2.7K-240V-GRY-DA-A500 X B574 X C530MM	800W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
181	MAZDA-FXR3086800W-2.7K-240V-BK-PH-A500 X B574 X C530MM	800W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
182	MAZDA-FXR3086800W-2.7K-240V-GRY-PH-A500 X B574 X C530MM	800W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
183	MAZDA-FXR3086800W-2.7K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
184	MAZDA-FXR3086800W-2.7K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
185	MAZDA-FXR3086800W-6.5K-240V-BK-ND-A500 X B574 X C530MM	800W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
186	MAZDA-FXR3086800W-6.5K-240V-GRY-ND-A500 X B574 X C530MM	800W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
187	MAZDA-FXR3086800W-6.5K-240V-BK-DA-A500 X B574 X C530MM	800W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
188	MAZDA-FXR3086800W-6.5K-240V-GRY-DA-A500 X B574 X C530MM	800W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
189	MAZDA-FXR3086800W-6.5K-240V-BK-PH-A500 X B574 X C530MM	800W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
190	MAZDA-FXR3086800W-6.5K-240V-GRY-PH-A500 X B574 X C530MM	800W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
191	MAZDA-FXR3086800W-6.5K-240V-BK-10VDIM-A500 X B574 X C530MM	800W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
192	MAZDA-FXR3086800W-6.5K-240V-GRY-10VDIM-A500 X B574 X C530MM	800W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
193	MAZDA-FXR30861000W-3K-240V-BK-ND-A500 X B574 X C530MM	1000W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
194	MAZDA-FXR30861000W-3K-240V-GRY-ND-A500 X B574 X C530MM	1000W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
195	MAZDA-FXR30861000W-3K-240V-BK-DA-A500 X B574 X C530MM	1000W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
196	MAZDA-FXR30861000W-3K-240V-GRY-DA-A500 X B574 X C530MM	1000W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
197	MAZDA-FXR30861000W-3K-240V-BK-PH-A500 X B574 X C530MM	1000W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
198	MAZDA-FXR30861000W-3K-240V-GRY-PH-A500 X B574 X C530MM	1000W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
199	MAZDA-FXR30861000W-3K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
200	MAZDA-FXR30861000W-3K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
201	MAZDA-FXR30861000W-4K-240V-BK-ND-A500 X B574 X C530MM	1000W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
202	MAZDA-FXR30861000W-4K-240V-GRY-ND-A500 X B574 X C530MM	1000W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
203	MAZDA-FXR30861000W-4K-240V-BK-DA-A500 X B574 X C530MM	1000W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
204	MAZDA-FXR30861000W-4K-240V-GRY-DA-A500 X B574 X C530MM	1000W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
205	MAZDA-FXR30861000W-4K-240V-BK-PH-A500 X B574 X C530MM	1000W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
206	MAZDA-FXR30861000W-4K-240V-GRY-PH-A500 X B574 X C530MM	1000W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
207	MAZDA-FXR30861000W-4K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
208	MAZDA-FXR30861000W-4K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
209	MAZDA-FXR30861000W-5K-240V-BK-ND-A500 X B574 X C530MM	1000W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
210	MAZDA-FXR30861000W-5K-240V-GRY-ND-A500 X B574 X C530MM	1000W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
211	MAZDA-FXR30861000W-5K-240V-BK-DA-A500 X B574 X C530MM	1000W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
212	MAZDA-FXR30861000W-5K-240V-GRY-DA-A500 X B574 X C530MM	1000W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
213	MAZDA-FXR30861000W-5K-240V-BK-PH-A500 X B574 X C530MM	1000W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
214	MAZDA-FXR30861000W-5K-240V-GRY-PH-A500 X B574 X C530MM	1000W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
215	MAZDA-FXR30861000W-5K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
216	MAZDA-FXR30861000W-5K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
217	MAZDA-FXR30861000W-6K-240V-BK-ND-A500 X B574 X C530MM	1000W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
218	MAZDA-FXR30861000W-6K-240V-GRY-ND-A500 X B574 X C530MM	1000W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
219	MAZDA-FXR30861000W-6K-240V-BK-DA-A500 X B574 X C530MM	1000W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
220	MAZDA-FXR30861000W-6K-240V-GRY-DA-A500 X B574 X C530MM	1000W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
221	MAZDA-FXR30861000W-6K-240V-BK-PH-A500 X B574 X C530MM	1000W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
222	MAZDA-FXR30861000W-6K-240V-GRY-PH-A500 X B574 X C530MM	1000W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
223	MAZDA-FXR30861000W-6K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
224	MAZDA-FXR30861000W-6K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
225	MAZDA-FXR30861000W-2.7K-240V-BK-ND-A500 X B574 X C530MM	1000W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
226	MAZDA-FXR30861000W-2.7K-240V-GRY-ND-A500 X B574 X C530MM	1000W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
227	MAZDA-FXR30861000W-2.7K-240V-BK-DA-A500 X B574 X C530MM	1000W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
228	MAZDA-FXR30861000W-2.7K-240V-GRY-DA-A500 X B574 X C530MM	1000W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
229	MAZDA-FXR30861000W-2.7K-240V-BK-PH-A500 X B574 X C530MM	1000W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
230	MAZDA-FXR30861000W-2.7K-240V-GRY-PH-A500 X B574 X C530MM	1000W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
231	MAZDA-FXR30861000W-2.7K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
232	MAZDA-FXR30861000W-2.7K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
233	MAZDA-FXR30861000W-6.5K-240V-BK-ND-A500 X B574 X C530MM	1000W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
234	MAZDA-FXR30861000W-6.5K-240V-GRY-ND-A500 X B574 X C530MM	1000W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
235	MAZDA-FXR30861000W-6.5K-240V-BK-DA-A500 X B574 X C530MM	1000W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
236	MAZDA-FXR30861000W-6.5K-240V-GRY-DA-A500 X B574 X C530MM	1000W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
237	MAZDA-FXR30861000W-6.5K-240V-BK-PH-A500 X B574 X C530MM	1000W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
238	MAZDA-FXR30861000W-6.5K-240V-GRY-PH-A500 X B574 X C530MM	1000W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
239	MAZDA-FXR30861000W-6.5K-240V-BK-10VDIM-A500 X B574 X C530MM	1000W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
240	MAZDA-FXR30861000W-6.5K-240V-GRY-10VDIM-A500 X B574 X C530MM	1000W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM	
241	MAZDA-FXR30861200W-3K-240V-BK-ND-A500 X B811 X C810MM	1200W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
242	MAZDA-FXR30861200W-3K-240V-GRY-ND-A500 X B811 X C810MM	1200W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
243	MAZDA-FXR30861200W-3K-240V-BK-DA-A500 X B811 X C810MM	1200W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
244	MAZDA-FXR30861200W-3K-240V-GRY-DA-A500 X B811 X C810MM	1200W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
245	MAZDA-FXR30861200W-3K-240V-BK-PH-A500 X B811 X C810MM	1200W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
246	MAZDA-FXR30861200W-3K-240V-GRY-PH-A500 X B811 X C810MM	1200W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
247	MAZDA-FXR30861200W-3K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
248	MAZDA-FXR30861200W-3K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
249	MAZDA-FXR30861200W-4K-240V-BK-ND-A500 X B811 X C810MM	1200W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
250	MAZDA-FXR30861200W-4K-240V-GRY-ND-A500 X B811 X C810MM	1200W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
251	MAZDA-FXR30861200W-4K-240V-BK-DA-A500 X B811 X C810MM	1200W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
252	MAZDA-FXR30861200W-4K-240V-GRY-DA-A500 X B811 X C810MM	1200W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
253	MAZDA-FXR30861200W-4K-240V-BK-PH-A500 X B811 X C810MM	1200W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
254	MAZDA-FXR30861200W-4K-240V-GRY-PH-A500 X B811 X C810MM	1200W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
255	MAZDA-FXR30861200W-4K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
256	MAZDA-FXR30861200W-4K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
257	MAZDA-FXR30861200W-5K-240V-BK-ND-A500 X B811 X C810MM	1200W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
258	MAZDA-FXR30861200W-5K-240V-GRY-ND-A500 X B811 X C810MM	1200W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
259	MAZDA-FXR30861200W-5K-240V-BK-DA-A500 X B811 X C810MM	1200W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
260	MAZDA-FXR30861200W-5K-240V-GRY-DA-A500 X B811 X C810MM	1200W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
261	MAZDA-FXR30861200W-5K-240V-BK-PH-A500 X B811 X C810MM	1200W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
262	MAZDA-FXR30861200W-5K-240V-GRY-PH-A500 X B811 X C810MM	1200W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
263	MAZDA-FXR30861200W-5K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
264	MAZDA-FXR30861200W-5K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
265	MAZDA-FXR30861200W-6K-240V-BK-ND-A500 X B811 X C810MM	1200W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
266	MAZDA-FXR30861200W-6K-240V-GRY-ND-A500 X B811 X C810MM	1200W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
267	MAZDA-FXR30861200W-6K-240V-BK-DA-A500 X B811 X C810MM	1200W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
268	MAZDA-FXR30861200W-6K-240V-GRY-DA-A500 X B811 X C810MM	1200W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
269	MAZDA-FXR30861200W-6K-240V-BK-PH-A500 X B811 X C810MM	1200W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
270	MAZDA-FXR30861200W-6K-240V-GRY-PH-A500 X B811 X C810MM	1200W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
271	MAZDA-FXR30861200W-6K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
272	MAZDA-FXR30861200W-6K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
273	MAZDA-FXR30861200W-2.7K-240V-BK-ND-A500 X B811 X C810MM	1200W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
274	MAZDA-FXR30861200W-2.7K-240V-GRY-ND-A500 X B811 X C810MM	1200W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
275	MAZDA-FXR30861200W-2.7K-240V-BK-DA-A500 X B811 X C810MM	1200W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
276	MAZDA-FXR30861200W-2.7K-240V-GRY-DA-A500 X B811 X C810MM	1200W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
277	MAZDA-FXR30861200W-2.7K-240V-BK-PH-A500 X B811 X C810MM	1200W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
278	MAZDA-FXR30861200W-2.7K-240V-GRY-PH-A500 X B811 X C810MM	1200W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
279	MAZDA-FXR30861200W-2.7K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
280	MAZDA-FXR30861200W-2.7K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
281	MAZDA-FXR30861200W-6.5K-240V-BK-ND-A500 X B811 X C810MM	1200W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
282	MAZDA-FXR30861200W-6.5K-240V-GRY-ND-A500 X B811 X C810MM	1200W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
283	MAZDA-FXR30861200W-6.5K-240V-BK-DA-A500 X B811 X C810MM	1200W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
284	MAZDA-FXR30861200W-6.5K-240V-GRY-DA-A500 X B811 X C810MM	1200W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
285	MAZDA-FXR30861200W-6.5K-240V-BK-PH-A500 X B811 X C810MM	1200W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
286	MAZDA-FXR30861200W-6.5K-240V-GRY-PH-A500 X B811 X C810MM	1200W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
287	MAZDA-FXR30861200W-6.5K-240V-BK-10VDIM-A500 X B811 X C810MM	1200W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
288	MAZDA-FXR30861200W-6.5K-240V-GRY-10VDIM-A500 X B811 X C810MM	1200W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
289	MAZDA-FXR30861500W-3K-240V-BK-ND-A500 X B811 X C810MM	1500W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
290	MAZDA-FXR30861500W-3K-240V-GRY-ND-A500 X B811 X C810MM	1500W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
291	MAZDA-FXR30861500W-3K-240V-BK-DA-A500 X B811 X C810MM	1500W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
292	MAZDA-FXR30861500W-3K-240V-GRY-DA-A500 X B811 X C810MM	1500W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
293	MAZDA-FXR30861500W-3K-240V-BK-PH-A500 X B811 X C810MM	1500W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
294	MAZDA-FXR30861500W-3K-240V-GRY-PH-A500 X B811 X C810MM	1500W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
295	MAZDA-FXR30861500W-3K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
296	MAZDA-FXR30861500W-3K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
297	MAZDA-FXR30861500W-4K-240V-BK-ND-A500 X B811 X C810MM	1500W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
298	MAZDA-FXR30861500W-4K-240V-GRY-ND-A500 X B811 X C810MM	1500W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
299	MAZDA-FXR30861500W-4K-240V-BK-DA-A500 X B811 X C810MM	1500W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
300	MAZDA-FXR30861500W-4K-240V-GRY-DA-A500 X B811 X C810MM	1500W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
301	MAZDA-FXR30861500W-4K-240V-BK-PH-A500 X B811 X C810MM	1500W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
302	MAZDA-FXR30861500W-4K-240V-GRY-PH-A500 X B811 X C810MM	1500W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
303	MAZDA-FXR30861500W-4K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
304	MAZDA-FXR30861500W-4K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
305	MAZDA-FXR30861500W-5K-240V-BK-ND-A500 X B811 X C810MM	1500W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
306	MAZDA-FXR30861500W-5K-240V-GRY-ND-A500 X B811 X C810MM	1500W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
307	MAZDA-FXR30861500W-5K-240V-BK-DA-A500 X B811 X C810MM	1500W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
308	MAZDA-FXR30861500W-5K-240V-GRY-DA-A500 X B811 X C810MM	1500W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
309	MAZDA-FXR30861500W-5K-240V-BK-PH-A500 X B811 X C810MM	1500W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
310	MAZDA-FXR30861500W-5K-240V-GRY-PH-A500 X B811 X C810MM	1500W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
311	MAZDA-FXR30861500W-5K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
312	MAZDA-FXR30861500W-5K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
313	MAZDA-FXR30861500W-6K-240V-BK-ND-A500 X B811 X C810MM	1500W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
314	MAZDA-FXR30861500W-6K-240V-GRY-ND-A500 X B811 X C810MM	1500W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
315	MAZDA-FXR30861500W-6K-240V-BK-DA-A500 X B811 X C810MM	1500W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
316	MAZDA-FXR30861500W-6K-240V-GRY-DA-A500 X B811 X C810MM	1500W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
317	MAZDA-FXR30861500W-6K-240V-BK-PH-A500 X B811 X C810MM	1500W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
318	MAZDA-FXR30861500W-6K-240V-GRY-PH-A500 X B811 X C810MM	1500W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
319	MAZDA-FXR30861500W-6K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
320	MAZDA-FXR30861500W-6K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
321	MAZDA-FXR30861500W-2.7K-240V-BK-ND-A500 X B811 X C810MM	1500W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
322	MAZDA-FXR30861500W-2.7K-240V-GRY-ND-A500 X B811 X C810MM	1500W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
323	MAZDA-FXR30861500W-2.7K-240V-BK-DA-A500 X B811 X C810MM	1500W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
324	MAZDA-FXR30861500W-2.7K-240V-GRY-DA-A500 X B811 X C810MM	1500W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
325	MAZDA-FXR30861500W-2.7K-240V-BK-PH-A500 X B811 X C810MM	1500W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
326	MAZDA-FXR30861500W-2.7K-240V-GRY-PH-A500 X B811 X C810MM	1500W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
327	MAZDA-FXR30861500W-2.7K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
328	MAZDA-FXR30861500W-2.7K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
329	MAZDA-FXR30861500W-6.5K-240V-BK-ND-A500 X B811 X C810MM	1500W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
330	MAZDA-FXR30861500W-6.5K-240V-GRY-ND-A500 X B811 X C810MM	1500W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
331	MAZDA-FXR30861500W-6.5K-240V-BK-DA-A500 X B811 X C810MM	1500W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
332	MAZDA-FXR30861500W-6.5K-240V-GRY-DA-A500 X B811 X C810MM	1500W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
333	MAZDA-FXR30861500W-6.5K-240V-BK-PH-A500 X B811 X C810MM	1500W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
334	MAZDA-FXR30861500W-6.5K-240V-GRY-PH-A500 X B811 X C810MM	1500W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
335	MAZDA-FXR30861500W-6.5K-240V-BK-10VDIM-A500 X B811 X C810MM	1500W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
336	MAZDA-FXR30861500W-6.5K-240V-GRY-10VDIM-A500 X B811 X C810MM	1500W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B811 X C810MM	DIE CAST ALUMINUM	IP66	A500 X B811 X C810MM	
337	MAZDA-FXR30862000W-3K-240V-BK-ND-A1000 X B573 X C810MM	2000W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
338	MAZDA-FXR30862000W-3K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
339	MAZDA-FXR30862000W-3K-240V-BK-DA-A1000 X B573 X C810MM	2000W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
340	MAZDA-FXR30862000W-3K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
341	MAZDA-FXR30862000W-3K-240V-BK-PH-A1000 X B573 X C810MM	2000W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
342	MAZDA-FXR30862000W-3K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
343	MAZDA-FXR30862000W-3K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
344	MAZDA-FXR30862000W-3K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
345	MAZDA-FXR30862000W-4K-240V-BK-ND-A1000 X B573 X C810MM	2000W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
346	MAZDA-FXR30862000W-4K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
347	MAZDA-FXR30862000W-4K-240V-BK-DA-A1000 X B573 X C810MM	2000W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
348	MAZDA-FXR30862000W-4K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
349	MAZDA-FXR30862000W-4K-240V-BK-PH-A1000 X B573 X C810MM	2000W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
350	MAZDA-FXR30862000W-4K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
351	MAZDA-FXR30862000W-4K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
352	MAZDA-FXR30862000W-4K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
353	MAZDA-FXR30862000W-5K-240V-BK-ND-A1000 X B573 X C810MM	2000W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
354	MAZDA-FXR30862000W-5K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
355	MAZDA-FXR30862000W-5K-240V-BK-DA-A1000 X B573 X C810MM	2000W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
356	MAZDA-FXR30862000W-5K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
357	MAZDA-FXR30862000W-5K-240V-BK-PH-A1000 X B573 X C810MM	2000W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
358	MAZDA-FXR30862000W-5K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
359	MAZDA-FXR30862000W-5K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
360	MAZDA-FXR30862000W-5K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
361	MAZDA-FXR30862000W-6K-240V-BK-ND-A1000 X B573 X C810MM	2000W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
362	MAZDA-FXR30862000W-6K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
363	MAZDA-FXR30862000W-6K-240V-BK-DA-A1000 X B573 X C810MM	2000W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
364	MAZDA-FXR30862000W-6K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
365	MAZDA-FXR30862000W-6K-240V-BK-PH-A1000 X B573 X C810MM	2000W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
366	MAZDA-FXR30862000W-6K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
367	MAZDA-FXR30862000W-6K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
368	MAZDA-FXR30862000W-6K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
369	MAZDA-FXR30862000W-2.7K-240V-BK-ND-A1000 X B573 X C810MM	2000W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
370	MAZDA-FXR30862000W-2.7K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
371	MAZDA-FXR30862000W-2.7K-240V-BK-DA-A1000 X B573 X C810MM	2000W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
372	MAZDA-FXR30862000W-2.7K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
373	MAZDA-FXR30862000W-2.7K-240V-BK-PH-A1000 X B573 X C810MM	2000W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
374	MAZDA-FXR30862000W-2.7K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
375	MAZDA-FXR30862000W-2.7K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
376	MAZDA-FXR30862000W-2.7K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
377	MAZDA-FXR30862000W-6.5K-240V-BK-ND-A1000 X B573 X C810MM	2000W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
378	MAZDA-FXR30862000W-6.5K-240V-GRY-ND-A1000 X B573 X C810MM	2000W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
379	MAZDA-FXR30862000W-6.5K-240V-BK-DA-A1000 X B573 X C810MM	2000W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
380	MAZDA-FXR30862000W-6.5K-240V-GRY-DA-A1000 X B573 X C810MM	2000W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
381	MAZDA-FXR30862000W-6.5K-240V-BK-PH-A1000 X B573 X C810MM	2000W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
382	MAZDA-FXR30862000W-6.5K-240V-GRY-PH-A1000 X B573 X C810MM	2000W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
383	MAZDA-FXR30862000W-6.5K-240V-BK-10VDIM-A1000 X B573 X C810MM	2000W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	
384	MAZDA-FXR30862000W-6.5K-240V-GRY-10VDIM-A1000 X B573 X C810MM	2000W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A1000 X B573 X C810MM	DIE CAST ALUMINUM	IP66	A1000 X B573 X C810MM	