DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



ASPEN

MAZDA Model: FXR3086 Flood Light

Aspen LED Floodlight is a high-quality aluminum alloy, with integrated shell, high hardness, good heat dissipation,
greatly improving service life. High-quality high-brightness LED light source, high luminous efficiency, high color
rendering, no radiation pollution, long service life. The lamp body is completely sealed and work in thunder and rain

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-FXR3086400W-3K-240V-BK-ND-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
2	MAZDA-FXR3086400W-3K-240V-GRY-ND-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
3	MAZDA-FXR3086400W-3K-240V-BK-DA-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
4	MAZDA-FXR3086400W-3K-240V-GRY-DA-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
5	MAZDA-FXR3086400W-3K-240V-BK-PH-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
6	MAZDA-FXR3086400W-3K-240V-GRY-PH-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
7	MAZDA-FXR3086400W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
8	MAZDA-FXR3086400W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
9	MAZDA-FXR3086400W-4K-240V-BK-ND-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
10	MAZDA-FXR3086400W-4K-240V-GRY-ND-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
11	MAZDA-FXR3086400W-4K-240V-BK-DA-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
12	MAZDA-FXR3086400W-4K-240V-GRY-DA-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
13	MAZDA-FXR3086400W-4K-240V-BK-PH-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
14	MAZDA-FXR3086400W-4K-240V-GRY-PH-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
15	MAZDA-FXR3086400W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
16	MAZDA-FXR3086400W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
17	MAZDA-FXR3086400W-5K-240V-BK-ND-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-FXR3086400W-5K-240V-GRY-ND-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
19	MAZDA-FXR3086400W-5K-240V-BK-DA-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
20	MAZDA-FXR3086400W-5K-240V-GRY-DA-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
21	MAZDA-FXR3086400W-5K-240V-BK-PH-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
22	MAZDA-FXR3086400W-5K-240V-GRY-PH-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
23	MAZDA-FXR3086400W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
24	MAZDA-FXR3086400W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
25	MAZDA-FXR3086400W-6K-240V-BK-ND-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
26	MAZDA-FXR3086400W-6K-240V-GRY-ND-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
27	MAZDA-FXR3086400W-6K-240V-BK-DA-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
28	MAZDA-FXR3086400W-6K-240V-GRY-DA-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
29	MAZDA-FXR3086400W-6K-240V-BK-PH-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
30	MAZDA-FXR3086400W-6K-240V-GRY-PH-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
31	MAZDA-FXR3086400W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
32	MAZDA-FXR3086400W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
33	MAZDA-FXR3086400W-2.7K-240V-BK-ND-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
34	MAZDA-FXR3086400W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
35	MAZDA-FXR3086400W-2.7K-240V-BK-DA-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
36	MAZDA-FXR3086400W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
37	MAZDA-FXR3086400W-2.7K-240V-BK-PH-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
38	MAZDA-FXR3086400W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
39	MAZDA-FXR3086400W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
40	MAZDA-FXR3086400W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
41	MAZDA-FXR3086400W-6.5K-240V-BK-ND-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
42	MAZDA-FXR3086400W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
43	MAZDA-FXR3086400W-6.5K-240V-BK-DA-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
44	MAZDA-FXR3086400W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
45	MAZDA-FXR3086400W-6.5K-240V-BK-PH-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
46	MAZDA-FXR3086400W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
47	MAZDA-FXR3086400W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM	400W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
48	MAZDA-FXR3086400W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	400W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
49	MAZDA-FXR3086500W-3K-240V-BK-ND-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
50	MAZDA-FXR3086500W-3K-240V-GRY-ND-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
51	MAZDA-FXR3086500W-3K-240V-BK-DA-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
52	MAZDA-FXR3086500W-3K-240V-GRY-DA-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
53	MAZDA-FXR3086500W-3K-240V-BK-PH-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
54	MAZDA-FXR3086500W-3K-240V-GRY-PH-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
55	MAZDA-FXR3086500W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
56	MAZDA-FXR3086500W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
57	MAZDA-FXR3086500W-4K-240V-BK-ND-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
58	MAZDA-FXR3086500W-4K-240V-GRY-ND-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
59	MAZDA-FXR3086500W-4K-240V-BK-DA-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
60	MAZDA-FXR3086500W-4K-240V-GRY-DA-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
61	MAZDA-FXR3086500W-4K-240V-BK-PH-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
62	MAZDA-FXR3086500W-4K-240V-GRY-PH-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
63	MAZDA-FXR3086500W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
64	MAZDA-FXR3086500W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
65	MAZDA-FXR3086500W-5K-240V-BK-ND-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
66	MAZDA-FXR3086500W-5K-240V-GRY-ND-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
67	MAZDA-FXR3086500W-5K-240V-BK-DA-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
68	MAZDA-FXR3086500W-5K-240V-GRY-DA-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
69	MAZDA-FXR3086500W-5K-240V-BK-PH-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
70	MAZDA-FXR3086500W-5K-240V-GRY-PH-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
71	MAZDA-FXR3086500W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
72	MAZDA-FXR3086500W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
73	MAZDA-FXR3086500W-6K-240V-BK-ND-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-FXR3086500W-6K-240V-GRY-ND-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
75	MAZDA-FXR3086500W-6K-240V-BK-DA-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
76	MAZDA-FXR3086500W-6K-240V-GRY-DA-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
77	MAZDA-FXR3086500W-6K-240V-BK-PH-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
78	MAZDA-FXR3086500W-6K-240V-GRY-PH-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
79	MAZDA-FXR3086500W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
80	MAZDA-FXR3086500W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
81	MAZDA-FXR3086500W-2.7K-240V-BK-ND-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
82	MAZDA-FXR3086500W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
83	MAZDA-FXR3086500W-2.7K-240V-BK-DA-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
84	MAZDA-FXR3086500W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
85	MAZDA-FXR3086500W-2.7K-240V-BK-PH-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
86	MAZDA-FXR3086500W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
87	MAZDA-FXR3086500W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
88	MAZDA-FXR3086500W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
89	MAZDA-FXR3086500W-6.5K-240V-BK-ND-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
90	MAZDA-FXR3086500W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
91	MAZDA-FXR3086500W-6.5K-240V-BK-DA-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
92	MAZDA-FXR3086500W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
93	MAZDA-FXR3086500W-6.5K-240V-BK-PH-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
94	MAZDA-FXR3086500W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
95	MAZDA-FXR3086500W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM	500W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
96	MAZDA-FXR3086500W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM	500W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
97	MAZDA-FXR3086600W-3K-240V-BK-ND-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
98	MAZDA-FXR3086600W-3K-240V-GRY-ND-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
99	MAZDA-FXR3086600W-3K-240V-BK-DA-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
100	MAZDA-FXR3086600W-3K-240V-GRY-DA-A500 X B413 X C250 MM	600W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	
101	MAZDA-FXR3086600W-3K-240V-BK-PH-A500 X B413 X C250 MM	600W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
102	**MAZDA-FXR3086600W-3K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
103	**MAZDA-FXR3086600W-3K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
104	**MAZDA-FXR3086600W-3K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
105	**MAZDA-FXR3086600W-4K-240V-BK-ND-A500 X B413 X C250 MM**	600W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
106	**MAZDA-FXR3086600W-4K-240V-GRY-ND-A500 X B413 X C250 MM**	600W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
107	**MAZDA-FXR3086600W-4K-240V-BK-DA-A500 X B413 X C250 MM**	600W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
108	**MAZDA-FXR3086600W-4K-240V-GRY-DA-A500 X B413 X C250 MM**	600W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
109	**MAZDA-FXR3086600W-4K-240V-BK-PH-A500 X B413 X C250 MM**	600W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
110	**MAZDA-FXR3086600W-4K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
111	**MAZDA-FXR3086600W-4K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
112	**MAZDA-FXR3086600W-4K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
113	**MAZDA-FXR3086600W-5K-240V-BK-ND-A500 X B413 X C250 MM**	600W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
114	**MAZDA-FXR3086600W-5K-240V-GRY-ND-A500 X B413 X C250 MM**	600W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
115	**MAZDA-FXR3086600W-5K-240V-BK-DA-A500 X B413 X C250 MM**	600W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
116	**MAZDA-FXR3086600W-5K-240V-GRY-DA-A500 X B413 X C250 MM**	600W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
117	**MAZDA-FXR3086600W-5K-240V-BK-PH-A500 X B413 X C250 MM**	600W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
118	**MAZDA-FXR3086600W-5K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
119	**MAZDA-FXR3086600W-5K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
120	**MAZDA-FXR3086600W-5K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
121	**MAZDA-FXR3086600W-6K-240V-BK-ND-A500 X B413 X C250 MM**	600W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
122	**MAZDA-FXR3086600W-6K-240V-GRY-ND-A500 X B413 X C250 MM**	600W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
123	**MAZDA-FXR3086600W-6K-240V-BK-DA-A500 X B413 X C250 MM**	600W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
124	**MAZDA-FXR3086600W-6K-240V-GRY-DA-A500 X B413 X C250 MM**	600W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
125	**MAZDA-FXR3086600W-6K-240V-BK-PH-A500 X B413 X C250 MM**	600W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
126	**MAZDA-FXR3086600W-6K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
127	**MAZDA-FXR3086600W-6K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
128	**MAZDA-FXR3086600W-6K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
129	**MAZDA-FXR3086600W-2.7K-240V-BK-ND-A500 X B413 X C250 MM**	600W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
130	**MAZDA-FXR3086600W-2.7K-240V-GRY-ND-A500 X B413 X C250 MM**	600W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
131	**MAZDA-FXR3086600W-2.7K-240V-BK-DA-A500 X B413 X C250 MM**	600W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
132	**MAZDA-FXR3086600W-2.7K-240V-GRY-DA-A500 X B413 X C250 MM**	600W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
133	**MAZDA-FXR3086600W-2.7K-240V-BK-PH-A500 X B413 X C250 MM**	600W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
134	**MAZDA-FXR3086600W-2.7K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
135	**MAZDA-FXR3086600W-2.7K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
136	**MAZDA-FXR3086600W-2.7K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
137	**MAZDA-FXR3086600W-6.5K-240V-BK-ND-A500 X B413 X C250 MM**	600W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
138	**MAZDA-FXR3086600W-6.5K-240V-GRY-ND-A500 X B413 X C250 MM**	600W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
139	**MAZDA-FXR3086600W-6.5K-240V-BK-DA-A500 X B413 X C250 MM**	600W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
140	**MAZDA-FXR3086600W-6.5K-240V-GRY-DA-A500 X B413 X C250 MM**	600W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
141	**MAZDA-FXR3086600W-6.5K-240V-BK-PH-A500 X B413 X C250 MM**	600W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
142	**MAZDA-FXR3086600W-6.5K-240V-GRY-PH-A500 X B413 X C250 MM**	600W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
143	**MAZDA-FXR3086600W-6.5K-240V-BK-10VDIM-A500 X B413 X C250 MM**	600W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
144	**MAZDA-FXR3086600W-6.5K-240V-GRY-10VDIM-A500 X B413 X C250 MM**	600W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B413 X C250 MM	DIE CAST ALUMINUM	IP66	A500 X B413 X C250 MM
145	**MAZDA-FXR3086800W-3K-240V-BK-ND-A500 X B574 X C530MM**	800W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
146	**MAZDA-FXR3086800W-3K-240V-GRY-ND-A500 X B574 X C530MM**	800W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
147	**MAZDA-FXR3086800W-3K-240V-BK-DA-A500 X B574 X C530MM**	800W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
148	**MAZDA-FXR3086800W-3K-240V-GRY-DA-A500 X B574 X C530MM**	800W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
149	**MAZDA-FXR3086800W-3K-240V-BK-PH-A500 X B574 X C530MM**	800W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
150	**MAZDA-FXR3086800W-3K-240V-GRY-PH-A500 X B574 X C530MM**	800W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
151	**MAZDA-FXR3086800W-3K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
152	**MAZDA-FXR3086800W-3K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
153	**MAZDA-FXR3086800W-4K-240V-BK-ND-A500 X B574 X C530MM**	800W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
154	**MAZDA-FXR3086800W-4K-240V-GRY-ND-A500 X B574 X C530MM**	800W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
155	**MAZDA-FXR3086800W-4K-240V-BK-DA-A500 X B574 X C530MM**	800W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
156	**MAZDA-FXR3086800W-4K-240V-GRY-DA-A500 X B574 X C530MM**	800W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
157	**MAZDA-FXR3086800W-4K-240V-BK-PH-A500 X B574 X C530MM**	800W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
158	**MAZDA-FXR3086800W-4K-240V-GRY-PH-A500 X B574 X C530MM**	800W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
159	**MAZDA-FXR3086800W-4K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
160	**MAZDA-FXR3086800W-4K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
161	**MAZDA-FXR3086800W-5K-240V-BK-ND-A500 X B574 X C530MM**	800W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
162	**MAZDA-FXR3086800W-5K-240V-GRY-ND-A500 X B574 X C530MM**	800W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
163	**MAZDA-FXR3086800W-5K-240V-BK-DA-A500 X B574 X C530MM**	800W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
164	**MAZDA-FXR3086800W-5K-240V-GRY-DA-A500 X B574 X C530MM**	800W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
165	**MAZDA-FXR3086800W-5K-240V-BK-PH-A500 X B574 X C530MM**	800W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
166	**MAZDA-FXR3086800W-5K-240V-GRY-PH-A500 X B574 X C530MM**	800W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
167	**MAZDA-FXR3086800W-5K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
168	**MAZDA-FXR3086800W-5K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
169	**MAZDA-FXR3086800W-6K-240V-BK-ND-A500 X B574 X C530MM**	800W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
170	**MAZDA-FXR3086800W-6K-240V-GRY-ND-A500 X B574 X C530MM**	800W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
171	**MAZDA-FXR3086800W-6K-240V-BK-DA-A500 X B574 X C530MM**	800W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
172	**MAZDA-FXR3086800W-6K-240V-GRY-DA-A500 X B574 X C530MM**	800W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
173	**MAZDA-FXR3086800W-6K-240V-BK-PH-A500 X B574 X C530MM**	800W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
174	**MAZDA-FXR3086800W-6K-240V-GRY-PH-A500 X B574 X C530MM**	800W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
175	**MAZDA-FXR3086800W-6K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
176	**MAZDA-FXR3086800W-6K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
177	**MAZDA-FXR3086800W-2.7K-240V-BK-ND-A500 X B574 X C530MM**	800W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
178	**MAZDA-FXR3086800W-2.7K-240V-GRY-ND-A500 X B574 X C530MM**	800W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
179	**MAZDA-FXR3086800W-2.7K-240V-BK-DA-A500 X B574 X C530MM**	800W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
180	**MAZDA-FXR3086800W-2.7K-240V-GRY-DA-A500 X B574 X C530MM**	800W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
181	**MAZDA-FXR3086800W-2.7K-240V-BK-PH-A500 X B574 X C530MM**	800W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
182	**MAZDA-FXR3086800W-2.7K-240V-GRY-PH-A500 X B574 X C530MM**	800W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
183	**MAZDA-FXR3086800W-2.7K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
184	**MAZDA-FXR3086800W-2.7K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
185	**MAZDA-FXR3086800W-6.5K-240V-BK-ND-A500 X B574 X C530MM**	800W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
186	**MAZDA-FXR3086800W-6.5K-240V-GRY-ND-A500 X B574 X C530MM**	800W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
187	**MAZDA-FXR3086800W-6.5K-240V-BK-DA-A500 X B574 X C530MM**	800W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
188	**MAZDA-FXR3086800W-6.5K-240V-GRY-DA-A500 X B574 X C530MM**	800W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
189	**MAZDA-FXR3086800W-6.5K-240V-BK-PH-A500 X B574 X C530MM**	800W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
190	**MAZDA-FXR3086800W-6.5K-240V-GRY-PH-A500 X B574 X C530MM**	800W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
191	**MAZDA-FXR3086800W-6.5K-240V-BK-10VDIM-A500 X B574 X C530MM**	800W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
192	**MAZDA-FXR3086800W-6.5K-240V-GRY-10VDIM-A500 X B574 X C530MM**	800W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
193	**MAZDA-FXR30861000W-3K-240V-BK-ND-A500 X B574 X C530MM**	1000W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
194	**MAZDA-FXR30861000W-3K-240V-GRY-ND-A500 X B574 X C530MM**	1000W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
195	**MAZDA-FXR30861000W-3K-240V-BK-DA-A500 X B574 X C530MM**	1000W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
196	**MAZDA-FXR30861000W-3K-240V-GRY-DA-A500 X B574 X C530MM**	1000W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
197	**MAZDA-FXR30861000W-3K-240V-BK-PH-A500 X B574 X C530MM**	1000W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
198	**MAZDA-FXR30861000W-3K-240V-GRY-PH-A500 X B574 X C530MM**	1000W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
199	**MAZDA-FXR30861000W-3K-240V-BK-10VDIM-A500 X B574 X C530MM**	1000W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM
200	**MAZDA-FXR30861000W-3K-240V-GRY-10VDIM-A500 X B574 X C530MM**	1000W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A500 X B574 X C530MM	DIE CAST ALUMINUM	IP66	A500 X B574 X C530MM