



CHAMPION

MAZDA Model: FXR3040 Flood Light

Champion LED Flood Light for Sport Stadium, with bright & quality LUXEON 5050 2D chips, IP67 water-proof, effect heat dissipation & cooling system. Our Soccer Stadium Floodlight fulfils highest standard of optics, 4K broadcasting & flick free requirement. Champion Sports Flood light is one of our most popular products which is made for athletic field & football stadium lighting. We adopt Aluminum Alloy Shell & Silicon Rubber Cable. With the use of advanced large power LED & heat dissipation for football arena & pitch, the life span raises to 100,000 hours while still maintaining 70% of its original brightness. This 1000W Stadium Light is designed for replacing 3000W to 4000W Metal Halide Lamp.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR3040300W-3K-240V-BK-ND-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
2	MAZDA-FXR3040300W-3K-240V-GRY-ND-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
3	MAZDA-FXR3040300W-3K-240V-BK-DA-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
4	MAZDA-FXR3040300W-3K-240V-GRY-DA-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
5	MAZDA-FXR3040300W-3K-240V-BK-PH-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
6	MAZDA-FXR3040300W-3K-240V-GRY-PH-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
7	MAZDA-FXR3040300W-3K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
8	MAZDA-FXR3040300W-3K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
9	MAZDA-FXR3040300W-4K-240V-BK-ND-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
10	MAZDA-FXR3040300W-4K-240V-GRY-ND-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
11	MAZDA-FXR3040300W-4K-240V-BK-DA-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
12	MAZDA-FXR3040300W-4K-240V-GRY-DA-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
13	MAZDA-FXR3040300W-4K-240V-BK-PH-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
14	MAZDA-FXR3040300W-4K-240V-GRY-PH-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
15	MAZDA-FXR3040300W-4K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
16	MAZDA-FXR3040300W-4K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
17	MAZDA-FXR3040300W-5K-240V-BK-ND-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-FXR3040300W-5K-240V-GRY-ND-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
19	MAZDA-FXR3040300W-5K-240V-BK-DA-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
20	MAZDA-FXR3040300W-5K-240V-GRY-DA-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
21	MAZDA-FXR3040300W-5K-240V-BK-PH-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
22	MAZDA-FXR3040300W-5K-240V-GRY-PH-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
23	MAZDA-FXR3040300W-5K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
24	MAZDA-FXR3040300W-5K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
25	MAZDA-FXR3040300W-6K-240V-BK-ND-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
26	MAZDA-FXR3040300W-6K-240V-GRY-ND-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
27	MAZDA-FXR3040300W-6K-240V-BK-DA-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
28	MAZDA-FXR3040300W-6K-240V-GRY-DA-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
29	MAZDA-FXR3040300W-6K-240V-BK-PH-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
30	MAZDA-FXR3040300W-6K-240V-GRY-PH-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
31	MAZDA-FXR3040300W-6K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
32	MAZDA-FXR3040300W-6K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
33	MAZDA-FXR3040300W-2.7K-240V-BK-ND-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
34	MAZDA-FXR3040300W-2.7K-240V-GRY-ND-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
35	MAZDA-FXR3040300W-2.7K-240V-BK-DA-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
36	MAZDA-FXR3040300W-2.7K-240V-GRY-DA-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
37	MAZDA-FXR3040300W-2.7K-240V-BK-PH-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
38	MAZDA-FXR3040300W-2.7K-240V-GRY-PH-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
39	MAZDA-FXR3040300W-2.7K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
40	MAZDA-FXR3040300W-2.7K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
41	MAZDA-FXR3040300W-6.5K-240V-BK-ND-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
42	MAZDA-FXR3040300W-6.5K-240V-GRY-ND-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
43	MAZDA-FXR3040300W-6.5K-240V-BK-DA-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
44	MAZDA-FXR3040300W-6.5K-240V-GRY-DA-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
45	MAZDA-FXR3040300W-6.5K-240V-BK-PH-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-FXR3040300W-6.5K-240V-GRY-PH-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
47	MAZDA-FXR3040300W-6.5K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
48	MAZDA-FXR3040300W-6.5K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM	
49	MAZDA-FXR3040500W-3K-240V-BK-ND-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
50	MAZDA-FXR3040500W-3K-240V-GRY-ND-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
51	MAZDA-FXR3040500W-3K-240V-BK-DA-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
52	MAZDA-FXR3040500W-3K-240V-GRY-DA-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
53	MAZDA-FXR3040500W-3K-240V-BK-PH-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
54	MAZDA-FXR3040500W-3K-240V-GRY-PH-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
55	MAZDA-FXR3040500W-3K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
56	MAZDA-FXR3040500W-3K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
57	MAZDA-FXR3040500W-4K-240V-BK-ND-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
58	MAZDA-FXR3040500W-4K-240V-GRY-ND-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
59	MAZDA-FXR3040500W-4K-240V-BK-DA-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
60	MAZDA-FXR3040500W-4K-240V-GRY-DA-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
61	MAZDA-FXR3040500W-4K-240V-BK-PH-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
62	MAZDA-FXR3040500W-4K-240V-GRY-PH-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
63	MAZDA-FXR3040500W-4K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
64	MAZDA-FXR3040500W-4K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
65	MAZDA-FXR3040500W-5K-240V-BK-ND-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
66	MAZDA-FXR3040500W-5K-240V-GRY-ND-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
67	MAZDA-FXR3040500W-5K-240V-BK-DA-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
68	MAZDA-FXR3040500W-5K-240V-GRY-DA-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
69	MAZDA-FXR3040500W-5K-240V-BK-PH-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
70	MAZDA-FXR3040500W-5K-240V-GRY-PH-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
71	MAZDA-FXR3040500W-5K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
72	MAZDA-FXR3040500W-5K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
73	MAZDA-FXR3040500W-6K-240V-BK-ND-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-FXR3040500W-6K-240V-GRY-ND-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
75	MAZDA-FXR3040500W-6K-240V-BK-DA-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
76	MAZDA-FXR3040500W-6K-240V-GRY-DA-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
77	MAZDA-FXR3040500W-6K-240V-BK-PH-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
78	MAZDA-FXR3040500W-6K-240V-GRY-PH-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
79	MAZDA-FXR3040500W-6K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
80	MAZDA-FXR3040500W-6K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
81	MAZDA-FXR3040500W-2.7K-240V-BK-ND-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
82	MAZDA-FXR3040500W-2.7K-240V-GRY-ND-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
83	MAZDA-FXR3040500W-2.7K-240V-BK-DA-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
84	MAZDA-FXR3040500W-2.7K-240V-GRY-DA-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
85	MAZDA-FXR3040500W-2.7K-240V-BK-PH-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
86	MAZDA-FXR3040500W-2.7K-240V-GRY-PH-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
87	MAZDA-FXR3040500W-2.7K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
88	MAZDA-FXR3040500W-2.7K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
89	MAZDA-FXR3040500W-6.5K-240V-BK-ND-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
90	MAZDA-FXR3040500W-6.5K-240V-GRY-ND-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
91	MAZDA-FXR3040500W-6.5K-240V-BK-DA-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
92	MAZDA-FXR3040500W-6.5K-240V-GRY-DA-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
93	MAZDA-FXR3040500W-6.5K-240V-BK-PH-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
94	MAZDA-FXR3040500W-6.5K-240V-GRY-PH-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
95	MAZDA-FXR3040500W-6.5K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
96	MAZDA-FXR3040500W-6.5K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
97	MAZDA-FXR3040600W-3K-240V-BK-ND-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
98	MAZDA-FXR3040600W-3K-240V-GRY-ND-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
99	MAZDA-FXR3040600W-3K-240V-BK-DA-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
100	MAZDA-FXR3040600W-3K-240V-GRY-DA-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
101	MAZDA-FXR3040600W-3K-240V-BK-PH-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	MAZDA-FXR3040600W-3K-240V-GRY-PH-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
103	MAZDA-FXR3040600W-3K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
104	MAZDA-FXR3040600W-3K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
105	MAZDA-FXR3040600W-4K-240V-BK-ND-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
106	MAZDA-FXR3040600W-4K-240V-GRY-ND-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
107	MAZDA-FXR3040600W-4K-240V-BK-DA-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
108	MAZDA-FXR3040600W-4K-240V-GRY-DA-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
109	MAZDA-FXR3040600W-4K-240V-BK-PH-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
110	MAZDA-FXR3040600W-4K-240V-GRY-PH-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
111	MAZDA-FXR3040600W-4K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
112	MAZDA-FXR3040600W-4K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
113	MAZDA-FXR3040600W-5K-240V-BK-ND-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
114	MAZDA-FXR3040600W-5K-240V-GRY-ND-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
115	MAZDA-FXR3040600W-5K-240V-BK-DA-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
116	MAZDA-FXR3040600W-5K-240V-GRY-DA-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
117	MAZDA-FXR3040600W-5K-240V-BK-PH-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
118	MAZDA-FXR3040600W-5K-240V-GRY-PH-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
119	MAZDA-FXR3040600W-5K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
120	MAZDA-FXR3040600W-5K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
121	MAZDA-FXR3040600W-6K-240V-BK-ND-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
122	MAZDA-FXR3040600W-6K-240V-GRY-ND-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
123	MAZDA-FXR3040600W-6K-240V-BK-DA-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
124	MAZDA-FXR3040600W-6K-240V-GRY-DA-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
125	MAZDA-FXR3040600W-6K-240V-BK-PH-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
126	MAZDA-FXR3040600W-6K-240V-GRY-PH-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
127	MAZDA-FXR3040600W-6K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
128	MAZDA-FXR3040600W-6K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
129	MAZDA-FXR3040600W-2.7K-240V-BK-ND-A495 X B420 X C155MM	600W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-FXR3040600W-2.7K-240V-GRY-ND-A495 X B420 X C155MM	600W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
131	MAZDA-FXR3040600W-2.7K-240V-BK-DA-A495 X B420 X C155MM	600W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
132	MAZDA-FXR3040600W-2.7K-240V-GRY-DA-A495 X B420 X C155MM	600W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
133	MAZDA-FXR3040600W-2.7K-240V-BK-PH-A495 X B420 X C155MM	600W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
134	MAZDA-FXR3040600W-2.7K-240V-GRY-PH-A495 X B420 X C155MM	600W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
135	MAZDA-FXR3040600W-2.7K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
136	MAZDA-FXR3040600W-2.7K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
137	MAZDA-FXR3040600W-6.5K-240V-BK-ND-A495 X B420 X C155MM	600W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
138	MAZDA-FXR3040600W-6.5K-240V-GRY-ND-A495 X B420 X C155MM	600W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
139	MAZDA-FXR3040600W-6.5K-240V-BK-DA-A495 X B420 X C155MM	600W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
140	MAZDA-FXR3040600W-6.5K-240V-GRY-DA-A495 X B420 X C155MM	600W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
141	MAZDA-FXR3040600W-6.5K-240V-BK-PH-A495 X B420 X C155MM	600W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
142	MAZDA-FXR3040600W-6.5K-240V-GRY-PH-A495 X B420 X C155MM	600W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
143	MAZDA-FXR3040600W-6.5K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
144	MAZDA-FXR3040600W-6.5K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM	
145	MAZDA-FXR3040750W-3K-240V-BK-ND-A675 X B420 X C155MM	750W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
146	MAZDA-FXR3040750W-3K-240V-GRY-ND-A675 X B420 X C155MM	750W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
147	MAZDA-FXR3040750W-3K-240V-BK-DA-A675 X B420 X C155MM	750W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
148	MAZDA-FXR3040750W-3K-240V-GRY-DA-A675 X B420 X C155MM	750W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
149	MAZDA-FXR3040750W-3K-240V-BK-PH-A675 X B420 X C155MM	750W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
150	MAZDA-FXR3040750W-3K-240V-GRY-PH-A675 X B420 X C155MM	750W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
151	MAZDA-FXR3040750W-3K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
152	MAZDA-FXR3040750W-3K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
153	MAZDA-FXR3040750W-4K-240V-BK-ND-A675 X B420 X C155MM	750W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
154	MAZDA-FXR3040750W-4K-240V-GRY-ND-A675 X B420 X C155MM	750W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
155	MAZDA-FXR3040750W-4K-240V-BK-DA-A675 X B420 X C155MM	750W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
156	MAZDA-FXR3040750W-4K-240V-GRY-DA-A675 X B420 X C155MM	750W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
157	MAZDA-FXR3040750W-4K-240V-BK-PH-A675 X B420 X C155MM	750W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
158	MAZDA-FXR3040750W-4K-240V-GRY-PH-A675 X B420 X C155MM	750W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
159	MAZDA-FXR3040750W-4K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
160	MAZDA-FXR3040750W-4K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
161	MAZDA-FXR3040750W-5K-240V-BK-ND-A675 X B420 X C155MM	750W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
162	MAZDA-FXR3040750W-5K-240V-GRY-ND-A675 X B420 X C155MM	750W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
163	MAZDA-FXR3040750W-5K-240V-BK-DA-A675 X B420 X C155MM	750W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
164	MAZDA-FXR3040750W-5K-240V-GRY-DA-A675 X B420 X C155MM	750W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
165	MAZDA-FXR3040750W-5K-240V-BK-PH-A675 X B420 X C155MM	750W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
166	MAZDA-FXR3040750W-5K-240V-GRY-PH-A675 X B420 X C155MM	750W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
167	MAZDA-FXR3040750W-5K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
168	MAZDA-FXR3040750W-5K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
169	MAZDA-FXR3040750W-6K-240V-BK-ND-A675 X B420 X C155MM	750W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
170	MAZDA-FXR3040750W-6K-240V-GRY-ND-A675 X B420 X C155MM	750W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
171	MAZDA-FXR3040750W-6K-240V-BK-DA-A675 X B420 X C155MM	750W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
172	MAZDA-FXR3040750W-6K-240V-GRY-DA-A675 X B420 X C155MM	750W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
173	MAZDA-FXR3040750W-6K-240V-BK-PH-A675 X B420 X C155MM	750W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
174	MAZDA-FXR3040750W-6K-240V-GRY-PH-A675 X B420 X C155MM	750W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
175	MAZDA-FXR3040750W-6K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
176	MAZDA-FXR3040750W-6K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
177	MAZDA-FXR3040750W-2.7K-240V-BK-ND-A675 X B420 X C155MM	750W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
178	MAZDA-FXR3040750W-2.7K-240V-GRY-ND-A675 X B420 X C155MM	750W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
179	MAZDA-FXR3040750W-2.7K-240V-BK-DA-A675 X B420 X C155MM	750W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
180	MAZDA-FXR3040750W-2.7K-240V-GRY-DA-A675 X B420 X C155MM	750W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
181	MAZDA-FXR3040750W-2.7K-240V-BK-PH-A675 X B420 X C155MM	750W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
182	MAZDA-FXR3040750W-2.7K-240V-GRY-PH-A675 X B420 X C155MM	750W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
183	MAZDA-FXR3040750W-2.7K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
184	MAZDA-FXR3040750W-2.7K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
185	MAZDA-FXR3040750W-6.5K-240V-BK-ND-A675 X B420 X C155MM	750W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
186	MAZDA-FXR3040750W-6.5K-240V-GRY-ND-A675 X B420 X C155MM	750W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
187	MAZDA-FXR3040750W-6.5K-240V-BK-DA-A675 X B420 X C155MM	750W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
188	MAZDA-FXR3040750W-6.5K-240V-GRY-DA-A675 X B420 X C155MM	750W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
189	MAZDA-FXR3040750W-6.5K-240V-BK-PH-A675 X B420 X C155MM	750W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
190	MAZDA-FXR3040750W-6.5K-240V-GRY-PH-A675 X B420 X C155MM	750W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
191	MAZDA-FXR3040750W-6.5K-240V-BK-10VDIM-A675 X B420 X C155MM	750W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
192	MAZDA-FXR3040750W-6.5K-240V-GRY-10VDIM-A675 X B420 X C155MM	750W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
193	MAZDA-FXR3040800W-3K-240V-BK-ND-A675 X B420 X C155MM	800W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
194	MAZDA-FXR3040800W-3K-240V-GRY-ND-A675 X B420 X C155MM	800W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
195	MAZDA-FXR3040800W-3K-240V-BK-DA-A675 X B420 X C155MM	800W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
196	MAZDA-FXR3040800W-3K-240V-GRY-DA-A675 X B420 X C155MM	800W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
197	MAZDA-FXR3040800W-3K-240V-BK-PH-A675 X B420 X C155MM	800W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
198	MAZDA-FXR3040800W-3K-240V-GRY-PH-A675 X B420 X C155MM	800W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
199	MAZDA-FXR3040800W-3K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
200	MAZDA-FXR3040800W-3K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
201	MAZDA-FXR3040800W-4K-240V-BK-ND-A675 X B420 X C155MM	800W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
202	MAZDA-FXR3040800W-4K-240V-GRY-ND-A675 X B420 X C155MM	800W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
203	MAZDA-FXR3040800W-4K-240V-BK-DA-A675 X B420 X C155MM	800W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
204	MAZDA-FXR3040800W-4K-240V-GRY-DA-A675 X B420 X C155MM	800W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
205	MAZDA-FXR3040800W-4K-240V-BK-PH-A675 X B420 X C155MM	800W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
206	MAZDA-FXR3040800W-4K-240V-GRY-PH-A675 X B420 X C155MM	800W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
207	MAZDA-FXR3040800W-4K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
208	MAZDA-FXR3040800W-4K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
209	MAZDA-FXR3040800W-5K-240V-BK-ND-A675 X B420 X C155MM	800W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
210	MAZDA-FXR3040800W-5K-240V-GRY-ND-A675 X B420 X C155MM	800W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
211	MAZDA-FXR3040800W-5K-240V-BK-DA-A675 X B420 X C155MM	800W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
212	MAZDA-FXR3040800W-5K-240V-GRY-DA-A675 X B420 X C155MM	800W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
213	MAZDA-FXR3040800W-5K-240V-BK-PH-A675 X B420 X C155MM	800W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
214	MAZDA-FXR3040800W-5K-240V-GRY-PH-A675 X B420 X C155MM	800W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
215	MAZDA-FXR3040800W-5K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
216	MAZDA-FXR3040800W-5K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
217	MAZDA-FXR3040800W-6K-240V-BK-ND-A675 X B420 X C155MM	800W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
218	MAZDA-FXR3040800W-6K-240V-GRY-ND-A675 X B420 X C155MM	800W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
219	MAZDA-FXR3040800W-6K-240V-BK-DA-A675 X B420 X C155MM	800W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
220	MAZDA-FXR3040800W-6K-240V-GRY-DA-A675 X B420 X C155MM	800W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
221	MAZDA-FXR3040800W-6K-240V-BK-PH-A675 X B420 X C155MM	800W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
222	MAZDA-FXR3040800W-6K-240V-GRY-PH-A675 X B420 X C155MM	800W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
223	MAZDA-FXR3040800W-6K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
224	MAZDA-FXR3040800W-6K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
225	MAZDA-FXR3040800W-2.7K-240V-BK-ND-A675 X B420 X C155MM	800W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
226	MAZDA-FXR3040800W-2.7K-240V-GRY-ND-A675 X B420 X C155MM	800W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
227	MAZDA-FXR3040800W-2.7K-240V-BK-DA-A675 X B420 X C155MM	800W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
228	MAZDA-FXR3040800W-2.7K-240V-GRY-DA-A675 X B420 X C155MM	800W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
229	MAZDA-FXR3040800W-2.7K-240V-BK-PH-A675 X B420 X C155MM	800W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
230	MAZDA-FXR3040800W-2.7K-240V-GRY-PH-A675 X B420 X C155MM	800W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
231	MAZDA-FXR3040800W-2.7K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
232	MAZDA-FXR3040800W-2.7K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
233	MAZDA-FXR3040800W-6.5K-240V-BK-ND-A675 X B420 X C155MM	800W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
234	MAZDA-FXR3040800W-6.5K-240V-GRY-ND-A675 X B420 X C155MM	800W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
235	MAZDA-FXR3040800W-6.5K-240V-BK-DA-A675 X B420 X C155MM	800W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
236	MAZDA-FXR3040800W-6.5K-240V-GRY-DA-A675 X B420 X C155MM	800W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
237	MAZDA-FXR3040800W-6.5K-240V-BK-PH-A675 X B420 X C155MM	800W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
238	MAZDA-FXR3040800W-6.5K-240V-GRY-PH-A675 X B420 X C155MM	800W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
239	MAZDA-FXR3040800W-6.5K-240V-BK-10VDIM-A675 X B420 X C155MM	800W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
240	MAZDA-FXR3040800W-6.5K-240V-GRY-10VDIM-A675 X B420 X C155MM	800W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM	
241	MAZDA-FXR30401000W-3K-240V-BK-ND-A855 X B420 X C155MM	1000W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
242	MAZDA-FXR30401000W-3K-240V-GRY-ND-A855 X B420 X C155MM	1000W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
243	MAZDA-FXR30401000W-3K-240V-BK-DA-A855 X B420 X C155MM	1000W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
244	MAZDA-FXR30401000W-3K-240V-GRY-DA-A855 X B420 X C155MM	1000W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
245	MAZDA-FXR30401000W-3K-240V-BK-PH-A855 X B420 X C155MM	1000W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
246	MAZDA-FXR30401000W-3K-240V-GRY-PH-A855 X B420 X C155MM	1000W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
247	MAZDA-FXR30401000W-3K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
248	MAZDA-FXR30401000W-3K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
249	MAZDA-FXR30401000W-4K-240V-BK-ND-A855 X B420 X C155MM	1000W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
250	MAZDA-FXR30401000W-4K-240V-GRY-ND-A855 X B420 X C155MM	1000W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
251	MAZDA-FXR30401000W-4K-240V-BK-DA-A855 X B420 X C155MM	1000W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
252	MAZDA-FXR30401000W-4K-240V-GRY-DA-A855 X B420 X C155MM	1000W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
253	MAZDA-FXR30401000W-4K-240V-BK-PH-A855 X B420 X C155MM	1000W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
254	MAZDA-FXR30401000W-4K-240V-GRY-PH-A855 X B420 X C155MM	1000W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
255	MAZDA-FXR30401000W-4K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
256	MAZDA-FXR30401000W-4K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
257	MAZDA-FXR30401000W-5K-240V-BK-ND-A855 X B420 X C155MM	1000W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
258	MAZDA-FXR30401000W-5K-240V-GRY-ND-A855 X B420 X C155MM	1000W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
259	MAZDA-FXR30401000W-5K-240V-BK-DA-A855 X B420 X C155MM	1000W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
260	MAZDA-FXR30401000W-5K-240V-GRY-DA-A855 X B420 X C155MM	1000W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
261	MAZDA-FXR30401000W-5K-240V-BK-PH-A855 X B420 X C155MM	1000W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
262	MAZDA-FXR30401000W-5K-240V-GRY-PH-A855 X B420 X C155MM	1000W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
263	MAZDA-FXR30401000W-5K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
264	MAZDA-FXR30401000W-5K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
265	MAZDA-FXR30401000W-6K-240V-BK-ND-A855 X B420 X C155MM	1000W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
266	MAZDA-FXR30401000W-6K-240V-GRY-ND-A855 X B420 X C155MM	1000W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
267	MAZDA-FXR30401000W-6K-240V-BK-DA-A855 X B420 X C155MM	1000W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
268	MAZDA-FXR30401000W-6K-240V-GRY-DA-A855 X B420 X C155MM	1000W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
269	MAZDA-FXR30401000W-6K-240V-BK-PH-A855 X B420 X C155MM	1000W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
270	MAZDA-FXR30401000W-6K-240V-GRY-PH-A855 X B420 X C155MM	1000W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
271	MAZDA-FXR30401000W-6K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
272	MAZDA-FXR30401000W-6K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
273	MAZDA-FXR30401000W-2.7K-240V-BK-ND-A855 X B420 X C155MM	1000W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
274	MAZDA-FXR30401000W-2.7K-240V-GRY-ND-A855 X B420 X C155MM	1000W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
275	MAZDA-FXR30401000W-2.7K-240V-BK-DA-A855 X B420 X C155MM	1000W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
276	MAZDA-FXR30401000W-2.7K-240V-GRY-DA-A855 X B420 X C155MM	1000W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
277	MAZDA-FXR30401000W-2.7K-240V-BK-PH-A855 X B420 X C155MM	1000W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
278	MAZDA-FXR30401000W-2.7K-240V-GRY-PH-A855 X B420 X C155MM	1000W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
279	MAZDA-FXR30401000W-2.7K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
280	MAZDA-FXR30401000W-2.7K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
281	MAZDA-FXR30401000W-6.5K-240V-BK-ND-A855 X B420 X C155MM	1000W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
282	MAZDA-FXR30401000W-6.5K-240V-GRY-ND-A855 X B420 X C155MM	1000W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
283	MAZDA-FXR30401000W-6.5K-240V-BK-DA-A855 X B420 X C155MM	1000W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
284	MAZDA-FXR30401000W-6.5K-240V-GRY-DA-A855 X B420 X C155MM	1000W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
285	MAZDA-FXR30401000W-6.5K-240V-BK-PH-A855 X B420 X C155MM	1000W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
286	MAZDA-FXR30401000W-6.5K-240V-GRY-PH-A855 X B420 X C155MM	1000W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
287	MAZDA-FXR30401000W-6.5K-240V-BK-10VDIM-A855 X B420 X C155MM	1000W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	
288	MAZDA-FXR30401000W-6.5K-240V-GRY-10VDIM-A855 X B420 X C155MM	1000W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A855 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A855 X B420 X C155MM	