DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



CHAMPION

MAZDA Model: FXR3040 Flood Light

Champion LED Flood Light for Sport Stadium, with bright & quality LUXEON 5050 2D chips, IP67 water-proof, effect heat dissipation & cooling system. Our Soccer Stadium Floodlight fulfils highest standard of optics, 4K broadcasting & flick free requirement. Champion Sports Flood light is one of our most popular products which is made for athletic field & football stadium lighting. We adopt Aluminum Alloy Shell & Silicon Rubber Cable. With the use of advanced large power LED & heat dissipation for football arena & pitch, the life span raises to 100,000 hours while still maintaining 70% of its original brightness. This 1000W Stadium Light is designed for replacing 3000W to 4000W Metal Halide Lamp.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-FXR3040300W-3K-240V-BK-ND-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
2	MAZDA-FXR3040300W-3K-240V-GRY-ND-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
3	MAZDA-FXR3040300W-3K-240V-BK-DA-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
4	MAZDA-FXR3040300W-3K-240V-GRY-DA-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
5	MAZDA-FXR3040300W-3K-240V-BK-PH-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
6	MAZDA-FXR3040300W-3K-240V-GRY-PH-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
7	MAZDA-FXR3040300W-3K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
8	MAZDA-FXR3040300W-3K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
9	MAZDA-FXR3040300W-4K-240V-BK-ND-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
10	MAZDA-FXR3040300W-4K-240V-GRY-ND-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
11	MAZDA-FXR3040300W-4K-240V-BK-DA-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
12	MAZDA-FXR3040300W-4K-240V-GRY-DA-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
13	MAZDA-FXR3040300W-4K-240V-BK-PH-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
14	MAZDA-FXR3040300W-4K-240V-GRY-PH-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
15	MAZDA-FXR3040300W-4K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
16	MAZDA-FXR3040300W-4K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
17	MAZDA-FXR3040300W-5K-240V-BK-ND-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
18	MAZDA-FXR3040300W-5K-240V-GRY-ND-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
19	MAZDA-FXR3040300W-5K-240V-BK-DA-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
20	MAZDA-FXR3040300W-5K-240V-GRY-DA-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
21	MAZDA-FXR3040300W-5K-240V-BK-PH-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
22	MAZDA-FXR3040300W-5K-240V-GRY-PH-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
23	MAZDA-FXR3040300W-5K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
24	MAZDA-FXR3040300W-5K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
25	MAZDA-FXR3040300W-6K-240V-BK-ND-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
26	MAZDA-FXR3040300W-6K-240V-GRY-ND-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
27	MAZDA-FXR3040300W-6K-240V-BK-DA-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
28	MAZDA-FXR3040300W-6K-240V-GRY-DA-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
29	MAZDA-FXR3040300W-6K-240V-BK-PH-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
30	MAZDA-FXR3040300W-6K-240V-GRY-PH-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
31	MAZDA-FXR3040300W-6K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
32	MAZDA-FXR3040300W-6K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
33	MAZDA-FXR3040300W-2.7K-240V-BK-ND-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
34	MAZDA-FXR3040300W-2.7K-240V-GRY-ND-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
35	MAZDA-FXR3040300W-2.7K-240V-BK-DA-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
36	MAZDA-FXR3040300W-2.7K-240V-GRY-DA-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
37	MAZDA-FXR3040300W-2.7K-240V-BK-PH-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
38	MAZDA-FXR3040300W-2.7K-240V-GRY-PH-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
39	MAZDA-FXR3040300W-2.7K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
40	MAZDA-FXR3040300W-2.7K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
41	MAZDA-FXR3040300W-6.5K-240V-BK-ND-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
42	MAZDA-FXR3040300W-6.5K-240V-GRY-ND-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
43	MAZDA-FXR3040300W-6.5K-240V-BK-DA-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
44	MAZDA-FXR3040300W-6.5K-240V-GRY-DA-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
45	MAZDA-FXR3040300W-6.5K-240V-BK-PH-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
46	MAZDA-FXR3040300W-6.5K-240V-GRY-PH-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
47	MAZDA-FXR3040300W-6.5K-240V-BK-10VDIM-A315 X B420 X C155MM	300W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
48	MAZDA-FXR3040300W-6.5K-240V-GRY-10VDIM-A315 X B420 X C155MM	300W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A315 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A315 X B420 X C155MM
49	MAZDA-FXR3040500W-3K-240V-BK-ND-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
50	MAZDA-FXR3040500W-3K-240V-GRY-ND-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
51	MAZDA-FXR3040500W-3K-240V-BK-DA-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
52	MAZDA-FXR3040500W-3K-240V-GRY-DA-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
53	MAZDA-FXR3040500W-3K-240V-BK-PH-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
54	MAZDA-FXR3040500W-3K-240V-GRY-PH-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
55	MAZDA-FXR3040500W-3K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
56	MAZDA-FXR3040500W-3K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
57	MAZDA-FXR3040500W-4K-240V-BK-ND-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
58	MAZDA-FXR3040500W-4K-240V-GRY-ND-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
59	MAZDA-FXR3040500W-4K-240V-BK-DA-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
60	MAZDA-FXR3040500W-4K-240V-GRY-DA-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
61	MAZDA-FXR3040500W-4K-240V-BK-PH-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
62	MAZDA-FXR3040500W-4K-240V-GRY-PH-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
63	MAZDA-FXR3040500W-4K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
64	MAZDA-FXR3040500W-4K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
65	MAZDA-FXR3040500W-5K-240V-BK-ND-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
66	MAZDA-FXR3040500W-5K-240V-GRY-ND-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
67	MAZDA-FXR3040500W-5K-240V-BK-DA-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
68	MAZDA-FXR3040500W-5K-240V-GRY-DA-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
69	MAZDA-FXR3040500W-5K-240V-BK-PH-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
70	MAZDA-FXR3040500W-5K-240V-GRY-PH-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
71	MAZDA-FXR3040500W-5K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
72	MAZDA-FXR3040500W-5K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
73	MAZDA-FXR3040500W-6K-240V-BK-ND-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
74	MAZDA-FXR3040500W-6K-240V-GRY-ND-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
75	MAZDA-FXR3040500W-6K-240V-BK-DA-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
76	MAZDA-FXR3040500W-6K-240V-GRY-DA-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
77	MAZDA-FXR3040500W-6K-240V-BK-PH-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
78	MAZDA-FXR3040500W-6K-240V-GRY-PH-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
79	MAZDA-FXR3040500W-6K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
80	MAZDA-FXR3040500W-6K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
81	MAZDA-FXR3040500W-2.7K-240V-BK-ND-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
82	MAZDA-FXR3040500W-2.7K-240V-GRY-ND-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
83	MAZDA-FXR3040500W-2.7K-240V-BK-DA-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
84	MAZDA-FXR3040500W-2.7K-240V-GRY-DA-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
85	MAZDA-FXR3040500W-2.7K-240V-BK-PH-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
86	MAZDA-FXR3040500W-2.7K-240V-GRY-PH-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
87	MAZDA-FXR3040500W-2.7K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
88	MAZDA-FXR3040500W-2.7K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
89	MAZDA-FXR3040500W-6.5K-240V-BK-ND-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
90	MAZDA-FXR3040500W-6.5K-240V-GRY-ND-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
91	MAZDA-FXR3040500W-6.5K-240V-BK-DA-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
92	MAZDA-FXR3040500W-6.5K-240V-GRY-DA-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
93	MAZDA-FXR3040500W-6.5K-240V-BK-PH-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
94	MAZDA-FXR3040500W-6.5K-240V-GRY-PH-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
95	MAZDA-FXR3040500W-6.5K-240V-BK-10VDIM-A495 X B420 X C155MM	500W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
96	MAZDA-FXR3040500W-6.5K-240V-GRY-10VDIM-A495 X B420 X C155MM	500W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
97	MAZDA-FXR3040600W-3K-240V-BK-ND-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
98	MAZDA-FXR3040600W-3K-240V-GRY-ND-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
99	MAZDA-FXR3040600W-3K-240V-BK-DA-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
100	MAZDA-FXR3040600W-3K-240V-GRY-DA-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
101	MAZDA-FXR3040600W-3K-240V-BK-PH-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
102	MAZDA-FXR3040600W-3K-240V-GRY-PH-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
103	MAZDA-FXR3040600W-3K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
104	MAZDA-FXR3040600W-3K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
105	MAZDA-FXR3040600W-4K-240V-BK-ND-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
106	MAZDA-FXR3040600W-4K-240V-GRY-ND-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
107	MAZDA-FXR3040600W-4K-240V-BK-DA-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
108	MAZDA-FXR3040600W-4K-240V-GRY-DA-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
109	MAZDA-FXR3040600W-4K-240V-BK-PH-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
110	MAZDA-FXR3040600W-4K-240V-GRY-PH-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
111	MAZDA-FXR3040600W-4K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
112	MAZDA-FXR3040600W-4K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
113	MAZDA-FXR3040600W-5K-240V-BK-ND-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
114	MAZDA-FXR3040600W-5K-240V-GRY-ND-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
115	MAZDA-FXR3040600W-5K-240V-BK-DA-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
116	MAZDA-FXR3040600W-5K-240V-GRY-DA-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
117	MAZDA-FXR3040600W-5K-240V-BK-PH-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
118	MAZDA-FXR3040600W-5K-240V-GRY-PH-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
119	MAZDA-FXR3040600W-5K-240V-BK-10VDIM-A495 X B420 X C155MM	600W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
120	MAZDA-FXR3040600W-5K-240V-GRY-10VDIM-A495 X B420 X C155MM	600W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
121	MAZDA-FXR3040600W-6K-240V-BK-ND-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
122	MAZDA-FXR3040600W-6K-240V-GRY-ND-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
123	MAZDA-FXR3040600W-6K-240V-BK-DA-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
124	MAZDA-FXR3040600W-6K-240V-GRY-DA-A495 X B420 X C155MM	600W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
125	MAZDA-FXR3040600W-6K-240V-BK-PH-A495 X B420 X C155MM	600W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
126	**MAZDA-FXR3040600W-6K-240V-GRY-PH-A495 X B420 X C155MM**	600W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
127	**MAZDA-FXR3040600W-6K-240V-BK-10VDIM-A495 X B420 X C155MM**	600W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
128	**MAZDA-FXR3040600W-6K-240V-GRY-10VDIM-A495 X B420 X C155MM**	600W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
129	**MAZDA-FXR3040600W-2.7K-240V-BK-ND-A495 X B420 X C155MM**	600W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
130	**MAZDA-FXR3040600W-2.7K-240V-GRY-ND-A495 X B420 X C155MM**	600W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
131	**MAZDA-FXR3040600W-2.7K-240V-BK-DA-A495 X B420 X C155MM**	600W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
132	**MAZDA-FXR3040600W-2.7K-240V-GRY-DA-A495 X B420 X C155MM**	600W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
133	**MAZDA-FXR3040600W-2.7K-240V-BK-PH-A495 X B420 X C155MM**	600W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
134	**MAZDA-FXR3040600W-2.7K-240V-GRY-PH-A495 X B420 X C155MM**	600W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
135	**MAZDA-FXR3040600W-2.7K-240V-BK-10VDIM-A495 X B420 X C155MM**	600W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
136	**MAZDA-FXR3040600W-2.7K-240V-GRY-10VDIM-A495 X B420 X C155MM**	600W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
137	**MAZDA-FXR3040600W-6.5K-240V-BK-ND-A495 X B420 X C155MM**	600W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
138	**MAZDA-FXR3040600W-6.5K-240V-GRY-ND-A495 X B420 X C155MM**	600W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
139	**MAZDA-FXR3040600W-6.5K-240V-BK-DA-A495 X B420 X C155MM**	600W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
140	**MAZDA-FXR3040600W-6.5K-240V-GRY-DA-A495 X B420 X C155MM**	600W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
141	**MAZDA-FXR3040600W-6.5K-240V-BK-PH-A495 X B420 X C155MM**	600W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
142	**MAZDA-FXR3040600W-6.5K-240V-GRY-PH-A495 X B420 X C155MM**	600W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
143	**MAZDA-FXR3040600W-6.5K-240V-BK-10VDIM-A495 X B420 X C155MM**	600W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
144	**MAZDA-FXR3040600W-6.5K-240V-GRY-10VDIM-A495 X B420 X C155MM**	600W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A495 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A495 X B420 X C155MM
145	**MAZDA-FXR3040750W-3K-240V-BK-ND-A675 X B420 X C155MM**	750W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM
146	**MAZDA-FXR3040750W-3K-240V-GRY-ND-A675 X B420 X C155MM**	750W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM
147	**MAZDA-FXR3040750W-3K-240V-BK-DA-A675 X B420 X C155MM**	750W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM
148	**MAZDA-FXR3040750W-3K-240V-GRY-DA-A675 X B420 X C155MM**	750W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM
149	**MAZDA-FXR3040750W-3K-240V-BK-PH-A675 X B420 X C155MM**	750W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM
150	**MAZDA-FXR3040750W-3K-240V-GRY-PH-A675 X B420 X C155MM**	750W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A675 X B420 X C155MM	DIE CAST ALUMINUM	IP67	A675 X B420 X C155MM