DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



DURCE

MAZDA Model: FXR3020 Flood Light

Durce LED Flood Lights are often used to illuminate outdoor playing fields while an outdoor sports event is being held during low-light conditions. The white beam of light produced by it is very much similar to daylight. When used in stadiums, it makes the spectators feel as though it is day time. Durce LED Flood Lights are impervious to temperature fluctuations and environmental conditions. Unlike some other lights, LEDs remain stable and functional even in freezing conditions. This makes them all the more ideal for cold warehouses and storage areas.

Durce LED Flood Lights are friendly to the environment and also to the health of people nearby. What's more, they do not emanate heat and conserve the maximum amount of electricity, which also leads to longevity and safety. It is of IP Rate 67, which means its excellent performance in waterproof, Energy Friendly. LED flood lights eliminate the need for frequent bulb replacements, and you can save as much as 80% on electricity costs, Unaffected by Weather & Temperature Changes. Durce LED flood lights are impervious to temperature fluctuations and environmental conditions

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-FXR3020600W-3K-240V-BK-ND-A674 X B540 X C115MM	600W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
2	MAZDA-FXR3020600W-3K-240V-GRY-ND-A674 X B540 X C115MM	600W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
3	MAZDA-FXR3020600W-3K-240V-BK-DA-A674 X B540 X C115MM	600W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
4	MAZDA-FXR3020600W-3K-240V-GRY-DA-A674 X B540 X C115MM	600W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
5	MAZDA-FXR3020600W-3K-240V-BK-PH-A674 X B540 X C115MM	600W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
6	MAZDA-FXR3020600W-3K-240V-GRY-PH-A674 X B540 X C115MM	600W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
7	MAZDA-FXR3020600W-3K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
8	MAZDA-FXR3020600W-3K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
9	MAZDA-FXR3020600W-4K-240V-BK-ND-A674 X B540 X C115MM	600W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
10	MAZDA-FXR3020600W-4K-240V-GRY-ND-A674 X B540 X C115MM	600W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
11	MAZDA-FXR3020600W-4K-240V-BK-DA-A674 X B540 X C115MM	600W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
12	MAZDA-FXR3020600W-4K-240V-GRY-DA-A674 X B540 X C115MM	600W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
13	MAZDA-FXR3020600W-4K-240V-BK-PH-A674 X B540 X C115MM	600W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
14	MAZDA-FXR3020600W-4K-240V-GRY-PH-A674 X B540 X C115MM	600W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
15	MAZDA-FXR3020600W-4K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
16	MAZDA-FXR3020600W-4K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
17	MAZDA-FXR3020600W-5K-240V-BK-ND-A674 X B540 X C115MM	600W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
18	MAZDA-FXR3020600W-5K-240V-GRY-ND-A674 X B540 X C115MM	600W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
19	MAZDA-FXR3020600W-5K-240V-BK-DA-A674 X B540 X C115MM	600W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
20	MAZDA-FXR3020600W-5K-240V-GRY-DA-A674 X B540 X C115MM	600W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
21	MAZDA-FXR3020600W-5K-240V-BK-PH-A674 X B540 X C115MM	600W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
22	MAZDA-FXR3020600W-5K-240V-GRY-PH-A674 X B540 X C115MM	600W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
23	MAZDA-FXR3020600W-5K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
24	MAZDA-FXR3020600W-5K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
25	MAZDA-FXR3020600W-6K-240V-BK-ND-A674 X B540 X C115MM	600W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
26	MAZDA-FXR3020600W-6K-240V-GRY-ND-A674 X B540 X C115MM	600W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
27	MAZDA-FXR3020600W-6K-240V-BK-DA-A674 X B540 X C115MM	600W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
28	MAZDA-FXR3020600W-6K-240V-GRY-DA-A674 X B540 X C115MM	600W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
29	MAZDA-FXR3020600W-6K-240V-BK-PH-A674 X B540 X C115MM	600W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
30	MAZDA-FXR3020600W-6K-240V-GRY-PH-A674 X B540 X C115MM	600W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
31	MAZDA-FXR3020600W-6K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
32	MAZDA-FXR3020600W-6K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
33	MAZDA-FXR3020600W-2.7K-240V-BK-ND-A674 X B540 X C115MM	600W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
34	MAZDA-FXR3020600W-2.7K-240V-GRY-ND-A674 X B540 X C115MM	600W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
35	MAZDA-FXR3020600W-2.7K-240V-BK-DA-A674 X B540 X C115MM	600W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
36	MAZDA-FXR3020600W-2.7K-240V-GRY-DA-A674 X B540 X C115MM	600W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
37	MAZDA-FXR3020600W-2.7K-240V-BK-PH-A674 X B540 X C115MM	600W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
38	MAZDA-FXR3020600W-2.7K-240V-GRY-PH-A674 X B540 X C115MM	600W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
39	MAZDA-FXR3020600W-2.7K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
40	MAZDA-FXR3020600W-2.7K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
41	MAZDA-FXR3020600W-6.5K-240V-BK-ND-A674 X B540 X C115MM	600W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
42	MAZDA-FXR3020600W-6.5K-240V-GRY-ND-A674 X B540 X C115MM	600W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
43	MAZDA-FXR3020600W-6.5K-240V-BK-DA-A674 X B540 X C115MM	600W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
44	MAZDA-FXR3020600W-6.5K-240V-GRY-DA-A674 X B540 X C115MM	600W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
45	MAZDA-FXR3020600W-6.5K-240V-BK-PH-A674 X B540 X C115MM	600W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
46	MAZDA-FXR3020600W-6.5K-240V-GRY-PH-A674 X B540 X C115MM	600W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
47	MAZDA-FXR3020600W-6.5K-240V-BK-10VDIM-A674 X B540 X C115MM	600W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
48	MAZDA-FXR3020600W-6.5K-240V-GRY-10VDIM-A674 X B540 X C115MM	600W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A674 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A674 X B540 X C115MM
49	MAZDA-FXR3020400W-3K-240V-BK-ND-A473 X B540 X C115MM	400W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
50	MAZDA-FXR3020400W-3K-240V-GRY-ND-A473 X B540 X C115MM	400W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
51	MAZDA-FXR3020400W-3K-240V-BK-DA-A473 X B540 X C115MM	400W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
52	MAZDA-FXR3020400W-3K-240V-GRY-DA-A473 X B540 X C115MM	400W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
53	MAZDA-FXR3020400W-3K-240V-BK-PH-A473 X B540 X C115MM	400W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
54	MAZDA-FXR3020400W-3K-240V-GRY-PH-A473 X B540 X C115MM	400W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
55	MAZDA-FXR3020400W-3K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
56	MAZDA-FXR3020400W-3K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
57	MAZDA-FXR3020400W-4K-240V-BK-ND-A473 X B540 X C115MM	400W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
58	MAZDA-FXR3020400W-4K-240V-GRY-ND-A473 X B540 X C115MM	400W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
59	MAZDA-FXR3020400W-4K-240V-BK-DA-A473 X B540 X C115MM	400W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
60	MAZDA-FXR3020400W-4K-240V-GRY-DA-A473 X B540 X C115MM	400W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
61	MAZDA-FXR3020400W-4K-240V-BK-PH-A473 X B540 X C115MM	400W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
62	MAZDA-FXR3020400W-4K-240V-GRY-PH-A473 X B540 X C115MM	400W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
63	MAZDA-FXR3020400W-4K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
64	MAZDA-FXR3020400W-4K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
65	MAZDA-FXR3020400W-5K-240V-BK-ND-A473 X B540 X C115MM	400W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
66	MAZDA-FXR3020400W-5K-240V-GRY-ND-A473 X B540 X C115MM	400W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
67	MAZDA-FXR3020400W-5K-240V-BK-DA-A473 X B540 X C115MM	400W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
68	MAZDA-FXR3020400W-5K-240V-GRY-DA-A473 X B540 X C115MM	400W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
69	MAZDA-FXR3020400W-5K-240V-BK-PH-A473 X B540 X C115MM	400W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
70	MAZDA-FXR3020400W-5K-240V-GRY-PH-A473 X B540 X C115MM	400W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
71	MAZDA-FXR3020400W-5K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
72	MAZDA-FXR3020400W-5K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
73	MAZDA-FXR3020400W-6K-240V-BK-ND-A473 X B540 X C115MM	400W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
74	MAZDA-FXR3020400W-6K-240V-GRY-ND-A473 X B540 X C115MM	400W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
75	MAZDA-FXR3020400W-6K-240V-BK-DA-A473 X B540 X C115MM	400W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
76	MAZDA-FXR3020400W-6K-240V-GRY-DA-A473 X B540 X C115MM	400W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
77	MAZDA-FXR3020400W-6K-240V-BK-PH-A473 X B540 X C115MM	400W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
78	MAZDA-FXR3020400W-6K-240V-GRY-PH-A473 X B540 X C115MM	400W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
79	MAZDA-FXR3020400W-6K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
80	MAZDA-FXR3020400W-6K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
81	MAZDA-FXR3020400W-2.7K-240V-BK-ND-A473 X B540 X C115MM	400W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
82	MAZDA-FXR3020400W-2.7K-240V-GRY-ND-A473 X B540 X C115MM	400W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
83	MAZDA-FXR3020400W-2.7K-240V-BK-DA-A473 X B540 X C115MM	400W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
84	MAZDA-FXR3020400W-2.7K-240V-GRY-DA-A473 X B540 X C115MM	400W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
85	MAZDA-FXR3020400W-2.7K-240V-BK-PH-A473 X B540 X C115MM	400W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
86	MAZDA-FXR3020400W-2.7K-240V-GRY-PH-A473 X B540 X C115MM	400W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
87	MAZDA-FXR3020400W-2.7K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
88	MAZDA-FXR3020400W-2.7K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
89	MAZDA-FXR3020400W-6.5K-240V-BK-ND-A473 X B540 X C115MM	400W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
90	MAZDA-FXR3020400W-6.5K-240V-GRY-ND-A473 X B540 X C115MM	400W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
91	MAZDA-FXR3020400W-6.5K-240V-BK-DA-A473 X B540 X C115MM	400W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
92	MAZDA-FXR3020400W-6.5K-240V-GRY-DA-A473 X B540 X C115MM	400W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
93	MAZDA-FXR3020400W-6.5K-240V-BK-PH-A473 X B540 X C115MM	400W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
94	MAZDA-FXR3020400W-6.5K-240V-GRY-PH-A473 X B540 X C115MM	400W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
95	MAZDA-FXR3020400W-6.5K-240V-BK-10VDIM-A473 X B540 X C115MM	400W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
96	MAZDA-FXR3020400W-6.5K-240V-GRY-10VDIM-A473 X B540 X C115MM	400W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A473 X B540 X C115MM	DIE CAST ALUMINUM	IP67	A473 X B540 X C115MM
97	MAZDA-FXR3020200W-3K-240V-BK-ND-A347 X B263 X C100MM	200W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
98	MAZDA-FXR3020200W-3K-240V-GRY-ND-A347 X B263 X C100MM	200W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
99	MAZDA-FXR3020200W-3K-240V-BK-DA-A347 X B263 X C100MM	200W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
100	MAZDA-FXR3020200W-3K-240V-GRY-DA-A347 X B263 X C100MM	200W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
101	MAZDA-FXR3020200W-3K-240V-BK-PH-A347 X B263 X C100MM	200W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
102	MAZDA-FXR3020200W-3K-240V-GRY-PH-A347 X B263 X C100MM	200W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
103	MAZDA-FXR3020200W-3K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
104	MAZDA-FXR3020200W-3K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
105	MAZDA-FXR3020200W-4K-240V-BK-ND-A347 X B263 X C100MM	200W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
106	MAZDA-FXR3020200W-4K-240V-GRY-ND-A347 X B263 X C100MM	200W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
107	MAZDA-FXR3020200W-4K-240V-BK-DA-A347 X B263 X C100MM	200W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
108	MAZDA-FXR3020200W-4K-240V-GRY-DA-A347 X B263 X C100MM	200W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
109	MAZDA-FXR3020200W-4K-240V-BK-PH-A347 X B263 X C100MM	200W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
110	MAZDA-FXR3020200W-4K-240V-GRY-PH-A347 X B263 X C100MM	200W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
111	MAZDA-FXR3020200W-4K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
112	MAZDA-FXR3020200W-4K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
113	MAZDA-FXR3020200W-5K-240V-BK-ND-A347 X B263 X C100MM	200W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
114	MAZDA-FXR3020200W-5K-240V-GRY-ND-A347 X B263 X C100MM	200W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
115	MAZDA-FXR3020200W-5K-240V-BK-DA-A347 X B263 X C100MM	200W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
116	MAZDA-FXR3020200W-5K-240V-GRY-DA-A347 X B263 X C100MM	200W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
117	MAZDA-FXR3020200W-5K-240V-BK-PH-A347 X B263 X C100MM	200W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
118	MAZDA-FXR3020200W-5K-240V-GRY-PH-A347 X B263 X C100MM	200W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
119	MAZDA-FXR3020200W-5K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
120	MAZDA-FXR3020200W-5K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
121	MAZDA-FXR3020200W-6K-240V-BK-ND-A347 X B263 X C100MM	200W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
122	MAZDA-FXR3020200W-6K-240V-GRY-ND-A347 X B263 X C100MM	200W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
123	MAZDA-FXR3020200W-6K-240V-BK-DA-A347 X B263 X C100MM	200W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
124	MAZDA-FXR3020200W-6K-240V-GRY-DA-A347 X B263 X C100MM	200W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
125	MAZDA-FXR3020200W-6K-240V-BK-PH-A347 X B263 X C100MM	200W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
126	MAZDA-FXR3020200W-6K-240V-GRY-PH-A347 X B263 X C100MM	200W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
127	MAZDA-FXR3020200W-6K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
128	MAZDA-FXR3020200W-6K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
129	MAZDA-FXR3020200W-2.7K-240V-BK-ND-A347 X B263 X C100MM	200W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
130	MAZDA-FXR3020200W-2.7K-240V-GRY-ND-A347 X B263 X C100MM	200W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
131	MAZDA-FXR3020200W-2.7K-240V-BK-DA-A347 X B263 X C100MM	200W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
132	MAZDA-FXR3020200W-2.7K-240V-GRY-DA-A347 X B263 X C100MM	200W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
133	MAZDA-FXR3020200W-2.7K-240V-BK-PH-A347 X B263 X C100MM	200W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
134	MAZDA-FXR3020200W-2.7K-240V-GRY-PH-A347 X B263 X C100MM	200W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
135	MAZDA-FXR3020200W-2.7K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
136	MAZDA-FXR3020200W-2.7K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
137	MAZDA-FXR3020200W-6.5K-240V-BK-ND-A347 X B263 X C100MM	200W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
138	MAZDA-FXR3020200W-6.5K-240V-GRY-ND-A347 X B263 X C100MM	200W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
139	MAZDA-FXR3020200W-6.5K-240V-BK-DA-A347 X B263 X C100MM	200W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
140	MAZDA-FXR3020200W-6.5K-240V-GRY-DA-A347 X B263 X C100MM	200W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
141	MAZDA-FXR3020200W-6.5K-240V-BK-PH-A347 X B263 X C100MM	200W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
142	MAZDA-FXR3020200W-6.5K-240V-GRY-PH-A347 X B263 X C100MM	200W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
143	MAZDA-FXR3020200W-6.5K-240V-BK-10VDIM-A347 X B263 X C100MM	200W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
144	MAZDA-FXR3020200W-6.5K-240V-GRY-10VDIM-A347 X B263 X C100MM	200W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A347 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A347 X B263 X C100MM
145	MAZDA-FXR3020150W-3K-240V-BK-ND-A260 X B263 X C100MM	150W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM
146	MAZDA-FXR3020150W-3K-240V-GRY-ND-A260 X B263 X C100MM	150W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM
147	MAZDA-FXR3020150W-3K-240V-BK-DA-A260 X B263 X C100MM	150W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM
148	MAZDA-FXR3020150W-3K-240V-GRY-DA-A260 X B263 X C100MM	150W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM
149	MAZDA-FXR3020150W-3K-240V-BK-PH-A260 X B263 X C100MM	150W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
150	**MAZDA-FXR3020150W-3K-240V-GRY-PH-A260 X B263 X C100MM**	150W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B263 X C100MM	DIE CAST ALUMINUM	IP67	A260 X B263 X C100MM