DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



GLORY

MAZDA Model: FXR4043 Flood Light

Glory LED Flood Light for Sport Stadium, with bright & quality LUXEON 5050 2D chips, IP66 water-proof, effect heat dissipation & cooling system. Our Soccer Stadium Floodlight fulfils highest standard of optics, 4K broadcasting & flick free requirement. This Light is one of our most popular products which is made for athletic field & football stadium lighting. We adopt Aluminum Alloy Shell & Silicon Rubber Cable. With the use of advanced large power LED & heat dissipation for football arena & pitch, the life span raises to 50,000 hours while still maintaining 70% of its original brightness.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-FXR404350W-3K-277V-BK-ND-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
2	MAZDA-FXR404350W-3K-277V-GRY-ND-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
3	MAZDA-FXR404350W-3K-277V-BK-DA-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
4	MAZDA-FXR404350W-3K-277V-GRY-DA-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
5	MAZDA-FXR404350W-3K-277V-BK-PH-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
6	MAZDA-FXR404350W-3K-277V-GRY-PH-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
7	MAZDA-FXR404350W-3K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
8	MAZDA-FXR404350W-3K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
9	MAZDA-FXR404350W-4K-277V-BK-ND-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
10	MAZDA-FXR404350W-4K-277V-GRY-ND-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
11	MAZDA-FXR404350W-4K-277V-BK-DA-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
12	MAZDA-FXR404350W-4K-277V-GRY-DA-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
13	MAZDA-FXR404350W-4K-277V-BK-PH-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
14	MAZDA-FXR404350W-4K-277V-GRY-PH-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
15	MAZDA-FXR404350W-4K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
16	MAZDA-FXR404350W-4K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
17	MAZDA-FXR404350W-5K-277V-BK-ND-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
18	MAZDA-FXR404350W-5K-277V-GRY-ND-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
19	MAZDA-FXR404350W-5K-277V-BK-DA-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
20	MAZDA-FXR404350W-5K-277V-GRY-DA-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
21	MAZDA-FXR404350W-5K-277V-BK-PH-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
22	MAZDA-FXR404350W-5K-277V-GRY-PH-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
23	MAZDA-FXR404350W-5K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
24	MAZDA-FXR404350W-5K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
25	MAZDA-FXR404350W-6K-277V-BK-ND-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
26	MAZDA-FXR404350W-6K-277V-GRY-ND-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
27	MAZDA-FXR404350W-6K-277V-BK-DA-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
28	MAZDA-FXR404350W-6K-277V-GRY-DA-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
29	MAZDA-FXR404350W-6K-277V-BK-PH-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
30	MAZDA-FXR404350W-6K-277V-GRY-PH-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
31	MAZDA-FXR404350W-6K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
32	MAZDA-FXR404350W-6K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
33	MAZDA-FXR404350W-2.7K-277V-BK-ND-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
34	MAZDA-FXR404350W-2.7K-277V-GRY-ND-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
35	MAZDA-FXR404350W-2.7K-277V-BK-DA-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
36	MAZDA-FXR404350W-2.7K-277V-GRY-DA-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
37	MAZDA-FXR404350W-2.7K-277V-BK-PH-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
38	MAZDA-FXR404350W-2.7K-277V-GRY-PH-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
39	MAZDA-FXR404350W-2.7K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
40	MAZDA-FXR404350W-2.7K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
41	MAZDA-FXR404350W-6.5K-277V-BK-ND-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
42	MAZDA-FXR404350W-6.5K-277V-GRY-ND-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
43	MAZDA-FXR404350W-6.5K-277V-BK-DA-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
44	MAZDA-FXR404350W-6.5K-277V-GRY-DA-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
45	MAZDA-FXR404350W-6.5K-277V-BK-PH-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
46	MAZDA-FXR404350W-6.5K-277V-GRY-PH-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
47	MAZDA-FXR404350W-6.5K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM
48	MAZDA-FXR404350W-6.5K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
49	MAZDA-FXR4043100W-3K-277V-BK-ND-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
50	MAZDA-FXR4043100W-3K-277V-GRY-ND-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
51	MAZDA-FXR4043100W-3K-277V-BK-DA-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
52	MAZDA-FXR4043100W-3K-277V-GRY-DA-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
53	MAZDA-FXR4043100W-3K-277V-BK-PH-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
54	MAZDA-FXR4043100W-3K-277V-GRY-PH-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
55	MAZDA-FXR4043100W-3K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
56	MAZDA-FXR4043100W-3K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
57	MAZDA-FXR4043100W-4K-277V-BK-ND-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
58	MAZDA-FXR4043100W-4K-277V-GRY-ND-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
59	MAZDA-FXR4043100W-4K-277V-BK-DA-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
60	MAZDA-FXR4043100W-4K-277V-GRY-DA-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
61	MAZDA-FXR4043100W-4K-277V-BK-PH-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
62	MAZDA-FXR4043100W-4K-277V-GRY-PH-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
63	MAZDA-FXR4043100W-4K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
64	MAZDA-FXR4043100W-4K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
65	MAZDA-FXR4043100W-5K-277V-BK-ND-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
66	MAZDA-FXR4043100W-5K-277V-GRY-ND-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
67	MAZDA-FXR4043100W-5K-277V-BK-DA-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
68	MAZDA-FXR4043100W-5K-277V-GRY-DA-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
69	MAZDA-FXR4043100W-5K-277V-BK-PH-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
70	MAZDA-FXR4043100W-5K-277V-GRY-PH-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
71	MAZDA-FXR4043100W-5K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
72	MAZDA-FXR4043100W-5K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
73	MAZDA-FXR4043100W-6K-277V-BK-ND-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
74	MAZDA-FXR4043100W-6K-277V-GRY-ND-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
75	MAZDA-FXR4043100W-6K-277V-BK-DA-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
76	MAZDA-FXR4043100W-6K-277V-GRY-DA-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
77	MAZDA-FXR4043100W-6K-277V-BK-PH-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
78	MAZDA-FXR4043100W-6K-277V-GRY-PH-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
79	MAZDA-FXR4043100W-6K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
80	MAZDA-FXR4043100W-6K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
81	MAZDA-FXR4043100W-2.7K-277V-BK-ND-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
82	MAZDA-FXR4043100W-2.7K-277V-GRY-ND-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
83	MAZDA-FXR4043100W-2.7K-277V-BK-DA-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
84	MAZDA-FXR4043100W-2.7K-277V-GRY-DA-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
85	MAZDA-FXR4043100W-2.7K-277V-BK-PH-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
86	MAZDA-FXR4043100W-2.7K-277V-GRY-PH-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
87	MAZDA-FXR4043100W-2.7K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
88	MAZDA-FXR4043100W-2.7K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
89	MAZDA-FXR4043100W-6.5K-277V-BK-ND-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
90	MAZDA-FXR4043100W-6.5K-277V-GRY-ND-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
91	MAZDA-FXR4043100W-6.5K-277V-BK-DA-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
92	MAZDA-FXR4043100W-6.5K-277V-GRY-DA-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
93	MAZDA-FXR4043100W-6.5K-277V-BK-PH-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
94	MAZDA-FXR4043100W-6.5K-277V-GRY-PH-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
95	MAZDA-FXR4043100W-6.5K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
96	MAZDA-FXR4043100W-6.5K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM
97	MAZDA-FXR4043150W-3K-277V-BK-ND-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
98	MAZDA-FXR4043150W-3K-277V-GRY-ND-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
99	MAZDA-FXR4043150W-3K-277V-BK-DA-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
100	MAZDA-FXR4043150W-3K-277V-GRY-DA-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
101	MAZDA-FXR4043150W-3K-277V-BK-PH-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
102	MAZDA-FXR4043150W-3K-277V-GRY-PH-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
103	MAZDA-FXR4043150W-3K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
104	MAZDA-FXR4043150W-3K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
105	MAZDA-FXR4043150W-4K-277V-BK-ND-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
106	MAZDA-FXR4043150W-4K-277V-GRY-ND-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
107	MAZDA-FXR4043150W-4K-277V-BK-DA-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
108	MAZDA-FXR4043150W-4K-277V-GRY-DA-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
109	MAZDA-FXR4043150W-4K-277V-BK-PH-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
110	MAZDA-FXR4043150W-4K-277V-GRY-PH-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
111	MAZDA-FXR4043150W-4K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
112	MAZDA-FXR4043150W-4K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
113	MAZDA-FXR4043150W-5K-277V-BK-ND-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
114	MAZDA-FXR4043150W-5K-277V-GRY-ND-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
115	MAZDA-FXR4043150W-5K-277V-BK-DA-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
116	MAZDA-FXR4043150W-5K-277V-GRY-DA-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
117	MAZDA-FXR4043150W-5K-277V-BK-PH-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
118	MAZDA-FXR4043150W-5K-277V-GRY-PH-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
119	MAZDA-FXR4043150W-5K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
120	MAZDA-FXR4043150W-5K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
121	MAZDA-FXR4043150W-6K-277V-BK-ND-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
122	MAZDA-FXR4043150W-6K-277V-GRY-ND-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
123	MAZDA-FXR4043150W-6K-277V-BK-DA-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
124	MAZDA-FXR4043150W-6K-277V-GRY-DA-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
125	MAZDA-FXR4043150W-6K-277V-BK-PH-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
126	MAZDA-FXR4043150W-6K-277V-GRY-PH-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
127	MAZDA-FXR4043150W-6K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
128	MAZDA-FXR4043150W-6K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
129	MAZDA-FXR4043150W-2.7K-277V-BK-ND-A255 X B360 X C125MM	150W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
130	**MAZDA-FXR4043150W-2.7K-277V-GRY-ND-A255 X B360 X C125MM**	150W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
131	**MAZDA-FXR4043150W-2.7K-277V-BK-DA-A255 X B360 X C125MM**	150W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
132	**MAZDA-FXR4043150W-2.7K-277V-GRY-DA-A255 X B360 X C125MM**	150W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
133	**MAZDA-FXR4043150W-2.7K-277V-BK-PH-A255 X B360 X C125MM**	150W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
134	**MAZDA-FXR4043150W-2.7K-277V-GRY-PH-A255 X B360 X C125MM**	150W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
135	**MAZDA-FXR4043150W-2.7K-277V-BK-10VDIM-A255 X B360 X C125MM**	150W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
136	**MAZDA-FXR4043150W-2.7K-277V-GRY-10VDIM-A255 X B360 X C125MM**	150W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
137	**MAZDA-FXR4043150W-6.5K-277V-BK-ND-A255 X B360 X C125MM**	150W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
138	**MAZDA-FXR4043150W-6.5K-277V-GRY-ND-A255 X B360 X C125MM**	150W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
139	**MAZDA-FXR4043150W-6.5K-277V-BK-DA-A255 X B360 X C125MM**	150W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
140	**MAZDA-FXR4043150W-6.5K-277V-GRY-DA-A255 X B360 X C125MM**	150W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
141	**MAZDA-FXR4043150W-6.5K-277V-BK-PH-A255 X B360 X C125MM**	150W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
142	**MAZDA-FXR4043150W-6.5K-277V-GRY-PH-A255 X B360 X C125MM**	150W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
143	**MAZDA-FXR4043150W-6.5K-277V-BK-10VDIM-A255 X B360 X C125MM**	150W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
144	**MAZDA-FXR4043150W-6.5K-277V-GRY-10VDIM-A255 X B360 X C125MM**	150W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM
145	**MAZDA-FXR4043200W-3K-277V-BK-ND-A340 X B360 X C125MM**	200W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM
146	**MAZDA-FXR4043200W-3K-277V-GRY-ND-A340 X B360 X C125MM**	200W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM
147	**MAZDA-FXR4043200W-3K-277V-BK-DA-A340 X B360 X C125MM**	200W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM
148	**MAZDA-FXR4043200W-3K-277V-GRY-DA-A340 X B360 X C125MM**	200W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM
149	**MAZDA-FXR4043200W-3K-277V-BK-PH-A340 X B360 X C125MM**	200W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM
150	**MAZDA-FXR4043200W-3K-277V-GRY-PH-A340 X B360 X C125MM**	200W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM