



GLORY

MAZDA Model: FXR4043 Flood Light

Glory LED Flood Light for Sport Stadium, with bright & quality LUXEON 5050 2D chips, IP66 water-proof, effect heat dissipation & cooling system. Our Soccer Stadium Floodlight fulfils highest standard of optics, 4K broadcasting & flick free requirement. This Light is one of our most popular products which is made for athletic field & football stadium lighting. We adopt Aluminum Alloy Shell & Silicon Rubber Cable. With the use of advanced large power LED & heat dissipation for football arena & pitch, the life span raises to 50,000 hours while still maintaining 70% of its original brightness.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR404350W-3K-277V-BK-ND-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
2	MAZDA-FXR404350W-3K-277V-GRY-ND-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
3	MAZDA-FXR404350W-3K-277V-BK-DA-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
4	MAZDA-FXR404350W-3K-277V-GRY-DA-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
5	MAZDA-FXR404350W-3K-277V-BK-PH-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
6	MAZDA-FXR404350W-3K-277V-GRY-PH-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
7	MAZDA-FXR404350W-3K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
8	MAZDA-FXR404350W-3K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
9	MAZDA-FXR404350W-4K-277V-BK-ND-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
10	MAZDA-FXR404350W-4K-277V-GRY-ND-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
11	MAZDA-FXR404350W-4K-277V-BK-DA-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
12	MAZDA-FXR404350W-4K-277V-GRY-DA-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
13	MAZDA-FXR404350W-4K-277V-BK-PH-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
14	MAZDA-FXR404350W-4K-277V-GRY-PH-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
15	MAZDA-FXR404350W-4K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
16	MAZDA-FXR404350W-4K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
17	MAZDA-FXR404350W-5K-277V-BK-ND-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
18	MAZDA-FXR404350W-5K-277V-GRY-ND-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
19	MAZDA-FXR404350W-5K-277V-BK-DA-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
20	MAZDA-FXR404350W-5K-277V-GRY-DA-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
21	MAZDA-FXR404350W-5K-277V-BK-PH-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
22	MAZDA-FXR404350W-5K-277V-GRY-PH-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
23	MAZDA-FXR404350W-5K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
24	MAZDA-FXR404350W-5K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
25	MAZDA-FXR404350W-6K-277V-BK-ND-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
26	MAZDA-FXR404350W-6K-277V-GRY-ND-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
27	MAZDA-FXR404350W-6K-277V-BK-DA-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
28	MAZDA-FXR404350W-6K-277V-GRY-DA-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
29	MAZDA-FXR404350W-6K-277V-BK-PH-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
30	MAZDA-FXR404350W-6K-277V-GRY-PH-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
31	MAZDA-FXR404350W-6K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
32	MAZDA-FXR404350W-6K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
33	MAZDA-FXR404350W-2.7K-277V-BK-ND-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
34	MAZDA-FXR404350W-2.7K-277V-GRY-ND-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
35	MAZDA-FXR404350W-2.7K-277V-BK-DA-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
36	MAZDA-FXR404350W-2.7K-277V-GRY-DA-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
37	MAZDA-FXR404350W-2.7K-277V-BK-PH-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
38	MAZDA-FXR404350W-2.7K-277V-GRY-PH-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
39	MAZDA-FXR404350W-2.7K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
40	MAZDA-FXR404350W-2.7K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
41	MAZDA-FXR404350W-6.5K-277V-BK-ND-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
42	MAZDA-FXR404350W-6.5K-277V-GRY-ND-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
43	MAZDA-FXR404350W-6.5K-277V-BK-DA-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
44	MAZDA-FXR404350W-6.5K-277V-GRY-DA-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
45	MAZDA-FXR404350W-6.5K-277V-BK-PH-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
46	MAZDA-FXR404350W-6.5K-277V-GRY-PH-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
47	MAZDA-FXR404350W-6.5K-277V-BK-10VDIM-A85 X B360 X C125MM	50W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	
48	MAZDA-FXR404350W-6.5K-277V-GRY-10VDIM-A85 X B360 X C125MM	50W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A85 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A85 X B360 X C125MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
49	MAZDA-FXR4043100W-3K-277V-BK-ND-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
50	MAZDA-FXR4043100W-3K-277V-GRY-ND-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
51	MAZDA-FXR4043100W-3K-277V-BK-DA-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
52	MAZDA-FXR4043100W-3K-277V-GRY-DA-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
53	MAZDA-FXR4043100W-3K-277V-BK-PH-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
54	MAZDA-FXR4043100W-3K-277V-GRY-PH-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
55	MAZDA-FXR4043100W-3K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
56	MAZDA-FXR4043100W-3K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
57	MAZDA-FXR4043100W-4K-277V-BK-ND-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
58	MAZDA-FXR4043100W-4K-277V-GRY-ND-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
59	MAZDA-FXR4043100W-4K-277V-BK-DA-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
60	MAZDA-FXR4043100W-4K-277V-GRY-DA-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
61	MAZDA-FXR4043100W-4K-277V-BK-PH-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
62	MAZDA-FXR4043100W-4K-277V-GRY-PH-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
63	MAZDA-FXR4043100W-4K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
64	MAZDA-FXR4043100W-4K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
65	MAZDA-FXR4043100W-5K-277V-BK-ND-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
66	MAZDA-FXR4043100W-5K-277V-GRY-ND-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
67	MAZDA-FXR4043100W-5K-277V-BK-DA-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
68	MAZDA-FXR4043100W-5K-277V-GRY-DA-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
69	MAZDA-FXR4043100W-5K-277V-BK-PH-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
70	MAZDA-FXR4043100W-5K-277V-GRY-PH-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
71	MAZDA-FXR4043100W-5K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
72	MAZDA-FXR4043100W-5K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
73	MAZDA-FXR4043100W-6K-277V-BK-ND-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
74	MAZDA-FXR4043100W-6K-277V-GRY-ND-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
75	MAZDA-FXR4043100W-6K-277V-BK-DA-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
76	MAZDA-FXR4043100W-6K-277V-GRY-DA-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
77	MAZDA-FXR4043100W-6K-277V-BK-PH-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
78	MAZDA-FXR4043100W-6K-277V-GRY-PH-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
79	MAZDA-FXR4043100W-6K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
80	MAZDA-FXR4043100W-6K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
81	MAZDA-FXR4043100W-2.7K-277V-BK-ND-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
82	MAZDA-FXR4043100W-2.7K-277V-GRY-ND-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
83	MAZDA-FXR4043100W-2.7K-277V-BK-DA-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
84	MAZDA-FXR4043100W-2.7K-277V-GRY-DA-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
85	MAZDA-FXR4043100W-2.7K-277V-BK-PH-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
86	MAZDA-FXR4043100W-2.7K-277V-GRY-PH-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
87	MAZDA-FXR4043100W-2.7K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
88	MAZDA-FXR4043100W-2.7K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
89	MAZDA-FXR4043100W-6.5K-277V-BK-ND-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
90	MAZDA-FXR4043100W-6.5K-277V-GRY-ND-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
91	MAZDA-FXR4043100W-6.5K-277V-BK-DA-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
92	MAZDA-FXR4043100W-6.5K-277V-GRY-DA-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
93	MAZDA-FXR4043100W-6.5K-277V-BK-PH-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
94	MAZDA-FXR4043100W-6.5K-277V-GRY-PH-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
95	MAZDA-FXR4043100W-6.5K-277V-BK-10VDIM-A170 X B360 X C125MM	100W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
96	MAZDA-FXR4043100W-6.5K-277V-GRY-10VDIM-A170 X B360 X C125MM	100W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A170 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A170 X B360 X C125MM	
97	MAZDA-FXR4043150W-3K-277V-BK-ND-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
98	MAZDA-FXR4043150W-3K-277V-GRY-ND-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
99	MAZDA-FXR4043150W-3K-277V-BK-DA-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
100	MAZDA-FXR4043150W-3K-277V-GRY-DA-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
101	MAZDA-FXR4043150W-3K-277V-BK-PH-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
102	MAZDA-FXR4043150W-3K-277V-GRY-PH-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
103	MAZDA-FXR4043150W-3K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	3000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
104	MAZDA-FXR4043150W-3K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	3000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
105	MAZDA-FXR4043150W-4K-277V-BK-ND-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
106	MAZDA-FXR4043150W-4K-277V-GRY-ND-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
107	MAZDA-FXR4043150W-4K-277V-BK-DA-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
108	MAZDA-FXR4043150W-4K-277V-GRY-DA-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
109	MAZDA-FXR4043150W-4K-277V-BK-PH-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
110	MAZDA-FXR4043150W-4K-277V-GRY-PH-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
111	MAZDA-FXR4043150W-4K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	4000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
112	MAZDA-FXR4043150W-4K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	4000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
113	MAZDA-FXR4043150W-5K-277V-BK-ND-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
114	MAZDA-FXR4043150W-5K-277V-GRY-ND-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
115	MAZDA-FXR4043150W-5K-277V-BK-DA-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
116	MAZDA-FXR4043150W-5K-277V-GRY-DA-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
117	MAZDA-FXR4043150W-5K-277V-BK-PH-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
118	MAZDA-FXR4043150W-5K-277V-GRY-PH-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
119	MAZDA-FXR4043150W-5K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	5000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
120	MAZDA-FXR4043150W-5K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	5000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
121	MAZDA-FXR4043150W-6K-277V-BK-ND-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
122	MAZDA-FXR4043150W-6K-277V-GRY-ND-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
123	MAZDA-FXR4043150W-6K-277V-BK-DA-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
124	MAZDA-FXR4043150W-6K-277V-GRY-DA-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
125	MAZDA-FXR4043150W-6K-277V-BK-PH-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
126	MAZDA-FXR4043150W-6K-277V-GRY-PH-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
127	MAZDA-FXR4043150W-6K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	6000	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
128	MAZDA-FXR4043150W-6K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	6000	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
129	MAZDA-FXR4043150W-2.7K-277V-BK-ND-A255 X B360 X C125MM	150W	2700	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-FXR4043150W-2.7K-277V-GRY-ND-A255 X B360 X C125MM	150W	2700	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
131	MAZDA-FXR4043150W-2.7K-277V-BK-DA-A255 X B360 X C125MM	150W	2700	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
132	MAZDA-FXR4043150W-2.7K-277V-GRY-DA-A255 X B360 X C125MM	150W	2700	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
133	MAZDA-FXR4043150W-2.7K-277V-BK-PH-A255 X B360 X C125MM	150W	2700	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
134	MAZDA-FXR4043150W-2.7K-277V-GRY-PH-A255 X B360 X C125MM	150W	2700	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
135	MAZDA-FXR4043150W-2.7K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	2700	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
136	MAZDA-FXR4043150W-2.7K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	2700	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
137	MAZDA-FXR4043150W-6.5K-277V-BK-ND-A255 X B360 X C125MM	150W	6500	277V	BLACK	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
138	MAZDA-FXR4043150W-6.5K-277V-GRY-ND-A255 X B360 X C125MM	150W	6500	277V	GREY	NON EMERGENCY	ON - OFF	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
139	MAZDA-FXR4043150W-6.5K-277V-BK-DA-A255 X B360 X C125MM	150W	6500	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
140	MAZDA-FXR4043150W-6.5K-277V-GRY-DA-A255 X B360 X C125MM	150W	6500	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
141	MAZDA-FXR4043150W-6.5K-277V-BK-PH-A255 X B360 X C125MM	150W	6500	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
142	MAZDA-FXR4043150W-6.5K-277V-GRY-PH-A255 X B360 X C125MM	150W	6500	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
143	MAZDA-FXR4043150W-6.5K-277V-BK-10VDIM-A255 X B360 X C125MM	150W	6500	277V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
144	MAZDA-FXR4043150W-6.5K-277V-GRY-10VDIM-A255 X B360 X C125MM	150W	6500	277V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A255 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A255 X B360 X C125MM	
145	MAZDA-FXR4043200W-3K-277V-BK-ND-A340 X B360 X C125MM	200W	3000	277V	BLACK	NON EMERGENCY	ON - OFF	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	
146	MAZDA-FXR4043200W-3K-277V-GRY-ND-A340 X B360 X C125MM	200W	3000	277V	GREY	NON EMERGENCY	ON - OFF	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	
147	MAZDA-FXR4043200W-3K-277V-BK-DA-A340 X B360 X C125MM	200W	3000	277V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	
148	MAZDA-FXR4043200W-3K-277V-GRY-DA-A340 X B360 X C125MM	200W	3000	277V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	
149	MAZDA-FXR4043200W-3K-277V-BK-PH-A340 X B360 X C125MM	200W	3000	277V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	
150	MAZDA-FXR4043200W-3K-277V-GRY-PH-A340 X B360 X C125MM	200W	3000	277V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A340 X B360 X C125MM	DIE CAST ALUMINUM	IP66	A340 X B360 X C125MM	