DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



HERA

MAZDA Model: SKXR4066 Flood Light

Hera LED Flood light is an ideal choice for illuminating flowers, trees, walls and borders. We offer low voltage spike
lights with fully adjustable head for tilt and rotation to illuminate items of interest in your garden. So you do not need
extra tools because these spike lights are designed for easy installation and adjustment

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-SKXR406606W-3K-240V-GRY-ND-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
2	MAZDA-SKXR406606W-3K-240V-BK-ND-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
3	MAZDA-SKXR406606W-3K-240V-GRY-DA-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
4	MAZDA-SKXR406606W-3K-240V-BK-DA-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
5	MAZDA-SKXR406606W-3K-240V-GRY-PH-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
6	MAZDA-SKXR406606W-3K-240V-BK-PH-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
7	MAZDA-SKXR406606W-3K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
8	MAZDA-SKXR406606W-3K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
9	MAZDA-SKXR406606W-4K-240V-GRY-ND-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
10	MAZDA-SKXR406606W-4K-240V-BK-ND-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
11	MAZDA-SKXR406606W-4K-240V-GRY-DA-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
12	MAZDA-SKXR406606W-4K-240V-BK-DA-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
13	MAZDA-SKXR406606W-4K-240V-GRY-PH-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
14	MAZDA-SKXR406606W-4K-240V-BK-PH-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
15	MAZDA-SKXR406606W-4K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
16	MAZDA-SKXR406606W-4K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
17	MAZDA-SKXR406606W-5K-240V-GRY-ND-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
18	MAZDA-SKXR406606W-5K-240V-BK-ND-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
19	MAZDA-SKXR406606W-5K-240V-GRY-DA-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
20	MAZDA-SKXR406606W-5K-240V-BK-DA-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
21	MAZDA-SKXR406606W-5K-240V-GRY-PH-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
22	MAZDA-SKXR406606W-5K-240V-BK-PH-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
23	MAZDA-SKXR406606W-5K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
24	MAZDA-SKXR406606W-5K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
25	MAZDA-SKXR406606W-6K-240V-GRY-ND-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
26	MAZDA-SKXR406606W-6K-240V-BK-ND-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
27	MAZDA-SKXR406606W-6K-240V-GRY-DA-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
28	MAZDA-SKXR406606W-6K-240V-BK-DA-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
29	MAZDA-SKXR406606W-6K-240V-GRY-PH-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
30	MAZDA-SKXR406606W-6K-240V-BK-PH-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
31	MAZDA-SKXR406606W-6K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
32	MAZDA-SKXR406606W-6K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
33	MAZDA-SKXR406606W-2.7K-240V-GRY-ND-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
34	MAZDA-SKXR406606W-2.7K-240V-BK-ND-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
35	MAZDA-SKXR406606W-2.7K-240V-GRY-DA-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
36	MAZDA-SKXR406606W-2.7K-240V-BK-DA-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
37	MAZDA-SKXR406606W-2.7K-240V-GRY-PH-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
38	MAZDA-SKXR406606W-2.7K-240V-BK-PH-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
39	MAZDA-SKXR406606W-2.7K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
40	MAZDA-SKXR406606W-2.7K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
41	MAZDA-SKXR406606W-6.5K-240V-GRY-ND-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
42	MAZDA-SKXR406606W-6.5K-240V-BK-ND-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
43	MAZDA-SKXR406606W-6.5K-240V-GRY-DA-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
44	MAZDA-SKXR406606W-6.5K-240V-BK-DA-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
45	MAZDA-SKXR406606W-6.5K-240V-GRY-PH-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
46	MAZDA-SKXR406606W-6.5K-240V-BK-PH-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
47	MAZDA-SKXR406606W-6.5K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
48	MAZDA-SKXR406606W-6.5K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM
49	MAZDA-SKXR406610W-3K-240V-GRY-ND-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
50	MAZDA-SKXR406610W-3K-240V-BK-ND-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
51	MAZDA-SKXR406610W-3K-240V-GRY-DA-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
52	MAZDA-SKXR406610W-3K-240V-BK-DA-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
53	MAZDA-SKXR406610W-3K-240V-GRY-PH-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
54	MAZDA-SKXR406610W-3K-240V-BK-PH-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
55	MAZDA-SKXR406610W-3K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
56	MAZDA-SKXR406610W-3K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
57	MAZDA-SKXR406610W-4K-240V-GRY-ND-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
58	MAZDA-SKXR406610W-4K-240V-BK-ND-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
59	MAZDA-SKXR406610W-4K-240V-GRY-DA-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
60	MAZDA-SKXR406610W-4K-240V-BK-DA-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
61	MAZDA-SKXR406610W-4K-240V-GRY-PH-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
62	MAZDA-SKXR406610W-4K-240V-BK-PH-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
63	MAZDA-SKXR406610W-4K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
64	MAZDA-SKXR406610W-4K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
65	MAZDA-SKXR406610W-5K-240V-GRY-ND-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
66	MAZDA-SKXR406610W-5K-240V-BK-ND-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
67	MAZDA-SKXR406610W-5K-240V-GRY-DA-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
68	MAZDA-SKXR406610W-5K-240V-BK-DA-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
69	MAZDA-SKXR406610W-5K-240V-GRY-PH-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
70	MAZDA-SKXR406610W-5K-240V-BK-PH-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
71	MAZDA-SKXR406610W-5K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
72	MAZDA-SKXR406610W-5K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
73	MAZDA-SKXR406610W-6K-240V-GRY-ND-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
74	MAZDA-SKXR406610W-6K-240V-BK-ND-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
75	MAZDA-SKXR406610W-6K-240V-GRY-DA-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
76	MAZDA-SKXR406610W-6K-240V-BK-DA-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM
77	MAZDA-SKXR406610W-6K-240V-GRY-PH-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
78	MAZDA-SKXR406610W-6K-240V-BK-PH-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
79	MAZDA-SKXR406610W-6K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
80	MAZDA-SKXR406610W-6K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
81	MAZDA-SKXR406610W-2.7K-240V-GRY-ND-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
82	MAZDA-SKXR406610W-2.7K-240V-BK-ND-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
83	MAZDA-SKXR406610W-2.7K-240V-GRY-DA-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
84	MAZDA-SKXR406610W-2.7K-240V-BK-DA-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
85	MAZDA-SKXR406610W-2.7K-240V-GRY-PH-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
86	MAZDA-SKXR406610W-2.7K-240V-BK-PH-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
87	MAZDA-SKXR406610W-2.7K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
88	MAZDA-SKXR406610W-2.7K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
89	MAZDA-SKXR406610W-6.5K-240V-GRY-ND-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
90	MAZDA-SKXR406610W-6.5K-240V-BK-ND-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
91	MAZDA-SKXR406610W-6.5K-240V-GRY-DA-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
92	MAZDA-SKXR406610W-6.5K-240V-BK-DA-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
93	MAZDA-SKXR406610W-6.5K-240V-GRY-PH-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
94	MAZDA-SKXR406610W-6.5K-240V-BK-PH-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
95	MAZDA-SKXR406610W-6.5K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
96	MAZDA-SKXR406610W-6.5K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
97	MAZDA-SKXR406616W-3K-240V-GRY-ND-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
98	MAZDA-SKXR406616W-3K-240V-BK-ND-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
99	MAZDA-SKXR406616W-3K-240V-GRY-DA-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
100	MAZDA-SKXR406616W-3K-240V-BK-DA-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
101	MAZDA-SKXR406616W-3K-240V-GRY-PH-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
102	MAZDA-SKXR406616W-3K-240V-BK-PH-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
103	MAZDA-SKXR406616W-3K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
104	MAZDA-SKXR406616W-3K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
105	MAZDA-SKXR406616W-4K-240V-GRY-ND-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
106	MAZDA-SKXR406616W-4K-240V-BK-ND-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
107	MAZDA-SKXR406616W-4K-240V-GRY-DA-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
108	MAZDA-SKXR406616W-4K-240V-BK-DA-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
109	MAZDA-SKXR406616W-4K-240V-GRY-PH-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
110	MAZDA-SKXR406616W-4K-240V-BK-PH-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
111	MAZDA-SKXR406616W-4K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
112	MAZDA-SKXR406616W-4K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
113	MAZDA-SKXR406616W-5K-240V-GRY-ND-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
114	MAZDA-SKXR406616W-5K-240V-BK-ND-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
115	MAZDA-SKXR406616W-5K-240V-GRY-DA-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
116	MAZDA-SKXR406616W-5K-240V-BK-DA-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
117	MAZDA-SKXR406616W-5K-240V-GRY-PH-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
118	MAZDA-SKXR406616W-5K-240V-BK-PH-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
119	MAZDA-SKXR406616W-5K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
120	MAZDA-SKXR406616W-5K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
121	MAZDA-SKXR406616W-6K-240V-GRY-ND-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
122	MAZDA-SKXR406616W-6K-240V-BK-ND-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
123	MAZDA-SKXR406616W-6K-240V-GRY-DA-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
124	MAZDA-SKXR406616W-6K-240V-BK-DA-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
125	MAZDA-SKXR406616W-6K-240V-GRY-PH-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
126	MAZDA-SKXR406616W-6K-240V-BK-PH-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
127	MAZDA-SKXR406616W-6K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
128	MAZDA-SKXR406616W-6K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
129	MAZDA-SKXR406616W-2.7K-240V-GRY-ND-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
130	MAZDA-SKXR406616W-2.7K-240V-BK-ND-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
131	MAZDA-SKXR406616W-2.7K-240V-GRY-DA-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
132	MAZDA-SKXR406616W-2.7K-240V-BK-DA-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
133	MAZDA-SKXR406616W-2.7K-240V-GRY-PH-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
134	MAZDA-SKXR406616W-2.7K-240V-BK-PH-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
135	MAZDA-SKXR406616W-2.7K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
136	MAZDA-SKXR406616W-2.7K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
137	**MAZDA-SKXR406616W-6.5K-240V-GRY-ND-A75 X B115 X C150MM**	16W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
138	**MAZDA-SKXR406616W-6.5K-240V-BK-ND-A75 X B115 X C150MM**	16W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
139	**MAZDA-SKXR406616W-6.5K-240V-GRY-DA-A75 X B115 X C150MM**	16W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
140	**MAZDA-SKXR406616W-6.5K-240V-BK-DA-A75 X B115 X C150MM**	16W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
141	**MAZDA-SKXR406616W-6.5K-240V-GRY-PH-A75 X B115 X C150MM**	16W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
142	**MAZDA-SKXR406616W-6.5K-240V-BK-PH-A75 X B115 X C150MM**	16W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
143	**MAZDA-SKXR406616W-6.5K-240V-GRY-10VDIM-A75 X B115 X C150MM**	16W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
144	**MAZDA-SKXR406616W-6.5K-240V-BK-10VDIM-A75 X B115 X C150MM**	16W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM
145	**MAZDA-SKXR406624W-3K-240V-GRY-ND-A100 X B179 X C130MM**	24W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM
146	**MAZDA-SKXR406624W-3K-240V-BK-ND-A100 X B179 X C130MM**	24W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM
147	**MAZDA-SKXR406624W-3K-240V-GRY-DA-A100 X B179 X C130MM**	24W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM
148	**MAZDA-SKXR406624W-3K-240V-BK-DA-A100 X B179 X C130MM**	24W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM
149	**MAZDA-SKXR406624W-3K-240V-GRY-PH-A100 X B179 X C130MM**	24W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM
150	**MAZDA-SKXR406624W-3K-240V-BK-PH-A100 X B179 X C130MM**	24W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM