



HERA

MAZDA Model: SKXR4066 Flood Light

Hera LED Flood light is an ideal choice for illuminating flowers, trees, walls and borders. We offer low voltage spike lights with fully adjustable head for tilt and rotation to illuminate items of interest in your garden. So you do not need extra tools because these spike lights are designed for easy installation and adjustment

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-SKXR406606W-3K-240V-GRY-ND-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
2	MAZDA-SKXR406606W-3K-240V-BK-ND-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
3	MAZDA-SKXR406606W-3K-240V-GRY-DA-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
4	MAZDA-SKXR406606W-3K-240V-BK-DA-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
5	MAZDA-SKXR406606W-3K-240V-GRY-PH-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
6	MAZDA-SKXR406606W-3K-240V-BK-PH-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
7	MAZDA-SKXR406606W-3K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
8	MAZDA-SKXR406606W-3K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
9	MAZDA-SKXR406606W-4K-240V-GRY-ND-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
10	MAZDA-SKXR406606W-4K-240V-BK-ND-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
11	MAZDA-SKXR406606W-4K-240V-GRY-DA-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
12	MAZDA-SKXR406606W-4K-240V-BK-DA-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
13	MAZDA-SKXR406606W-4K-240V-GRY-PH-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
14	MAZDA-SKXR406606W-4K-240V-BK-PH-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
15	MAZDA-SKXR406606W-4K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
16	MAZDA-SKXR406606W-4K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
17	MAZDA-SKXR406606W-5K-240V-GRY-ND-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
18	MAZDA-SKXR406606W-5K-240V-BK-ND-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
19	MAZDA-SKXR406606W-5K-240V-GRY-DA-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
20	MAZDA-SKXR406606W-5K-240V-BK-DA-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
21	MAZDA-SKXR406606W-5K-240V-GRY-PH-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
22	MAZDA-SKXR406606W-5K-240V-BK-PH-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
23	MAZDA-SKXR406606W-5K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
24	MAZDA-SKXR406606W-5K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
25	MAZDA-SKXR406606W-6K-240V-GRY-ND-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
26	MAZDA-SKXR406606W-6K-240V-BK-ND-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
27	MAZDA-SKXR406606W-6K-240V-GRY-DA-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
28	MAZDA-SKXR406606W-6K-240V-BK-DA-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
29	MAZDA-SKXR406606W-6K-240V-GRY-PH-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
30	MAZDA-SKXR406606W-6K-240V-BK-PH-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
31	MAZDA-SKXR406606W-6K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
32	MAZDA-SKXR406606W-6K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
33	MAZDA-SKXR406606W-2.7K-240V-GRY-ND-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
34	MAZDA-SKXR406606W-2.7K-240V-BK-ND-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
35	MAZDA-SKXR406606W-2.7K-240V-GRY-DA-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
36	MAZDA-SKXR406606W-2.7K-240V-BK-DA-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
37	MAZDA-SKXR406606W-2.7K-240V-GRY-PH-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
38	MAZDA-SKXR406606W-2.7K-240V-BK-PH-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
39	MAZDA-SKXR406606W-2.7K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
40	MAZDA-SKXR406606W-2.7K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
41	MAZDA-SKXR406606W-6.5K-240V-GRY-ND-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
42	MAZDA-SKXR406606W-6.5K-240V-BK-ND-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
43	MAZDA-SKXR406606W-6.5K-240V-GRY-DA-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
44	MAZDA-SKXR406606W-6.5K-240V-BK-DA-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
45	MAZDA-SKXR406606W-6.5K-240V-GRY-PH-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
46	MAZDA-SKXR406606W-6.5K-240V-BK-PH-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
47	MAZDA-SKXR406606W-6.5K-240V-GRY-10VDIM-A50 X B90 X C114MM	06W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
48	MAZDA-SKXR406606W-6.5K-240V-BK-10VDIM-A50 X B90 X C114MM	06W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A50 X B90 X C114MM	DIE CAST ALUMINUM	IP66	A50 X B90 X C114MM	
49	MAZDA-SKXR406610W-3K-240V-GRY-ND-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
50	MAZDA-SKXR406610W-3K-240V-BK-ND-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
51	MAZDA-SKXR406610W-3K-240V-GRY-DA-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
52	MAZDA-SKXR406610W-3K-240V-BK-DA-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
53	MAZDA-SKXR406610W-3K-240V-GRY-PH-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
54	MAZDA-SKXR406610W-3K-240V-BK-PH-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
55	MAZDA-SKXR406610W-3K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
56	MAZDA-SKXR406610W-3K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
57	MAZDA-SKXR406610W-4K-240V-GRY-ND-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
58	MAZDA-SKXR406610W-4K-240V-BK-ND-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
59	MAZDA-SKXR406610W-4K-240V-GRY-DA-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
60	MAZDA-SKXR406610W-4K-240V-BK-DA-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
61	MAZDA-SKXR406610W-4K-240V-GRY-PH-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
62	MAZDA-SKXR406610W-4K-240V-BK-PH-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
63	MAZDA-SKXR406610W-4K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
64	MAZDA-SKXR406610W-4K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
65	MAZDA-SKXR406610W-5K-240V-GRY-ND-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
66	MAZDA-SKXR406610W-5K-240V-BK-ND-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
67	MAZDA-SKXR406610W-5K-240V-GRY-DA-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
68	MAZDA-SKXR406610W-5K-240V-BK-DA-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
69	MAZDA-SKXR406610W-5K-240V-GRY-PH-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
70	MAZDA-SKXR406610W-5K-240V-BK-PH-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
71	MAZDA-SKXR406610W-5K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
72	MAZDA-SKXR406610W-5K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
73	MAZDA-SKXR406610W-6K-240V-GRY-ND-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
74	MAZDA-SKXR406610W-6K-240V-BK-ND-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
75	MAZDA-SKXR406610W-6K-240V-GRY-DA-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
76	MAZDA-SKXR406610W-6K-240V-BK-DA-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
77	MAZDA-SKXR406610W-6K-240V-GRY-PH-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
78	MAZDA-SKXR406610W-6K-240V-BK-PH-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
79	MAZDA-SKXR406610W-6K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
80	MAZDA-SKXR406610W-6K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
81	MAZDA-SKXR406610W-2.7K-240V-GRY-ND-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
82	MAZDA-SKXR406610W-2.7K-240V-BK-ND-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
83	MAZDA-SKXR406610W-2.7K-240V-GRY-DA-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
84	MAZDA-SKXR406610W-2.7K-240V-BK-DA-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
85	MAZDA-SKXR406610W-2.7K-240V-GRY-PH-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
86	MAZDA-SKXR406610W-2.7K-240V-BK-PH-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
87	MAZDA-SKXR406610W-2.7K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
88	MAZDA-SKXR406610W-2.7K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
89	MAZDA-SKXR406610W-6.5K-240V-GRY-ND-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
90	MAZDA-SKXR406610W-6.5K-240V-BK-ND-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
91	MAZDA-SKXR406610W-6.5K-240V-GRY-DA-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
92	MAZDA-SKXR406610W-6.5K-240V-BK-DA-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
93	MAZDA-SKXR406610W-6.5K-240V-GRY-PH-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
94	MAZDA-SKXR406610W-6.5K-240V-BK-PH-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
95	MAZDA-SKXR406610W-6.5K-240V-GRY-10VDIM-A60 X B100 X C129MM	10W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
96	MAZDA-SKXR406610W-6.5K-240V-BK-10VDIM-A60 X B100 X C129MM	10W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B100 X C129MM	DIE CAST ALUMINUM	IP66	A60 X B100 X C129MM	
97	MAZDA-SKXR406616W-3K-240V-GRY-ND-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
98	MAZDA-SKXR406616W-3K-240V-BK-ND-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
99	MAZDA-SKXR406616W-3K-240V-GRY-DA-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
100	MAZDA-SKXR406616W-3K-240V-BK-DA-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
101	MAZDA-SKXR406616W-3K-240V-GRY-PH-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
102	MAZDA-SKXR406616W-3K-240V-BK-PH-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
103	MAZDA-SKXR406616W-3K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
104	MAZDA-SKXR406616W-3K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
105	MAZDA-SKXR406616W-4K-240V-GRY-ND-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
106	MAZDA-SKXR406616W-4K-240V-BK-ND-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
107	MAZDA-SKXR406616W-4K-240V-GRY-DA-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
108	MAZDA-SKXR406616W-4K-240V-BK-DA-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
109	MAZDA-SKXR406616W-4K-240V-GRY-PH-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
110	MAZDA-SKXR406616W-4K-240V-BK-PH-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
111	MAZDA-SKXR406616W-4K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
112	MAZDA-SKXR406616W-4K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
113	MAZDA-SKXR406616W-5K-240V-GRY-ND-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
114	MAZDA-SKXR406616W-5K-240V-BK-ND-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
115	MAZDA-SKXR406616W-5K-240V-GRY-DA-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
116	MAZDA-SKXR406616W-5K-240V-BK-DA-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
117	MAZDA-SKXR406616W-5K-240V-GRY-PH-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
118	MAZDA-SKXR406616W-5K-240V-BK-PH-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
119	MAZDA-SKXR406616W-5K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
120	MAZDA-SKXR406616W-5K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
121	MAZDA-SKXR406616W-6K-240V-GRY-ND-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
122	MAZDA-SKXR406616W-6K-240V-BK-ND-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
123	MAZDA-SKXR406616W-6K-240V-GRY-DA-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
124	MAZDA-SKXR406616W-6K-240V-BK-DA-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
125	MAZDA-SKXR406616W-6K-240V-GRY-PH-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
126	MAZDA-SKXR406616W-6K-240V-BK-PH-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
127	MAZDA-SKXR406616W-6K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
128	MAZDA-SKXR406616W-6K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
129	MAZDA-SKXR406616W-2.7K-240V-GRY-ND-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
130	MAZDA-SKXR406616W-2.7K-240V-BK-ND-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
131	MAZDA-SKXR406616W-2.7K-240V-GRY-DA-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
132	MAZDA-SKXR406616W-2.7K-240V-BK-DA-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
133	MAZDA-SKXR406616W-2.7K-240V-GRY-PH-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
134	MAZDA-SKXR406616W-2.7K-240V-BK-PH-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
135	MAZDA-SKXR406616W-2.7K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
136	MAZDA-SKXR406616W-2.7K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
137	MAZDA-SKXR406616W-6.5K-240V-GRY-ND-A75 X B115 X C150MM	16W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
138	MAZDA-SKXR406616W-6.5K-240V-BK-ND-A75 X B115 X C150MM	16W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
139	MAZDA-SKXR406616W-6.5K-240V-GRY-DA-A75 X B115 X C150MM	16W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	MAZDA-SKXR406616W-6.5K-240V-BK-DA-A75 X B115 X C150MM	16W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
141	MAZDA-SKXR406616W-6.5K-240V-GRY-PH-A75 X B115 X C150MM	16W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
142	MAZDA-SKXR406616W-6.5K-240V-BK-PH-A75 X B115 X C150MM	16W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
143	MAZDA-SKXR406616W-6.5K-240V-GRY-10VDIM-A75 X B115 X C150MM	16W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
144	MAZDA-SKXR406616W-6.5K-240V-BK-10VDIM-A75 X B115 X C150MM	16W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A75 X B115 X C150MM	DIE CAST ALUMINUM	IP66	A75 X B115 X C150MM	
145	MAZDA-SKXR406624W-3K-240V-GRY-ND-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
146	MAZDA-SKXR406624W-3K-240V-BK-ND-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
147	MAZDA-SKXR406624W-3K-240V-GRY-DA-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
148	MAZDA-SKXR406624W-3K-240V-BK-DA-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
149	MAZDA-SKXR406624W-3K-240V-GRY-PH-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
150	MAZDA-SKXR406624W-3K-240V-BK-PH-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
151	MAZDA-SKXR406624W-3K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
152	MAZDA-SKXR406624W-3K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
153	MAZDA-SKXR406624W-4K-240V-GRY-ND-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
154	MAZDA-SKXR406624W-4K-240V-BK-ND-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
155	MAZDA-SKXR406624W-4K-240V-GRY-DA-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
156	MAZDA-SKXR406624W-4K-240V-BK-DA-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
157	MAZDA-SKXR406624W-4K-240V-GRY-PH-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
158	MAZDA-SKXR406624W-4K-240V-BK-PH-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
159	MAZDA-SKXR406624W-4K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
160	MAZDA-SKXR406624W-4K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
161	MAZDA-SKXR406624W-5K-240V-GRY-ND-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
162	MAZDA-SKXR406624W-5K-240V-BK-ND-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
163	MAZDA-SKXR406624W-5K-240V-GRY-DA-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
164	MAZDA-SKXR406624W-5K-240V-BK-DA-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
165	MAZDA-SKXR406624W-5K-240V-GRY-PH-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
166	MAZDA-SKXR406624W-5K-240V-BK-PH-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
167	MAZDA-SKXR406624W-5K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
168	MAZDA-SKXR406624W-5K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
169	MAZDA-SKXR406624W-6K-240V-GRY-ND-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
170	MAZDA-SKXR406624W-6K-240V-BK-ND-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
171	MAZDA-SKXR406624W-6K-240V-GRY-DA-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
172	MAZDA-SKXR406624W-6K-240V-BK-DA-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
173	MAZDA-SKXR406624W-6K-240V-GRY-PH-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
174	MAZDA-SKXR406624W-6K-240V-BK-PH-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
175	MAZDA-SKXR406624W-6K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
176	MAZDA-SKXR406624W-6K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
177	MAZDA-SKXR406624W-2.7K-240V-GRY-ND-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
178	MAZDA-SKXR406624W-2.7K-240V-BK-ND-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
179	MAZDA-SKXR406624W-2.7K-240V-GRY-DA-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
180	MAZDA-SKXR406624W-2.7K-240V-BK-DA-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
181	MAZDA-SKXR406624W-2.7K-240V-GRY-PH-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
182	MAZDA-SKXR406624W-2.7K-240V-BK-PH-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
183	MAZDA-SKXR406624W-2.7K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
184	MAZDA-SKXR406624W-2.7K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
185	MAZDA-SKXR406624W-6.5K-240V-GRY-ND-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
186	MAZDA-SKXR406624W-6.5K-240V-BK-ND-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
187	MAZDA-SKXR406624W-6.5K-240V-GRY-DA-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
188	MAZDA-SKXR406624W-6.5K-240V-BK-DA-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
189	MAZDA-SKXR406624W-6.5K-240V-GRY-PH-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
190	MAZDA-SKXR406624W-6.5K-240V-BK-PH-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
191	MAZDA-SKXR406624W-6.5K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
192	MAZDA-SKXR406624W-6.5K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
193	MAZDA-SKXR406624W-3K-240V-GRY-ND-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	



DATASHEET

GENERATED ON: 03 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
194	MAZDA-SKXR406624W-3K-240V-BK-ND-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
195	MAZDA-SKXR406624W-3K-240V-GRY-DA-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
196	MAZDA-SKXR406624W-3K-240V-BK-DA-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
197	MAZDA-SKXR406624W-3K-240V-GRY-PH-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
198	MAZDA-SKXR406624W-3K-240V-BK-PH-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
199	MAZDA-SKXR406624W-3K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
200	MAZDA-SKXR406624W-3K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	3000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
201	MAZDA-SKXR406624W-4K-240V-GRY-ND-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
202	MAZDA-SKXR406624W-4K-240V-BK-ND-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
203	MAZDA-SKXR406624W-4K-240V-GRY-DA-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
204	MAZDA-SKXR406624W-4K-240V-BK-DA-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
205	MAZDA-SKXR406624W-4K-240V-GRY-PH-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
206	MAZDA-SKXR406624W-4K-240V-BK-PH-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
207	MAZDA-SKXR406624W-4K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
208	MAZDA-SKXR406624W-4K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	4000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
209	MAZDA-SKXR406624W-5K-240V-GRY-ND-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
210	MAZDA-SKXR406624W-5K-240V-BK-ND-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
211	MAZDA-SKXR406624W-5K-240V-GRY-DA-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
212	MAZDA-SKXR406624W-5K-240V-BK-DA-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
213	MAZDA-SKXR406624W-5K-240V-GRY-PH-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
214	MAZDA-SKXR406624W-5K-240V-BK-PH-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
215	MAZDA-SKXR406624W-5K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
216	MAZDA-SKXR406624W-5K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	5000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
217	MAZDA-SKXR406624W-6K-240V-GRY-ND-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
218	MAZDA-SKXR406624W-6K-240V-BK-ND-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
219	MAZDA-SKXR406624W-6K-240V-GRY-DA-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
220	MAZDA-SKXR406624W-6K-240V-BK-DA-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
221	MAZDA-SKXR406624W-6K-240V-GRY-PH-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
222	MAZDA-SKXR406624W-6K-240V-BK-PH-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
223	MAZDA-SKXR406624W-6K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
224	MAZDA-SKXR406624W-6K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	6000	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
225	MAZDA-SKXR406624W-2.7K-240V-GRY-ND-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
226	MAZDA-SKXR406624W-2.7K-240V-BK-ND-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
227	MAZDA-SKXR406624W-2.7K-240V-GRY-DA-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
228	MAZDA-SKXR406624W-2.7K-240V-BK-DA-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
229	MAZDA-SKXR406624W-2.7K-240V-GRY-PH-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
230	MAZDA-SKXR406624W-2.7K-240V-BK-PH-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
231	MAZDA-SKXR406624W-2.7K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
232	MAZDA-SKXR406624W-2.7K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	2700	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
233	MAZDA-SKXR406624W-6.5K-240V-GRY-ND-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
234	MAZDA-SKXR406624W-6.5K-240V-BK-ND-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	ON - OFF	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
235	MAZDA-SKXR406624W-6.5K-240V-GRY-DA-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
236	MAZDA-SKXR406624W-6.5K-240V-BK-DA-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
237	MAZDA-SKXR406624W-6.5K-240V-GRY-PH-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
238	MAZDA-SKXR406624W-6.5K-240V-BK-PH-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
239	MAZDA-SKXR406624W-6.5K-240V-GRY-10VDIM-A100 X B179 X C130MM	24W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	
240	MAZDA-SKXR406624W-6.5K-240V-BK-10VDIM-A100 X B179 X C130MM	24W	6500	240V	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A100 X B179 X C130MM	DIE CAST ALUMINUM	IP66	A100 X B179 X C130MM	