DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



JELLY

MAZDA Model: FXR3070 Flood Light

Jelly LED flood light is an IP67-rated luminaire for lighting landscapes, trees, columns, monuments, and architectural details. It has numerous options, including optics for flood or accent lighting, colour temperatures and a choice of RGB, RGBW or RGBA colour mixing as well as various accessories for bracket installation, spread lenses, and controls. The luminaire also has an anti-corrosion option for use in harsh, chemical, or coastal environments

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR307015W-3K-240V-GRY-ND-A158 X B173 X C133MM	15W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
2	MAZDA-FXR307015W-3K-240V-GRY-DA-A158 X B173 X C133MM	15W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
3	MAZDA-FXR307015W-3K-240V-GRY-PH-A158 X B173 X C133MM	15W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
4	MAZDA-FXR307015W-3K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
5	MAZDA-FXR307015W-4K-240V-GRY-ND-A158 X B173 X C133MM	15W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
6	MAZDA-FXR307015W-4K-240V-GRY-DA-A158 X B173 X C133MM	15W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
7	MAZDA-FXR307015W-4K-240V-GRY-PH-A158 X B173 X C133MM	15W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
8	MAZDA-FXR307015W-4K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
9	MAZDA-FXR307015W-5K-240V-GRY-ND-A158 X B173 X C133MM	15W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
10	MAZDA-FXR307015W-5K-240V-GRY-DA-A158 X B173 X C133MM	15W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
11	MAZDA-FXR307015W-5K-240V-GRY-PH-A158 X B173 X C133MM	15W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
12	MAZDA-FXR307015W-5K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
13	MAZDA-FXR307015W-6K-240V-GRY-ND-A158 X B173 X C133MM	15W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
14	MAZDA-FXR307015W-6K-240V-GRY-DA-A158 X B173 X C133MM	15W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
15	MAZDA-FXR307015W-6K-240V-GRY-PH-A158 X B173 X C133MM	15W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
16	MAZDA-FXR307015W-6K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
17	MAZDA-FXR307015W-2.7K-240V-GRY-ND-A158 X B173 X C133MM	15W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-FXR307015W-2.7K-240V-GRY-DA-A158 X B173 X C133MM	15W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
19	MAZDA-FXR307015W-2.7K-240V-GRY-PH-A158 X B173 X C133MM	15W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
20	MAZDA-FXR307015W-2.7K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
21	MAZDA-FXR307015W-6.5K-240V-GRY-ND-A158 X B173 X C133MM	15W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
22	MAZDA-FXR307015W-6.5K-240V-GRY-DA-A158 X B173 X C133MM	15W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
23	MAZDA-FXR307015W-6.5K-240V-GRY-PH-A158 X B173 X C133MM	15W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
24	MAZDA-FXR307015W-6.5K-240V-GRY-10VDIM-A158 X B173 X C133MM	15W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
25	MAZDA-FXR307025W-3K-240V-GRY-ND-A158 X B173 X C133MM	25W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
26	MAZDA-FXR307025W-3K-240V-GRY-DA-A158 X B173 X C133MM	25W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
27	MAZDA-FXR307025W-3K-240V-GRY-PH-A158 X B173 X C133MM	25W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
28	MAZDA-FXR307025W-3K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
29	MAZDA-FXR307025W-4K-240V-GRY-ND-A158 X B173 X C133MM	25W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
30	MAZDA-FXR307025W-4K-240V-GRY-DA-A158 X B173 X C133MM	25W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
31	MAZDA-FXR307025W-4K-240V-GRY-PH-A158 X B173 X C133MM	25W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
32	MAZDA-FXR307025W-4K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
33	MAZDA-FXR307025W-5K-240V-GRY-ND-A158 X B173 X C133MM	25W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
34	MAZDA-FXR307025W-5K-240V-GRY-DA-A158 X B173 X C133MM	25W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
35	MAZDA-FXR307025W-5K-240V-GRY-PH-A158 X B173 X C133MM	25W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
36	MAZDA-FXR307025W-5K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
37	MAZDA-FXR307025W-6K-240V-GRY-ND-A158 X B173 X C133MM	25W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
38	MAZDA-FXR307025W-6K-240V-GRY-DA-A158 X B173 X C133MM	25W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
39	MAZDA-FXR307025W-6K-240V-GRY-PH-A158 X B173 X C133MM	25W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
40	MAZDA-FXR307025W-6K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
41	MAZDA-FXR307025W-2.7K-240V-GRY-ND-A158 X B173 X C133MM	25W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
42	MAZDA-FXR307025W-2.7K-240V-GRY-DA-A158 X B173 X C133MM	25W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
43	MAZDA-FXR307025W-2.7K-240V-GRY-PH-A158 X B173 X C133MM	25W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	
44	MAZDA-FXR307025W-2.7K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
45	MAZDA-FXR307025W-6.5K-240V-GRY-ND-A158 X B173 X C133MM	25W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM
46	MAZDA-FXR307025W-6.5K-240V-GRY-DA-A158 X B173 X C133MM	25W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM
47	MAZDA-FXR307025W-6.5K-240V-GRY-PH-A158 X B173 X C133MM	25W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM
48	MAZDA-FXR307025W-6.5K-240V-GRY-10VDIM-A158 X B173 X C133MM	25W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A158 X B173 X C133MM	DIE CAST ALUMINUM	IP67	A158 X B173 X C133MM
49	MAZDA-FXR307030W-3K-240V-GRY-ND-A184 X B204 X C141MM	30W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
50	MAZDA-FXR307030W-3K-240V-GRY-DA-A184 X B204 X C141MM	30W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
51	MAZDA-FXR307030W-3K-240V-GRY-PH-A184 X B204 X C141MM	30W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
52	MAZDA-FXR307030W-3K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
53	MAZDA-FXR307030W-4K-240V-GRY-ND-A184 X B204 X C141MM	30W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
54	MAZDA-FXR307030W-4K-240V-GRY-DA-A184 X B204 X C141MM	30W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
55	MAZDA-FXR307030W-4K-240V-GRY-PH-A184 X B204 X C141MM	30W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
56	MAZDA-FXR307030W-4K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
57	MAZDA-FXR307030W-5K-240V-GRY-ND-A184 X B204 X C141MM	30W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
58	MAZDA-FXR307030W-5K-240V-GRY-DA-A184 X B204 X C141MM	30W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
59	MAZDA-FXR307030W-5K-240V-GRY-PH-A184 X B204 X C141MM	30W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
60	MAZDA-FXR307030W-5K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
61	MAZDA-FXR307030W-6K-240V-GRY-ND-A184 X B204 X C141MM	30W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
62	MAZDA-FXR307030W-6K-240V-GRY-DA-A184 X B204 X C141MM	30W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
63	MAZDA-FXR307030W-6K-240V-GRY-PH-A184 X B204 X C141MM	30W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
64	MAZDA-FXR307030W-6K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
65	MAZDA-FXR307030W-2.7K-240V-GRY-ND-A184 X B204 X C141MM	30W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
66	MAZDA-FXR307030W-2.7K-240V-GRY-DA-A184 X B204 X C141MM	30W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
67	MAZDA-FXR307030W-2.7K-240V-GRY-PH-A184 X B204 X C141MM	30W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
68	MAZDA-FXR307030W-2.7K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
69	MAZDA-FXR307030W-6.5K-240V-GRY-ND-A184 X B204 X C141MM	30W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
70	MAZDA-FXR307030W-6.5K-240V-GRY-DA-A184 X B204 X C141MM	30W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM
71	MAZDA-FXR307030W-6.5K-240V-GRY-PH-A184 X B204 X C141MM	30W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-FXR307030W-6.5K-240V-GRY-10VDIM-A184 X B204 X C141MM	30W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
73	MAZDA-FXR307035W-3K-240V-GRY-ND-A184 X B204 X C141MM	35W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
74	MAZDA-FXR307035W-3K-240V-GRY-DA-A184 X B204 X C141MM	35W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
75	MAZDA-FXR307035W-3K-240V-GRY-PH-A184 X B204 X C141MM	35W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
76	MAZDA-FXR307035W-3K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
77	MAZDA-FXR307035W-4K-240V-GRY-ND-A184 X B204 X C141MM	35W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
78	MAZDA-FXR307035W-4K-240V-GRY-DA-A184 X B204 X C141MM	35W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
79	MAZDA-FXR307035W-4K-240V-GRY-PH-A184 X B204 X C141MM	35W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
80	MAZDA-FXR307035W-4K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
81	MAZDA-FXR307035W-5K-240V-GRY-ND-A184 X B204 X C141MM	35W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
82	MAZDA-FXR307035W-5K-240V-GRY-DA-A184 X B204 X C141MM	35W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
83	MAZDA-FXR307035W-5K-240V-GRY-PH-A184 X B204 X C141MM	35W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
84	MAZDA-FXR307035W-5K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
85	MAZDA-FXR307035W-6K-240V-GRY-ND-A184 X B204 X C141MM	35W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
86	MAZDA-FXR307035W-6K-240V-GRY-DA-A184 X B204 X C141MM	35W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
87	MAZDA-FXR307035W-6K-240V-GRY-PH-A184 X B204 X C141MM	35W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
88	MAZDA-FXR307035W-6K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
89	MAZDA-FXR307035W-2.7K-240V-GRY-ND-A184 X B204 X C141MM	35W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
90	MAZDA-FXR307035W-2.7K-240V-GRY-DA-A184 X B204 X C141MM	35W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
91	MAZDA-FXR307035W-2.7K-240V-GRY-PH-A184 X B204 X C141MM	35W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
92	MAZDA-FXR307035W-2.7K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
93	MAZDA-FXR307035W-6.5K-240V-GRY-ND-A184 X B204 X C141MM	35W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
94	MAZDA-FXR307035W-6.5K-240V-GRY-DA-A184 X B204 X C141MM	35W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
95	MAZDA-FXR307035W-6.5K-240V-GRY-PH-A184 X B204 X C141MM	35W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
96	MAZDA-FXR307035W-6.5K-240V-GRY-10VDIM-A184 X B204 X C141MM	35W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
97	MAZDA-FXR307045W-3K-240V-GRY-ND-A184 X B204 X C141MM	45W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
98	MAZDA-FXR307045W-3K-240V-GRY-DA-A184 X B204 X C141MM	45W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
99	MAZDA-FXR307045W-3K-240V-GRY-PH-A184 X B204 X C141MM	45W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
100	MAZDA-FXR307045W-3K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
101	MAZDA-FXR307045W-4K-240V-GRY-ND-A184 X B204 X C141MM	45W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
102	MAZDA-FXR307045W-4K-240V-GRY-DA-A184 X B204 X C141MM	45W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
103	MAZDA-FXR307045W-4K-240V-GRY-PH-A184 X B204 X C141MM	45W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
104	MAZDA-FXR307045W-4K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
105	MAZDA-FXR307045W-5K-240V-GRY-ND-A184 X B204 X C141MM	45W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
106	MAZDA-FXR307045W-5K-240V-GRY-DA-A184 X B204 X C141MM	45W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
107	MAZDA-FXR307045W-5K-240V-GRY-PH-A184 X B204 X C141MM	45W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
108	MAZDA-FXR307045W-5K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
109	MAZDA-FXR307045W-6K-240V-GRY-ND-A184 X B204 X C141MM	45W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
110	MAZDA-FXR307045W-6K-240V-GRY-DA-A184 X B204 X C141MM	45W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
111	MAZDA-FXR307045W-6K-240V-GRY-PH-A184 X B204 X C141MM	45W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
112	MAZDA-FXR307045W-6K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
113	MAZDA-FXR307045W-2.7K-240V-GRY-ND-A184 X B204 X C141MM	45W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
114	MAZDA-FXR307045W-2.7K-240V-GRY-DA-A184 X B204 X C141MM	45W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
115	MAZDA-FXR307045W-2.7K-240V-GRY-PH-A184 X B204 X C141MM	45W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
116	MAZDA-FXR307045W-2.7K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
117	MAZDA-FXR307045W-6.5K-240V-GRY-ND-A184 X B204 X C141MM	45W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
118	MAZDA-FXR307045W-6.5K-240V-GRY-DA-A184 X B204 X C141MM	45W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
119	MAZDA-FXR307045W-6.5K-240V-GRY-PH-A184 X B204 X C141MM	45W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
120	MAZDA-FXR307045W-6.5K-240V-GRY-10VDIM-A184 X B204 X C141MM	45W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
121	MAZDA-FXR307060W-3K-240V-GRY-ND-A184 X B204 X C141MM	60W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
122	MAZDA-FXR307060W-3K-240V-GRY-DA-A184 X B204 X C141MM	60W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
123	MAZDA-FXR307060W-3K-240V-GRY-PH-A184 X B204 X C141MM	60W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
124	MAZDA-FXR307060W-3K-240V-GRY-10VDIM-A184 X B204 X C141MM	60W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
125	MAZDA-FXR307060W-4K-240V-GRY-ND-A184 X B204 X C141MM	60W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
126	**MAZDA-FXR307060W-4K-240V-GRY-DA-A184 X B204 X C141MM**	60W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
127	**MAZDA-FXR307060W-4K-240V-GRY-PH-A184 X B204 X C141MM**	60W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
128	**MAZDA-FXR307060W-4K-240V-GRY-10VDIM-A184 X B204 X C141MM**	60W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
129	**MAZDA-FXR307060W-5K-240V-GRY-ND-A184 X B204 X C141MM**	60W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
130	**MAZDA-FXR307060W-5K-240V-GRY-DA-A184 X B204 X C141MM**	60W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
131	**MAZDA-FXR307060W-5K-240V-GRY-PH-A184 X B204 X C141MM**	60W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
132	**MAZDA-FXR307060W-5K-240V-GRY-10VDIM-A184 X B204 X C141MM**	60W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
133	**MAZDA-FXR307060W-6K-240V-GRY-ND-A184 X B204 X C141MM**	60W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
134	**MAZDA-FXR307060W-6K-240V-GRY-DA-A184 X B204 X C141MM**	60W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
135	**MAZDA-FXR307060W-6K-240V-GRY-PH-A184 X B204 X C141MM**	60W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
136	**MAZDA-FXR307060W-6K-240V-GRY-10VDIM-A184 X B204 X C141MM**	60W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
137	**MAZDA-FXR307060W-2.7K-240V-GRY-ND-A184 X B204 X C141MM**	60W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
138	**MAZDA-FXR307060W-2.7K-240V-GRY-DA-A184 X B204 X C141MM**	60W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
139	**MAZDA-FXR307060W-2.7K-240V-GRY-PH-A184 X B204 X C141MM**	60W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
140	**MAZDA-FXR307060W-2.7K-240V-GRY-10VDIM-A184 X B204 X C141MM**	60W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
141	**MAZDA-FXR307060W-6.5K-240V-GRY-ND-A184 X B204 X C141MM**	60W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
142	**MAZDA-FXR307060W-6.5K-240V-GRY-DA-A184 X B204 X C141MM**	60W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
143	**MAZDA-FXR307060W-6.5K-240V-GRY-PH-A184 X B204 X C141MM**	60W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
144	**MAZDA-FXR307060W-6.5K-240V-GRY-10VDIM-A184 X B204 X C141MM**	60W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A184 X B204 X C141MM	DIE CAST ALUMINUM	IP67	A184 X B204 X C141MM	
145	**MAZDA-FXR307075W-3K-240V-GRY-ND-A260 X B303 X C275MM**	75W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
146	**MAZDA-FXR307075W-3K-240V-GRY-DA-A260 X B303 X C275MM**	75W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
147	**MAZDA-FXR307075W-3K-240V-GRY-PH-A260 X B303 X C275MM**	75W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
148	**MAZDA-FXR307075W-3K-240V-GRY-10VDIM-A260 X B303 X C275MM**	75W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
149	**MAZDA-FXR307075W-4K-240V-GRY-ND-A260 X B303 X C275MM**	75W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
150	**MAZDA-FXR307075W-4K-240V-GRY-DA-A260 X B303 X C275MM**	75W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
151	**MAZDA-FXR307075W-4K-240V-GRY-PH-A260 X B303 X C275MM**	75W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
152	**MAZDA-FXR307075W-4K-240V-GRY-10VDIM-A260 X B303 X C275MM**	75W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
153	MAZDA-FXR307075W-5K-240V-GRY-ND-A260 X B303 X C275MM	75W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
154	MAZDA-FXR307075W-5K-240V-GRY-DA-A260 X B303 X C275MM	75W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
155	MAZDA-FXR307075W-5K-240V-GRY-PH-A260 X B303 X C275MM	75W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
156	MAZDA-FXR307075W-5K-240V-GRY-10VDIM-A260 X B303 X C275MM	75W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
157	MAZDA-FXR307075W-6K-240V-GRY-ND-A260 X B303 X C275MM	75W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
158	MAZDA-FXR307075W-6K-240V-GRY-DA-A260 X B303 X C275MM	75W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
159	MAZDA-FXR307075W-6K-240V-GRY-PH-A260 X B303 X C275MM	75W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
160	MAZDA-FXR307075W-6K-240V-GRY-10VDIM-A260 X B303 X C275MM	75W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
161	MAZDA-FXR307075W-2.7K-240V-GRY-ND-A260 X B303 X C275MM	75W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
162	MAZDA-FXR307075W-2.7K-240V-GRY-DA-A260 X B303 X C275MM	75W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
163	MAZDA-FXR307075W-2.7K-240V-GRY-PH-A260 X B303 X C275MM	75W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
164	MAZDA-FXR307075W-2.7K-240V-GRY-10VDIM-A260 X B303 X C275MM	75W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
165	MAZDA-FXR307075W-6.5K-240V-GRY-ND-A260 X B303 X C275MM	75W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
166	MAZDA-FXR307075W-6.5K-240V-GRY-DA-A260 X B303 X C275MM	75W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
167	MAZDA-FXR307075W-6.5K-240V-GRY-PH-A260 X B303 X C275MM	75W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
168	MAZDA-FXR307075W-6.5K-240V-GRY-10VDIM-A260 X B303 X C275MM	75W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
169	MAZDA-FXR3070100W-3K-240V-GRY-ND-A260 X B303 X C275MM	100W	3000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
170	MAZDA-FXR3070100W-3K-240V-GRY-DA-A260 X B303 X C275MM	100W	3000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
171	MAZDA-FXR3070100W-3K-240V-GRY-PH-A260 X B303 X C275MM	100W	3000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
172	MAZDA-FXR3070100W-3K-240V-GRY-10VDIM-A260 X B303 X C275MM	100W	3000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
173	MAZDA-FXR3070100W-4K-240V-GRY-ND-A260 X B303 X C275MM	100W	4000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
174	MAZDA-FXR3070100W-4K-240V-GRY-DA-A260 X B303 X C275MM	100W	4000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
175	MAZDA-FXR3070100W-4K-240V-GRY-PH-A260 X B303 X C275MM	100W	4000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
176	MAZDA-FXR3070100W-4K-240V-GRY-10VDIM-A260 X B303 X C275MM	100W	4000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
177	MAZDA-FXR3070100W-5K-240V-GRY-ND-A260 X B303 X C275MM	100W	5000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
178	MAZDA-FXR3070100W-5K-240V-GRY-DA-A260 X B303 X C275MM	100W	5000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
179	MAZDA-FXR3070100W-5K-240V-GRY-PH-A260 X B303 X C275MM	100W	5000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
180	**MAZDA-FXR3070100W-5K-240V-GRY-10VDIM-A260 X B303 X C275MM**	100W	5000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
181	**MAZDA-FXR3070100W-6K-240V-GRY-ND-A260 X B303 X C275MM**	100W	6000	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
182	**MAZDA-FXR3070100W-6K-240V-GRY-DA-A260 X B303 X C275MM**	100W	6000	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
183	**MAZDA-FXR3070100W-6K-240V-GRY-PH-A260 X B303 X C275MM**	100W	6000	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
184	**MAZDA-FXR3070100W-6K-240V-GRY-10VDIM-A260 X B303 X C275MM**	100W	6000	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
185	**MAZDA-FXR3070100W-2.7K-240V-GRY-ND-A260 X B303 X C275MM**	100W	2700	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
186	**MAZDA-FXR3070100W-2.7K-240V-GRY-DA-A260 X B303 X C275MM**	100W	2700	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
187	**MAZDA-FXR3070100W-2.7K-240V-GRY-PH-A260 X B303 X C275MM**	100W	2700	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
188	**MAZDA-FXR3070100W-2.7K-240V-GRY-10VDIM-A260 X B303 X C275MM**	100W	2700	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
189	**MAZDA-FXR3070100W-6.5K-240V-GRY-ND-A260 X B303 X C275MM**	100W	6500	240V	GREY	NON EMERGENCY	ON - OFF	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
190	**MAZDA-FXR3070100W-6.5K-240V-GRY-DA-A260 X B303 X C275MM**	100W	6500	240V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
191	**MAZDA-FXR3070100W-6.5K-240V-GRY-PH-A260 X B303 X C275MM**	100W	6500	240V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	
192	**MAZDA-FXR3070100W-6.5K-240V-GRY-10VDIM-A260 X B303 X C275MM**	100W	6500	240V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A260 X B303 X C275MM	DIE CAST ALUMINUM	IP67	A260 X B303 X C275MM	