DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



J0KER

MAZDA Model: FXR3062 Flood Light

Joker floodlight with High-quality die-cast aluminum #ADC12 housing, integrated shell, high hardness, not easy to break,
good heat issipation, greatly improving service life. The lamp body is completely sealed and suitble work in thunder and rain.High-quality high-brightness LED light source, high luminous efficiency, high color rendering, no radiation pollution,
long service life. No EMI, low harmonic distortion (THD), through the CE, ROSS, FCC, SAA, RCM certification requirements.Easy of maintenance. Tool-less opening of gear compartment & gear tray replacement. Energy saving >60% compared with traditional HID or metal Halide lamps

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR306250W-3K-24V-GRY-ND-A270 X B425 X C52MM	50W	3000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
2	MAZDA-FXR306250W-3K-24V-GRY-DA-A270 X B425 X C52MM	50W	3000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
3	MAZDA-FXR306250W-3K-24V-GRY-PH-A270 X B425 X C52MM	50W	3000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
4	MAZDA-FXR306250W-3K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	3000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
5	MAZDA-FXR306250W-4K-24V-GRY-ND-A270 X B425 X C52MM	50W	4000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
6	MAZDA-FXR306250W-4K-24V-GRY-DA-A270 X B425 X C52MM	50W	4000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
7	MAZDA-FXR306250W-4K-24V-GRY-PH-A270 X B425 X C52MM	50W	4000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
8	MAZDA-FXR306250W-4K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	4000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
9	MAZDA-FXR306250W-5K-24V-GRY-ND-A270 X B425 X C52MM	50W	5000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
10	MAZDA-FXR306250W-5K-24V-GRY-DA-A270 X B425 X C52MM	50W	5000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
11	MAZDA-FXR306250W-5K-24V-GRY-PH-A270 X B425 X C52MM	50W	5000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
12	MAZDA-FXR306250W-5K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	5000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
13	MAZDA-FXR306250W-6K-24V-GRY-ND-A270 X B425 X C52MM	50W	6000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
14	MAZDA-FXR306250W-6K-24V-GRY-DA-A270 X B425 X C52MM	50W	6000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
15	MAZDA-FXR306250W-6K-24V-GRY-PH-A270 X B425 X C52MM	50W	6000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
16	MAZDA-FXR306250W-6K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	6000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
17	MAZDA-FXR306250W-2.7K-24V-GRY-ND-A270 X B425 X C52MM	50W	2700	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
18	MAZDA-FXR306250W-2.7K-24V-GRY-DA-A270 X B425 X C52MM	50W	2700	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
19	MAZDA-FXR306250W-2.7K-24V-GRY-PH-A270 X B425 X C52MM	50W	2700	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
20	MAZDA-FXR306250W-2.7K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	2700	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
21	MAZDA-FXR306250W-6.5K-24V-GRY-ND-A270 X B425 X C52MM	50W	6500	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
22	MAZDA-FXR306250W-6.5K-24V-GRY-DA-A270 X B425 X C52MM	50W	6500	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
23	MAZDA-FXR306250W-6.5K-24V-GRY-PH-A270 X B425 X C52MM	50W	6500	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
24	MAZDA-FXR306250W-6.5K-24V-GRY-10VDIM-A270 X B425 X C52MM	50W	6500	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
25	MAZDA-FXR306280W-3K-24V-GRY-ND-A270 X B425 X C52MM	80W	3000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
26	MAZDA-FXR306280W-3K-24V-GRY-DA-A270 X B425 X C52MM	80W	3000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
27	MAZDA-FXR306280W-3K-24V-GRY-PH-A270 X B425 X C52MM	80W	3000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
28	MAZDA-FXR306280W-3K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	3000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
29	MAZDA-FXR306280W-4K-24V-GRY-ND-A270 X B425 X C52MM	80W	4000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
30	MAZDA-FXR306280W-4K-24V-GRY-DA-A270 X B425 X C52MM	80W	4000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
31	MAZDA-FXR306280W-4K-24V-GRY-PH-A270 X B425 X C52MM	80W	4000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
32	MAZDA-FXR306280W-4K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	4000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
33	MAZDA-FXR306280W-5K-24V-GRY-ND-A270 X B425 X C52MM	80W	5000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
34	MAZDA-FXR306280W-5K-24V-GRY-DA-A270 X B425 X C52MM	80W	5000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
35	MAZDA-FXR306280W-5K-24V-GRY-PH-A270 X B425 X C52MM	80W	5000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
36	MAZDA-FXR306280W-5K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	5000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
37	MAZDA-FXR306280W-6K-24V-GRY-ND-A270 X B425 X C52MM	80W	6000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
38	MAZDA-FXR306280W-6K-24V-GRY-DA-A270 X B425 X C52MM	80W	6000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
39	MAZDA-FXR306280W-6K-24V-GRY-PH-A270 X B425 X C52MM	80W	6000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
40	MAZDA-FXR306280W-6K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	6000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
41	MAZDA-FXR306280W-2.7K-24V-GRY-ND-A270 X B425 X C52MM	80W	2700	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
42	MAZDA-FXR306280W-2.7K-24V-GRY-DA-A270 X B425 X C52MM	80W	2700	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
43	MAZDA-FXR306280W-2.7K-24V-GRY-PH-A270 X B425 X C52MM	80W	2700	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
44	MAZDA-FXR306280W-2.7K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	2700	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
45	MAZDA-FXR306280W-6.5K-24V-GRY-ND-A270 X B425 X C52MM	80W	6500	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
46	MAZDA-FXR306280W-6.5K-24V-GRY-DA-A270 X B425 X C52MM	80W	6500	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
47	MAZDA-FXR306280W-6.5K-24V-GRY-PH-A270 X B425 X C52MM	80W	6500	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
48	MAZDA-FXR306280W-6.5K-24V-GRY-10VDIM-A270 X B425 X C52MM	80W	6500	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
49	MAZDA-FXR3062100W-3K-24V-GRY-ND-A270 X B425 X C52MM	100W	3000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
50	MAZDA-FXR3062100W-3K-24V-GRY-DA-A270 X B425 X C52MM	100W	3000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
51	MAZDA-FXR3062100W-3K-24V-GRY-PH-A270 X B425 X C52MM	100W	3000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
52	MAZDA-FXR3062100W-3K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	3000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
53	MAZDA-FXR3062100W-4K-24V-GRY-ND-A270 X B425 X C52MM	100W	4000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
54	MAZDA-FXR3062100W-4K-24V-GRY-DA-A270 X B425 X C52MM	100W	4000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
55	MAZDA-FXR3062100W-4K-24V-GRY-PH-A270 X B425 X C52MM	100W	4000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
56	MAZDA-FXR3062100W-4K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	4000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
57	MAZDA-FXR3062100W-5K-24V-GRY-ND-A270 X B425 X C52MM	100W	5000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
58	MAZDA-FXR3062100W-5K-24V-GRY-DA-A270 X B425 X C52MM	100W	5000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
59	MAZDA-FXR3062100W-5K-24V-GRY-PH-A270 X B425 X C52MM	100W	5000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
60	MAZDA-FXR3062100W-5K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	5000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
61	MAZDA-FXR3062100W-6K-24V-GRY-ND-A270 X B425 X C52MM	100W	6000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
62	MAZDA-FXR3062100W-6K-24V-GRY-DA-A270 X B425 X C52MM	100W	6000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
63	MAZDA-FXR3062100W-6K-24V-GRY-PH-A270 X B425 X C52MM	100W	6000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
64	MAZDA-FXR3062100W-6K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	6000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
65	MAZDA-FXR3062100W-2.7K-24V-GRY-ND-A270 X B425 X C52MM	100W	2700	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
66	MAZDA-FXR3062100W-2.7K-24V-GRY-DA-A270 X B425 X C52MM	100W	2700	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
67	MAZDA-FXR3062100W-2.7K-24V-GRY-PH-A270 X B425 X C52MM	100W	2700	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
68	MAZDA-FXR3062100W-2.7K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	2700	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
69	MAZDA-FXR3062100W-6.5K-24V-GRY-ND-A270 X B425 X C52MM	100W	6500	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
70	MAZDA-FXR3062100W-6.5K-24V-GRY-DA-A270 X B425 X C52MM	100W	6500	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
71	MAZDA-FXR3062100W-6.5K-24V-GRY-PH-A270 X B425 X C52MM	100W	6500	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
72	MAZDA-FXR3062100W-6.5K-24V-GRY-10VDIM-A270 X B425 X C52MM	100W	6500	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
73	MAZDA-FXR3062120W-3K-24V-GRY-ND-A270 X B425 X C52MM	120W	3000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
74	MAZDA-FXR3062120W-3K-24V-GRY-DA-A270 X B425 X C52MM	120W	3000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
75	MAZDA-FXR3062120W-3K-24V-GRY-PH-A270 X B425 X C52MM	120W	3000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
76	MAZDA-FXR3062120W-3K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	3000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
77	MAZDA-FXR3062120W-4K-24V-GRY-ND-A270 X B425 X C52MM	120W	4000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
78	MAZDA-FXR3062120W-4K-24V-GRY-DA-A270 X B425 X C52MM	120W	4000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
79	MAZDA-FXR3062120W-4K-24V-GRY-PH-A270 X B425 X C52MM	120W	4000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
80	MAZDA-FXR3062120W-4K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	4000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
81	MAZDA-FXR3062120W-5K-24V-GRY-ND-A270 X B425 X C52MM	120W	5000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
82	MAZDA-FXR3062120W-5K-24V-GRY-DA-A270 X B425 X C52MM	120W	5000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
83	MAZDA-FXR3062120W-5K-24V-GRY-PH-A270 X B425 X C52MM	120W	5000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
84	MAZDA-FXR3062120W-5K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	5000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
85	MAZDA-FXR3062120W-6K-24V-GRY-ND-A270 X B425 X C52MM	120W	6000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
86	MAZDA-FXR3062120W-6K-24V-GRY-DA-A270 X B425 X C52MM	120W	6000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
87	MAZDA-FXR3062120W-6K-24V-GRY-PH-A270 X B425 X C52MM	120W	6000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
88	MAZDA-FXR3062120W-6K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	6000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
89	MAZDA-FXR3062120W-2.7K-24V-GRY-ND-A270 X B425 X C52MM	120W	2700	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
90	MAZDA-FXR3062120W-2.7K-24V-GRY-DA-A270 X B425 X C52MM	120W	2700	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
91	MAZDA-FXR3062120W-2.7K-24V-GRY-PH-A270 X B425 X C52MM	120W	2700	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
92	MAZDA-FXR3062120W-2.7K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	2700	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
93	MAZDA-FXR3062120W-6.5K-24V-GRY-ND-A270 X B425 X C52MM	120W	6500	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
94	MAZDA-FXR3062120W-6.5K-24V-GRY-DA-A270 X B425 X C52MM	120W	6500	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
95	MAZDA-FXR3062120W-6.5K-24V-GRY-PH-A270 X B425 X C52MM	120W	6500	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
96	MAZDA-FXR3062120W-6.5K-24V-GRY-10VDIM-A270 X B425 X C52MM	120W	6500	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM
97	MAZDA-FXR3062120W-3K-24V-GRY-ND-A270 X B425 X C52MM	120W	3000	24V	GREY	NON EMERGENCY	ON - OFF	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
98	**MAZDA-FXR3062120W-3K-24V-GRY-DA-A270 X B425 X C52MM**	120W	3000	24V	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
99	**MAZDA-FXR3062120W-3K-24V-GRY-PH-A270 X B425 X C52MM**	120W	3000	24V	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	
100	**MAZDA-FXR3062120W-3K-24V-GRY-10VDIM-A270 X B425 X C52MM**	120W	3000	24V	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A270 X B425 X C52MM	DIE CAST ALUMINUM	IP67	A270 X B425 X C52MM	