DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



PEGASUS

MAZDA Model: FXR3072 Flood Light

Pegasus LED Flood Light is another masterpiece, with Real UV resistance and an-corrosion even in extreme harsh environment. It is over 50% more energy-efficient than traditional light. It has low maintenance cost and low emissions of CO2. With advanced air flow thermal management, and surface coating treatment, can with stand extreme weather conditions. This flood light is good for Billboards,Highways,Railway tunnels,Bridges and culverts, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-FXR3072100W-3K-240V-BL-ND-A353 X B258 X C58 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
2	MAZDA-FXR3072100W-3K-240V-BL-DA-A353 X B258 X C58 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
3	MAZDA-FXR3072100W-3K-240V-BL-PH-A353 X B258 X C58 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
4	MAZDA-FXR3072100W-3K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
5	MAZDA-FXR3072100W-4K-240V-BL-ND-A353 X B258 X C58 MM	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
6	MAZDA-FXR3072100W-4K-240V-BL-DA-A353 X B258 X C58 MM	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
7	MAZDA-FXR3072100W-4K-240V-BL-PH-A353 X B258 X C58 MM	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
8	MAZDA-FXR3072100W-4K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
9	MAZDA-FXR3072100W-5K-240V-BL-ND-A353 X B258 X C58 MM	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
10	MAZDA-FXR3072100W-5K-240V-BL-DA-A353 X B258 X C58 MM	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
11	MAZDA-FXR3072100W-5K-240V-BL-PH-A353 X B258 X C58 MM	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
12	MAZDA-FXR3072100W-5K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
13	MAZDA-FXR3072100W-6K-240V-BL-ND-A353 X B258 X C58 MM	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
14	MAZDA-FXR3072100W-6K-240V-BL-DA-A353 X B258 X C58 MM	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
15	MAZDA-FXR3072100W-6K-240V-BL-PH-A353 X B258 X C58 MM	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
16	MAZDA-FXR3072100W-6K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
17	MAZDA-FXR3072100W-2.7K-240V-BL-ND-A353 X B258 X C58 MM	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
18	MAZDA-FXR3072100W-2.7K-240V-BL-DA-A353 X B258 X C58 MM	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
19	MAZDA-FXR3072100W-2.7K-240V-BL-PH-A353 X B258 X C58 MM	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
20	MAZDA-FXR3072100W-2.7K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
21	MAZDA-FXR3072100W-6.5K-240V-BL-ND-A353 X B258 X C58 MM	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
22	MAZDA-FXR3072100W-6.5K-240V-BL-DA-A353 X B258 X C58 MM	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
23	MAZDA-FXR3072100W-6.5K-240V-BL-PH-A353 X B258 X C58 MM	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
24	MAZDA-FXR3072100W-6.5K-240V-BL-10VDIM-A353 X B258 X C58 MM	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A353 X B258 X C58 MM	DIE CAST ALUMINUM	IP65	A353 X B258 X C58 MM
25	MAZDA-FXR3072200W-3K-240V-BL-ND-A419 X B318 X C66 MM	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
26	MAZDA-FXR3072200W-3K-240V-BL-DA-A419 X B318 X C66 MM	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
27	MAZDA-FXR3072200W-3K-240V-BL-PH-A419 X B318 X C66 MM	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
28	MAZDA-FXR3072200W-3K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
29	MAZDA-FXR3072200W-4K-240V-BL-ND-A419 X B318 X C66 MM	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
30	MAZDA-FXR3072200W-4K-240V-BL-DA-A419 X B318 X C66 MM	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
31	MAZDA-FXR3072200W-4K-240V-BL-PH-A419 X B318 X C66 MM	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
32	MAZDA-FXR3072200W-4K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
33	MAZDA-FXR3072200W-5K-240V-BL-ND-A419 X B318 X C66 MM	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
34	MAZDA-FXR3072200W-5K-240V-BL-DA-A419 X B318 X C66 MM	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
35	MAZDA-FXR3072200W-5K-240V-BL-PH-A419 X B318 X C66 MM	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
36	MAZDA-FXR3072200W-5K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
37	MAZDA-FXR3072200W-6K-240V-BL-ND-A419 X B318 X C66 MM	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
38	MAZDA-FXR3072200W-6K-240V-BL-DA-A419 X B318 X C66 MM	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
39	MAZDA-FXR3072200W-6K-240V-BL-PH-A419 X B318 X C66 MM	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
40	MAZDA-FXR3072200W-6K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
41	MAZDA-FXR3072200W-2.7K-240V-BL-ND-A419 X B318 X C66 MM	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
42	MAZDA-FXR3072200W-2.7K-240V-BL-DA-A419 X B318 X C66 MM	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
43	MAZDA-FXR3072200W-2.7K-240V-BL-PH-A419 X B318 X C66 MM	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
44	MAZDA-FXR3072200W-2.7K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
45	MAZDA-FXR3072200W-6.5K-240V-BL-ND-A419 X B318 X C66 MM	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
46	MAZDA-FXR3072200W-6.5K-240V-BL-DA-A419 X B318 X C66 MM	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
47	MAZDA-FXR3072200W-6.5K-240V-BL-PH-A419 X B318 X C66 MM	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
48	MAZDA-FXR3072200W-6.5K-240V-BL-10VDIM-A419 X B318 X C66 MM	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A419 X B318 X C66 MM	DIE CAST ALUMINUM	IP65	A419 X B318 X C66 MM
49	MAZDA-FXR3072300W-3K-240V-BL-ND-A586X B400 X C79MM	300W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
50	MAZDA-FXR3072300W-3K-240V-BL-DA-A586X B400 X C79MM	300W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
51	MAZDA-FXR3072300W-3K-240V-BL-PH-A586X B400 X C79MM	300W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
52	MAZDA-FXR3072300W-3K-240V-BL-10VDIM-A586X B400 X C79MM	300W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
53	MAZDA-FXR3072300W-4K-240V-BL-ND-A586X B400 X C79MM	300W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
54	MAZDA-FXR3072300W-4K-240V-BL-DA-A586X B400 X C79MM	300W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
55	MAZDA-FXR3072300W-4K-240V-BL-PH-A586X B400 X C79MM	300W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
56	MAZDA-FXR3072300W-4K-240V-BL-10VDIM-A586X B400 X C79MM	300W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
57	MAZDA-FXR3072300W-5K-240V-BL-ND-A586X B400 X C79MM	300W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
58	MAZDA-FXR3072300W-5K-240V-BL-DA-A586X B400 X C79MM	300W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
59	MAZDA-FXR3072300W-5K-240V-BL-PH-A586X B400 X C79MM	300W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
60	MAZDA-FXR3072300W-5K-240V-BL-10VDIM-A586X B400 X C79MM	300W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
61	MAZDA-FXR3072300W-6K-240V-BL-ND-A586X B400 X C79MM	300W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
62	MAZDA-FXR3072300W-6K-240V-BL-DA-A586X B400 X C79MM	300W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
63	MAZDA-FXR3072300W-6K-240V-BL-PH-A586X B400 X C79MM	300W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
64	MAZDA-FXR3072300W-6K-240V-BL-10VDIM-A586X B400 X C79MM	300W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
65	MAZDA-FXR3072300W-2.7K-240V-BL-ND-A586X B400 X C79MM	300W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
66	MAZDA-FXR3072300W-2.7K-240V-BL-DA-A586X B400 X C79MM	300W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
67	MAZDA-FXR3072300W-2.7K-240V-BL-PH-A586X B400 X C79MM	300W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
68	MAZDA-FXR3072300W-2.7K-240V-BL-10VDIM-A586X B400 X C79MM	300W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
69	MAZDA-FXR3072300W-6.5K-240V-BL-ND-A586X B400 X C79MM	300W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
70	MAZDA-FXR3072300W-6.5K-240V-BL-DA-A586X B400 X C79MM	300W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
71	MAZDA-FXR3072300W-6.5K-240V-BL-PH-A586X B400 X C79MM	300W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
72	MAZDA-FXR3072300W-6.5K-240V-BL-10VDIM-A586X B400 X C79MM	300W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
73	MAZDA-FXR3072400W-3K-240V-BL-ND-A586X B400 X C79MM	400W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
74	MAZDA-FXR3072400W-3K-240V-BL-DA-A586X B400 X C79MM	400W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
75	MAZDA-FXR3072400W-3K-240V-BL-PH-A586X B400 X C79MM	400W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
76	MAZDA-FXR3072400W-3K-240V-BL-10VDIM-A586X B400 X C79MM	400W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
77	MAZDA-FXR3072400W-4K-240V-BL-ND-A586X B400 X C79MM	400W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
78	MAZDA-FXR3072400W-4K-240V-BL-DA-A586X B400 X C79MM	400W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
79	MAZDA-FXR3072400W-4K-240V-BL-PH-A586X B400 X C79MM	400W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
80	MAZDA-FXR3072400W-4K-240V-BL-10VDIM-A586X B400 X C79MM	400W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
81	MAZDA-FXR3072400W-5K-240V-BL-ND-A586X B400 X C79MM	400W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
82	MAZDA-FXR3072400W-5K-240V-BL-DA-A586X B400 X C79MM	400W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
83	MAZDA-FXR3072400W-5K-240V-BL-PH-A586X B400 X C79MM	400W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
84	MAZDA-FXR3072400W-5K-240V-BL-10VDIM-A586X B400 X C79MM	400W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
85	MAZDA-FXR3072400W-6K-240V-BL-ND-A586X B400 X C79MM	400W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
86	MAZDA-FXR3072400W-6K-240V-BL-DA-A586X B400 X C79MM	400W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
87	MAZDA-FXR3072400W-6K-240V-BL-PH-A586X B400 X C79MM	400W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
88	MAZDA-FXR3072400W-6K-240V-BL-10VDIM-A586X B400 X C79MM	400W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
89	MAZDA-FXR3072400W-2.7K-240V-BL-ND-A586X B400 X C79MM	400W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
90	MAZDA-FXR3072400W-2.7K-240V-BL-DA-A586X B400 X C79MM	400W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
91	MAZDA-FXR3072400W-2.7K-240V-BL-PH-A586X B400 X C79MM	400W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
92	MAZDA-FXR3072400W-2.7K-240V-BL-10VDIM-A586X B400 X C79MM	400W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
93	MAZDA-FXR3072400W-6.5K-240V-BL-ND-A586X B400 X C79MM	400W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
94	MAZDA-FXR3072400W-6.5K-240V-BL-DA-A586X B400 X C79MM	400W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
95	MAZDA-FXR3072400W-6.5K-240V-BL-PH-A586X B400 X C79MM	400W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
96	MAZDA-FXR3072400W-6.5K-240V-BL-10VDIM-A586X B400 X C79MM	400W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A586X B400 X C79MM	DIE CAST ALUMINUM	IP65	A586X B400 X C79MM
97	MAZDA-FXR3072500W-3K-240V-BL-ND-A714 X B533 X C89MM	500W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
98	MAZDA-FXR3072500W-3K-240V-BL-DA-A714 X B533 X C89MM	500W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
99	MAZDA-FXR3072500W-3K-240V-BL-PH-A714 X B533 X C89MM	500W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
100	MAZDA-FXR3072500W-3K-240V-BL-10VDIM-A714 X B533 X C89MM	500W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
101	MAZDA-FXR3072500W-4K-240V-BL-ND-A714 X B533 X C89MM	500W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
102	MAZDA-FXR3072500W-4K-240V-BL-DA-A714 X B533 X C89MM	500W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
103	MAZDA-FXR3072500W-4K-240V-BL-PH-A714 X B533 X C89MM	500W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
104	MAZDA-FXR3072500W-4K-240V-BL-10VDIM-A714 X B533 X C89MM	500W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
105	MAZDA-FXR3072500W-5K-240V-BL-ND-A714 X B533 X C89MM	500W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
106	MAZDA-FXR3072500W-5K-240V-BL-DA-A714 X B533 X C89MM	500W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
107	MAZDA-FXR3072500W-5K-240V-BL-PH-A714 X B533 X C89MM	500W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
108	MAZDA-FXR3072500W-5K-240V-BL-10VDIM-A714 X B533 X C89MM	500W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
109	MAZDA-FXR3072500W-6K-240V-BL-ND-A714 X B533 X C89MM	500W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
110	MAZDA-FXR3072500W-6K-240V-BL-DA-A714 X B533 X C89MM	500W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
111	MAZDA-FXR3072500W-6K-240V-BL-PH-A714 X B533 X C89MM	500W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
112	MAZDA-FXR3072500W-6K-240V-BL-10VDIM-A714 X B533 X C89MM	500W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
113	MAZDA-FXR3072500W-2.7K-240V-BL-ND-A714 X B533 X C89MM	500W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
114	MAZDA-FXR3072500W-2.7K-240V-BL-DA-A714 X B533 X C89MM	500W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
115	MAZDA-FXR3072500W-2.7K-240V-BL-PH-A714 X B533 X C89MM	500W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
116	MAZDA-FXR3072500W-2.7K-240V-BL-10VDIM-A714 X B533 X C89MM	500W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
117	MAZDA-FXR3072500W-6.5K-240V-BL-ND-A714 X B533 X C89MM	500W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
118	MAZDA-FXR3072500W-6.5K-240V-BL-DA-A714 X B533 X C89MM	500W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
119	**MAZDA-FXR3072500W-6.5K-240V-BL-PH-A714 X B533 X C89MM**	500W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
120	**MAZDA-FXR3072500W-6.5K-240V-BL-10VDIM-A714 X B533 X C89MM**	500W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
121	**MAZDA-FXR3072600W-3K-240V-BL-ND-A714 X B533 X C89MM**	600W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
122	**MAZDA-FXR3072600W-3K-240V-BL-DA-A714 X B533 X C89MM**	600W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
123	**MAZDA-FXR3072600W-3K-240V-BL-PH-A714 X B533 X C89MM**	600W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
124	**MAZDA-FXR3072600W-3K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
125	**MAZDA-FXR3072600W-4K-240V-BL-ND-A714 X B533 X C89MM**	600W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
126	**MAZDA-FXR3072600W-4K-240V-BL-DA-A714 X B533 X C89MM**	600W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
127	**MAZDA-FXR3072600W-4K-240V-BL-PH-A714 X B533 X C89MM**	600W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
128	**MAZDA-FXR3072600W-4K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
129	**MAZDA-FXR3072600W-5K-240V-BL-ND-A714 X B533 X C89MM**	600W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
130	**MAZDA-FXR3072600W-5K-240V-BL-DA-A714 X B533 X C89MM**	600W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
131	**MAZDA-FXR3072600W-5K-240V-BL-PH-A714 X B533 X C89MM**	600W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
132	**MAZDA-FXR3072600W-5K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
133	**MAZDA-FXR3072600W-6K-240V-BL-ND-A714 X B533 X C89MM**	600W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
134	**MAZDA-FXR3072600W-6K-240V-BL-DA-A714 X B533 X C89MM**	600W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
135	**MAZDA-FXR3072600W-6K-240V-BL-PH-A714 X B533 X C89MM**	600W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
136	**MAZDA-FXR3072600W-6K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
137	**MAZDA-FXR3072600W-2.7K-240V-BL-ND-A714 X B533 X C89MM**	600W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
138	**MAZDA-FXR3072600W-2.7K-240V-BL-DA-A714 X B533 X C89MM**	600W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
139	**MAZDA-FXR3072600W-2.7K-240V-BL-PH-A714 X B533 X C89MM**	600W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
140	**MAZDA-FXR3072600W-2.7K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
141	**MAZDA-FXR3072600W-6.5K-240V-BL-ND-A714 X B533 X C89MM**	600W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
142	**MAZDA-FXR3072600W-6.5K-240V-BL-DA-A714 X B533 X C89MM**	600W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
143	**MAZDA-FXR3072600W-6.5K-240V-BL-PH-A714 X B533 X C89MM**	600W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
144	**MAZDA-FXR3072600W-6.5K-240V-BL-10VDIM-A714 X B533 X C89MM**	600W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
145	**MAZDA-FXR3072700W-3K-240V-BL-ND-A714 X B533 X C89MM**	700W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
146	**MAZDA-FXR3072700W-3K-240V-BL-DA-A714 X B533 X C89MM**	700W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
147	**MAZDA-FXR3072700W-3K-240V-BL-PH-A714 X B533 X C89MM**	700W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
148	**MAZDA-FXR3072700W-3K-240V-BL-10VDIM-A714 X B533 X C89MM**	700W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
149	**MAZDA-FXR3072700W-4K-240V-BL-ND-A714 X B533 X C89MM**	700W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM
150	**MAZDA-FXR3072700W-4K-240V-BL-DA-A714 X B533 X C89MM**	700W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	25	A714 X B533 X C89MM	DIE CAST ALUMINUM	IP65	A714 X B533 X C89MM