DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



SLIMY - UL

MAZDA Model: STXR3171 Flood Light

Slimy Street Light series luminaire is the ideal solution that fulfils requirements of functional street lighting and residential areas, which working with outstanding heat dissipation and compacting system. Equipped with high-quality electrical components, long lifetime is assured. Tool-free design and disconnector device, enables easy, safe and minimal cost for maintenance. E cientsystem also to reduce energy consumption and to create a more attractive urban living environ ment and visual comforts for public and residential areas. With patented housing design and range of optics, Slimy series luminaire is also available with SPD Optional 10/15/20KV & Photocell NEMA socket. It can be installed horizontally and vertically, and the adjustable angle is +-15°. The finish is accessible in the RAL colors requested by client. Complying with UL Standards

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-STXR317180W-3K-265V-BL-ND-A318.8 X B351 X C77MM	80W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
2	MAZDA-STXR317180W-3K-265V-BL-DA-A318.8 X B351 X C77MM	80W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
3	MAZDA-STXR317180W-3K-265V-BL-PH-A318.8 X B351 X C77MM	80W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
4	MAZDA-STXR317180W-3K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
5	MAZDA-STXR317180W-4K-265V-BL-ND-A318.8 X B351 X C77MM	80W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
6	MAZDA-STXR317180W-4K-265V-BL-DA-A318.8 X B351 X C77MM	80W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
7	MAZDA-STXR317180W-4K-265V-BL-PH-A318.8 X B351 X C77MM	80W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
8	MAZDA-STXR317180W-4K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
9	MAZDA-STXR317180W-5K-265V-BL-ND-A318.8 X B351 X C77MM	80W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
10	MAZDA-STXR317180W-5K-265V-BL-DA-A318.8 X B351 X C77MM	80W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
11	MAZDA-STXR317180W-5K-265V-BL-PH-A318.8 X B351 X C77MM	80W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
12	MAZDA-STXR317180W-5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
13	MAZDA-STXR317180W-6K-265V-BL-ND-A318.8 X B351 X C77MM	80W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
14	MAZDA-STXR317180W-6K-265V-BL-DA-A318.8 X B351 X C77MM	80W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
15	MAZDA-STXR317180W-6K-265V-BL-PH-A318.8 X B351 X C77MM	80W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
16	MAZDA-STXR317180W-6K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
17	MAZDA-STXR317180W-2.7K-265V-BL-ND-A318.8 X B351 X C77MM	80W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
18	MAZDA-STXR317180W-2.7K-265V-BL-DA-A318.8 X B351 X C77MM	80W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
19	MAZDA-STXR317180W-2.7K-265V-BL-PH-A318.8 X B351 X C77MM	80W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
20	MAZDA-STXR317180W-2.7K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
21	MAZDA-STXR317180W-6.5K-265V-BL-ND-A318.8 X B351 X C77MM	80W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
22	MAZDA-STXR317180W-6.5K-265V-BL-DA-A318.8 X B351 X C77MM	80W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
23	MAZDA-STXR317180W-6.5K-265V-BL-PH-A318.8 X B351 X C77MM	80W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
24	MAZDA-STXR317180W-6.5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	80W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
25	MAZDA-STXR3171100W-3K-265V-BL-ND-A318.8 X B351 X C77MM	100W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
26	MAZDA-STXR3171100W-3K-265V-BL-DA-A318.8 X B351 X C77MM	100W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
27	MAZDA-STXR3171100W-3K-265V-BL-PH-A318.8 X B351 X C77MM	100W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
28	MAZDA-STXR3171100W-3K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
29	MAZDA-STXR3171100W-4K-265V-BL-ND-A318.8 X B351 X C77MM	100W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
30	MAZDA-STXR3171100W-4K-265V-BL-DA-A318.8 X B351 X C77MM	100W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
31	MAZDA-STXR3171100W-4K-265V-BL-PH-A318.8 X B351 X C77MM	100W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
32	MAZDA-STXR3171100W-4K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
33	MAZDA-STXR3171100W-5K-265V-BL-ND-A318.8 X B351 X C77MM	100W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
34	MAZDA-STXR3171100W-5K-265V-BL-DA-A318.8 X B351 X C77MM	100W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
35	MAZDA-STXR3171100W-5K-265V-BL-PH-A318.8 X B351 X C77MM	100W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
36	MAZDA-STXR3171100W-5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
37	MAZDA-STXR3171100W-6K-265V-BL-ND-A318.8 X B351 X C77MM	100W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
38	MAZDA-STXR3171100W-6K-265V-BL-DA-A318.8 X B351 X C77MM	100W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
39	MAZDA-STXR3171100W-6K-265V-BL-PH-A318.8 X B351 X C77MM	100W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
40	MAZDA-STXR3171100W-6K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
41	MAZDA-STXR3171100W-2.7K-265V-BL-ND-A318.8 X B351 X C77MM	100W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
42	MAZDA-STXR3171100W-2.7K-265V-BL-DA-A318.8 X B351 X C77MM	100W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
43	MAZDA-STXR3171100W-2.7K-265V-BL-PH-A318.8 X B351 X C77MM	100W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
44	MAZDA-STXR3171100W-2.7K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
45	MAZDA-STXR3171100W-6.5K-265V-BL-ND-A318.8 X B351 X C77MM	100W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
46	MAZDA-STXR3171100W-6.5K-265V-BL-DA-A318.8 X B351 X C77MM	100W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
47	MAZDA-STXR3171100W-6.5K-265V-BL-PH-A318.8 X B351 X C77MM	100W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
48	MAZDA-STXR3171100W-6.5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	100W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
49	MAZDA-STXR3171120W-3K-265V-BL-ND-A318.8 X B351 X C77MM	120W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
50	MAZDA-STXR3171120W-3K-265V-BL-DA-A318.8 X B351 X C77MM	120W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
51	MAZDA-STXR3171120W-3K-265V-BL-PH-A318.8 X B351 X C77MM	120W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
52	MAZDA-STXR3171120W-3K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
53	MAZDA-STXR3171120W-4K-265V-BL-ND-A318.8 X B351 X C77MM	120W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
54	MAZDA-STXR3171120W-4K-265V-BL-DA-A318.8 X B351 X C77MM	120W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
55	MAZDA-STXR3171120W-4K-265V-BL-PH-A318.8 X B351 X C77MM	120W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
56	MAZDA-STXR3171120W-4K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
57	MAZDA-STXR3171120W-5K-265V-BL-ND-A318.8 X B351 X C77MM	120W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
58	MAZDA-STXR3171120W-5K-265V-BL-DA-A318.8 X B351 X C77MM	120W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
59	MAZDA-STXR3171120W-5K-265V-BL-PH-A318.8 X B351 X C77MM	120W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
60	MAZDA-STXR3171120W-5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
61	MAZDA-STXR3171120W-6K-265V-BL-ND-A318.8 X B351 X C77MM	120W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
62	MAZDA-STXR3171120W-6K-265V-BL-DA-A318.8 X B351 X C77MM	120W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
63	MAZDA-STXR3171120W-6K-265V-BL-PH-A318.8 X B351 X C77MM	120W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
64	MAZDA-STXR3171120W-6K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
65	MAZDA-STXR3171120W-2.7K-265V-BL-ND-A318.8 X B351 X C77MM	120W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
66	MAZDA-STXR3171120W-2.7K-265V-BL-DA-A318.8 X B351 X C77MM	120W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
67	MAZDA-STXR3171120W-2.7K-265V-BL-PH-A318.8 X B351 X C77MM	120W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
68	MAZDA-STXR3171120W-2.7K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
69	MAZDA-STXR3171120W-6.5K-265V-BL-ND-A318.8 X B351 X C77MM	120W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
70	MAZDA-STXR3171120W-6.5K-265V-BL-DA-A318.8 X B351 X C77MM	120W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
71	MAZDA-STXR3171120W-6.5K-265V-BL-PH-A318.8 X B351 X C77MM	120W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
72	MAZDA-STXR3171120W-6.5K-265V-BL-10VDIM-A318.8 X B351 X C77MM	120W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B351 X C77MM	DIE CAST ALUMINUM	IP65	A318.8 X B351 X C77MM
73	MAZDA-STXR3171200W-3K-265V-BL-ND-A318.8 X B588.6 X C88MM	200W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
74	MAZDA-STXR3171200W-3K-265V-BL-DA-A318.8 X B588.6 X C88MM	200W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
75	MAZDA-STXR3171200W-3K-265V-BL-PH-A318.8 X B588.6 X C88MM	200W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
76	MAZDA-STXR3171200W-3K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM	200W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
77	**MAZDA-STXR3171200W-4K-265V-BL-ND-A318.8 X B588.6 X C88MM**	200W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
78	**MAZDA-STXR3171200W-4K-265V-BL-DA-A318.8 X B588.6 X C88MM**	200W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
79	**MAZDA-STXR3171200W-4K-265V-BL-PH-A318.8 X B588.6 X C88MM**	200W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
80	**MAZDA-STXR3171200W-4K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	200W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
81	**MAZDA-STXR3171200W-5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	200W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
82	**MAZDA-STXR3171200W-5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	200W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
83	**MAZDA-STXR3171200W-5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	200W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
84	**MAZDA-STXR3171200W-5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	200W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
85	**MAZDA-STXR3171200W-6K-265V-BL-ND-A318.8 X B588.6 X C88MM**	200W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
86	**MAZDA-STXR3171200W-6K-265V-BL-DA-A318.8 X B588.6 X C88MM**	200W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
87	**MAZDA-STXR3171200W-6K-265V-BL-PH-A318.8 X B588.6 X C88MM**	200W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
88	**MAZDA-STXR3171200W-6K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	200W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
89	**MAZDA-STXR3171200W-2.7K-265V-BL-ND-A318.8 X B588.6 X C88MM**	200W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
90	**MAZDA-STXR3171200W-2.7K-265V-BL-DA-A318.8 X B588.6 X C88MM**	200W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
91	**MAZDA-STXR3171200W-2.7K-265V-BL-PH-A318.8 X B588.6 X C88MM**	200W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
92	**MAZDA-STXR3171200W-2.7K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	200W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
93	**MAZDA-STXR3171200W-6.5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	200W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
94	**MAZDA-STXR3171200W-6.5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	200W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
95	**MAZDA-STXR3171200W-6.5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	200W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
96	**MAZDA-STXR3171200W-6.5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	200W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
97	**MAZDA-STXR3171240W-3K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
98	**MAZDA-STXR3171240W-3K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
99	**MAZDA-STXR3171240W-3K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
100	**MAZDA-STXR3171240W-3K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
101	**MAZDA-STXR3171240W-4K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
102	**MAZDA-STXR3171240W-4K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
103	**MAZDA-STXR3171240W-4K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
104	**MAZDA-STXR3171240W-4K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
105	**MAZDA-STXR3171240W-5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
106	**MAZDA-STXR3171240W-5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
107	**MAZDA-STXR3171240W-5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
108	**MAZDA-STXR3171240W-5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
109	**MAZDA-STXR3171240W-6K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
110	**MAZDA-STXR3171240W-6K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
111	**MAZDA-STXR3171240W-6K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
112	**MAZDA-STXR3171240W-6K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
113	**MAZDA-STXR3171240W-2.7K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
114	**MAZDA-STXR3171240W-2.7K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
115	**MAZDA-STXR3171240W-2.7K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
116	**MAZDA-STXR3171240W-2.7K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
117	**MAZDA-STXR3171240W-6.5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	240W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
118	**MAZDA-STXR3171240W-6.5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	240W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
119	**MAZDA-STXR3171240W-6.5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	240W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
120	**MAZDA-STXR3171240W-6.5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	240W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
121	**MAZDA-STXR3171300W-3K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
122	**MAZDA-STXR3171300W-3K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
123	**MAZDA-STXR3171300W-3K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
124	**MAZDA-STXR3171300W-3K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	3000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
125	**MAZDA-STXR3171300W-4K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
126	**MAZDA-STXR3171300W-4K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
127	**MAZDA-STXR3171300W-4K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
128	**MAZDA-STXR3171300W-4K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	4000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
129	**MAZDA-STXR3171300W-5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
130	**MAZDA-STXR3171300W-5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
131	**MAZDA-STXR3171300W-5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
132	**MAZDA-STXR3171300W-5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	5000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
133	**MAZDA-STXR3171300W-6K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
134	**MAZDA-STXR3171300W-6K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
135	**MAZDA-STXR3171300W-6K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
136	**MAZDA-STXR3171300W-6K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	6000	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
137	**MAZDA-STXR3171300W-2.7K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
138	**MAZDA-STXR3171300W-2.7K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM
139	**MAZDA-STXR3171300W-2.7K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	**MAZDA-STXR3171300W-2.7K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	2700	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
141	**MAZDA-STXR3171300W-6.5K-265V-BL-ND-A318.8 X B588.6 X C88MM**	300W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	ON - OFF	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
142	**MAZDA-STXR3171300W-6.5K-265V-BL-DA-A318.8 X B588.6 X C88MM**	300W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
143	**MAZDA-STXR3171300W-6.5K-265V-BL-PH-A318.8 X B588.6 X C88MM**	300W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	
144	**MAZDA-STXR3171300W-6.5K-265V-BL-10VDIM-A318.8 X B588.6 X C88MM**	300W	6500	265V	BLACK, GREY & WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A318.8 X B588.6 X C88MM	DIE CAST ALUMINUM	IP65	A318.8 X B588.6 X C88MM	