
DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



WIZARD

MAZDA Model: FXR3065 Flood Light

Wizard LED Flood Light is a cost-effective solution, with full range of wattage and optional light distribution, Wizard is available for multiple applications. Multiple light distributions for different applications even for stadium and billboard. It can also be used as street light with slip fitter mounting accessory

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	**MAZDA-FXR306530W-3K-240V-BL-ND-A201 X B193 X C46 MM**	30W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
2	**MAZDA-FXR306530W-3K-240V-BL-DA-A201 X B193 X C46 MM**	30W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
3	**MAZDA-FXR306530W-3K-240V-BL-PH-A201 X B193 X C46 MM**	30W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
4	**MAZDA-FXR306530W-3K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
5	**MAZDA-FXR306530W-4K-240V-BL-ND-A201 X B193 X C46 MM**	30W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
6	**MAZDA-FXR306530W-4K-240V-BL-DA-A201 X B193 X C46 MM**	30W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
7	**MAZDA-FXR306530W-4K-240V-BL-PH-A201 X B193 X C46 MM**	30W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
8	**MAZDA-FXR306530W-4K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
9	**MAZDA-FXR306530W-5K-240V-BL-ND-A201 X B193 X C46 MM**	30W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
10	**MAZDA-FXR306530W-5K-240V-BL-DA-A201 X B193 X C46 MM**	30W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
11	**MAZDA-FXR306530W-5K-240V-BL-PH-A201 X B193 X C46 MM**	30W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
12	**MAZDA-FXR306530W-5K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
13	**MAZDA-FXR306530W-6K-240V-BL-ND-A201 X B193 X C46 MM**	30W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
14	**MAZDA-FXR306530W-6K-240V-BL-DA-A201 X B193 X C46 MM**	30W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
15	**MAZDA-FXR306530W-6K-240V-BL-PH-A201 X B193 X C46 MM**	30W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
16	**MAZDA-FXR306530W-6K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
17	**MAZDA-FXR306530W-2.7K-240V-BL-ND-A201 X B193 X C46 MM**	30W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
18	**MAZDA-FXR306530W-2.7K-240V-BL-DA-A201 X B193 X C46 MM**	30W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
19	**MAZDA-FXR306530W-2.7K-240V-BL-PH-A201 X B193 X C46 MM**	30W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
20	**MAZDA-FXR306530W-2.7K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
21	**MAZDA-FXR306530W-6.5K-240V-BL-ND-A201 X B193 X C46 MM**	30W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
22	**MAZDA-FXR306530W-6.5K-240V-BL-DA-A201 X B193 X C46 MM**	30W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
23	**MAZDA-FXR306530W-6.5K-240V-BL-PH-A201 X B193 X C46 MM**	30W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
24	**MAZDA-FXR306530W-6.5K-240V-BL-10VDIM-A201 X B193 X C46 MM**	30W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A201 X B193 X C46 MM	DIE CAST ALUMINUM	IP65	A201 X B193 X C46 MM
25	**MAZDA-FXR306550W-3K-240V-BL-ND-A247 X B237 X C47 MM**	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
26	**MAZDA-FXR306550W-3K-240V-BL-DA-A247 X B237 X C47 MM**	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
27	**MAZDA-FXR306550W-3K-240V-BL-PH-A247 X B237 X C47 MM**	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
28	**MAZDA-FXR306550W-3K-240V-BL-10VDIM-A247 X B237 X C47 MM**	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
29	**MAZDA-FXR306550W-4K-240V-BL-ND-A247 X B237 X C47 MM**	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
30	**MAZDA-FXR306550W-4K-240V-BL-DA-A247 X B237 X C47 MM**	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
31	**MAZDA-FXR306550W-4K-240V-BL-PH-A247 X B237 X C47 MM**	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
32	**MAZDA-FXR306550W-4K-240V-BL-10VDIM-A247 X B237 X C47 MM**	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
33	**MAZDA-FXR306550W-5K-240V-BL-ND-A247 X B237 X C47 MM**	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
34	**MAZDA-FXR306550W-5K-240V-BL-DA-A247 X B237 X C47 MM**	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
35	MAZDA-FXR306550W-5K-240V-BL-PH-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
36	MAZDA-FXR306550W-5K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
37	MAZDA-FXR306550W-6K-240V-BL-ND-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
38	MAZDA-FXR306550W-6K-240V-BL-DA-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
39	MAZDA-FXR306550W-6K-240V-BL-PH-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
40	MAZDA-FXR306550W-6K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
41	MAZDA-FXR306550W-2.7K-240V-BL-ND-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
42	MAZDA-FXR306550W-2.7K-240V-BL-DA-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
43	MAZDA-FXR306550W-2.7K-240V-BL-PH-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
44	MAZDA-FXR306550W-2.7K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
45	MAZDA-FXR306550W-6.5K-240V-BL-ND-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
46	MAZDA-FXR306550W-6.5K-240V-BL-DA-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
47	MAZDA-FXR306550W-6.5K-240V-BL-PH-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
48	MAZDA-FXR306550W-6.5K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
49	MAZDA-FXR306550W-3K-240V-BL-ND-A247 X B237 X C47 MM	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
50	MAZDA-FXR306550W-3K-240V-BL-DA-A247 X B237 X C47 MM	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
51	MAZDA-FXR306550W-3K-240V-BL-PH-A247 X B237 X C47 MM	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
52	MAZDA-FXR306550W-3K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
53	MAZDA-FXR306550W-4K-240V-BL-ND-A247 X B237 X C47 MM	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
54	MAZDA-FXR306550W-4K-240V-BL-DA-A247 X B237 X C47 MM	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
55	MAZDA-FXR306550W-4K-240V-BL-PH-A247 X B237 X C47 MM	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
56	MAZDA-FXR306550W-4K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
57	MAZDA-FXR306550W-5K-240V-BL-ND-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
58	MAZDA-FXR306550W-5K-240V-BL-DA-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
59	MAZDA-FXR306550W-5K-240V-BL-PH-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
60	MAZDA-FXR306550W-5K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
61	MAZDA-FXR306550W-6K-240V-BL-ND-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
62	MAZDA-FXR306550W-6K-240V-BL-DA-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
63	MAZDA-FXR306550W-6K-240V-BL-PH-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
64	MAZDA-FXR306550W-6K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
65	MAZDA-FXR306550W-2.7K-240V-BL-ND-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
66	MAZDA-FXR306550W-2.7K-240V-BL-DA-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
67	MAZDA-FXR306550W-2.7K-240V-BL-PH-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
68	MAZDA-FXR306550W-2.7K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
69	MAZDA-FXR306550W-6.5K-240V-BL-ND-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
70	MAZDA-FXR306550W-6.5K-240V-BL-DA-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
71	MAZDA-FXR306550W-6.5K-240V-BL-PH-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
72	MAZDA-FXR306550W-6.5K-240V-BL-10VDIM-A247 X B237 X C47 MM	50W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A247 X B237 X C47 MM	DIE CAST ALUMINUM	IP65	A247 X B237 X C47 MM
73	MAZDA-FXR3065100W-3K-240V-BL-ND-A301 X B280 X C55 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
74	MAZDA-FXR3065100W-3K-240V-BL-DA-A301 X B280 X C55 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
75	MAZDA-FXR3065100W-3K-240V-BL-PH-A301 X B280 X C55 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
76	MAZDA-FXR3065100W-3K-240V-BL-10VDIM-A301 X B280 X C55 MM	100W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
77	**MAZDA-FXR3065100W-4K-240V-BL-ND-A301 X B280 X C55 MM**	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
78	**MAZDA-FXR3065100W-4K-240V-BL-DA-A301 X B280 X C55 MM**	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
79	**MAZDA-FXR3065100W-4K-240V-BL-PH-A301 X B280 X C55 MM**	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
80	**MAZDA-FXR3065100W-4K-240V-BL-10VDIM-A301 X B280 X C55 MM**	100W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
81	**MAZDA-FXR3065100W-5K-240V-BL-ND-A301 X B280 X C55 MM**	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
82	**MAZDA-FXR3065100W-5K-240V-BL-DA-A301 X B280 X C55 MM**	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
83	**MAZDA-FXR3065100W-5K-240V-BL-PH-A301 X B280 X C55 MM**	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
84	**MAZDA-FXR3065100W-5K-240V-BL-10VDIM-A301 X B280 X C55 MM**	100W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
85	**MAZDA-FXR3065100W-6K-240V-BL-ND-A301 X B280 X C55 MM**	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
86	**MAZDA-FXR3065100W-6K-240V-BL-DA-A301 X B280 X C55 MM**	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
87	**MAZDA-FXR3065100W-6K-240V-BL-PH-A301 X B280 X C55 MM**	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
88	**MAZDA-FXR3065100W-6K-240V-BL-10VDIM-A301 X B280 X C55 MM**	100W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
89	**MAZDA-FXR3065100W-2.7K-240V-BL-ND-A301 X B280 X C55 MM**	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
90	**MAZDA-FXR3065100W-2.7K-240V-BL-DA-A301 X B280 X C55 MM**	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
91	**MAZDA-FXR3065100W-2.7K-240V-BL-PH-A301 X B280 X C55 MM**	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
92	**MAZDA-FXR3065100W-2.7K-240V-BL-10VDIM-A301 X B280 X C55 MM**	100W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
93	**MAZDA-FXR3065100W-6.5K-240V-BL-ND-A301 X B280 X C55 MM**	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
94	**MAZDA-FXR3065100W-6.5K-240V-BL-DA-A301 X B280 X C55 MM**	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
95	**MAZDA-FXR3065100W-6.5K-240V-BL-PH-A301 X B280 X C55 MM**	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
96	**MAZDA-FXR3065100W-6.5K-240V-BL-10VDIM-A301 X B280 X C55 MM**	100W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A301 X B280 X C55 MM	DIE CAST ALUMINUM	IP65	A301 X B280 X C55 MM
97	**MAZDA-FXR3065150W-3K-240V-BL-ND-A358 X B320 X C61 MM**	150W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
98	**MAZDA-FXR3065150W-3K-240V-BL-DA-A358 X B320 X C61 MM**	150W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
99	**MAZDA-FXR3065150W-3K-240V-BL-PH-A358 X B320 X C61 MM**	150W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
100	**MAZDA-FXR3065150W-3K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
101	**MAZDA-FXR3065150W-4K-240V-BL-ND-A358 X B320 X C61 MM**	150W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
102	**MAZDA-FXR3065150W-4K-240V-BL-DA-A358 X B320 X C61 MM**	150W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
103	**MAZDA-FXR3065150W-4K-240V-BL-PH-A358 X B320 X C61 MM**	150W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
104	**MAZDA-FXR3065150W-4K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
105	**MAZDA-FXR3065150W-5K-240V-BL-ND-A358 X B320 X C61 MM**	150W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
106	**MAZDA-FXR3065150W-5K-240V-BL-DA-A358 X B320 X C61 MM**	150W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
107	**MAZDA-FXR3065150W-5K-240V-BL-PH-A358 X B320 X C61 MM**	150W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
108	**MAZDA-FXR3065150W-5K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
109	**MAZDA-FXR3065150W-6K-240V-BL-ND-A358 X B320 X C61 MM**	150W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
110	**MAZDA-FXR3065150W-6K-240V-BL-DA-A358 X B320 X C61 MM**	150W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
111	**MAZDA-FXR3065150W-6K-240V-BL-PH-A358 X B320 X C61 MM**	150W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
112	**MAZDA-FXR3065150W-6K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
113	**MAZDA-FXR3065150W-2.7K-240V-BL-ND-A358 X B320 X C61 MM**	150W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
114	**MAZDA-FXR3065150W-2.7K-240V-BL-DA-A358 X B320 X C61 MM**	150W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
115	**MAZDA-FXR3065150W-2.7K-240V-BL-PH-A358 X B320 X C61 MM**	150W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
116	**MAZDA-FXR3065150W-2.7K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
117	**MAZDA-FXR3065150W-6.5K-240V-BL-ND-A358 X B320 X C61 MM**	150W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
118	**MAZDA-FXR3065150W-6.5K-240V-BL-DA-A358 X B320 X C61 MM**	150W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
119	**MAZDA-FXR3065150W-6.5K-240V-BL-PH-A358 X B320 X C61 MM**	150W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
120	**MAZDA-FXR3065150W-6.5K-240V-BL-10VDIM-A358 X B320 X C61 MM**	150W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A358 X B320 X C61 MM	DIE CAST ALUMINUM	IP65	A358 X B320 X C61 MM
121	**MAZDA-FXR3065200W-3K-240V-BL-ND-A412 X B366 X C63 MM**	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
122	**MAZDA-FXR3065200W-3K-240V-BL-DA-A412 X B366 X C63 MM**	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
123	**MAZDA-FXR3065200W-3K-240V-BL-PH-A412 X B366 X C63 MM**	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
124	**MAZDA-FXR3065200W-3K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
125	**MAZDA-FXR3065200W-4K-240V-BL-ND-A412 X B366 X C63 MM**	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
126	**MAZDA-FXR3065200W-4K-240V-BL-DA-A412 X B366 X C63 MM**	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
127	**MAZDA-FXR3065200W-4K-240V-BL-PH-A412 X B366 X C63 MM**	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
128	**MAZDA-FXR3065200W-4K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
129	**MAZDA-FXR3065200W-5K-240V-BL-ND-A412 X B366 X C63 MM**	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
130	**MAZDA-FXR3065200W-5K-240V-BL-DA-A412 X B366 X C63 MM**	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
131	**MAZDA-FXR3065200W-5K-240V-BL-PH-A412 X B366 X C63 MM**	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
132	**MAZDA-FXR3065200W-5K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	5000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
133	**MAZDA-FXR3065200W-6K-240V-BL-ND-A412 X B366 X C63 MM**	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
134	**MAZDA-FXR3065200W-6K-240V-BL-DA-A412 X B366 X C63 MM**	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
135	**MAZDA-FXR3065200W-6K-240V-BL-PH-A412 X B366 X C63 MM**	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
136	**MAZDA-FXR3065200W-6K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	6000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
137	**MAZDA-FXR3065200W-2.7K-240V-BL-ND-A412 X B366 X C63 MM**	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
138	**MAZDA-FXR3065200W-2.7K-240V-BL-DA-A412 X B366 X C63 MM**	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM
139	**MAZDA-FXR3065200W-2.7K-240V-BL-PH-A412 X B366 X C63 MM**	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	**MAZDA-FXR3065200W-2.7K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	2700	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM	
141	**MAZDA-FXR3065200W-6.5K-240V-BL-ND-A412 X B366 X C63 MM**	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM	
142	**MAZDA-FXR3065200W-6.5K-240V-BL-DA-A412 X B366 X C63 MM**	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM	
143	**MAZDA-FXR3065200W-6.5K-240V-BL-PH-A412 X B366 X C63 MM**	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM	
144	**MAZDA-FXR3065200W-6.5K-240V-BL-10VDIM-A412 X B366 X C63 MM**	200W	6500	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A412 X B366 X C63 MM	DIE CAST ALUMINUM	IP65	A412 X B366 X C63 MM	
145	**MAZDA-FXR3065250W-3K-240V-BL-ND-A486 X B406 X C69 MM**	250W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	
146	**MAZDA-FXR3065250W-3K-240V-BL-DA-A486 X B406 X C69 MM**	250W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	
147	**MAZDA-FXR3065250W-3K-240V-BL-PH-A486 X B406 X C69 MM**	250W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	
148	**MAZDA-FXR3065250W-3K-240V-BL-10VDIM-A486 X B406 X C69 MM**	250W	3000	240V	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	
149	**MAZDA-FXR3065250W-4K-240V-BL-ND-A486 X B406 X C69 MM**	250W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	
150	**MAZDA-FXR3065250W-4K-240V-BL-DA-A486 X B406 X C69 MM**	250W	4000	240V	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A486 X B406 X C69 MM	DIE CAST ALUMINUM	IP65	A486 X B406 X C69 MM	