



BULBASUR

MAZDA Model: BLXR334515 Bollard Light

Bulbasaur Bollard Light shielded with wide beam light distribution for a high degree of illuminance on the ground surface. For the illumination of squares entrance or rectangular it's a perfect choice. adopts high-quality aluminum shell, spray paint baking surface treatment technology, and has the characteristics of not easy to rust, waterproof and sunscreen. The item has the classic design of a bollard light, available with little differences in the top shape to satisfy the details lovers. The light source is an LED high efficiency system, which ensures high performances while saving energy. Bulbasaur bollard have features like easy installation, very low maintenance needs and full safety for electrical systems and people with ingress protection degree is IP66

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR33451515W-3K-240V-WH-ND-A150 X B150 X C800	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
2	MAZDA-BLXR33451515W-3K-240V-WH-DA-A150 X B150 X C800	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
3	MAZDA-BLXR33451515W-3K-240V-WH-PH-A150 X B150 X C800	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
4	MAZDA-BLXR33451515W-3K-240V-WH-10VDIM-A150 X B150 X C800	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
5	MAZDA-BLXR33451515W-4K-240V-WH-ND-A150 X B150 X C800	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
6	MAZDA-BLXR33451515W-4K-240V-WH-DA-A150 X B150 X C800	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
7	MAZDA-BLXR33451515W-4K-240V-WH-PH-A150 X B150 X C800	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
8	MAZDA-BLXR33451515W-4K-240V-WH-10VDIM-A150 X B150 X C800	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
9	MAZDA-BLXR33451515W-5K-240V-WH-ND-A150 X B150 X C800	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
10	MAZDA-BLXR33451515W-5K-240V-WH-DA-A150 X B150 X C800	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
11	MAZDA-BLXR33451515W-5K-240V-WH-PH-A150 X B150 X C800	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
12	MAZDA-BLXR33451515W-5K-240V-WH-10VDIM-A150 X B150 X C800	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
13	MAZDA-BLXR33451515W-6K-240V-WH-ND-A150 X B150 X C800	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
14	MAZDA-BLXR33451515W-6K-240V-WH-DA-A150 X B150 X C800	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
15	MAZDA-BLXR33451515W-6K-240V-WH-PH-A150 X B150 X C800	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
16	MAZDA-BLXR33451515W-6K-240V-WH-10VDIM-A150 X B150 X C800	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
17	MAZDA-BLXR33451515W-2.7K-240V-WH-ND-A150 X B150 X C800	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	



DATASHEET

GENERATED ON: 05 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-BLXR33451515W-2.7K-240V-WH-DA-A150 X B150 X C800	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
19	MAZDA-BLXR33451515W-2.7K-240V-WH-PH-A150 X B150 X C800	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
20	MAZDA-BLXR33451515W-2.7K-240V-WH-10VDIM-A150 X B150 X C800	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
21	MAZDA-BLXR33451515W-6.5K-240V-WH-ND-A150 X B150 X C800	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
22	MAZDA-BLXR33451515W-6.5K-240V-WH-DA-A150 X B150 X C800	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
23	MAZDA-BLXR33451515W-6.5K-240V-WH-PH-A150 X B150 X C800	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
24	MAZDA-BLXR33451515W-6.5K-240V-WH-10VDIM-A150 X B150 X C800	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
25	MAZDA-BLXR33451520W-3K-240V-WH-ND-A150 X B150 X C800	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
26	MAZDA-BLXR33451520W-3K-240V-WH-DA-A150 X B150 X C800	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
27	MAZDA-BLXR33451520W-3K-240V-WH-PH-A150 X B150 X C800	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
28	MAZDA-BLXR33451520W-3K-240V-WH-10VDIM-A150 X B150 X C800	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
29	MAZDA-BLXR33451520W-4K-240V-WH-ND-A150 X B150 X C800	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
30	MAZDA-BLXR33451520W-4K-240V-WH-DA-A150 X B150 X C800	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
31	MAZDA-BLXR33451520W-4K-240V-WH-PH-A150 X B150 X C800	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
32	MAZDA-BLXR33451520W-4K-240V-WH-10VDIM-A150 X B150 X C800	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
33	MAZDA-BLXR33451520W-5K-240V-WH-ND-A150 X B150 X C800	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
34	MAZDA-BLXR33451520W-5K-240V-WH-DA-A150 X B150 X C800	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
35	MAZDA-BLXR33451520W-5K-240V-WH-PH-A150 X B150 X C800	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
36	MAZDA-BLXR33451520W-5K-240V-WH-10VDIM-A150 X B150 X C800	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
37	MAZDA-BLXR33451520W-6K-240V-WH-ND-A150 X B150 X C800	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
38	MAZDA-BLXR33451520W-6K-240V-WH-DA-A150 X B150 X C800	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
39	MAZDA-BLXR33451520W-6K-240V-WH-PH-A150 X B150 X C800	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
40	MAZDA-BLXR33451520W-6K-240V-WH-10VDIM-A150 X B150 X C800	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
41	MAZDA-BLXR33451520W-2.7K-240V-WH-ND-A150 X B150 X C800	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
42	MAZDA-BLXR33451520W-2.7K-240V-WH-DA-A150 X B150 X C800	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
43	MAZDA-BLXR33451520W-2.7K-240V-WH-PH-A150 X B150 X C800	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
44	MAZDA-BLXR33451520W-2.7K-240V-WH-10VDIM-A150 X B150 X C800	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	



DATASHEET

GENERATED ON: 05 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-BLXR33451520W-6.5K-240V-WH-ND-A150 X B150 X C800	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
46	MAZDA-BLXR33451520W-6.5K-240V-WH-DA-A150 X B150 X C800	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
47	MAZDA-BLXR33451520W-6.5K-240V-WH-PH-A150 X B150 X C800	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
48	MAZDA-BLXR33451520W-6.5K-240V-WH-10VDIM-A150 X B150 X C800	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
49	MAZDA-BLXR33451530W-3K-240V-WH-ND-A150 X B150 X C800	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
50	MAZDA-BLXR33451530W-3K-240V-WH-DA-A150 X B150 X C800	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
51	MAZDA-BLXR33451530W-3K-240V-WH-PH-A150 X B150 X C800	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
52	MAZDA-BLXR33451530W-3K-240V-WH-10VDIM-A150 X B150 X C800	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
53	MAZDA-BLXR33451530W-4K-240V-WH-ND-A150 X B150 X C800	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
54	MAZDA-BLXR33451530W-4K-240V-WH-DA-A150 X B150 X C800	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
55	MAZDA-BLXR33451530W-4K-240V-WH-PH-A150 X B150 X C800	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
56	MAZDA-BLXR33451530W-4K-240V-WH-10VDIM-A150 X B150 X C800	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
57	MAZDA-BLXR33451530W-5K-240V-WH-ND-A150 X B150 X C800	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
58	MAZDA-BLXR33451530W-5K-240V-WH-DA-A150 X B150 X C800	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
59	MAZDA-BLXR33451530W-5K-240V-WH-PH-A150 X B150 X C800	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
60	MAZDA-BLXR33451530W-5K-240V-WH-10VDIM-A150 X B150 X C800	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
61	MAZDA-BLXR33451530W-6K-240V-WH-ND-A150 X B150 X C800	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
62	MAZDA-BLXR33451530W-6K-240V-WH-DA-A150 X B150 X C800	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
63	MAZDA-BLXR33451530W-6K-240V-WH-PH-A150 X B150 X C800	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
64	MAZDA-BLXR33451530W-6K-240V-WH-10VDIM-A150 X B150 X C800	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
65	MAZDA-BLXR33451530W-2.7K-240V-WH-ND-A150 X B150 X C800	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
66	MAZDA-BLXR33451530W-2.7K-240V-WH-DA-A150 X B150 X C800	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
67	MAZDA-BLXR33451530W-2.7K-240V-WH-PH-A150 X B150 X C800	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
68	MAZDA-BLXR33451530W-2.7K-240V-WH-10VDIM-A150 X B150 X C800	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
69	MAZDA-BLXR33451530W-6.5K-240V-WH-ND-A150 X B150 X C800	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
70	MAZDA-BLXR33451530W-6.5K-240V-WH-DA-A150 X B150 X C800	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
71	MAZDA-BLXR33451530W-6.5K-240V-WH-PH-A150 X B150 X C800	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-BLXR33451530W-6.5K-240V-WH-10VDIM-A150 X B150 X C800	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C800	DIE CAST ALUMINUM	IP66	A150 X B150 X C800	
73	MAZDA-BLXR33451530W-3K-240V-WH-ND-A150 X B150 X C1000	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
74	MAZDA-BLXR33451530W-3K-240V-WH-DA-A150 X B150 X C1000	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
75	MAZDA-BLXR33451530W-3K-240V-WH-PH-A150 X B150 X C1000	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
76	MAZDA-BLXR33451530W-3K-240V-WH-10VDIM-A150 X B150 X C1000	30W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
77	MAZDA-BLXR33451530W-4K-240V-WH-ND-A150 X B150 X C1000	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
78	MAZDA-BLXR33451530W-4K-240V-WH-DA-A150 X B150 X C1000	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
79	MAZDA-BLXR33451530W-4K-240V-WH-PH-A150 X B150 X C1000	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
80	MAZDA-BLXR33451530W-4K-240V-WH-10VDIM-A150 X B150 X C1000	30W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
81	MAZDA-BLXR33451530W-5K-240V-WH-ND-A150 X B150 X C1000	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
82	MAZDA-BLXR33451530W-5K-240V-WH-DA-A150 X B150 X C1000	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
83	MAZDA-BLXR33451530W-5K-240V-WH-PH-A150 X B150 X C1000	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
84	MAZDA-BLXR33451530W-5K-240V-WH-10VDIM-A150 X B150 X C1000	30W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
85	MAZDA-BLXR33451530W-6K-240V-WH-ND-A150 X B150 X C1000	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
86	MAZDA-BLXR33451530W-6K-240V-WH-DA-A150 X B150 X C1000	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
87	MAZDA-BLXR33451530W-6K-240V-WH-PH-A150 X B150 X C1000	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
88	MAZDA-BLXR33451530W-6K-240V-WH-10VDIM-A150 X B150 X C1000	30W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
89	MAZDA-BLXR33451530W-2.7K-240V-WH-ND-A150 X B150 X C1000	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
90	MAZDA-BLXR33451530W-2.7K-240V-WH-DA-A150 X B150 X C1000	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
91	MAZDA-BLXR33451530W-2.7K-240V-WH-PH-A150 X B150 X C1000	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
92	MAZDA-BLXR33451530W-2.7K-240V-WH-10VDIM-A150 X B150 X C1000	30W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
93	MAZDA-BLXR33451530W-6.5K-240V-WH-ND-A150 X B150 X C1000	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
94	MAZDA-BLXR33451530W-6.5K-240V-WH-DA-A150 X B150 X C1000	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
95	MAZDA-BLXR33451530W-6.5K-240V-WH-PH-A150 X B150 X C1000	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	
96	MAZDA-BLXR33451530W-6.5K-240V-WH-10VDIM-A150 X B150 X C1000	30W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360°	A150 X B150 X C1000	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000	